

6 Literaturverzeichnis

- AGGARWAL, P. S.; GARD, J. A.; GLASSER, F. P. & BIGG, G. M. (1972): Synthesis and properties of dicalcium aluminate $2\text{CaO}\cdot\text{Al}_2\text{O}_3$. - *Cement and Concrete Research*, 2, 291-297.
- ALEXANDER, L. T. & CADY, J. G. (1962): Genesis and hardening of laterite in soils. - *Tech. Bull.*, 1281.
- ANGÉLICA, R. S. (1996): Mineralogia e geoquímica de gossans e lateritos auríferos na região de Carajás: depósitos de Igarapé Bahia e Aguas Claras. - *Dissertation*, Centro de Geociências, Universidade Federal do Pará, 115S.
- ANGÉLICA, R. S.; COSTA, M. L. & PÖLLMANN, H. (1996): Gold, wolframite, tourmaline-bearing lateritized gossans in the Amazon region Brazil. - *J. Geochem. Expl.*, 57, 201-215.
- ATTOH-OKINE, N.O. (1995): Lime treatment of laterite soils and gravels. - *Construction and building materials*, 5, 283-288.
- AYED, F.; LEHOUX, P. & SORRENTINO, F. (1992): Calcium sulfoaluminate formation. - *Proc. of the 14th Inter. Congress on Cement Microscopy* (April 5-9, 1992), Costa Mesa.
- BARDOSSY, G. & ALEVA, J. (1990): Lateritic bauxites. - *Developments in Economic Geology*, 27, Elsevier, Amsterdam, 648S.
- BENSTED, J. (1983): Comments on the Cement Chemical Nomenclature System. - *Il Cemento*, 4, 193-200.
- BERETKA, J.; DE VITO, B; SANTORO, L.; SHERMAN, N. & VALENTI, G. L. (1993): Hydraulic behaviour of calcium sulfoaluminate-based cements derived from industrial process waters. - *Cement and Concrete Research*, 23, 1205-1214.
- BERETKA, J.; VALENTI, G.L.; SANTORO, L. & CIOFFI, R. (1994): Cementitious mixtures containing industrial process wastes suitable for the manufacture of preformed building elements. - *J. Chem. Technol. Biotechnol.*, 59(3), 243-247.
- BLANCO-VARELA, M. T.; VÁZQUEZ, T. & PALOMO, A. (1986): A study of a new liquid phase to obtain low-energy cements. - *Cement and Concrete Research*, 16, 97-104.
- BRADKE, H.; EICHHAMMER, W.; GRUBER, E.; JOCHEM, E.; KÖWENER, D.; LANDWEHR, M. & MANNSBART, W. (1996): Rationelle Energieverwendung: Eine Literaturübersicht des Jahres 1995. - *Zeitschrift Brennstoff - Wärme - Kraft*, 48(4), 82-92.
- BRICENO, A. & OSSEIO-ASARE, K. (1995): Particulates in hydrometallurgy: Part. I. Characterisation of laterite acid leach residues. - *Metallurgical and materials transactions*, 26B, 1123-1131.
- BROSCH, H. J. & NEY, P. (1980): Reaktionen der Hauptgemengteile von Lateriten mit Calciumhydroxid unter niedrighydrothermalen Bedingungen im Hinblick auf die Herstellung von Baustoffen in Entwicklungsländern. - *Zement-Kalk-Gips*, 33(6), 283-291.
- BROWNER, R. E. (1995): The use of bauxite waste mud in the treatment of Gold ores. - *Hydrometallurgy*, 37, 339-348.
- BUDNIKOV, P. P. & TCHERKASSOVA, A. F. (1955): Gehlenite and its aluminous cement (russ.). - *Doklady Akademie Nauk SSSR*, 2(4), 793-795.

- BUDNIKOV, P. P.; KUSNEZOWA, I. P. & SAWELJEW, W. G. (1965): Eigenschaften von $3\text{CaO}\cdot 3\text{Al}_2\text{O}_3\cdot \text{CaSO}_4$ und sein Einfluß auf die Festigkeit von Klinkermineralien und Zement. - *Silikattechnik*, 16, 414-417.
- CAPITAL EQUIPMENT CORPORATION (1995): Testpoint 3. 0 Software zur Erstellung von Steuerprogrammen.
- CEMBUREAU (1977): Recommended procedure for the measurement of the heat of hydration of cement by the conduction method. - *The European Cement Association*, 1.
- CHATTERJI, A. K. (1992): Special new cements. - *Proc. of the 9th Inter. Congress on the Chemistry of Cement*, Vol. I, New Delhi, 177-212.
- CHROMY, S. (1970): Zur Umwandlung der Modifikationen beta-gamma des Dikalziumsilikats. - *Zement-Kalk-Gips*, 23 (8), 382-389.
- COLLEPARDI, M.; MONOSI, S. & MORICONI, G. (1979): Tetracalcium aluminoferrite hydration in the presence of lime and gypsum. - *Cement and Concrete Research*, 9, 431-437.
- COSCA, M.A. & REACOR, D. R. (1987): Chemistry and structure of esseneite ($\text{Ca Fe}^{3+} \text{AlSiO}_6$), a new pyroxene produced by pyrometamorphism. - *American Mineralogist*, 72, 148-156.
- COSTA, M. L. (1997): Laterization as a major process of ore deposit formation in the Amazon region. - *Explor. Mining Geol.*, 6, 179-194.
- COSTA, M. L.; MORAES, E. L.; ANGÉLICA, R. S. & PÖLLMANN, H. (1996): Contrates geoquímicos nas bacias de rejeitos da mina de ouro supergênico do Igarapé (Carajás-Pa). - *Symp. de Geologia da Amazonia. Belém. - Anais. Belém. SGB/NO*, 356-360.
- COSTA, N. C. & COSTA, M. L. (1996): Geoquímica de crostas lateríticas, solos e colúvios do depósito auríferos do Aguas Claras (Carajás- Brasil). - *V. Simp. Geol. Amaz.*, 4.
- DAVIES, J. & FENDULKY, L. M. (1994): Behavior of soil-specimens in unconfined dynamic compression. - *J. Materials Science*, 29(9), 3255-3261.
- DAYAL, R. R. & GLASSER, F. P. (1965): Phase relations in the system $\text{CaO-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3$. - *Proc. of the 3rd British Ceramic Society and the Nederlandse Keramische Vereniging*, Stewart, G. H (Hrsg), Academic Press, 5-8-July 1965, Bristol.
- DE-KAYSER, W. L. & TENOUTASSE, N. (1968): The hydration of the ferrite phase of cements. - *Proc. of the 5th Int. Symposium on the Chemistry of Cement Suppl.*, II-120.
- DENG, J.A.; WEN-MIN, G; MU-ZHEN, S. & XIU-YING, L. (1980): Sulfoaluminate cement series. - *Proc. of the 7th Int. Congress on the Chemistry of Cement*, 361-386.
- DIN 38 414 TEIL 2 (1985): Schlamm und Sedimente (Gruppe S) Bestimmung des Wassergehaltes und des Trockenrückstandes bzw. deren Trockensubstanz (S2).
- DIN 38 414 TEIL 3 (1985): Schlamm und Sedimente (Gruppe S) Bestimmung des Glührückstandes und des Glühverlustes der Trockenmasse eines Schlammes (S3).
- DRÁBIK, M.; ZIMMERMANN, P. & SLADE, R.C. (1998): Chemistry of MDF materials based on sulfoaluminateferritebelitic clinkers: syntheses and tests of moisture resistance. - *Advances in Cement Research*, 10(3), 129-133.
- ECKER, M. & PÖLLMANN, H. (1991): Die ferritschen Bestandteile des Portlandzementes. - *Europ. J. Min.*, 3(1), Beih.

- ECKER, M. (1998): Diadochiebeziehungen in Calciumaluminatferraten und deren Hydratationsprodukten. - *Dissertation*. Institut für Geologische Wissenschaften und Geiseltalmuseum und Geologisches Landesamt Sachsen-Anhalt. 84S.
- EL-DIDAMONY, H. (1978): Effect of SiO₂ on the formation of calcium sulphoaluminate (3CaO•3Al₂O₃•CaSO₄). - *Tonindustrie Zeitung, Fachberichte*, 102, 583.
- EN 196 TEIL 1 (1987): Prüfverfahren für Zement. Bestimmung der Festigkeit.
- FALADE, F. (1994): Influence of water/cement ratios and mix proportions on workability and characteristic strength of concrete containing laterite fine aggregate. - *Building and Environment*, 29(2), 237-240.
- FERRARI, F. (1939): Zur Kenntnis des Ferrari-Zements. - *Tonindustrie-Zeitung*, 63(81), 873-876.
- GANSEN, R. & HÄDRICH, F. (1965): Atlas der Bodenkunde. *Meyers*. 85S.
- GIDIGASU, D M. (1980): Variability of particle size distribution of a red mud with different pretest preparation methods. - *Proc. of the 7th regional soil mechanics and foundation engineering*. Accra.
- GIDIGASU, D. M. (1976): Laterite soil engineering. - *Developments in geotechnical engineering*. Elsevier. New York. 554S.
- GLITZ, A. (1998): Auswirkungen des neuen Kreislaufwirtschafts-/Abfallgesetzes auf die Zementindustrie. - *Zement-Kalk-Gips*, 51(8), 399-409.
- GOSH, S. N. ; MATHURE, V. K. & CHOPRA, S. K. (1984): Low temperature OPC-type cement containing superhydraulic C₂S. - *Cement and Concrete Research*, 14, 437-438.
- GRÜNEWALD, M. E. (1922): Über das System CaO-Fe₂O₃. - *Dissertation*, Frankfurt.
- GUTTERIDGE, W. A. (1979): On the dissolution of the interstitial phases in portland cement. - *Cement and Concrete Research*, 9, 319-324.
- HAMMOND, A. A. (1988): Mining and quarrying wastes: a critical review. - *Engineering-Geology*, 25(1), 17-31.
- HANIC, F.; HAVLICA, J.; KAPRÁLIK, I.; AMBRÚZ, V.; GALIKOVA, L. & URBANOVA, O. (1986): Crystal chemistry and thermodynamics of the sulphate compounds Ca₄[Al₆O₁₂](SO₄) and Ca₅(SiO₄)₂(SO₄). - *Br. Ceram. Trans. J.*, 85, 52-57.
- HARCHAND, K.S. (1983): A study of CaO(Fe₂O₃)_{1-x}(Al₂O₃)_x system. - *Cement and Concrete Research*, 13, 465-469.
- HENNING, O.; KÜHL, A.; OELSCHLÄGER, A. & PHILIP, O. (1989): Technologie der Bindebaustoffe. - Bd. 1: Eigenschaften - Rohstoffe - Anwendung. - *VEB Verlag für Bauwesen*. 232S.
- HERATH-BANDA, R. M. & GLASSER, F. P. (1978): Liquid crystallisation, clinker, cooling rate. - *Cement and Concrete Research*, 8(6), 665-670.
- HEWLETT, P. C. (1997): Lea's chemistry of cement and concrete. - *Arnold, London*, 1997, 960S.
- HILLS, D. C.; SOLLARS, J. C. & PERRY, R. (1994): A calorimetric and microstructural study of solidified toxic wastes - Part 2: A model for poisoning of OPC hydration. - *Waste Management*, 14(7), 601-612.

- HORBE, A. M. (1995): Evolucao mineralógica e geoquímica e geoquímica multi-elementar de perfis de solos sobre lateritos e gossans na Amanzonia. – *Dissertation*, Centro de Geociencias, Universidade Federal do Pará, 213S.
- HUANG WENXI.; YANG YURONG. ;QIAN GUANGREN. & QI YANYONG. (1992): The research on $C_2A_xF_{1-x}$ in iron rich fluoro-aluminate cement, - *Proc. 9th Intern. Congress on the Chemistry of Cements*, Vol 3, New Delhi, India, 209-215
- HUBBARD, C. R.; MCCARTHY, G. J. & FORIS, C. M. (1980): *PDF-Workbook*. JCPDS-ICDD, 1601, Park Lane, Swathmore, PA.
- HUCKENHOLZ, H. G. & OTT, W. D. (1978): Synthesis, stability and aluminium-iron substitution in Gehlenite-Ferrigehlenite solid solution. - *N. Jb. Miner., Monatshefte*, 521-535.
- JÄGER, P.; LUDWIG, U. & SCHWIETE, H. E. (1968): The behaviour of aluminate-ferrite phase during hydration. - *Proc. of the 5th Int. Symposium on the chemistry of cement*. Tokyo 1968, Supplementary paper II-62.
- JANOTKA, I. & KRAJCI, L. (1999): An experimental study on the upgrade of sulfoaluminate-belite cement systems by blending with Portland cement. – *Advances in Cement Research*. 11(1), 35-41.
- KASSELOURI, V. & TSAKIRIDIS, P. (1995): A study on the hydration products of a non expansive sulfoaluminate cement. - *Cement and Concrete Research*, 25(8) 1726-1736.
- KNÖFEL, D. & FUHR, C. (1992): Dauerhaftigkeit von aktivierten belitreichen Zementmörteln. - *TIZ Inter. Powder & Bulk Magazine*, 116(9), 479-483.
- KÜHL, H. & RASCH, R. (1931): *Zement*, 20, 812-836.
- KÜHL, H. (1958): Das Wesen und die Herstellung der hydraulischen Bindemittel. Zement-Chemie. Bd. 2., 3. Aufl., *Verlag Technik*, Berlin, 788S.
- KURDOWSKI, W.; DUSZAK, S. & TRYBALSKA, B. (1997): Belite produced by means of low-temperature synthesis. - *Cement and Concrete Research*, 27(1), 51-63.
- KURDOWSKI, W.; GEORGE, C. M. & SORRENTINO, F. P. (1986): Special cements. - *Proc. of the 8th Int. Congress on the Chemistry of Cement*, Rio. de Janeiro, Brasilien, Vol. I, (Subtheme 3.3), 292-318.
- KUZEL, H.-J. (1984): Ein leistungsfähiges Wärmeleitungs kalorimeter. - *Tonindustrie Zeitung - Fachberichte*, 108(1), 46-51.
- LEE, F. C.; BANDA, H. M. & GLASSER, F. P. (1982): Substitution of Na, Fe and Si in tricalcium aluminate and the polymorphism of solid solutions. - *Cement and Concrete Research*, 12, 237-246.
- LOCHER, F. W. (1986): Low energy clinker. - *Proc. of the 8th Inter. Congress on the Chemistry of Cement*. Vol I (Subtheme 1.3.), Rio de Janeiro, 57-67.
- MAHALINGA-IYER, U. & WILLIAMS, D. J. (1993): Road construction using lateritic soil. - *Engineering Geology*, 37(3-4), 199-210.
- MAHALINGA-IYER, U. & WILLIAMS, D. J. (1997): Properties and performance of lateritic soil in road pavements. - *Engineering Geology*, 46, 71-80.
- MAJUMDAR, A. J. (1964): The ferrite phase in cements. - *Trans. Br. Ceram. Soc.*, 63, 347.

- MAULTZSCH, M. & SCHOLZE, H. (1973): Zur Bildung der ferritischen Klinkerphase aus der Schmelze. - *Zement-Kalk-Gips*, 12, 583-587.
- MEHTA, P. K. (1977): US Patent 4,036,657
- MEHTA, P. K. (1978): Energy, resources in the environment - a review of the US cement industry. - *World Cement Technology*, 9(5), 144-160.
- MEHTA, P. K. (1980): Investigations on energy-saving cements. - *World Cement Technology*, 11(4), 166-177.
- MÉRIC, J. P. (1986): Low energy clinker formation. - *Proc. of the 8th Inter. Congress on the Chemistry of Cement*, Vol. I (Theme 1.3), Rio de Janeiro, 51-56.
- MERRITT, S. D.; BATCHELOR, B.; LITTLE, D. N. & STILL, M. (1993): Applications of soil and cement chemistry to stabilization/solidification. - *Transportation Research Record*, 1424, 1-7.
- MICHAELIS, W. (1901): DRP 143604.
- MIDGLEY, H. G. (1958): The composition of the ferrite phase in Portland cement. - *Mag. Concr. Res.*, 10 (28), 13-18.
- MOTZET, H. (1998): Entwicklung eines Sinterverfahrens zur Herstellung von eisenreichem Tonerdezement im Drehrohfen. - *Dissertation*, Martin-Luther-Universität Halle-Wittenberg.175S.
- MOTZET, H.; NEUBAUER, J. & PÖLLMANN, H. (1994): Alinite-cement made from waste incineration residues - from basic research to applications. - *16th International Conference on Cement Microscopy*, Richmond, 210-229.
- MÜLLER, A.; RÜMLER, K. & STARK, J. (1985): Zur Bestimmung der Druckfestigkeit von Zementen mit Hilfe von Kleinprismenprüfmethode. - *Baustoffindustrie*. 1, 11-13.
- NEGRO, A. & STAFFERI, L. (1979): Über die Hydratation der Calcium-Ferrite und Calciumaluminat-Ferrite. - *Zement-Kalk-Gips*, 32(2), 83-88.
- NEWKIRK, T. F. & THWAITE, R. D. (1958): Pseudoternary system calcium oxide-monocalcium aluminate ($\text{CaO}\cdot\text{Al}_2\text{O}_3$)- dicalcium ferrite ($2\text{CaO}\cdot\text{Fe}_2\text{O}_3$). - *J. Research of the National Bureau of Standards*, 6(4), 233-245.
- OBERSTE-PADTBERG, R.; ROEDER, A.; MOTZET, H. & SPICKER, V. (1992): Alinitzement, ein hydraulisches Bindemittel, hergestellt aus Müllverbrennungsrückständen. - *Zement-Kalk-Gips*, 9, 451-455.
- OSOKIN, A. P.; KRIVOBORODOV, Y. R. & DUKOVA, N. F. (1992): Sulfoferrite cements. - *Proc. of the 9th Inter. Congress on Chemistry of Cements*, New Delhi, India, 236.
- OSULA, D. O. (1991): Lime modification of problem laterite. - *Engineering Geology*, 30(2), 141-154.
- OSULA, D. O. (1992): Laboratory trial of soil-sodium chloride- cement stabilization for problem laterite. - *Transportation Engineering*, 119(1), 149-159.
- OSULA, D. O. (1996): A comparative evaluation of cement and lime modification of laterite. - *Engineering Geology*, 42, 71-81.
- OTTE, E. (1978): A structural design procedure for cement treated layers in pavements. - *Dissertation*, University of Pretoria.

- PALOU, M. T. & MAJLING, J. (1995): Preparation of the high iron sulfoaluminate belite cements from raw mixtures incorporating industrial wastes. – *Ceramics-Silikáty* 39, (2), 63-67.
- PASHENKO, A. A. (1978): Sulfo-containing Cements - *New Cements*. Kiev, Budivel'nik
- PERA, J.; AMBROISE, J. & MOMTAZI, A. S. (1992): Investigation of pozzolanic binders containing calcined laterites. - *Mat. Res. Soc. Symp. Proc.*, 245, 25-35.
- PERA, J.; THEVENIN, G. & CHABANNET, M. (1997): Design of a novel system allowing the selection of an adequate binder for solidification/stabilization of wastes. - *Cement and Concrete Research*, 27(10), 1533-1542.
- PHILLIPS, B. & MUAN, A. (1958): Phase equilibria in the system CaO-iron oxide in air and at 1 atm. O₂ pressure. - *J. American Ceramic Society*, 41(11), 445-454.
- PLIEGO-CUERVO, Y.; GLASSER, F. P. (1977): The role of sulphates in cement clinkering reactions: phase formation and melting in the system CaO-Ca₂SiO₄-CaSO₄-K₂SO₄. - *Cement and Concrete Research*, 7, 577-482.
- PÖLLMANN, H.; KUZEL, H.-J. & MEYER, H. W. (1991): Heat-flow calorimetry in cement chemistry. Construction and application of a low cost high-sensitive calorimeter. - *Proc. on the 13th Conference on Cement Microscopy*, Tampa, USA, 254-274.
- PÖLLMANN, H.; NEUBAUER, J. & MOTZET, H. (1995): The usage of industrial waste materials for the production of special cements and binders. - *Mat. Res. Soc. Symp. Proc.*, 370, 169-178.
- RINGSHOLT, T. (1976): Development of a steam-cured building material on the basis of lateritic soils and lime. - *United Nations Development Programme. Technical Report N °. 11*, 116S.
- RINGSHOLT, T. (1977): Development of a steam-cured building material on the basis of laterite soils and lime. – *Dissertation*, Tekn. dr., Royal Institute for Technology, Stockholm, Sweden.
- ROGERS, D. E. & ALDRIGE, L.P. (1977): Hydrates of calcium ferrites and calcium aluminoferrites. - *Cement and Concrete Research*, 7, 399-410.
- RÖMPP (1995): CD Römpp Lexikon- Version 1.0 - *Georg Thieme Verlag*, Stuttgart.
- SAHU, S. & MAJLING, K. (1993): Phase compatibility in the system CaO-SiO₂-Al₂O₃-Fe₂O₃-SO₃ referred to sulphoaluminate belite cement clinker. - *Cement and Concrete Research*, 23, 1331-1339.
- SAHU, S. (1992): Phase compatibility in the system CaO-SiO₂-Al₂O₃-Fe₂O₃-TiO₂-SO₃ referred to sulphoaluminate belite cement clinker. - *Dissertation*. Technical University Bratislava.
- SAHU, S. (1994): Developments in low energy clinkers. - *Ceramics-Silikáty*, 38, 191-200.
- SCHILLER, B. & ELLERBROCK, H.-G. (1994): Mahlbarkeit von Zementbestandteilen und Energiebedarf von Zementmühlen. *Zement-Kalk-Gips*.
- SHARP, J. H.; LAWRENCE, C. D. & YANG, R. (1999): Calcium sulfoaluminate cements - low energy cements, special cements or what? - *Advances in Cement Research*, 11(1), 3-13.

- SHERMAN, N.; BERETKA, J.; SANTORO, L. & VALENTI, G. L. (1995): Longterm behaviour of hydraulic binders based on calcium sulfoaluminate and calcium sulfoasilicate. - *Cement and Concrete Research*, 25(1), 113-126.
- SINGH, M.; UPADHAYAY, S. N. & PRASAD, P. M. (1997): Preparation of iron rich cements using red mud. - *Cement and Concrete Research*, 27(7), 1037-1046.
- SINGH, M.; UPADHAYAY, S. N. & PRASAD, P.M. (1996): Preparation of special cements from Red mud. - *Waste Management*, 18(8), 665-670.
- SOCABIM (1993a): Diffrac AT. Version 3.3. Steuerungs- und Auswertungssoftware für das Röntgenpulverdiffraktometer Siemens D5000.
- SOCABIM (1993b): „Semiquant“ und „Geoquant“: Auswertungssoftware für das Röntgenfluoreszenzspektrometer Siemens SRS 3000.
- SOLACOLU, S. (1939): Wasserunempfindliche Portlandzemente. - *Zement*, 28, 187-195.
- SOLOMON-AYEH, K. A. (1994): Studies of strength of stabilized laterite blocks. - *Building research and information*, 22(3), 159-166.
- SORRENTINO, F. P.; GLASSER, F. P. (1974): The system $\text{CaO-Fe}_2\text{O}_3\text{-Al}_2\text{O}_3\text{-SiO}_2$. Part I. The pseudoternary section $\text{Ca}_2\text{Fe}_2\text{O}_5\text{-Ca}_2\text{Al}_2\text{O}_5\text{-SiO}_2$. - *Trans. Brit. Ceramic Soc.*, 4, 253-256.
- SORRENTINO, F. P. & GLASSER, F. P. (1976): Phase Relations in the system $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2\text{-Fe-O}$. Part II. The system $\text{CaO-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-SiO}_2$. - *Trans. Brit. Ceramic Soc.*, 76, 95-103.
- SORRENTINO, F. P. & GLASSER, F. P. (1972): Crystallisation of $\text{CaO-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-SiO}_2$ melts and the phase composition of high alumina cements. - *Report Department of Chemistry*, University of Aberdeen. 110S.
- SOURIE, A. & GLASSER, F. P. (1991): Studies of the mineralogy of high alumina cement clinkers. - *Br. Ceramic. Trans. J.*, 90, 71-76.
- STARK, J., MÜLLER, A., SEYDEL, R. & JOST, K. (1986): Conditions of the existence of hydraulically active belite cement. - *Proc. of the 8th Int. Congress on the Chemistry of Cement*, Vol. II (Theme 1), Rio de Janeiro, 306-309.
- STARK, J.; MÜLLER, A.; SCHRADER, R. & RÜMLER, K. (1981): Existenzbedingungen von hydraulisch aktivem Belit-Zement. - *Zement-Kalk-Gips*, 34(9), 476-481.
- STRIGAC, J.; SAHU, S. & MAJLING, J. (1998): Phase compatibility in the systems $\text{CaO-SiO}_2\text{-Fe}_2\text{O}_3\text{-SO}_3$, $\text{CaO-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-SO}_3$ and $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-SO}_3$. - *Ceramics-Silikaty*, 42(4), 141-149.
- SUDOH, G.; OHTA, T. & HARADA, H. (1980): High strength cement in the $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2\text{-SO}_3$ system and its application. - *Proc. of the 7th Inter. Congress on the Chemistry of Cement*. Paris:, V-152-7.
- SUTTILL, K. R. (1995): Iron in the Selva - World's largest iron-ore project. - *Engineering and Mining*, 196(11), 32-35.
- TADZHIEV, T. K.; ATAKUZIEV, T. A. & TADZHIEV, F. K. (1972): Investigation on the process of hardening of water free calcium sulphoaluminate and calcium sulphosilicate. - *Inorganic Materials*, 8(9), 1634-1637.
- TAYLOR, H. W. (1990): Cement chemistry. - *Academic Press*, London, 475S.

- THAN, V. V. (1987): Ein Beitrag zur Herstellung hydraulischer Bindebaustoffe bei niedrigen Brenntemperaturen. - *Dissertation*, Weimar, 113S.
- TSURUMI, T.; UNNO, H., DAIMON, M. & HIRANO, Y. (1992): Separation of the aluminate and ferrite phases from cement clinker by selective dissolution and their crystal structure refinement. - *JCA Proc. of Cement & Concrete*, 46.
- TUBEY, L. W. (1961): A laboratory investigation to determine the effect of mica on the properties of soils and stabilized soils. - *Highway Res. Board Rec.*, 374, 80-92.
- TURRIZIANI, R. & TAYLOR, H. F. (1964): The calcium aluminate hydrates and related compounds. *Academic Press*, London.
- VALETON, I. (1967): Laterite und ihre Lagerstätten. - *Fortschr. Miner.*, 44, (1), 67-130.
- VAZ DE MELO, M. T. (1981): Geology and mineral resources of the Carajás district. *Companhia Vale do Rio Dulce (CVRD)*, Pará State-Brazil, 33S.
- VERBECK, G. J. & FOSTER, C. W. (1950): Long-term study of cement performance in concrete. Chap. 6: the heats of hydration of cements. - *Proc. of the American Society for Testing and Materials*, 50, 1235-1262.
- WALENTA, G. (1997): Synthesen und Rietveld-Verfeinerung der Einzelphasen von Ton-erdezementen. - *Dissertation*, Friedrich-Alexander-Universität, Erlangen-Nürnberg.
- WANG, Y. & DENG, J. (1986): An investigation into cement CaO-SiO₂-Al₂O₃-Fe₂O₃-SO₃ system. - *Proc. of the 8th Inter. Congress on the Chemistry of Cement*, Rio. de Janeiro, 300-305.
- WEISS, N. L. (1985): SME Mineral Processing Handbook. Vol. 2. - *Society of Mining Engineers of the American Institute of Mining, Metallurgical, and Petroleum Engineers*, New York, 1800S.
- WENG, H. C. & HUANG, P. (1994): Treatment of metal industrial wastewater by fly ash and cement fixation. - *J. Environ. Engin.- ASCE.*, 120(6), 1470-1487.
- YANNAQUIS, N. & GUINIER, A. (1959): *Bull. Soc. Franc. Minéral. Cryst.*, 82, 126.
- YODER, E. S. (1959): Principles of pavement design. - *Wiley*, New York, 569S.
- ZAHAROV, L. A. (1969): Aluminous-belite cement. - *Building Research Station translation 1579*. Kapitel III-V, Erewan.
- ZDOROV, A. & BERNSHTEIN, V. (1987): Prospects for using process waste for energy saving technology of high-iron cements production. - *Proc. first NCB Inter. Seminar*. VI, 82-87.
- ZHU YUFENG & FENG XIUJI M. S. (1991): Research on an early strength cement containing high content of iron. - *Proc. of the 8th Inter. Congress on the Chemistry of Cement*. Vol. II (Subtheme 1.3), Rio de Janeiro.