

10 LITERATURVERZEICHNIS

- [1] SAM2000 - Betriebsanleitung. 1990. Herborn, Deutschland, Krämer Scientific Instruments. Katalog.
- [2] Goodfellow - Technische Informationen. 2002. Goodfellow. Katalog.
- [3] TPX - Technische Informationen. 2002. Mitsui. Katalog.
- [4] Amprino,A., "Investigations on some mechanical properties of bone tissue," *Acta Anatomica*, vol. 34, pp. 161-186, 1958.
- [5] Antich,P.P., Mason,R.M., Zerwech,J., und Pak,C., "Trabecular architecture studies by 3D MRI microscopy in bone biopsies," *J. Bone Miner. Res.*, vol. 9, pp. 327, 1994.
- [6] Ascenzi,A., Baschieri,P., und Benvenuti,A., "The bending properties of single osteons," *J. Biomech.*, vol. 23, pp. 763-771, 1990.
- [7] Ascenzi,A., Baschieri,P., und Benvenuti,A., "The torsional properties of single selected osteons," *J. Biomech.* , vol. 27, pp. 875-884, 1994.
- [8] Ascenzi,A. und Bonucci,E., "The tensile properties of single osteons," *Anat. Rec.*, vol. 158, pp. 375-386, 1967.
- [9] Ascenzi,A. und Bonucci,E., "The compressive properties of single osteons," *Anat. Rec.*, vol. 161, pp. 377-391, 1968.
- [10] Ashman,R.B., Cowin,S.C., Rho,J.Y., Van Buskirk,W.C., und Rice,J.C., "A continuous wave technique for the measurement of the elastic properties of cortical bone," *J. Biomech.*, vol. 17, pp. 349-361, 1984.
- [11] Bereiter-Hahn,J., Karl,I., Luers,H., und Voth,M., "Mechanical basis of cell shape: investigations with the scanning acoustic microscope," *Biochem. Cell. Biol.*, vol. 73, pp. 337-348, 1995.
- [12] Biot,M.A., "Theory of propagation of elastic waves in a fluid saturated porous solid. I. Low frequency range," *J. Acoust. Soc. Amer.*, vol. 28, pp. 168-178, 1956.

- [13] Biot, M.A., "Theory of propagation of elastic waves in a fluid saturated porous solid. II. High frequency range," *J. Acoust. Soc. Amer.*, vol. 28, pp. 179-191, 1956.
- [14] Blake, G.M., Gluer, C.C., und Fogelman, I., "Bone densitometry: current status and future prospects," *Br. J. Radiol.*, vol. 70 Spec No, pp. 177-186, 1997.
- [15] Brandt, J., Raum, K., Seidler, S., und Klemenz, A., "Experimental measurement of elastomechanical properties of lamellar bone structures – comparison of SAM with nanoindentation results," *Proc. ICCE*, vol. 6, pp. 85-86, 1999.
- [16] Briggs, G.A., *Acoustic Microscopy*. Oxford, Clarendon Press, 1992.
- [17] Broz, J.J., Simske, S.J., und Greenberg, A.R., "Material and compositional properties of selectively demineralized cortical bone," *J. Biomech.*, vol. 28, pp. 1357-1368, 1995.
- [18] Bumrerraj, S. und Katz, J.L., "Scanning acoustic microscopy study of human cortical and trabecular bone," *Ann. Biomed. Eng.*, vol. 29, pp. 1034-1042, 2001.
- [19] Choi, K., Kuhn, J.L., Ciarelli, M.J., und Goldstein, S.A., "The elastic moduli of human subchondral and cortical bone tissue and the size-dependency of cortical bone modulus," *J. Biomech.*, vol. 23, pp. 1103-1113, 1990.
- [20] Chung, H.W., Wehrli, F.W., Williams, J.L., Kugelmass, S.D., und Wehrli, S.L., "Quantitative analysis of trabecular microstructure by 400 MHz nuclear magnetic resonance imaging," *J. Bone Miner. Res.*, vol. 10, pp. 803-811, 1995.
- [21] Currey, J.D., "Physical characteristics affecting the tensile failure properties of compact bone," *J. Biomech.*, vol. 23, pp. 837-844, 1990.
- [22] Daft, C.M. und Briggs, G.A., "The elastic microstructure of various tissues," *J. Acoust. Soc. Amer.*, vol. 85, pp. 416-422, 1989.
- [23] Daft, C.M., Briggs, G.A., und O'Brien, W.D., "Frequency dependence of tissue attenuation measured by acoustic microscopy," *J. Acoust. Soc. Amer.*, vol. 85, pp. 2194-2201, 1989.
- [24] Del Grosso, V.A. und Mader, C.W., "Speed of sound in pure water," *J. Acoust. Soc. Amer.*, vol. 52, pp. 1442-1446, 1972.

- [25] Dunn,F., Tanaka,M., Ohtsuki,S., und Saijo,Y., "Ultrasonic Tissue Characterization," 1996.
- [26] Eckhardt,I., Hennig,S., Syrowatka,F., Gerlach,R., und Hein,H.J., "Mechanische Veränderungen des Knochens nach Röntgenbestrahlung mit niedrigen Dosen," *Radiologe*, vol. 41, pp. 695-699, 2001.
- [27] Engelke,K., Grampp,S., Gluer,C.C., Jergas,M., Yang,S.O., und Genant,H.K., "Significance of QCT bone mineral density and its standard deviation as parameters to evaluate osteoporosis," *J. Comput. Assist. Tomogr.*, vol. 19, pp. 111-116, 1995.
- [28] Engelke,K., Song,S.M., Gluer,C.C., und Genant,H.K., "A digital model of trabecular bone," *J. Bone Miner. Res.* , vol. 11, pp. 480-489, 1996.
- [29] Ford,J.C. und Wehrli,F.W., "In vivo quantitative characterization of trabecular bone by NMR interferometry and localized proton spectroscopy," *Magn. Reson. Med.*, vol. 17, pp. 543-551, 1991.
- [30] Gardner,T.N., Elliott,J.C., Sklar,Z., und Briggs,G.A., "Acoustic microscope study of the elastic properties of fluorapatite and hydroxyapatite, tooth enamel and bone," *J. Biomech.*, vol. 25, pp. 1265-1277, 1992.
- [31] Genant,H.K., Engelke,K., Fuerst,T., Gluer,C.C., Grampp,S., Harris,S.T., Jergas,M., Lang,T., Lu,Y., Majumdar,S., Mathur,A., und Takada,M., "Noninvasive assessment of bone mineral and structure: state of the art," *J. Bone Miner. Res.*, vol. 11, pp. 707-730, 1996.
- [32] Gracewski,S.M., Waag,R.C., und Schenk,E.A., "High-frequency attenuation measurements using an acoustic microscope," *J. Acoust. Soc. Amer.*, vol. 83, pp. 2405-2409, 1988.
- [33] Grill,W., Hillmann,K., Würz,U., und Wesner,J., "Scanning Ultrasonic Microscopy with Phase Contrast," in *Advances in Acoustic Microscopy, Vol. 2*, Briggs, G. A. and Arnold, W. (eds.) New York: Plenum Press, pp. 167-218, 1996.
- [34] Gudziol,S., "Ultraschallrastermikroskopie zur Bestimmung der Verteilung der akustischen Impedanz in Schnitten menschlicher Gehörknöchelchen."

- Universitätsklinik für Hals-, Nasen- und Ohrenheilkunde, Kopf- und Halschirurgie, Martin-Luther-Universität Halle-Wittenberg, 2001.
- [35] Gudziol,S., Haberland,E.J., Brandt,J., Klemenz,A., Raum,K., und Berghaus,A., "Scanning acoustic microscopy (SAM) of the human auditory ossicles," *Laryngo-Rhino-Otology*, vol. 79, Suppl. 1, p. 96, 2000.
- [36] Haberland,E.J., Gudziol,S., Klemenz,A., Raum,K., Brandt,J., und Mir-Salim,P., "High-frequency scanning acoustic microscopy in middle ear research," *Laryngo-Rhino-Otology*, vol. 79 Suppl. 1, p. 98, 2000.
- [37] Haenel,V., "Measurement of sound velocity and thickness of thin samples by time-resolved acoustic microscopy," *J. Appl. Phys.*, vol. 84, pp. 668-670, 1998.
- [38] Haenel,V. und Kleffner,B., "Double focus technique for simultaneous measurement of sound velocity and thickness of thin samples using time-resolved acoustic microscopy," in *Acoustical Imaging*. Lee, H. (ed.), New York, Plenum Press, pp. 187-192, 2000.
- [39] Hasegawa,K., Turner,C.H., und Burr,D.B., "Contribution of collagen and mineral to the elastic anisotropy of bone," *Calcif. Tissue Int.*, vol. 55, pp. 381-386, 1994.
- [40] Hasegawa,K., Turner,C.H., Recker,R.R., Wu,E., und Burr,D.B., "Elastic properties of osteoporotic bone measured by scanning acoustic microscopy," *Bone*, vol. 16, pp. 85-90, 1995.
- [41] Hearmon,R.F.S., *An introduction to Applied Anisotropic Elasticity*. Oxford, 1961.
- [42] Hein,H.J. und Engler,T., "Estimating the elastic anisotropy of bone by $V(z)$ measurements," *Biomed. Tech.*, vol. 42 Suppl, pp. 87-88, 1997.
- [43] Hirsekorn,S., Pangraz,S., Weides,G., und Arnold,W., "Measurement of elastic impedance with high spatial resolution using acoustic microscopy," *Appl. Phys. Lett.*, vol. 67, pp. 745-747, 1995.
- [44] Hirsekorn,S., Pangraz,S., Weides,G., und Arnold,W., "Erratum: Measurement of elastic impedance with high spatial resolution using acoustic microscopy," *Appl. Phys. Lett.*, vol. 69, pp. 2138-2138, 1996.

- [45] Hoffler,C.E., Moore,K.E., Kozloff,K., Zysset,P.K., Brown,M.B., und Goldstein,S.A., "Heterogeneity of bone lamellar-level elastic moduli," *Bone*, vol. 26, pp. 603-609, 2000.
- [46] Hughes,E.R., Leighton,T.G., Petley,G.W., und White,P.R., "Ultrasonic propagation in cancellous bone: a new stratified model," *Ultrasound Med. Biol.*, vol. 25, pp. 811-821, 1999.
- [47] Jaffré,B., Raum,K., Brandt,J., Klemenz,A., Netter,P., Laugier,P., und Saied,A., "Assessment of changes occurring in subchondral bone during rat skeletal maturation using 400 MHz quantitative ultrasound," *Proc. ASBMR*, vol. 24, im Druck, 2002.
- [48] Jamsa,T., Rho,J.Y., Fan,Z., MacKay,C.A., Marks,S.C., Jr., und Tuukkanen,J., "Mechanical properties in long bones of rat osteopetrotic mutations," *J. Biomech.*, vol. 35, pp. 161-165, 2002.
- [49] Katz,J.L., Bumrerraj,S., Dreyfuss,J., Wang,Y., und Spencer,P., "Micromechanics of the dentin/adhesive interface," *J. Biomed. Mater. Res.*, vol. 58, pp. 366-371, 2001.
- [50] Katz,J.L. und Meunier,A., "Scanning acoustic microscope studies of the elastic properties of osteons and osteon lamellae," *J. Biomech. Eng.*, vol. 115, pp. 543-548, 1993.
- [51] Katz,J.L. und Meunier,A., "Scanning Acoustic Microscopy of human and canine cortical bone microstructure at high frequencies," *Stud. Health Technol. Inform.*, vol. 40, pp. 123-137, 1997.
- [52] Kim,T.J. und Grill,W., "Determination of the velocity of ultrasound by short pulse switched sinusoidal excitation and phase-sensitive detection by a computer-controlled pulse-echo system," *Ultrasonics*, vol. 36, pp. 233-238, 1998.
- [53] Kino,G.S., *Acoustic Waves: Devices, Imaging and Analog Signal Processing*. Englewood Cliffs, NJ, Prentice-Hall, Inc., 1987.
- [54] Kinsler,L.E., *Fundamentals of acoustics*. 4 ed., New York, Wiley, 2000.

- [55] Kolosov,O.V., Levin,V.M., Maev,R.G., und Senjushkina,T.A., "The use of acoustic microscopy for biological tissue characterization," *Ultrasound Med. Biol.*, vol. 13, pp. 477-483, 1987.
- [56] Lang,T., Augat,P., Majumdar,S., Ouyang,X., und Genant,H.K., "Noninvasive assessment of bone density and structure using computed tomography and magnetic resonance," *Bone*, vol. 22, pp. 149-153, 1998.
- [57] Lees,S. und Klopholz,D.Z., "Sonic velocity and attenuation in wet compact cow femur for the frequency range 5 to 100 MHz," *Ultrasound Med. Biol.*, vol. 18, pp. 303-308, 1992.
- [58] Leisk,G.G. und Saigal,A., "Digital computer algorithms to calculate ultrasonic wave speed," *Materials Evaluation*, vol. 6, pp. 840-843, 1996.
- [59] Lemons,R.A. und Quate,C.F., "Acoustic microscope - scanning version," *Appl. Phys. Lett.*, vol. 24, pp. 163-165, 1974.
- [60] Lim,J.S., *Two-Dimensional Signal and Image Processing*. Englewood Cliffs, NJ, Prentice Hall, pp. 536-540, 1990.
- [61] Maev,R.G., Denisova,L.A., Maeva,E.Y., und Denissov,A.A., "New data on histology and physico-mechanical properties of human tooth tissue obtained with acoustic microscopy," *Ultrasound Med. Biol.*, vol. 28, pp. 131-136, 2002.
- [62] Maev,R.G. und Levin,V.M., "Principles of local sound velocity and attenuation measurements using transmission acoustic microscope," *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 44, pp. 1224-1231, 1997.
- [63] Maev,R.G. und Maslov,K.I., "Temperature effects in the focal region of the acoustic microscope," *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 38, pp. 166-171, 1991.
- [64] Majumdar,S., Newitt,D., Jergas,M., Gies,A., Chiu,E., Osman,D., Keltner,J., Keyak,J., und Genant,H.K., "Evaluation of technical factors affecting the quantification of trabecular bone structure using magnetic resonance imaging," *Bone*, vol. 17, pp. 417-430, 1995.
- [65] Mason,W.P. und Thurston,R.N., *Physical Acoustics*. Academic Press, 1982.

- [66] Meunier,A., Riot,O., Christel,P., und Katz,J.L., "Characterization of local anisotropic elastic properties of femoral and tibial diaphysis using acoustic transmission measurements and acoustic microscopy," in *Interfaces in medicine and mechanics II*, Middleton, T. J. and Palotti, G. (eds.) London: Elsevier Applied Science, pp. 454-463, 1991.
- [67] Morse,P.M. und Ingard,K.U., *Theoretical acoustics* Princeton, NJ: University Press, 1987.
- [68] Oliver,W.C. und Pharr,G.M., "An improved technique for determining hardness and elastic modulus using load and displacement sensing indentation experiments," *J. Mat. Res.*, vol. 7, pp. 1564-1583, 1992.
- [69] Oppenheim,A.V. und Schafer,R.W., *Discrete-Time Signal Processing*. Englewood Cliffs, NJ, Prentice Hall, pp. 311-312, 1989.
- [70] Parks,T.W. und Burrus,C.S., *Digital Filter Design*. New York, 1987.
- [71] Peck,S.D., Rowe,J.M., und Briggs,G.A., "Studies on sound and carious enamel with the quantitative acoustic microscope," *J. Dent. Res.*, vol. 68, pp. 107-112, 1989.
- [72] Pidaparti,R.M., Chandran,A., Takano,Y., und Turner,C.H., "Bone mineral lies mainly outside collagen fibrils: predictions of a composite model for osteonal bone," *J. Biomech.*, vol. 29, pp. 909-916, 1996.
- [73] Pierce,A.D., *Acoustics: an introduction to its physical principals and applications*. New York, McGraw-Hill, 1981.
- [74] Raum,K., Brandt,J., Klemenz,A., und Cobet,U., "Quantitative Akustische Rastermikroskopie zur Bestimmung der elastischen Eigenschaften von kortikalem Knochengewebe," *Tagungsband Medizinische Physik*, pp. 199-200, 1998.
- [75] Raum,K., Brandt,J., Klemenz,A., und Cobet,U., "Advanced measurement techniques for a quantitative characterization of the microstructure of bone using a scanning acoustic microscope," in *Proc. ICCE*, pp. 691-692, 1999.
- [76] Raum,K., Brandt,J., Klemenz,A., und Cobet,U., "Quantitative Ultraschallrastermikroskopie zur Bestimmung der akustischen Impedanz von kortikalem Knochengewebe," *Z. Med. Phys.*, vol. 9, pp. 246-253, 1999.

- [77] Raum,K., Cobet ,U., Smitmans,L., und Brandt,J., "Quantitative Scanning Acoustic Microscopy of Cortical Bone Using a Multi Layer Analysis Method," in *Proc. IEEE Ultrason. Symp.*, pp. 593-596, 1999.
- [78] Raum,K., Jenderka,K.V., Klemenz,A., und Brandt,J., "Multi layer analysis - quantitative scanning acoustic microscopy for tissue characterization at a microscopic scale," zur Publikation eingereicht in *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, 2002.
- [79] Raum,K. und O'Brien,W.D., "Pulse-echo field distribution measurement technique for high-frequency ultrasound sources," *Proc. IEEE Ultrason. Symp.*, pp. 1747-1750, 1997.
- [80] Raum,K. and O'Brien,W.D., "Pulse-echo field distribution measurement technique for high-frequency ultrasound sources." *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 44, pp. 810-815, 1997.
- [81] Rho,J.Y., "An ultrasonic method for measuring the elastic properties of human tibial cortical and cancellous bone," *Ultrasonics*, vol. 34, pp. 777-783, 1996.
- [82] Rho,J.Y., Currey,J.D., Zioupos,P., und Pharr,G.M., "The anisotropic Young's modulus of equine secondary osteones and interstitial bone determined by nanoindentation," *J. Exp. Biol.*, vol. 204, pp. 1775-1781, 2001.
- [83] Rho,J.Y., Mishra,S.R., Chung,K., Bai,J., und Pharr,G.M., "Relationship between ultrastructure and the nanoindentation properties of intramuscular herring bones," *Ann. Biomed. Eng.*, vol. 29, pp. 1082-1088, 2001.
- [84] Rho,J.Y., Roy,M.E., Tsui,T.Y., und Pharr,G.M., "Elastic properties of microstructural components of human bone tissue as measured by nanoindentation," *J. Biomed. Mater. Res.*, vol. 45, pp. 48-54, 1999.
- [85] Rho,J.Y., Zioupos,P., Currey,J.D., und Pharr,G.M., "Variations in the individual thick lamellar properties within osteons by nanoindentation," *Bone*, vol. 25, pp. 295-300, 1999.

- [86] Rho,J.Y., Zioupos,P., Currey,J.D., und Pharr,G.M., "Microstructural elasticity and regional heterogeneity in human femoral bone of various ages examined by nano-indentation," *J. Biomech.*, vol. 35, pp. 189-198, 2002.
- [87] Riede,U., Hein,H.J., Eysel,P., und Reichel,H., "Elastomechanische Eigenschaften des diaphysären Knochens nach Kallusdistraktion: Eine Untersuchung an der Schafttibia mit dem akustischen Rastermikroskop," *Osteologie*, vol. 9, pp. 103-113, 2000.
- [88] Saijo,Y., Tanaka,M., Okawai,H., Sasaki,H., Nitta,S.I., und Dunn,F., "Ultrasonic tissue characterization of infarcted myocardium by scanning acoustic microscopy," *Ultrasound Med. Biol.*, vol. 23, pp. 77-85, 1997.
- [89] Sasaki,H., Saijo,Y., Tanaka,M., Nitta,S.I., Terasawa,Y., Yambe,T., und Taguma,Y., "Acoustic properties of dialysed kidney by scanning acoustic microscopy," *Nephrol. Dial. Transplant.*, vol. 12, pp. 2151-2154, 1997.
- [90] Sasaki,H., Saijo,Y., Tanaka,M., Nitta,S.I., Yambe,T., und Terasawa,Y., "Characterization of renal angiomyolipoma by scanning acoustic microscopy," *J. Path.*, vol. 181, pp. 455-461, 1997.
- [91] Schoenberg M., "Wave propagation in alternating solid and fluid layers," *Wave Motion*, vol. 6, pp. 303-320, 1999.
- [92] Schwinger,C., Klemenz,A., Raum,K., Koch,S., Rainov,N., und Kressler,J., "Comparison of different encapsulation strategies for living cells and mechanical characterization of microspheres by scanning acoustic microscopy," *Proceedings of the workshop "Practical Aspects of Encapsulation Technologies"*, im Druck, 2002.
- [93] Sebag,G.H. und Moore,S.G., "Effect of trabecular bone on the appearance of marrow in gradient-echo imaging of the appendicular skeleton," *Radiology*, vol. 174, pp. 855-859, 1990.
- [94] Shieh,S.J., Zimmerman,M.C., und Langrana,N.A., "The application of scanning acoustic microscopy in a bone remodeling study," *J. Biomech. Eng.*, vol. 117, pp. 286-292, 1995.
- [95] Skudrzyk,E., *The foundations of acoustics*. Wien, Springer, 1971.

- [96] Smitmans,L., Raum,K., Brandt,J., und Klemenz,A., "Variations in the microstructural acousto-mechanical properties of cortical bone revealed by a quantitative acoustic microscopy study," in *Proc. IEEE Ultrason. Symp.*, pp. 1379-1382, 2001.
- [97] Stein,M., "Scanning Acoustic Microscope: Programmierung eines akustischen Rastermikroskops zur quantitativen, zeitaufgelösten Akquisition, Visualisierung und Analyse von hochfrequenten Puls-Echo-Daten." Diplomarbeit, Fachhochschule Merseburg, FB Informatik und Angewandte Naturwissenschaften, 2000.
- [98] Strelitzki,R., Clarke,A.J., und Evans,J.A., "The measurement of the velocity of ultrasound in fixed trabecular bone using broadband pulses and single-frequency tone bursts," *Phys. Med. Biol.*, vol. 41, pp. 743-753, 1996.
- [99] Su,X.W., Feng,Q.L., Cui,F.Z., und Zhu,X.D., "Microstructure and micromechanical properties of the mid-diaphyses of human fetal femurs," *Conn. Tissue Res.*, vol. 36, pp. 271-286, 1997.
- [100] Sutilov,V.A., *Physik des Ultraschalls*. Berlin, Akademie-Verlag, 1984.
- [101] Takano,Y., Turner,C.H., und Burr,D.B., "Mineral anisotropy in mineralized tissues is similar among species and mineral growth occurs independently of collagen orientation in rats: results from acoustic velocity measurements," *J. Bone Miner. Res.*, vol. 11, pp. 1292-1301, 1996.
- [102] Takano,Y., Turner,C.H., Owan,I., Martin,R.B., Lau,S.T., Forwood,M.R., und Burr,D.B., "Elastic anisotropy and collagen orientation of osteonal bone are dependent on the mechanical strain distribution," *J. Orthop. Res.*, vol. 17, pp. 59-66, 1999.
- [103] Turner,C.H., Chandran,A., und Pidaparti,R.M., "The anisotropy of osteonal bone and its ultrastructural implications," *Bone*, vol. 17, pp. 85-89, 1995.
- [104] Turner,C.H., Rho,J.Y., Takano,Y., Tsui,T.Y., und Pharr,G.M., "The elastic properties of trabecular and cortical bone tissues are similar: results from two microscopic measurement techniques," *J. Biomech.*, vol. 32, pp. 437-441, 1999.

- [105] Van Buskirk,W.C., Cowin,S.C., und Ward,R.N., "Ultrasonic measurement of orthotropic elastic constants of bovine femoral bone," *J. Biomech. Eng.*, vol. 103, pp. 67-72, 1981.
- [106] Wagner,H.D. und Weiner,S., "On the relationship between the microstructure of bone and its mechanical stiffness," *J. Biomech.*, vol. 25, pp. 1311-1320, 1992.
- [107] Wehrli,F.W., Ford,J.C., Attie,M., Kressel,H.Y., und Kaplan,F.S., "Trabecular structure: preliminary application of MR interferometry," *Radiology*, vol. 179, pp. 615-621, 1991.
- [108] Wehrli,F.W., Ford,J.C., und Haddad,J.G., "Osteoporosis: clinical assessment with quantitative MR imaging in diagnosis," *Radiology*, vol. 196, pp. 631-641, 1995.
- [109] Wehrli,F.W., Hwang,S.N., Ma,J., Song,H.K., Ford,J.C., und Haddad,J.G., "Cancellous bone volume and structure in the forearm: noninvasive assessment with MR microimaging and image processing," *Radiology*, vol. 206, pp. 347-357, 1998.
- [110] Weiner,S., Traub,W., und Wagner,H.D., "Lamellar bone: structure-function relations," *J. Struct. Biol.*, vol. 126, pp. 241-255, 1999.
- [111] Weiner,S. und Wagner,H.D., "The material bone: Structure mechanical function relations," *Ann. Rev. Mat. Sci.* , vol. 28, pp. 271-298, 1998.
- [112] Yu,Z.L. und Boseck,S., "Scanning acoustic microscopy and its applications to material characterization," *Rev. Mod. Phys.*, vol. 67, pp. 863-891, 1995.
- [113] Zimmerman,M.C., Meunier,A., Katz,J.L., und Christel,P., "The evaluation of cortical bone remodeling with a new ultrasonic technique," *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 37, pp. 433-441, 1990.
- [114] Zimmerman,M.C., Prabhakar,A., Chokshi,B.V., Budhwani,N., und Berndt,H., "The acoustic properties of normal and imbedded bovine bone as measured by acoustic microscopy," *J. Biomed. Mater. Res.*, vol. 28, pp. 931-938, 1994.
- [115] Ziv,V., Wagner,H.D., und Weiner,S., "Microstructure-microhardness relations in parallel-fibered and lamellar bone," *Bone*, vol. 18, pp. 417-428, 1996.

- [116] Zoller,J., Brandle,K., und Bereiter-Hahn,J., "Cellular motility in vitro as revealed by scanning acoustic microscopy depends on cell-cell contacts," *Cell Tissue Res.*, vol. 290, pp. 43-50, 1997.
- [117] Zysset,P.K., Guo,X.E., Hoffler,C.E., Moore,K.E., und Goldstein,S.A., "Elastic modulus and hardness of cortical and trabecular bone lamellae measured by nanoindentation in the human femur," *J. Biomech.*, vol. 32, pp. 1005-1012, 1999.