

## 7. **Literaturverzeichnis**

1. Ali, H. B. M., Meister, A. und I. Schubert (2000) DNA content, rDNA loci, and DAPI bands reflect the phylogenetic distance between *Lathyrus* species. *Genome* 43, 1027-1032.
2. Baranyi, M. und J. Greilhuber (1999) Genome size in *Allium*: in quest of reproducible data. *Annals of Botany* 83, 687-695.
3. Barlow, P. W. (1978) Endopolyploidy: Towards an understanding of its biological significance. *Acta Biotheoretica* 27, 1-18.
4. Beaton, M. J. und P. D. N Hebert (1989) Miniature genomes and endopolyploidy in cladoceran crustaceans. *Genome* 32, 1048-1053.
5. Beemster, G. T. S., De Vusser, K., De Tavernier, E., De Bock, K. und D. Inzé (2002) Variation in growth rate between *Arabidopsis* ecotypes is correlated with cell division and A-type cyclin-dependent kinase activity. *Plant Physiology* 129, 854-864.
6. Bennett, M. D. (1972) Nuclear DNA content and minimum generation time in herbaceous plants. *Proceedings of the Royal Society of London. Series B, Biological Sciences* 181, 109-135.
7. Bennett, M. D. (1976) DNA amount, latitude, and crop plant distribution. *Environmental and Experimental Botany* 16, 93-108.
8. Bennett, M. D. und I. J. Leitch (2001) Angiosperm DNA C-values database (release 3.1, Sept. 2001). <http://www.rbgekew.org.uk/cval/homepage.html>.
9. Bennett, M. D., Leitch, I. J. und L. Hanson (1998) DNA amounts in two samples of angiosperm weeds. *Annals of Botany, Supplement A*, 121-134.
10. Bernardi, G. und G. Bernardi (1990a) Compositional patterns in the nuclear genome of cold-blooded vertebrates. *Journal of Molecular Evolution* 31, 265-281.
11. Bernardi, G. und G. Bernardi (1990b) Compositional transitions in the nuclear genomes of cold-blooded vertebrates. *Journal of Molecular Evolution* 31, 282-293.

12. Bernardi, G., Mouchiroud, D., Gautier, C. und G. Bernardi (1988) Compositional patterns in vertebrate genomes: conservation and change in evolution. *Journal of Molecular Evolution* 28, 7-18.
13. Biradar, D. P., Rayburn, A. L. und D G Bullock (1993) Endopolyploidy in diploid and tetraploid maize (*Zea mays* L.). *Annals of Botany* 71, 417-421.
14. Bradley, M.V. (1954) Cell and nuclear size in relation to polysomaty and the nuclear cycle. *American Journal of Botany* 41, 398-402.
15. Brandham, P. E. und J. P. West (1993) Correlation between nuclear DNA values and differing optimal ploidy levels in *Narcissus*, *Hyacinthus* and *Tulipa* cultivars. *Genetica* 90, 1-8.
16. Cavalier-Smith, T. (1978) Nuclear volume control by nucleoskeletal DNA, selection for cell volume and cell growth rate, and the solution of the DNA C-value paradox. *Journal of Cell Science* 43, 247-278.
17. Cavallini, A., Natali, L., Cionini, G., Balconi, C. und F. D'Amato (1997) Inheritance of nuclear DNA content in leaf epidermal cells of *Zea mays* L. *Theoretical and Applied Genetics* 94, 782-787.
18. Cerbah, M., Mortreau, E., Brown, S., Siljak-Yakovlev, S., Bertrand, H. und C. Lambert (2001) Genome size variation and species relationships in the genus *Hydrangea*. *Theoretical and Applied Genetics* 103, 45-51.
19. Chargaff, E. (1950) Chemical specificity of nucleic acids and mechanism of their enzymatic degradation. *Experientia* 6, 201-209.
20. Czeika, G. (1956) Strukturänderungen endopolyploider Ruhekerne im Zusammenhang mit wechselnder Bündelung der Tochterchromosomen und karyologisch-anatomische Untersuchungen an Sukkulente. *Österr. Bot. Z.* 103, 536-366.
21. D'Amato, F (1964) Endopolyploidy as a factor in plant tissue development. *Caryologia* 17, 41-52.
22. De Rocher, E. J., Harkins, K. R., Galbraith, D. W. und H. J. Bohnert (1990) Developmentally regulated systemic endopolyploidy in succulents with small genomes. *Science* 250, 99-101.

23. De Veylder, L., Beeckman, T., Beemster, G.T.S., Krols, L., Terras, F., Landrieu, I., Van Der Schueren, E., Maes, S., Naudts, M. und D. Inzé (2001) Functional analysis of cyclin-dependent kinase inhibitors of *Arabidopsis*. *The Plant Cell* 13, 1653-1667.
24. Doležel, J. (1991) Flow cytometric analysis of nuclear DNA content in higher plants. *Phytochemical Analysis* 2, 143-154.
25. Doležel, J., Bartoš, J., Voglmayr, H. und J. Greilhuber (2003) Letter to the editor: nuclear DNA content and genome size of trout and human. *Cytometry Part A* 51A, 127-128.
26. Doležel, J., Greilhuber, J., Lucretti, S., Meister, A., Lysák, M. A., Nardi, L. und R. Obermayer (1998) Plant genome size estimation by flow cytometry: inter-laboratory comparison. *Annals of Botany* 82 (Suppl. A), 17-26.
27. Doležel, J., Sgorbati, S. und S. Lucretti (1992) Comparison of three DNA fluorochromes for flow cytometric estimation of nuclear DNA content in plants. *Physiologia Plantarum* 85, 625-631.
28. Dover, G. (2002) Molecular drive. *Trends in Genetics* 18, 587-589.
29. Edgar, B. A. und T. L. Orr-Weaver (2001) Endoreplication cell cycles: More for less. *Cell* 105, 297-306.
30. Ellenberg, H., Weber, H. E., Düll, R., Wirth, V., Werner, W. und D. Paulißen (1992) Zeigerwerte von Pflanzen in Mitteleuropa, 3. Aufl. (Scripta Geobotanica ; 18). Göttingen: Golze.
31. Engelen-Eigles, G., Jones, R. J. und R. L. Phillips (2000) DNA endoreduplication in maize endosperm cells: the effect of exposure to short-term high temperature. *Plant, Cell and Environment* 23, 657-663.
32. Evans, G. M., Rees, H., Snell, C. L. und S. Sun (1972) The relationship between nuclear DNA amount and the duration of the mitotic cycle. In: Darlington, C. D. und K. R. Lewis (Hrsg.): *Chromosomes Today* 3, 24-31. New York: Hafner.
33. Flavell, R. B. (1986) Repetitive DNA and chromosome evolution in plants. *Philosophical Transactions of the Royal Society of London Series B* 312, 227-242.

34. Galbraith, D. W., Harkins, K. R. und S. Knapp (1991) Systemic endopolyploidy in *Arabidopsis thaliana*. *Plant Physiology* 96, 985-989.
35. Galbraith, D. W., Harkins, K. R., Maddox, J. .M., Ayres, N. M., Sharma, D. P. und E. Firoozabady (1983) Rapid flow cytometric analysis of cell cycle in intact plant tissues. *Science* 220, 1049-1051.
36. Galbraith, D. W., Lambert, G. M., Macas, J. und J. Doležel (1997) Analysis of nuclear DNA content and ploidy in higher plants. *Current Protocols in Cytometry* 7.6.1.-7.6.22. Hrsg. Robinson, J. P., Darzynkiewicz, Z., Dean, P. N., Orfao, A., Rabinovitch, P. S., Stewart, C. C., Tanke, H. J. und L. L. Wheelless.
37. Geitler, L. (1953) Endomitose und endomitotische Polyploidisierung. *Protoplasmatologia* 6, 1-89. Wien: C. Springer.
38. Gendreau, E., Höfte, H., Grandjean, O., Brown, S. und J. Traas (1998) Phytochrome controls the number of endoreduplication cycles in the *Arabidopsis thaliana* hypocotyl. *Plant Journal* 13, 221-230.
39. Giles, K. W. und A. Myers (1964) The role of nucleic acids in the growth of the hypocotyl of *Lupinus albus* under varying light and dark regimes. *Biochimica et Biophysica Acta* 87, 460-477.
40. Gilissen, L. J. W., van Staveren, M. J., Creemers-Molenaar, J. und H. A. Verhoeven (1993) Development of polysomaty in seedlings and plants of *Cucumis sativus* L. *Plant Science* 91, 171-179.
41. Givan, A. L. (2001) Principles of flow cytometry: an overview. *Methods in Cell Biology* 63, 19-50.
42. Godelle, B., Cartier, D., Marie, D., Brown, S. C. und S. Siljak-Yakovlev (1993) Heterochromatin study demonstrating the non-linearity of fluorometry useful for calculating genomic base composition. *Cytometry* 14, 618-626.
43. Goff, S. A., Ricke, D., Lan, T.-H., Presting, G., Wang, R., Dunn, M., Glazebrook, J., Sessions, A., Oeller, P., Varma, H., Hadley, D., Hutchison, D., Martin, C., Katagiri, F., Lange, B. M., Moughamer, T., Xia, Y., Budworth, P., Zhong, J., Miguel, T., Paszkowski, U., Zhang, S., Colbert, M., Sun, W.-l., Chen, L., Cooper, B., Park, S., Wood, T. C., Mao, L., Quail, P., Wing, R., Dean, R., Yu, Y., Zharkikh, A., Shen, R., Sahasrabudhe, S., Thomas,

- A., Cannings, R., Gutin, A., Pruss, D., Reid, J., Tavitigian, S., Mitchell, J., Eldredge, G., Scholl, T., Miller, R. M., Bhatnagar, S., Adey, N., Rubano, T., Tusneem, N., Robinson, R., Feldhaus, J., Macalma, T., Oliphant, A. und S. Briggs (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *japonica*). *Science* 296, 92-100.
44. Grafi, G. und B. A. Larkins (1995) Endoreduplication in Maize endosperm: Involvement of M phase-promoting factor inhibition and induction of S phase-related kinases. *Science* 269, 1262-1264.
  45. Gregory, T. R. (2001a) Coincidence, coevolution, or causation? DNA content, cell size, and the C-value enigma. *Biological Reviews* 76, 65-101.
  46. Gregory, T. R. (2001b) Animal genome size database.  
<http://www.genomesize.com/>.
  47. Greilhuber, J. (1995) Chromosomes of the monocotyledons (general aspects). In: Rudall, P. J., Cribb, P. J., Cutler, D. F. und C. J. Humphries (Hrsg.): *Monocotyledons: systematics and evolution, volume II*. Kew: Royal Botanic Gardens, 379-414.
  48. Grif, V. (2000) Some aspects of plant karyology and karyosystematics. *International Review of Cytology* 196, 131-175.
  49. Grime, J. P. (1977) Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *American Naturalist* 111, 1169-1194.
  50. Grime, J. P., Hodgson, J. G. und R. Hunt (1989) *Comparative Plant Ecology*. London: Unwin Hyman.
  51. Grime, J. P. und M. A. Mowforth (1982) Variation in genome size - an ecological interpretation. *Nature* 299, 151-153.
  52. Grime, J. P., Shacklock, J. M. L. und S. R. Brand (1985) Nuclear DNA contents, shoot phenology and species co-existence in a limestone grassland community. *New Phytologist* 100, 435-445.
  53. Gunning, B. E. S. und J. S. Pate (1974) Transfer cells. In: Robards, A. W. (Hrsg.) *Dynamic aspects of plant ultrastructure*. London: McGraw-Hill, 441-480.

54. Hemerly, A., de Almeida Engler, J., Bergounioux, C., Van Montagu, M., Engler, G., Inzé, D. und P. Ferreira (1995) Dominant negative mutants of the Cdc2 kinase uncouple cell division from iterative plant development. *The EMBO Journal* 14, 3925-3936.
55. Hodgson, J. G. (1986) Commonness and rarity in plants with special reference to the sheffield flora; Part III: Taxonomic and evolutionary aspects. *Biological Conservation* 36, 275-296.
56. Hülskamp, L., Miséra, S. und G. Jürgens (1994) Genetic Dissection of Trichome Cell Development in *Arabidopsis*. *Cell* 76, 555-566.
57. Ingle, J., Pearson G. G. und J. Sinclair (1973) Species distribution and properties of nuclear satellite DNA in higher plants. *Nature New Biology* 242, 193-197.
58. Jacquard, A., De Veylder, L., Segers, G., de Almeida Engler, J, Bernier, G., Van Montagu, M. und D. Inzé (1999) Expression of *CKS1At* in *Arabidopsis thaliana* indicates a role for the protein in both the mitotic and the endoreduplication cycle. *Planta* 207, 496-504.
59. Joubès, J. und C. Chevalier (2000) Endoreduplication in higher plants. *Plant Molecular Biology* 43, 735-745.
60. Ko, C. Y., Johnson, J. L., Barnett, L. B., McNair, H. M. und J. R. Vercellotti (1977) A sensitive estimation of the percentage of guanine plus cytosine in deoxyribonucleic acid by High Performance Liquid Chromatography. *Analytical Biochemistry* 80, 183-192.
61. Kondorosi, E., Roudier, F. und E. Gendreau (2000) Plant cell-size control: growing by ploidy? *Current Opinion in Plant Biology* 3, 488-492.
62. Koopman, W. J. M. (2002) Zooming in on the lettuce genome. Dissertation an der Universität Wageningen, Niederlande.
63. Kudo, N. und Y. Kimura (2001a) Flow cytometric evidence for endopolyploidization in cabbage (*Brassica oleraceae* L.) flowers. *Sexual Plant Reproduction* 13, 279-283.

64. Kudo, N. und Y. Kimura (2001b) Patterns of endopolyploidy during seedling development in cabbage (*Brassica oleracea* L.). *Annals of Botany* (London) 87, 275-281.
65. Kudo, N. und Y. Kimura (2002) Nuclear DNA endoreduplication during petal development in cabbage: relationship between ploidy levels and cell size. *Journal of Experimental Botany* 53, 1017-1023.
66. Labani, R. M. und T. T. Elkington (1987) Nuclear DNA variation in the genus *Allium* L. (Liliaceae). *Heredity* 59, 119-128.
67. Larkins, B. A., Dilkes, B. P., Dante, R. A., Coelho, C. M., Woo, Y. und Y. Liu (2001) Investigating the hows and whys of DNA endoreduplication. *Journal of Experimental Botany* 52, 183-192.
68. Larsen, T. A., Goodsell, D. S., Cascio, D., Grzeskowiak, K. und R. E. Dickerson (1989) The structure of DAPI bound to DNA. *Journal of Biomolecular Structure & Dynamics* 7, 477-491.
69. Leemann, U. und F. Ruch (1982) Cytofluorometric determination of DNA base content in plant nuclei and chromosomes by the fluorochromes DAPI and chromomycin A3. *Experimental Cell Research* 140, 275-282.
70. Leitch, I. J. und M. D. Bennett (1997) Polyploidy in angiosperms. *Trends in Plant Science* 2, 470-476.
71. Leitch, I. J., Chase, M. W. und M. D. Bennett (1998) Phylogenetic analysis of DNA C-values provides evidence for a small ancestral genome size in flowering plants. *Annals of Botany* 82 (Supplement A), 85-94.
72. Leitch, I. J., Hanson, L., Winfield, M., Parker, J. und M. D. Bennett (2001) Nuclear DNA C-values complete familial representation in gymnosperms. *Annals of Botany* 88, 843-849.
73. Lemontey, C., Mousset-Déclas, C., Munier-Jolin, N. und J.-P. Boutin (2000) Maternal genotype influences pea seed size by controlling both mitotic activity during early embryogenesis and final endoreduplication level/cotyledon cell size in mature seed. *Journal of Experimental Botany* 51, 167-175.

74. Levin, D. A. und S. W. Funderburg (1979) Genome size in angiosperms: Temperate versus tropical species. *American Naturalist* 114, 784-795.
75. Li, W.-H. und D. Graur (1991) *Fundamentals of molecular evolution*. Sunderland (Massachusetts): Sinauer Associates, Inc.
76. Lindman, H. R. (1974) *Analysis of variance in complex experimental designs*. San Francisco: Freeman & Co.
77. Loontjens, F. G., McLaughlin, L. W., Diekmann, S. und R. M. Clegg (1991) Binding of Hoechst 33258 and 4',6-diamidino-2-phenylindole to self-complementary decadeoxynucleotides with modified exocyclic base substituents. *Biochemistry* 30, 182-189.
78. Martel, E., De Nay, D., Siljak-Yakovlev, S., Brown, S. und A. Sarr (1997) Genome size variation and basic chromosome number in the pearl millet and fourteen related *Pennisetum* species. *The Journal of Heredity* 88, 139-143.
79. Melaragno, J. E., Mehrotra, B. und A. W. Coleman (1993) Relationship between endopolyploidy and cell size in epidermal tissue of *Arabidopsis*. *Plant Cell* 5, 1661-1668.
80. Miksche, J. P. und Y. Hotta (1973) DNA base composition and repetitious DNA in several conifers. *Chromosoma* 41, 29-36.
81. Mishiba, K. und M. Mii (2000) Polysomaty analysis in diploid and tetraploid *Portulaca grandiflora*. *Plant Science* 156, 213-219.
82. Nagl, W. (1976) DNA endoreduplication and polyteny understood as evolutionary strategies. *Nature* 261, 614-615.
83. Nagl, W. (1978) *Endopolyploidy and polyteny in differentiation and evolution*. Amsterdam-New York-Oxford: North-Holland Publishing Company.
84. Oberdorfer, E. (1994) *Pflanzensoziologische Exkursionsflora*. Stuttgart (Hohenheim): UTB für Wissenschaft.
85. Obermayer, R., Leitch, I. J., Hanson, L. und M. D. Bennett (2002) Nuclear DNA C-values in 30 species double the familial representation in pteridophytes. *Annals of Botany* 90, 209-217.
86. Ohri, D. und K. Pistrick (2001) Phenology and genome size variation in *Allium* L. – a tight correlation? *Plant Biology* 3, 654-660.

87. Olszewska, M. J. und R. Osiecka, (1982) The relationship between 2C DNA content, life cycle type, systemic position, and the level of DNA endoreplication in nuclei of parenchyma cells during growth and differentiation of roots in some monocotyledonous species. *Biochemie und Physiologie der Pflanzen* 177, 319-336.
88. Ozkan, H., Levy, A. A. und M. Feldman (2001) Allopolyploidy-induced rapid genome evolution in the wheat (*Aegilops-Triticum*) group. *Plant Cell* 13, 1735-1747.
89. Pianka, E. R. (1970) On *r*- and *K*-selection. *American Naturalist* 104, 592-597.
90. Pijnacker, L. P., Sree Ramulu, K., Dijkhuis, P. und M. A. Ferwerda (1989) Flow cytometric and karyological analysis of polysomaty and polyploidization during callus formation from leaf segments of various potato genotypes. *Theoretical and Applied Genetics* 77, 102-110.
91. Portugal J. und M. J. Waring (1988) Assignment of DNA binding sites for 4',6-diamidino-2-phenylindol and bisbenzimidazole (Hoechst 33258). A comparative footprinting study. *Biochimica et Biophysica Acta* 949, 158-168.
92. Price, H. J. und K. Bachmann (1976) Mitotic cycle time and DNA content in annual and perennial Microseridinae (Compositae, Cichoriaceae). *Plant Systematics and Evolution* 126, 323-330.
93. Price, H. J., Sparrow, A. H. und A. F. Nauman (1973) Correlations between nuclear volume, cell volume and DNA content in meristematic cells of herbaceous angiosperms. *Experientia* 29, 1028-1029.
94. Pyke, K. A., Marrison, J. L. und R. M. Leech (1991) Temporal and spatial development of the cells of the expanding first leaf of *Arabidopsis thaliana* (L.) Heynh. *Journal of Experimental Botany* 42, 1407-1416.
95. Reeves, G., Francis, D., Davies, M. S., Rogers, H. J. und T. R. Hodgkinson (1998) Genome size is negatively correlated with altitude in natural populations of *Dactylis glomerata*. *Annals of Botany* 82, Supplement A, 99-105.
96. Rothmaler, W (2002) *Exkursionsflora von Deutschland*. Hrsg: Jäger, E. J. und K. Werner. Berlin: Spektrum Akademischer Verlag Heidelberg.

97. Salinas, J., Matassi, G., Montero, L. M. und G. Bernardi (1988) Compositional compartmentalization and compositional patterns in the nuclear genomes of plants. *Nucleic Acids Research* 16, 4269-4285.
98. Schildkraut, C. L., Marmur, J. und P. Doty (1962) Determination of the base composition of deoxyribonucleic acid from its buoyant density in CsCl. *Journal of Molecular Biology* 4, 430-443.
99. Schnittger, A., Weinl, C., Schöbinger, U., Bouyer, D. und M. Hülskamp (2002) Expression of the CDK inhibitor ICK1/KRP1 in *Arabidopsis* trichomes reduces endoreduplication levels and cell size and leads to cell death. *Cell biology, Abstracts of the XIV. International Conference on Arabidopsis Research 2002*, 7/40.
100. Shapiro, H. S. (1970) Distribution of purines and pyrimidines in deoxyribonucleic acids. In: Sober, H. A., Harte, R. A. und Sober, E. K. (Hrsg.): *Handbook of Biochemistry*, 2nd edition. Cleveland: The Chemical Rubber Co.
101. Shapiro, H. S. (1976) Distribution of purines and pyrimidines in deoxyribonucleic acids. In: Fasman, G. D.: *Handbook of Biochemistry and Molecular Biology*, 3rd edition. Cleveland: CRC Press.
102. Smulders, M. J. M., Rus-Kortekaas, W. und L. J. W. Gilissen (1994) Development of polysomaty during differentiation in diploid and tetraploid tomato (*Lycopersicon esculentum*) plants. *Plant Science* 97, 53-60.
103. SPSS Inc (1999) *SPSS Base 10.0 User's Guide*, 274-275.
104. Strasburger, E. (1893) Ueber die Wirkungssphäre der Kerne und die Zellgröße. *Histologische Beiträge*, Heft 5, 95-124. Jena: Verlag von Gustav Fischer.
105. Temsch, E. M. und J. Greilhuber (2001) Genome size in *Arachis duranensis*: a critical study. *Genome* 44, 826-830.
106. The Arabidopsis Genome Initiative (2000) Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* 408, 796-815.
107. Thomas, C. A. (1971) The genetic organization of chromosomes. *Annual Review of Genetics* 5, 237-256.
108. Tschermak-Woess, E. (1956) Karyologische Pflanzenanatomie. *Protoplasma* 46, 798-834.

109. Van Oostveldt, P. und R. Van Parijs (1975) Effect of light on nucleic-acid synthesis and polyploidy level in elongating epicotyl cells of *Pisum sativum*. *Planta* 124, 287-295.
110. Vinogradov, A. E. (1994) Measurement by flow cytometry of genomic AT/GC ratio and genome size. *Cytometry* 16, 34-40.
111. Vinogradov, A. E. (1998) Genome size and GC-percent in vertebrates as determined by flow cytometry: the triangular relationship. *Cytometry* 31, 100-109.
112. Vinogradov, A (1999) Genome *in toto*. *Genome* 42, 361-362.
113. Vinogradov, A. (2001) Mirrored genome size distributions in monocot and dicot plants. *Acta Biotheoretica* 49, 43-51.
114. Vinogradov, A. E. und L. J. Borkin (1993) Allometry of basepair-specific DNA contents in Tetrapoda. *Hereditas* 118,155-163.
115. Voglmayr, H. (2000) Nuclear DNA amounts in mosses (musci). *Annals of Botany* 85, 531-546.
116. Witsch, v., H. (1955) Experimentelle Chromosomenvermehrung in Pflanzenteilen? *Umschau* 8, 234-235.
117. Zonneveld, B. J. M. und F. Van Iren (2000) Flow cytometric analysis of DNA content in *Hosta* reveals ploidy chimera. *Euphytica* 111:105-115