

7. Literaturverzeichnis

Adams, M.D., Kelley, J.M., Gocayne, J.D., Dubnick, M., Polymeropoulos, M.H., Xiao, H., Merril, C.R., Wu, A., Olde, B., Moreno, R.F., Kerlavage, A.R., McCombie, W.R., Venter, J.C. (1991): Complementary DNA sequencing: expressed sequence tags and human genome project. *Science* 252, 1651-1656.

Allan, A.C., Trewavas, A.J. (1994): Abscisic acid and gibberellin perception: inside or out? *Plant Physiol.* 104, 1107-1108.

Allaway, W.G., Setterfield, G. (1972): Structure and functioning of stomata. In: *Water Deficits and Plant Growth, Vol.IV*, Academic Press, New York, 57-102.

Artsaenko, O. (1996): Immunomodulation of ABA activity in transgenic tobacco plants. Dissertation zur Erlangung des akademischen Grades Doctor rerum naturalium an der Martin-Luther-Universität Halle-Wittenberg, Fachbereich Biologie.

Artsaenko, O., Peisker, M., zur Nieden, U., Fiedler, U., Weiler, E.W., Müntz, K., Conrad, U. (1995): Expression of a single-chain Fv antibody against abscisic acid creates a wilted phenotype in transgenic tobacco. *Plant J.* 8, 745-750.

Artsaenko, O., Phillips, J., Fiedler, U., Peisker, M., Conrad, U. (1999): Intracellular immunomodulation in plants- a new tool for the investigation of phytohormones. In: *Recombinant Antibodies- applications in plants science and plant pathology* (Hrsg. K. Harper und A. Ziegler), 145-153, Taylor und Francis, London.

Artsaenko, O., Weiler, E.W., Müntz, K., Conrad, U. (1994): Construction and functional characterisation of a single chain Fv antibody binding to the plant hormone abscisic acid. *J. Plant Physiol.* 144, 427-429.

Bachem, C.W.B., van der Hoeven, R.S., de Bruijn, S.M., Vreugdenhil, D., Zabeau, M., Visser, R.G.F. (1996): Visualization of differential gene expression using a novel method of RNA fingerprinting based on AFLP: Analysis of gene expression during potato tuber development. *Plant J.* 9 (5), 745-753.

Bartels, D., Hanke, C., Schneider, K., Michel, D., Salamini, F. (1992): A desiccation-related elip-like gene from the resurrection plant *Craterostigma plantagineum* is regulated by light and ABA. *EMBO J.* 11 (8), 2771-2778.

Bartholomew, D.M., Bartley, G.E., Scolnik, P.A. (1991): Abscisic acid control of *rbcS* and *cab* transcription in tomato leaves. *Plant Physiol.* 96, 291-296.

Becker, D., Zeilinger, C., Lohse, G., Depta, H., Hedrich, R. (1993): Identification and biochemical characterization of the plasmamembrane H⁺-ATPase in guard cells of *Vicia faba* L. *Planta* 190, 44-50.

Biocca, S., Pierandrei-Amaldi, P., Campioni, N., Cattaneo, A. (1994): Intracellular immunization with cytosolic recombinant antibodies. *Biotechnology* 12 (4), 396-399.

Biocca, S., Pierandrei-Amaldi, P., Cattaneo, A. (1993): Intracellular expression of anti-p21ras single chain Fv fragments inhibits meiotic maturation of *Xenopus* oocytes. *Biochem. Biophys. Res. Commun.* 197 (2), 422-427.

- Bird, R.E., Hardman, K.D., Jacobson, J.W., Johnson, S., Kaufman, B.M., Lee, S.-M., Lee, T., Pope, H.S., Riordan, G.S., Whitlow, M. (1988): Single-chain antigen-binding proteins. *Science* 242, 423-426.
- Borck, K.S., Walbot, V. (1982): Comparison of the restriction endonuclease digestion patterns of mitochondrial DNA from normal and male sterile cytoplasms of *Zea mays* L. *Genetics* 102, 109-128.
- Bradford, M.M. (1976): Rapid and quantitative method for quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72, 248-252.
- Busk, P.K., Pages, M. (1998): Regulation of abscisic acid-induced transcription. *Plant Mol. Biol.* 37, 425-435.
- Chandler, P.M., Robertson, M. (1994): Gene expression regulated by abscisic acid and its relation to stress tolerance. *Ann.Rev. in Plant Physiol. Plant Mol. Biol.* 45, 113-143.
- Chaudhary, V.K., Batra, J.K., Gallo, M.G., Willingham, M.C., FitzGerald, D.J., Pastan, I. (1990): A rapid method of cloning functional variable-region antibody genes in *Escherichia coli* as single-chain immunotoxins. *Proc. Natl. Acad. Sci. USA* 87, 1066-1070.
- Chomczynski, P., Sacchi, N. (1987): Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal. Biochem.* 162, 156-159.
- Conrad, U., Fiedler, U., Artsaenko, O., Phillips, J. (1998): Single chain Fv antibodies expressed in plants. In: *Recombinant Proteins in Plants - Production and Isolation of Clinically Useful Compounds* (Hrsg. C. Cunningham und A.J.R. Porter), 103-127, *Methods in Biotechnology* 3, Humana Press, Totowa, New Jersey.
- Cosgrove, D.J., Hedrich, R. (1991): Stretch-activated chloride, potassium and calcium channels coexisting in plasma membranes of guard cells of *Vicia faba* L. *Planta* 186, 143-153.
- Cutler, A.J., Krochko, J.E. (1999): Formation and breakdown of ABA. *Trends in Plant Science* 4 (12), 472-478.
- De Camilli, P., Emr, S.D., McPherson, P.S., Novick, P. (1996): Phosphoinositides as regulators in membrane traffic. *Science* 271 (5255), 1533-1539.
- Diatchenko, L., Lau, Y.F., Campbell, A.P., Chenchik, A., Moqadam, F., Huang, B., Lukyanov, S., Lukyanov, K., Gurskaya, N., Sverdlov, E.D., Siebert, P.D. (1996): Suppression subtractive hybridization: a method for generating differentially regulated or tissue-specific cDNA probes and libraries. *Proc. Natl. Acad. Sci. USA* 93 (12), 6025-6030.
- Duan, L., Bagasra, O., Laughlin, M.A., Oakes, J.W., Pomerantz, R.J. (1994): Potent inhibition of human immunodeficiency virus type 1 replication by an intracellular anti-Rev single-chain antibody. *Proc. Natl. Acad. Sci. USA* 91 (11), 5075-5079.
- Estruch, J.J., Crossland, L., Goff, S.A. (1994): Plant activating sequences: positively charged peptides are functional as transcriptional activation domains. *Nucleic Acids Res.* 22 (19), 3983-3989.
- Eyers, M., Edwards, K., Schuch, W. (1992): Construction and characterisation of a yeast artificial chromosome library containing two haploid *Beta vulgaris* L. genome equivalents. *Gene* 121 (2), 195-201.

- Fiedler, U., Artsaenko, O., Phillips, J., Conrad, U. (1999): Transgenic plants- a low cost production system for recombinant antibodies. In: *Recombinant Antibodies- Applications in Plant Science and Plant Pathology* (Hrsg. K. Harper und A. Ziegler), 129-144, Taylor und Francis, London.
- Fiedler, U., Conrad, U. (1995): High-level production and long-term storage of engineered antibodies in transgenic tobacco seeds. *Biotechnology* 13, 1090-1093.
- Fiedler, U., Phillips, J., Artsaenko, O., Conrad, U. (1997): Optimization of scFv antibody production in transgenic plants. *Immunotechnology* 3, 205-216.
- Foley, R.C., Singh, K.B. (1994): Isolation of a *Vicia faba* metallothionein-like gene: expression in foliar trichomes. *Plant Mol. Biol.* 26 (1), 435-444.
- Garcia-Hernandez, M., Murphy, A., Taiz, L. (1998): Metallothioneins 1 and 2 have distinct but overlapping expression patterns in *Arabidopsis*. *Plant Physiol.* 118 (2), 387-397.
- Gee, D., Anderson, L.W.J. (1998): Influence of leaf age on responsiveness of *Potamogeton nodosus* to ABA-induced heterophylly. *Plant Growth Regulation* 24, 119-125.
- Geng, M., Wallrapp, C., Muller-Pillasch, F., Frohme, R., Hoheisel, J.D., Gress, T.M. (1998): Isolation of differentially expressed genes by combining representational difference analysis (RDA) and cDNA library arrays. *Biotechniques* 25 (3), 434-438.
- Gilmour, S.J., Thomashow, M.F. (1991): Cold acclimation and cold-regulated gene expression in ABA mutants of *Arabidopsis thaliana*. *Plant Mol. Biol.* 17, 1233-1240.
- Giraudat, J., Parcy, F., Bertauche, N., Gosti, F., Leung, J., Morris, P.-C., Bouvier-Durand, M., Vartanian, N. (1994): Current advances in abscisic acid action and signalling. *Plant Mol. Biol.* 26, 1557-1577.
- Gomez, J., Sanchez-Martinez, D., Stiefel, V., Rigau, J., Puigdomenech, P., Pages, M. (1988): A gene induced by the plant hormone abscisic acid in response to water stress encodes a glycine-rich protein. *Nature* 334, 262-264.
- Gomez-Gadenas, A., Verhey, S.D., Holappa, L.D., Shen, Q., Ho, T.H., Walker-Simmons, M.K. (1999): An abscisic acid-induced protein kinase, PKABA1, mediates abscisic acid-suppressed gene expression in barley aleurone layers. *Proc. Natl. Acad. Sci. USA* 96 (4), 1767-1772.
- Granjeaud, S., Nguyen, C., Rocha, D., Luton, R., Jordan, B.R. (1996): From hybridization image to numerical values: a practical, high throughput quantification system for high density filter hybridizations. *Genetic Analysis: Biomolecular Engineering* 12, 151-162.
- Gress, T.M., Hoheisel, J.D., Lennon, G.G., Zehetner, G., Lehrach, H. (1992): Hybridization fingerprinting of high-density cDNA-library arrays with cDNA pools derived from whole tissues. *Mammalian Genome* 3, 609-619.
- Haake, V., Zrenner, R., Sonnewald, U., Stitt, M. (1998): A moderate decrease of plastid aldolase activity inhibits photosynthesis, alters the levels of sugars and starch, and inhibits growth of potato plants. *Plant J.* 14 (2), 147-157.
- Haff, L.A., Borogard, L. (1976): Poly (adenylic acid)-containing RNA from plastids of maize. *Biochemistry* 15, 4110-4115.

- Hartung, W., Slovik, S. (1991): Physicochemical properties of plant growth regulators and plant tissues determine their distribution and redistribution: stomatal regulation by abscisic acid in leaves. *The New Phytol.* 119, 361-382.
- Hedrick, S.M., Cohen, D.I., Nielsen, E.A., Davies, M.M. (1984): Isolation of cDNA clones encoding T cell-specific membrane-associated proteins. *Nature* 308 (8), 149-153.
- Heintzen, C., Fischer, F., Melzer, S., Kappeler, S., Apel, K., Staiger, D. (1994): Circadian oscillations of a transcript encoding a germin-like protein that is associated with cell walls in young leaves of the long-day plant *Sinapis alba* L. *Plant Physiol.* 106, 905-915.
- Hey, S.J., Bacon, A., Burnett, E., Neill, S.J. (1997): Abscisic acid signal transduction in epidermal cells of *Pisum sativum* L. Argenteum: both dehydrin mRNA accumulation and stomatal responses require protein phosphorylation and dephosphorylation. *Planta* 202, 85-92.
- Hiatt, A., Cafferkey, R., Bowdish, K. (1989): Production of antibodies in transgenic plants. *Nature* 342, 76-78.
- Himmelbach, A., Iten, M., Grill, E. (1998): Signalling of abscisic acid to regulate plant growth. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 353 (1374), 1439-1344.
- Hoheisel, J.D., Zehetner, G., Lehrach, H., Lennon, G.G. (1991): Use of high coverage reference libraries of *Drosophila melanogaster* for relational data analysis. A step towards mapping and sequencing of the genome. *J. Mol. Biol.* 220, 903-914.
- Hong, S.W., Jon, J.H., Kwak, J.M., Nam, H.G. (1997): Identification of a receptor-like protein kinase gene rapidly induced by abscisic acid, dehydration, high salt, and cold treatments in *Arabidopsis thaliana*. *Plant Physiol.* 113 (4), 1203-1212.
- Hubank, M., Schatz, D.G. (1994): Identifying differences in mRNA expression by representational difference analysis of cDNA. *Nucleic Acids Res.* 22 (25), 5640-5648.
- Imai, R., Moses, M.S., Bray, E.A. (1995): Expression of an ABA-induced gene of tomato in transgenic tobacco during periods of water deficit. *J. Exp. Bot.* 46, 1077-1084.
- Imber, D., Tal, M. (1970): Phenotypic reversion of *flacca*, a wilted mutant of tomato, by abscisic acid. *Science* 169, 592-593.
- Jacob, T., Ritchie, S., Assmann, S.M., Gilroy, S. (1999): Abscisic acid signal transduction in guard cells is mediated by phospholipase D activity. *PNAS* 96 (21), 12192-12197.
- John, I., Hackett, R., Cooper, W., Drake, R., Farrell, A., Grierson, D. (1997): Cloning and characterization of tomato leaf senescence-related cDNAs. *Plant Mol. Biol.* 33, 641-651.
- Kaldenhoff, R., Kölling, A., Meyers, J., Karmann, U., Ruppel, G., Richter, G. (1995): The blue light-responsive AthH2 gene of *Arabidopsis thaliana* is primarily expressed in expanding as well as differentiating cells and encodes a putative channel protein of the plasmalemma. *Plant J.* 7, 87-96.
- Kang, J.-G., Park, C.-M. (unveröffentlicht): Isolation of cDNA clone encoding a putative translationally controlled tumor protein homolog in *Nicotiana tabacum*. (NCBI-Nukleotid-datenbank, 1998).

- Kawashima, I., Kennedy, T.D., Chino, M., Lane, B.G. (1992): Wheat Ec metallothionein genes. Like mammalian Zn²⁺ metallothionein genes, wheat Zn²⁺ metallothionein genes are conspicuously expressed during embryogenesis. *Eur. J. Biochem.* 209 (3), 971-976.
- Kinoshita, T., Shimazaki, K. (1999): Characterization of cytosolic cyclophilin from guard cells of *Vicia faba* L. *Plant Cell Physiol.* 40 (1), 53-59.
- Kofer, W., Bergman, P., Haakansson, G., Glimelius, K. (in Druck): A chimeric and truncated mitochondrial atpA gene is associated with flower morphology and cytoplasmic male-sterility in alloplasmic tobacco with *Nicotiana bigelovii* mitochondria. *Plant Cell*.
- Kopka, J., Provar, N.J., Müller-Röber, B. (1997): Potato guard cells respond to drying soil by a complex change in the expression of genes related to carbon metabolism and turgor regulation. *Plant J.* 11, 871-882.
- Küllertz, G., Liebau, A., Rucknagel, P., Schierhorn, A., Diettrich, B., Fischer, G., Luckner, M. (1999): Stress-induced expression of cyclophilins in proembryonic masses of *Digitalis lanata* does not protect against freezing / thawing stress. *Planta* 208 (4), 599-605.
- Kusano, T., Berberich, T., Harada, M., Suzuki, N., Sugawara, K. (1995): A maize DNA-binding factor with a bZIP motif is induced by low temperature. *Mol. Gen. Genet.* 248 (5), 507-517.
- Kwak, J.M., Kim, S.A., Hong, S.W., Nam, H.G. (1997): Evaluation of 515 expressed sequence tags obtained from guard cells of *Brassica campestris*. *Planta* 202, 9-17.
- Lee, S.H., Lee, M.H., Chung, W.I., Liu, J.R. (1998): WAPK, a Ser/Thr protein kinase gene of *Nicotiana tabacum*, is uniquely regulated by wounding, abscisic acid and methyl jasmonate. *Mol. Gen. Genet.* 259 (5), 516-522.
- Leung, J., Giraudat, J. (1998): Abscisic acid signal transduction. *Annu. Rev. Plant Mol. Biol.* 49, 199-222.
- Li, J., Wang, X.-Q., Watson, M.B., Assmann, S.M. (2000): Regulation of abscisic acid-induced stomatal closure and anion channels by guard cell AAPK kinase. *Science* 287 (5451), 300-303.
- Liang, P., Pardee, A.B. (1992): Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction. *Science* 257, 967-971.
- Lisitsky, I., Klaff, P., Schuster, G. (1996): Addition of poly (A)-rich sequences to endonucleolytic cleavage sites in the degradation of spinach chloroplast mRNA. *Proc. Natl. Acad. Sci. USA* 93, 13398-13403.
- Lisitsyn, N., Lisitsyn, N., Wigler, M. (1993): Cloning the differences between two complex genomes. *Science* 259 (5097), 946-951.
- Lueking, A., Horn, M., Eickhoff, H., Büssow, K., Lehrach, H., Walter, G. (1999): Protein microarrays for gene expression und antibody screening. *Anal. Biochem.* 270 (1), 103-111.
- Macleod, M.R., Taylor, M.A., Jarvis, S.B., Davies, H.V. (unveröffentlicht): Cloning, characterisation and transgenic analysis of a tuberisation-related cDNA clone from potato (*Solanum tuberosum* L.). (NCBI-Nukleotiddatenbank, 1998).
- MacRobbie, E.A.C. (1995a): Effects of ABA on 86Rb⁺ fluxes at plasmalemma and tonoplast of stomatal guard cells. *Plant J.* 7, 835-843.

- MacRobbie, E.A.C. (1995b): ABA-induced ion efflux in stomatal guard cells: multiple actions of ABA inside and outside the cell. *Plant J.* 7, 565-576.
- MacRobbie, E.A.C. (1998): Signal transduction and ion channels in guard cells. *Phil. Trans. R. Soc. Lond. B* 353, 1475-1488.
- Maier, E., Bancroft, D.R., Lehrach, H. (1997): Large-scale library characterization. In: *Automation Technologies for Genome Characterization* (Hrsg. T.J.Beugelsdiik und John Wiley & Sons), Inc., 65-88.
- Maier, E., Meier-Ewert, S., Ahmadi, A.R., Curtis, J., Lehrach, H. (1994): Application of robotic technology to automated sequence fingerprint analysis by oligonucleotide hybridisation. *J. Biotechnology* 35, 191-203.
- Marasco, W.A., Haseltine, W.A., Chen, S.Y. (1993): Design, intracellular expression, and activity of a human anti-human immunodeficiency virus type 1 gp120 single-chain antibody. *Proc. Natl. Acad. Sci. USA* 90 (16), 7889-7893.
- McAinsh, M.R., Brownlee, C., Hetherington, A.M. (1997): Calcium ions as second messengers in guard cell signal transduction. *Physiol. Plant.* 100, 16-29.
- Menke, U., Renault, N., Müller-Röber, B. (2000): StGCPRP, a potato gene strongly expressed in stomatal guard cells, defines a novel type of repetitive proline-rich proteins. *Plant Physiol.* 122 (3), 677-686.
- Mertens, R. (1985): Herstellung und Einsatz monoklonaler Antikörper gegen Pflanzenhormone. Dissertation zur Erlangung des Grades eines Doktors der Naturwissenschaften der Abteilung für Biologie an der Ruhr-Universität Bochum.
- Mertens, R., Deus-Neumann, B., Weiler, E.W. (1983): Monoclonal antibodies for the detection and quantitation of the endogenous plant growth regulator abscisic acid. *FEBS Lett.* 160, 269-272.
- Müller-Röber, B., Ehrhardt, T., Plesch, G. (1998): Molecular features of stomatal guard cells. *J. Exp. Bot.* 49, 293-304.
- Mundy, J., Chua, N.H. (1988): Abscisic acid and water-stress induce the expression of a novel rice gene. *EMBO J.* 7, 2279-2286.
- Munroe, S., Pelham, H. (1986): An Hsp 70- like protein in the ER: Identity with the 78 kD glucose regulated protein and immunoglobulin heavy chain binding protein. *Cell* 46, 291-300.
- Nakagawa, H., Ohmiya, K., Hattori, T. (1996): A rice bZIP protein, designated OSBZ8, is rapidly induced by abscisic acid. *Plant J.* 9 (2), 217-227.
- Nakajima, N., Saji, H., Aono, M., Kondo, N. (1995): Isolation of cDNA for a plasma membrane H⁺-ATPase from guard cells of *Vicia faba* L. *Plant Cell Physiol.* 36, 919-924.
- Neill, S.J., Hey, S.J., Barratt, D.H.P. (1993): Guard cell gene expression in *Pisum sativum* L. *J. Exp. Bot.* 44 S, 3.
- Neri, D., Montagiani, S., Kirkham, P.M. (1996): Biophysical methods for the determination of antibody-antigen affinities. *Trends in Biotechnology* 14, 465-470.

- Nguyen, C., Rocha, D., Granjeaud, S., Baldit, M., Bernard, K., Naquet, P., Jordan, B.R. (1995): Differential gene expression in the murine thymus assayed by quantitative hybridization of arrayed cDNA clones. *Genomics* 29 (1), 207-216.
- Nordin, K., Heino, P., Palva, E.T. (1991): Separate signal pathways regulate the expression of a low temperature-induced gene in *Arabidopsis thaliana* (L.) Heynth. *Plant Mol. Biol.* 16, 1061-1071.
- Owen, M., Gandecha, A., Cockburn, B., Whitlam, G. (1992): Synthesis of a functional anti-phytochrome single-chain Fv protein in transgenic tobacco. *Biotechnology* 10 (7), 790-794.
- Pedron, J., Brault, M., Nake, C., Miginiac, E. (1998): Detection of abscisic-acid-binding proteins in the microsomal protein fraction of *Arabidopsis thaliana* with abscisic-acid-protein conjugates used as affinity probes. *Eur. J. Biochem.* 252, 385-390.
- Pei, Z.M., Ghassemian, M., Kwak, C.M., McCourt, P., Schroeder, J.I. (1998): Role of farnesyltransferase in ABA regulation of guard cell anion channel and plant water loss. *Science* 282 (5387), 287-290.
- Pennell, R. (1998): Cell walls: structures and signals. *Curr. Opin. Plant Biol.* 1 (6), 504-510.
- Phillips, J., Artsaenko, O., Fiedler, U., Horstmann, C., Mock, H.-P., Müntz, K., Conrad, U. (1997): Seed specific immunomodulation of abscisic acid activity induces a developmental switch. *EMBO J.* 16, 4489-4496.
- Pickard, B.G. (1994): Contemplating the plasmalemmal control centre model. *Protoplasma* 182, 1-9.
- Pietu, G., Alibert, O., Guichard, V., Lamy, B., Bois, F., Leroy, E., Mariage-Samson, R., Houlgatte, R., Soularue, P., Auffray, C. (1996): Novel gene transcripts preferentially expressed in human muscles revealed by quantitative hybridization of a high density cDNA array. *Genome Research* 6, 492-503.
- Przewloka, M.R., Stemmer, C., Grasser, K.D., Prymakowska-Bosak, M., Jerzmanowski, A. (unveröffentlicht): Identification in tobacco of a histone H1 variant homologous to the stress-inducible H1 of *Arabidopsis* and tomato. (NCBI-Nukleotiddatenbank, 1999).
- Richardson, J.H., Sodroski, J.G., Waldmann, T.A., Marasco, W.A. (1995): Phenotypic knockout of the high-affinity human interleukin 2 receptor by intracellular single-chain antibodies against the alpha subunit of the receptor. *Proc. Natl. Acad. Sci. USA* 92 (8), 3137-3141.
- Richmond, C.S., Glasner, J.D., Mau, R., Jin, H., Blattner, F.R. (1999): Genome-wide expression profiling in *Escherichia coli* K-12. *Nucleic Acids Res.* 27, 3821-3835.
- Sambrook, J., Fritsch, E.F., Maniatis, T. (1989): *Molecular Cloning – a laboratory manual*. Cold spring harbor laboratory press, New York.
- Schena, M. (1996): Genome analysis with gene expression microarrays. *Bioessay* 18 (5), 427-431.
- Schena, M., Heller, R.A., Theriault, T.P., Konrad, K., Lachenmeier, E., Davis, R.W. (1998): Microarrays: biotechnology's discovery platform for functional genomics. *Trends Biotechnol.* 16 (7), 301-306.
- Schena, M., Shalon, D., Davis, R.W., Brown, P.O. (1995): Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science* 270 (5235), 467-470.

- Schuster, G., Lisitsky, I., Klaff, P. (1999): Polyadenylation and degradation of mRNA in the chloroplast. *Plant Physiol.* 120, 937-944.
- Schwartz, A., Wu, W.-H., Tucker, E.B., Assmann, S.M. (1994): Inhibition of inward K⁺-channels and stomatal response by abscisic acid: An intracellular locus of phytohormone action. *Proc. Natl. Acad. Sci. USA* 91, 4019-4023.
- Shinozaki, M., Ohme, M., Tanaka, M., Wakasugi, T., Hayashida, N., Matsubayashi, T., Zaita, N., Chunwongse, J., Obokata, J., Yamaguchi-Shinozaki, K., Ohto, C., Torazawa, K., Meng, B.Y., Sugita, M., Deno, H., Kamogashira, T., Yamada, K., Kusuda, J., Takaiwa, F., Kato, A., Tohdoh, N., Shimada, H., Sugiura, M. (1986): The complete nucleotide sequence of the tobacco chloroplast genome: its gene organization and expression. *EMBO J.* 5, 2043-2049.
- Shinozaki, K., Yamaguchi-Shinozaki, K. (1996): Molecular responses to drought and cold stress. *Curr. Opin. Biotechnol.* 7 (2), 161-167.
- Shinozaki, K., Yamaguchi-Shinozaki, K. (1997): Gene expression and signal transduction in water-stress response. *Plant Physiol.* 115, 327-334.
- Siebert, P.D., Chenchik, A., Kellogg, D.E., Lukyanov, K.A., Lukyanov, S.A. (1995): An improved PCR method for walking in uncloned genomic DNA. *Nucleic Acids Res.* 23 (6), 1087-1088.
- Simoens, C.R., Peleman, J., Valvekens, D., Van Montagu, M., Inze, D. (1988): Isolation of genes expressed in specific tissues of *Arabidopsis thaliana* by differential screening of a genomic library. *Gene* 67, 1-11.
- Singh, N.K., La Rosa, P.C., Handra, A.K., Hasegawa, P.M., Bressan, R.A. (1987): Hormonal regulation of protein synthesis associated with salt tolerance in plant cells. *Proc. Natl. Acad. Sci. USA* 84, 739-743.
- Sodermann, E., Hjellstrom, M., Fahleson, J., Engstrom, P. (1999): The HD-Zip gene *ATHB6* in *Arabidopsis* is expressed in developing leaves, roots and carpels and up-regulated by water deficit conditions. *Plant Mol. Biol.* 40 (6), 1073-1083.
- St. John, T.P., Davis, R.W. (1979): Isolation of galactose-inducible DNA sequences from *Saccharomyces cerevisiae* by differential plaque filter hybridization. *Cell* 16, 443-452.
- Sun, C.W., Callis, J. (1997): Independent modulation of *Arabidopsis thaliana* polyubiquitin mRNAs in different organs and in response to environmental changes. *Plant J.* 11 (5), 1017-1027.
- Tabaeizadeh, Z. (1998): Drought-induced responses in plant cells. *Int. Rev. Cytol.* 182, 193-247.
- Tavladoraki, P., Benvenuto, E., Trinca, S., De Martinis, D., Cattaneo, A., Galeffi, P. (1993): Transgenic plants expressing a functional single-chain Fv antibody are specifically protected from virus attack. *Nature* 366 (6454), 469-472.
- Taylor, A.R., Manison, N.F.H., Fernandez, C., Wood, J.W., Brownlee, C. (1996): Spatial organization of calcium signalling involved in cell volume in the *Fucus* rhizoid. *Plant Cell* 8, 2015-2031.
- Taylor, J.E., Montgomery, L., Renwick, K.F., Webb, A.A.R., McAinsh, M.R., Furini, A., Bartels, D., Quatrano, R.S., Marcotte, W.R. Jr., Hetherington, A.M. (1995): ABA-regulated promoter activity in stomatal guard cells. *Plant J.* 7, 129-134.

- Thompson, R.D., Bartels, D., Harberd, N.P., Flavell, R.B. (1983): Multigene family coding for HMW glutenin using cDNA clones. *Theor. Appl. Genet.* 67, 87-96.
- Trenkle, T., Welsh, J., McClelland, M. (1999): Differential display probes for cDNA arrays. *Biotechniques* 27 (3), 554-560, 562, 564.
- Velculescu, V.E., Zhang, L., Vogelstein, B., Kinzler, K.W. (1995): Serial analysis of gene expression. *Science* 270 (5235), 484-487.
- von Caemmerer, S., Farquhar, G.D. (1981): Some relationships between the biochemistry of photosynthesis and the gas exchange of leaves. *Planta* 153, 376-387.
- von Stein, O., Thies, W.-G., Hofmann, M. (1997): A high throughput screening for rarely transcribed differentially expressed genes. *Nucleic Acids Res.* 25 (13), 2598-2602.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M., Zabeau, M. (1995): AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res.* 23 (21), 4407-4414.
- Voss, A., Niersbach, M., Hain, R., Hirsch, H.J., Liao, Y., Kreuzaler, F., Fischer, R. (1995): Reduced virus infectivity in *N.tabacum* secreting a TMV-specific full size antibody. *Molecular Breeding* 1, 39-50.
- Walker-Simmons, M.K., Reaney, M.J., Quarrie, S.A., Perata, P., Vernierey, P., Abrams, S.R. (1991): Monoclonal antibody recognition of abscisic acid analogs. *Plant Physiol.* 95, 46-51.
- Walton, D.C. (1983): Structure-activity relationships of abscisic acid analogs and metabolites. In: *Abscisic Acid* (Hrsg. F.T. Addicot), 113-146, Praeger, New York.
- Ward, E.R., Jen, G.C. (1990): Isolation of single-copy-sequence clones from a yeast artificial chromosome library of randomly-sheared *Arabidopsis thaliana* DNA. *Plant Mol. Biol.* 14 (4), 561-568.
- Wei, T., O'Connell, M.A. (1996): Structure and characterization of a putative drought-inducible H1 histone gene. *Plant Mol. Biol.* 30, 255-268.
- Weiler, E.W. (1986): Plant hormone immunoassays based on monoclonal and polyclonal antibodies. In: *Immunology in Plant Science. Modern Methods of Plant Analysis, Volume 4.* Berlin: Springer, 1-17.
- Welford, S.M., Gregg, J., Chen, E., Garrison, D., Soerensen, P.H., Denny, C.T., Nelson, S.F. (1998): Detection of differentially expressed genes in primary tumor tissues using representational differences analysis coupled to microarray hybridization. *Nucleic Acids Res.* 26 (12), 3059-3065.
- Wigger, J., Peisker, M., Hartung, W., Artsaenko, O., Conrad, U. (in Vorbereitung): Prevention of stomatal closure by immunomodulation of endogenous ABA: Physiological behaviour and morphological features of tobacco stomata and its reversion by ABA treatment.
- Willmer, C., Fricker, M. (1996): Stomata. *Topics in plant functional biology 2* (Hrsg. M. Black und B. Charlwood), Chapman and Hall, London.
- Wu, Y., Kuzma, J., Marechal, E., Graeff, R., Lee, H.C., Foster, R., Chua, N.-H. (1997): Abscisic acid signaling through cyclic ADP-Ribose in plants. *Science* 278, 2126-2130.

Yang, G.P., Ross, D.T., Kuang, W.W., Brown, P.O., Weigel, R.J. (1999): Combining SSH and cDNA microarrays for rapid identification of differentially expressed genes. *Nucleic Acids Res.* 27 (6), 1517-1523.

Zhao, L., Sack, F.D. (1999): Ultrastructure of stomatal development in *Arabidopsis* (Brassicaceae) leaves. *Amer. J. Bot.* 86 (7), 929-939.