

6. LITERATURVERZEICHNIS

AKADA R., 1994: Quick-check method to test the size of *Escherichia coli* plasmids. *BioTechniques* **17**: 58.

ALTSCHUL S.F., MADDEN T.L., SCHÄFFER A.A., ZHANG J., ZHANG Z., MILLER W., LIPMAN D.J., 1997: Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* **25**: 3389–3402.

ARMSTRONG J.M.C.D., 1964: The molar extinction coefficient of 2,6-dichlorophenol-indophenol. *Biochim. Biophys. Acta* **86**: 194–197.

BATIE C. J., LaHAIE E., BALLOU D.P., 1987: Purification and characterization of phthalate oxygenase and phthalate oxygenase reductase from *Pseudomonas cepacia*. *J. Biol. Chem.* **262**: 1510–1518.

BATIE C.J., BALLOU D.P., CORREL C.C., 1991: Phthalate dioxygenase reductase and related flavin-iron-sulfur containing electron transferases. In F. Müller (ed.), *Chemistry and biochemistry of flavoenzymes*. CRC Press, Boca Raton, FL, pp. 543–556.

BECKER D., SCHRÄDER T., ANDREESSEN J.R., 1997: Two-component flavin-dependent pyrrole-2-carboxylate monooxygenase from *Rhodococcus* sp.. *Eur. J. Biochem.* **249**: 739–747.

BELTRAMETTI F., MARCONI A.M., BESTETTI G., COLOMBO C., GALLI E., RUZZI M., ZENNARO E., 1997: Sequencing and functional analysis of styrene catabolism genes from *Pseudomonas fluorescens* ST. *Appl. Environ. Microbiol.* **63**: 2232–2239.

BERNHARDT D., DIEKMANN H., 1991: Degradation of dioxane, tetrahydrofuran and other cyclic ethers by an environmental *Rhodococcus* strain. *Appl. Microbiol. Biotechnol.* **36**: 120–123.

BERNHARDT F.-H., PACHOWSKY H., STAUDINGER H., 1975: A 4-Methoxybenzoate O-demethylase from *Pseudomonas putida*. A new type of monooxygenase system. *Eur. J. Biochem.* **57**: 241–251.

BERTONI G., MARTINO M., GALLI E., BARBIERI P., 1998: Analysis of the gene cluster encoding toluene/o-xylene monooxygenase from *Pseudomonas stutzeri* OX1. *Appl. Environ. Microbiol.* **64**: 3626–3632.

BIRKMANN A., SAWERS R.G., BÖCK A., 1987: Involvement of the *ntrA* gene product in the anaerobic metabolism of *Escherichia coli*. *Mol. Gen. Genet.* **210**: 535–542.

- BIRNBOIM J.C., DOLY J., 1979: A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* **7**: 1513–1523.
- BLUM H., BEIER H., GROSS H.J., 1987: Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels. *Electrophoresis* **8**: 93–99.
- BOCK C., 1994: Untersuchungen zum Abbau von Tetrahydrofuran und anderen cyclischen Ethern, zur initialen C-Hydroxylierung und zur Charakterisierung von *Rhodococcus ruber* Stamm 219. Dissertation. Universität Hannover.
- BOCK C., KROPPESTEDT R.M., DIEKMANN H., 1996: Degradation and bioconversion of aliphatic and aromatic hydrocarbons by *Rhodococcus ruber* 219. *Appl. Microbiol. Biotechnol.* **45**: 408–410.
- BOWN A.W., SHELP B.J., 1997: The metabolism and functions of γ -aminobutyric acid. *Plant Physiol.* **115**: 1–5.
- BRADFORD M.M., 1976: A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein–dye binding. *Anal. Biochem.* **72**: 248–254.
- BRUNEL F., DAVISON J., 1988: Cloning and sequencing of *Pseudomonas* genes encoding vanillate demethylase. *J. Bacteriol.* **170**: 4924–4930.
- BULLOCK W.O., FERNANDEZ J.M., SHORT J.M., 1987: XL 1–Blue: A high efficiency plasmid transforming *recA Escherichia coli* strain with beta–galactosidase selection. *BioTechniques* **5**: 376–378.
- BÜNZ P.V., COOK A.M., 1993: Dibenzofuran 4,4a–dioxygenase from *Sphingomonas* sp. strain RW1: Angular dioxygenation by a three–component enzyme system. *J. Bacteriol.* **175**: 6467–6475.
- BURLAGE R.S., BEMIS L.A., LAYTON A.C., SAYLER G.S., LARIMER F., 1990: Comparative genetic organization of incompatibility group P degradative plasmids. *J. Bacteriol.* **172**: 6818–6825.
- BUSCH K.B., FROMM H., 1999: Plant succinic semialdehyde dehydrogenase. Cloning, purification, localization in mitochondria, and regulation by adenine nucleotides. *Plant Physiol.* **121**: 589–597.
- BUSCH U., PREAC–MURSIC V., WILSKE B., 1996: Strain typing of *Borrelia burgdorferi* sensu lato by linear plasmid profile analysis. *QIAGEN News* **5**: 18–19.
- BYRNE A.M., KUKOR J.J., OLSEN R.H., 1995: Sequence analysis of the gene cluster encoding toluene–3–monooxygenase from *Pseudomonas pickettii* PKO1. *Gene* **154**: 65–70.
- CANNON W.V., CHANEY M.K., WANG X.–Y., BUCK M., 1997: Two domains within σ^N (σ^{54}) cooperate for DNA binding. *Proc. Natl. Acad. Sci. USA* **94**: 5006–5011.

- CARDY D.L.N., LAIDLER V., SALMOND G.P.C., MURRELL J.C., 1991a: Molecular analysis of the methane monooxygenase (MMO) gene cluster of *Methylosinus trichosporium* OB3b. *Mol. Microbiol.* **5**: 335–342.
- CARDY D.L.N., LAIDLER V., SALMOND G.P.C., MURRELL J.C., 1991b: The methane monooxygenase gene cluster of *Methylosinus trichosporium*: cloning and sequencing of the *mmoC* gene. *Arch. Microbiol.* **156**: 477–483.
- CARMONA M. CLAVERIE–MARTIN F., MAGASANIK B., 1997: DNA bending and the initiation of transcription at σ^{54} –dependent bacterial promoters. *Proc. Natl. Acad. Sci. USA* **94**: 9568–9572.
- CHAMBLISS K.L., CAUDLE D.L., HINSON D.D., MOOMAW C.R., SLAUGHTER C.A., JAKOBS C., GIBSON K.M., 1995: Molecular cloning of the mature NAD⁺–dependent succinic semialdehyde dehydrogenase from rat and human. *J. Biol. Chem.* **270**: 461–467.
- COLBY J., DALTON H., 1978: Resolution of the methane monooxygenase of *Methylococcus capsulatus* (Bath) into three components. *Biochem. J.* **171**: 461–468.
- COLBY J., DALTON H., 1979: Characterization of the second prosthetic group of the flavoenzyme NADH–acceptor reductase (component C) of the methane mono–oxygenase from *Methylococcus capsulatus* (Bath). *Biochem. J.* **177**: 903–908.
- COLLADO–VIDES J., MAGASANIK B., GRALLA J.D., 1991: Control site location and transcriptional regulation in *Escherichia coli*. *Microbiol. Rev.* **55**: 371–394.
- COOPER R.A., SKINNER M.A., 1980: Catabolism of 3– and 4–hydroxyphenylacetate by the 3,4–dihydroxyphenylacetate pathway in *Escherichia coli*. *J. Bacteriol.* **143**: 302–306.
- CSERZO M., WALLIN E., SIMON I., VON HEIJNE G., ELOFSSON A., 1997: Prediction of transmembrane alpha–helices in procariotic membrane proteins: the dense alignment surface method. *Prot. Eng.* **10**: 673–676.
- DABROCK B., 1993: Der cumolinduzierte aerobe Abbau von Trichlorethen durch *Rhodococcus erythropolis* und seine Lokalisation auf einem linearen Megaplasmid. Dissertation. Universität Göttingen.
- DABROCK B., KEßLER M., AVERHOFF B., GOTTSCHALK G., 1994: Identification and characterization of a transmissible linear plasmid from *Rhodococcus erythropolis* BD2 that encodes isopropylbenzene and trichloroethene catabolism. *Appl. Environ. Microbiol.* **60**: 853–860.
- DAWSON R.M.C., ELLIOTT D.C., ELLIOTT W.H., JONES K.M., 1986: Data for Biochemical Research. Clarendon Press, Oxford. 3. Auflage.

- DE JONG E., VAN BERKEL W.J.H., VAN DER ZWAN R.P., DE BONT J.A.M., 1992: Purification and characterization of vanillyl-alcohol oxidase from *Penicillium simplicissimum*. Eur. J. Biochem. **208**: 651–657.
- DE LORENZO V., PEREZ-MARTIN J., 1996: Regulatory noise in prokaryotic promoters: how bacteria learn to respond to novel environmental signals. Mol Microbiol. **19**: 1177–1184.
- DECKER K., BRANDSCH R., 1997: Determining covalent flavinylation. Methods Enzymol. **280**: 413–423.
- DECKER K.F., 1993: Biosynthesis and function of enzymes with covalently bound flavin. Annu. Rev. Nutr. **13**: 17–41.
- DIXON R., 1986: The *xylABC* promoter from the *Pseudomonas putida* TOL plasmid is activated by nitrogen regulatory genes in *Escherichia coli*. Mol. Gen. Genet. **203**: 129–136.
- DMITRENKO G.N., GVOZDYAK P.I., UDOD V.M., 1987: Selection of destructor microorganisms for heterocyclic xenobiotics. Khim. Tekhnol. Vody. **9**: 442–445.
- DONNELLY M.I., COOPER R.A., 1981: Succinic semialdehyde dehydrogenases of *Escherichia coli*. Their role in the degradation of *p*-hydroxyphenylacetate and γ -aminobutyrate. Eur. J. Biochem. **113**: 555–561.
- DOWER W.J., MILLER J.F., RAGSDALE C.W., 1988: High efficiency transformation of *E. coli* by high voltage electroporation. Nucleic Acids Res. **16**: 387–395.
- DUETZ W.A., VAN ANDEL J.G., 1991: Stability of TOL plasmid pWVO in *Pseudomonas putida* mt-2 under non-selective conditions in continuous culture. J. Gen. Microbiol. **137**: 1369–1374.
- EATON R.W., 1997: *P*-cumene catabolic pathway in *Pseudomonas putida* F1: Cloning and characterization of DNA encoding conversion of *p*-cumene to *p*-cumate. J. Bacteriol. **179**: 3171–3180.
- EDDY C.K., KESHAV K.F., HAEJUNG AN, UTT, E.A., MEJIA J.P., INGRAM L.O., 1991: Segmental message stabilization as a mechanism for differential expression from the *Zymomonas mobilis* *gap* operon. J. Bacteriol. **173**: 245–254.
- EDMONDSON D.E., KENNEY W.C., SINGER T.P., 1978: Synthesis and isolation of 8 α -substituted flavins and flavin peptides. Methods Enzymol. **53**: 449–465.
- EHRT S., SCHIRMER F., Hillen W., 1995: Genetic organization, nucleotide sequence and regulation of expression of genes encoding phenol hydroxylase and catechol 1,2-dioxygenase in *Acinetobacter calcoaceticus* NCIB8250. Mol. Microbiol. **18**: 13–20.

ELANGO N., RADHAKRISHNAN R., FROLAND W.A., WALLAR B.J., EARHART C.A., LIPSCOMB J.D., OHLENDORF D.H., 1997: Crystal structure of the hydroxylase component of methane monooxygenase from *Methylosinus trichosporium* OB3b. *Prot. Sci.* **6**: 556–568.

ERICSON A., HEDMAN B., HODGSON K.O., GREEN J., DALTON H., BENTSON J.G., BERR R.H., LIPPARD S.J., 1988: Structural characterization by EXAFS spectroscopy of the binuclear iron centre in protein A of methane monooxygenase from *Methylococcus capsulatus* (Bath). *J. Am. Chem. Soc.* **110**: 2330–2332.

FALBE J., REGITZ M., 1992: Römpp Chemie Lexikon. Georg Thieme Verlag Stuttgart, New York. 9. Auflage.

FOX B.G., FROLAND W.A., DEGE J.E., LIPSCOMB J.D., 1989: Methane monooxygenase from *Methylosinus trichosporium* OB3b. *J. Biol. Chem.* **264**: 10023–10033.

FOX B.G., LIU Y., DEGE J.E., LIPSCOMB J.D., 1991: Complex formation between the protein components of methane monooxygenase from *Methylosinus trichosporium* OB3b. *J. Biol. Chem.* **266**: 540–550.

FOX B.G., SHANKLIN J., AI J., LOEHR T.M., SANDERS-LOEHR J., 1994: Resonance Raman evidence for an Fe–O–Fe center in stearoyl–ACD desaturase. Primary sequence identity with other diiron–oxo proteins. *Biochemistry* **33**: 12776–12786.

FOX B.G., SURERUS K.K., MÜNCK E., LIPSCOMB J.D., 1988: Evidence for a μ -oxo-bridged binuclear iron cluster in the hydroxylase component of methane monooxygenase. *J. Biol. Chem.* **263**: 10553–10556.

FRAAIJE M.W., PIKKEMAAT M., VAN BERKEL W.J.H., 1997: Enigmatic gratuitous induction of the covalent flavoprotein vanillyl–alcohol oxidase in *Penicillium simplicissimum*. *Appl. Environ. Microbiol.* **63**: 435–439.

FRIEDMAN D.I., 1988: Integration host factor: a protein for all reason. *Cell* **55**: 545–554.

FRINGS J., SCHINK B., 1994: Fermentation of phenoxyethanol to phenol and acetate by a homoacetogenic bacterium. *Arch. Microbiol.* **162**: 199–204.

GALAN B., DIAZ E., PRIETO M.A., GARCIA J.L., 2000: Functional analysis of the small component of the 4–hydroxyphenylacetate 3–monooxygenase of *Escherichia coli* W: a prototype of a new flavin:NAD(P)H reductase subfamily. *J. Bacteriol.* **182**: 627–636.

GALLAGHER S.C., CAMMACK R., DALTON H., 1997: Alkene monooxygenase from *Nocardia corallina* B–276 is a member of the class of dinuclear iron proteins capable of stereospecific epoxygenation reaction. *Eur. J. Biochem.* **247**: 635–641.

- GIBELLO A., SUAREZ M., ALLENDE J.L., MARTIN M., 1997: Molecular cloning and analysis of the genes encoding the 4-hydroxyphenylacetate hydroxylase from *Klebsiella pneumoniae*. Arch. Microbiol. **167**: 160–166.
- GROßE C., GRASS G., ANTON A., FRANKE S., NAVARRETTE-SANTOS A., LAWLEY B., BROWN N.L., NIES D.H., 1999: Transcriptional organization of the *czc* heavy-metal homeostasis determinant from *Alcaligenes eutrophus*. J. Bacteriol. **181**: 2385–2393.
- GROSSE S., LARAMEE L., WENDLANDT K.-D., McDONALD I.R., MIGUEZ C.B., KLEBER H.-P., 1999: Purification and characterization of the soluble methane monooxygenase of the typ II methanotrophic bacterium *Methylocystis* sp. strain WI 14. Appl. Environ. Microbiol. **65**: 3929–3935.
- GVOZDYAK P.I., UDOD V.M., DIMITRENKO G.N., 1988: *Xanthomonas* bacterial strain for removing tetrahydrofuran from wastewater. USSR patent no. SU 1375646.23.2.1988. (CA 108: 192259).
- HAARDT M., BREMER E., 1996: Use of *phoA* and *lacZ* fusions to study the membrane topology of ProW, a component of the osmoregulated ProU transport systems of *Escherichia coli*. J. Bacteriol. **178**: 5370–5381.
- HARAYAMA S., KOK M., NEIDLE E.L., 1992: Functional and evolutionary relationships among diverse oxygenases. Annu. Rev. Microbiol. **46**: 565–601.
- HARAYAMA S., REKIK M., BAIROCH A., NEIDLE E.L., ORNSTON L.N., 1991: Potential DNA slippage structures acquired during evolutionary divergence of *Acinetobacter calcoaceticus* chromosomal *benABC* and *Pseudomonas putida* TOL pWWO plasmid *xyIXYZ*, genes encoding benzoate dioxygenase. J. Bacteriol. **173**: 7540–7548.
- HARTMANS S., WEBER F.J., SOMHORST D.P.M., DE BONT J.A.M., 1991: Alkene monooxygenase from *Mycobacterium*: a multicomponent enzyme. J. Gen. Microbiol. **137**: 2555–2560.
- HAYAKAWA T., TANAKA T., SAKAGUCHI K., ÖTAKE N., YONEHARA H., 1979: A linear plasmid-like DNA in *Streptomyces* sp. producing lankacidin group antibiotics. J. Gen. Appl. Microbiol. **25**: 255–260.
- HERRMANN H., MÜLLER C., SCHMIDT I., MAHNKE J., PETRUSCHKA L., HAHNKE K., 1995: Localization and organization of phenol degradation genes of *Pseudomonas putida* strain H. Mol. Gen. Genet. **247**: 240–246.
- HIGGINS T.P., DAVEY M., TRICKETT J., KELLY D.P., MURRELL J.C., 1996: Metabolism of methanesulfonic acid involves a multicomponent monooxygenase enzyme. Microbiology **142**: 251–260.

HINO S., WATANABE K., TAKAHASHI N., 1998: Phenol hydroxylase cloned from *Ralstonia eutropha* strain E2 exhibits novel kinetic properties. *Microbiology* **144**: 1765–1772.

HORINOUCHI M., KASUGA K., NOJIRI H., YAMANE H., OMORI T., 1997: Cloning and characterization of genes encoding an enzyme which oxidizes dimethyl sulfide in *Acinetobacter* sp. strain 20B. *FEMS Microbiol. Lett.* **155**: 99–105.

HORMANN K., 1991: Untersuchungen zum aeroben Abbau von Pyrrol-2-carboxylat und Charakterisierung einer Flavin abhängigen Pyrrol-2-carboxylat Oxygenase. Dissertation. Universität Göttingen.

HUR H.-G., NEWMAN L.M., WACKETT L.P., SADOWSKY M.J., 1997: Toluene 2-monooxygenase-dependent growth of *Burkholderia cepacia* G4/PR1 on diethyl ether. *Appl. Environ. Microbiol.* **63**: 1606–1609.

HYMAN M.R., PAGE C.L., ARP D.J., 1994: Oxidation of methyl fluoride and dimethyl ether by ammonia monooxygenase in *Nitrosomonas europaea*. *Appl. Environ. Microbiol.* **60**: 3033–3035.

ISKEN S., DERKS A., WOLFFS P.F.G., DE BONT J.A.M., 1999: Effect of organic solvents on the yield of solvent-tolerant *Pseudomonas putida* S12. *Appl. Environ. Microbiol.* **65**: 2631–2635.

IWABUCHI T., HARAYAMA S., 1997: Biochemical and genetic characterization of 2-carboxybenzaldehyde dehydrogenase, an enzyme involved in phenanthrene degradation by *Nocardioides* sp. strain KP7. *J. Bacteriol.* **179**: 6488–6494.

JOHNSON G.R., OLSEN R.H., 1995: Nucleotide sequence analysis of genes encoding a toluene/benzene-2-monooxygenase from *Pseudomonas* sp. strain JS150. *Appl. Environ. Microbiol.* **61**: 3336–3346.

KALKUS J., 1992: Untersuchungen zum Aufbau der Enden des linearen Plasmids pHG207 aus *Nocardia opaca*. Dissertation. Universität Göttingen.

KALKUS J., REH M., SCHLEGEL H.G., 1990: Hydrogen autotrophy of *Nocardia opaca* strains is encoded by linear megaplasms. *J. Gen. Microbiol.* **136**: 1145–1151.

KARLSON U., DWYER D.F., HOOPER S.W., MOORE E.R.B., TIMMIS K.N., ELTIS L.D., 1993: Two independently regulated cytochromes P-450 in a *Rhodococcus rhodochrous* strain that degrades 2-ethoxyphenol and 4-methoxybenzoate. *J. Bacteriol.* **175**: 1467–1474.

KAUFMANN F., WOHLFARTH G., DIEKERT G., 1997: Isolation of O-demethylase, an ether-cleaving enzyme system of the homoacetogenic strain MC. *Arch. Microbiol.* **168**: 126–142.

- KESSELER M., DABBS E.R., AVERHOFF B., GOTTSCHALK G., 1996: Studies on the isopropylbenzene 2,3-dioxygenase and the 3-isopropylcatechol 2,3-dioxygenase genes encoded by the linear plasmid of *Rhodococcus erythropolis* BD2. *Microbiology* **142**: 3241–3251.
- KIEBOOM J., DENNIS J.J., ZYLSTRA G.J., DE BONT J.A.M., 1998: Active efflux of organic solvents by *Pseudomonas putida* S12 is induced by solvents. *J. Bacteriol.* **180**: 6769–6772.
- KINASHI H., SHIMAYI M., SAKAI A., 1987: Giant linear plasmids in *Streptomyces* which code for antibiotic biosynthesis genes. *Nature* **328**: 454–456.
- KOENIG K., ANDREESEN J. R., 1989: Molybdenum involvement in aerobic degradation of 2-furoic acid by *Pseudomonas putida* Fu1. *Appl. Environ. Microbiol.* **55**: 1829–1843.
- KOHLWEYER U., 2000: Isolierung und Charakterisierung eines Tetrahydrofuran abbauenden Stamms *Pseudonocardia* sp.. Dissertation. Universität Halle.
- KOHLWEYER U., THIEMER B., SCHRÄDER T., ANDREESEN J.R., 2000: Tetrahydrofuran degradation by a newly isolated culture of *Pseudonocardia* sp. strain K1. *FEMS Microbiol. Lett.* **186**: 301–306.
- KREFT J.-U., SCHINK B., 1993: Demethylation and degradation of phenylmethylethers by the sulfide-methylating homoacetogenic bacterium strain TMBS 4. *Arch. Microbiol.* **159**: 308–315.
- LAEMMLI U.K., 1970: Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**: 680–685.
- LARKIN M.J., DE MOT R., KULAKOV L.A., NAGY I., 1998: Applied aspects of *Rhodococcus* genetics. *Antonie van Leeuwenhoek* **74**: 133–153.
- LEE S.D., KIM E.S., HAH Y.C., 2000: Phylogenetic analysis of the genera *Pseudonocardia* and *Actinobispora* based on 16S ribosomal DNA sequences. *FEMS Microbiol. Lett.* **182**: 125–129.
- LIPSCOMB J.D., 1994: Biochemistry of the soluble methane monooxygenase. *Annu. Rev. Microbiol.* **48**: 371–399.
- LLOYD J.S., BHAMBRA A., MURRELL J.C., DALTON H., 1997: Inactivation of the regulatory protein B of soluble methane monooxygenase from *Methylococcus capsulatus* (Bath) by proteolysis can be overcome by a Gly to Gln modification. *Eur. J. Biochem.* **248**: 72–79.
- LOCHER H.H., LEISINGER T., COOK A.M., 1991a: 4-Toluene sulfonate methyl-monooxygenase from *Comamonas testosteroni* T-2: Purification and some properties of the oxygenase component. *J. Bacteriol.* **173**: 3741–3748.

LOCHER H.H., LEISINGER T., COOK A.M., 1991b: 4-Sulphobenzoate 3,4-dioxygenase: Purification and properties of a desulphonative two-component enzyme system from *Comamonas testosteroni* T-2. *Biochem. J.* **274**: 833–842.

LUND J., WOODLAND M.P., DALTON H., 1985: Electron transfer reactions in the soluble methane monooxygenase of *Methylococcus capsulatus* (Bath). *Eur. J. Biochem.* **147**: 297–305.

LÜTKE-EVERSLOH T., STEINBÜCHEL A., 1999: Biochemical and molecular characterization of a succinate semialdehyde dehydrogenase involved in the catabolism of 4-hydroxybutyric acid in *Ralstonia eutropha*. *FEMS Microbiol. Lett.* **181**: 63–71.

MANOIL C., 1990: Analysis of protein localization by use of gene fusions with complementary properties. *J. Bacteriol.* **172**: 1035–1042.

MASON J.R., CAMMACK R., 1992: The electron-transport proteins of hydroxylating bacterial dioxygenases. *Annu. Rev. Microbiol.* **46**: 277–305.

McINTIRE W., EDMONDSON D.E., HOPPER D.J. SINGER T.P., 1981: 8 α -(O-Tyrosyl) flavin adenine dinucleotide, the prosthetic group of bacterial *p*-cresol methylhydroxylase. *Biochemistry* **20**: 3068–3075.

MEINHARDT F., SCHAFFRATH R., LARSEN M., 1997: Microbial linear plasmids. *Appl. Microbiol. Biotechnol.* **47**: 329–336.

MEWIES M., McINTIRE W.S., SCRUTTON N.S., 1998: Covalent attachment of flavin adenine dinucleotide (FAD) and flavin mononucleotide (FMN) to enzymes: The current state of affairs. *Protein Sci.* **7**: 7–20.

MIURA A., DALTON H., 1995: Purification and characterization of the alkene monooxygenase from *Nocardia corallina* B-276. *Biosci. Biotech. Biochem.* **59**: 853–859.

MO K., LORA C.O., WANKEN A.E., JAVANMARDIAN M., YANG X., KULPA C.F., 1997: Biodegradation of methyl t-butyl ether by pure bacterial cultures. *App. Microbiol. Biotechnol.* **47**: 69–72.

MUNRO A.W., LINDSAY J.G., 1996: Bacterial cytochromes P-450. *Mol. Microbiol.* **20**: 1115–1125.

MURRELL J.C., 1994: Molecular genetics of methane oxidation. *Biodegradation* **5**: 145–159.

MURRELL J.C., GILBERT B., McDONALD I.R., 2000: Molecular biology and regulation of methane monooxygenase. *Arch. Microbiol.* **173**: 325–332.

- NAGY I., SCHOOF G., COMPERNOLLE F., PROOST P., VANDERLEYDEN J., DE MOT R., 1995: Degradation of the thiocarbamate herbicide EPTC (S-ethyl dipropylcarbamothioate) and biosafening by *Rhodococcus* sp. strain NI86/21 involve an inducible cytochrome P-450 system and aldehyde dehydrogenase. *J. Bacteriol.* **177**: 676–687.
- NAKAYAMA Y., YASUI M., SUGAHARA K., HAYASHI M., UNEMOTO T., 2000: Covalently bound flavin in the NqrB and NqrC subunit of Na⁺-translocating NADH-quinone reductase from *Vibrio alginolyticus*. *FEBS Lett.* **474**: 165–168.
- NEIDLE E.L., HARTNETT C., ORNSTON L.N., BAIROCH A., REKIK M., HARAYAMA S., 1991: Nucleotide sequences of the *Acinetobacter calcoaceticus* benABC genes for the benzoate 1,2-dioxygenase reveal evolutionary relationship among multicomponent oxygenases. *J. Bacteriol.* **173**: 5385–5395.
- NEWMAN L.M., WACKETT L.P., 1995: Purification and characterization of toluene 2-monooxygenase from *Burkholderia cepacia* G4. *Biochemistry* **34**: 14066–14076.
- NGUYEN H.H.T., ELLIOTT S.J., YIP J.H.K., CHAN S.I., 1998: The particulate methane monooxygenase from *Methylococcus capsulatus* (Bath) is a novel copper-containing three-subunit enzyme. Isolation and characterization. *J. Biol. Chem.* **273**: 7957–7966.
- NIELSEN A.K., GERDES K., DEGN H., MURRELL J.C., 1996: Regulation of methane oxidation: transcription of the soluble methane monooxygenase operon of *Methylococcus capsulatus* (Bath) is repressed by copper ions. *Microbiology* **142**: 1289–1296.
- NIELSEN A.K., GERDES K., MURRELL J.C., 1997. Copper-dependent reciprocal transcriptional regulation of methane monooxygenase genes in *Methylococcus capsulatus* and *Methylosinus trichosporium*. *Mol. Microbiol.* **25**: 399–409.
- NIES D., MERGEAY M., FRIEDRICH B., SCHLEGEL H.G., 1987: Cloning of plasmid genes encoding resistance to cadmium, zinc, and cobalt in *Alcaligenes eutrophus* CH34. *J. Bacteriol.* **169**: 4865–4868.
- NIRENBERG M.W., JAKOBY W.B., 1960: Enzymatic utilization of γ -hydroxybutyric acid. *J. Biol. Chem.* **235**: 954–960.
- NORDLUND I., POWLOWSKI J., SHINGLER V., 1990: Complete nucleotide sequence and polypeptide analysis of multicomponent phenol hydroxylase from *Pseudomonas* sp. strain CF600. *J. Bacteriol.* **172**: 6826–6833.
- OHE T., WATANABE V., 1979: Purification and properties of xanthine dehydrogenase from *Streptomyces cyanogenus*. *J. Biochem.* **86**: 45–53.

OTAKA E., OOI T., 1989: Examination of protein sequences homologies. V. New perspectives on evolution between bacterial and chloroplast-type ferredoxins inferred from sequence evidence. *J. Mol. Evol.* **29**: 246–254.

PALFEY B. A., MORAN G.R., ENTSCH B., BALLOU D.P., MASSEY V., 1999: Substrate recognition by “password” in *p*-hydroxybenzoate hydroxylase. *Biochemistry* **38**: 1153–1158.

PALMER G., 1975: Iron-sulfur proteins. In P.D. Boyler, *The enzymes* vol. XII:, pp. 1–56. Academic Press, New York. 3. Auflage.

PARALES R.E., ADAMUS J.E., WHITE N., MAY H.D., 1994: Degradation of 1,4-dioxane by an actinomycete in pure culture. *Appl. Environ. Microbiol.* **60**: 4527–4530.

PAULSEN K.E., LIU Y. FOX B.G., LIBSCOMB J.D., MÜNCK E., STANKOVICH M.T., 1994: Oxidation-reduction potentials of the methane-monooxygenase hydroxylase component from *Methylosinus trichosporium* OB3b. *Biochemistry* **33**: 713–722.

PESSIONE E., DIVARI S., GRIVA E., CAVALETTO M., ROSSI G.L., GILARDI G., GIUNTA C., 1999: Phenol hydroxylase from *Acinetobacter radioresistens* is a multicomponent enzyme. *Eur. J. Biochem.* **265**: 548–555.

PIKUS J.D., STUDTS J.M., ACHIM C., KAUFFMANN K.E., MÜNCK E., STEFFAN R.J., McCLAY K., FOX B.G., 1996: Recombinant toluene-4-monooxygenase: Catalytic and Mössbauer studies of the purified diiron and Rieske components of a four-protein complex. *Biochemistry* **35**: 9106–9119.

POUPIN P., TRUFFAUT N., COMBOURIEU B., BESSE P., SANCELME M., VESCHAMBRE H., DELORT A.M., 1998: Degradation of morpholine by an environmental *Mycobacterium* strain involves a cytochrome P-450. *Appl. Environ. Microbiol.* **64**: 159–165.

POWLOWSKI J., SHINGLER V., 1990: In vitro analysis of polypeptide requirements of multicomponent phenol hydroxylase from *Pseudomonas* sp. strain CF600. *J. Bacteriol.* **172**: 6834–6840.

POWLOWSKI J., SHINGLER V., 1994: Genetics and biochemistry of phenol degradation by *Pseudomonas* sp. CF600. *Biodegradation* **5**: 219–236.

PRINZ W.A., BECKWITH J., 1994: Gene fusion analysis of membrane protein topology: a direct comparison of alkaline phosphatase and β -lactamase fusions. *J. Bacteriol.* **176**: 6410–6413.

RÖMERMANN D., WARRELMANN J., BENDER A., FRIEDRICH B., 1989: An *rpoN*-like gene of *Alcaligenes eutrophus* and *Pseudomonas facilis* controls expression of diverse metabolic pathways. *J. Bacteriol.* **171**: 1093–1099.

RONSON C.W., NIXON B.T., ALBRIGHT L.M., AUSUBEL F.M., 1987: *Rhizobium meliloti ntrA (rpoN)* gene is required for diverse metabolic functions. *J. Bacteriol.* **169**: 2424–2430.

ROSCHE B., TSHISUAKA B., HAUER B., LINGENS F., FETZNER S., 1997: 2-Oxo-1,2-dihydroquinoline 8-monooxygenase: Phylogenetic relationship to other multicomponent nonheme iron oxygenase. *J. Bacteriol.* **179**: 3549–3554.

ROSENBERG M., COURT D., 1979: Regulatory sequences involved in the promotion and determination of RNA transcription. *Annu. Rev. Genet.* **13**: 319–353.

ROSENZWEIG A.C., BRANDSTETTER H., WHITTINGTON D.A., NORDLUND P., LIPPARD S.J., FREDERICK C.A., 1997: Crystal structures of the methane monooxygenase hydroxylase from *Methylococcus capsulatus* (Bath): Implication for substrate gating and component interactions. *Proteins* **29**: 141–152.

ROSENZWEIG A.C., FREDERICK C.A., LIPPARD S.J., NORDLUND P., 1993: Crystal structure of a bacterial non-haem iron hydroxylase that catalyses the biological oxidation of methane. *Nature* **366**: 537–543.

SAEKI H., 1998: Molecular and functional analysis of genes involved in propene degradation of *Nocardia corallina* B-276. Dissertation. Universität Göttingen.

SAEKI H., AKIRA M., FURUHASHI K., AVERHOFF B., GOTTSCHALK G., 1999: Degradation of trichloroethene by a linear-plasmid-encoded alkene monooxygenase in *Rhodococcus corallina* (*Nocardia corallina*) B-276. *Microbiology* **145**: 1721–1730.

SAEKI H., FURUHASHI K., 1994: Cloning and characterization of a *Nocardia corallina* B-276 gene cluster encoding alkene monooxygenase. *J. Ferment. Bioeng.* **78**: 399–406.

SAITO H., MIURA K.I., 1963: Preparation of transforming desoxyribonucleic acid by phenol treatment. *Biochim. Biophys. Acta* **72**: 619–629.

SAMBROOK J., FRITSCH E. F., MANIATIS T., 1989: *Molecular cloning: a laboratory manual*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York. 2. Auflage.

SANCHEZ M., FERNANDEZ J., GIBELLO A., GARRIDO-PERTIERRA A., 1989: Purification and properties of two succinic semialdehyde dehydrogenases from *Klebsiella pneumoniae*. *Biochim. Biophys. Acta* **990**: 225–231.

SANGER F., NICKLEN S., COULSON A.R., 1977: DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**: 5463–5467.

- SARIASLANI F.S., 1991: Microbial cytochromes P-450 and xenobiotic metabolism. *Adv. Appl. Microbiol.* **36**: 133–178.
- SAYLER G.S., HOOPER S.W., LAYTON A.C., KING J.M.H., 1990: Catabolic plasmids of environmental and ecological significance. *Microb. Ecol.* **19**: 1–20.
- SCHIRMER F., EHRT S., HILLEN W., 1997: Expression, inducer spectrum, domain structure, and function of MopR, the regulator of phenol degradation in *Acinetobacter calcoaceticus* NCIB8250. *J. Bacteriol.* **179**: 1329–1336.
- SCHLEGEL H.G., 1992: Allgemeine Mikrobiologie. Georg Thieme Verlag, Stuttgart, New York. 7. Auflage.
- SCHREUDER H.A., HOL W.G.J., DRENTH J., 1990: Analysis of the active site of the flavoprotein *p*-hydroxybenzoate hydroxylase and some ideas with respect to its reaction mechanism. *Biochemistry* **29**: 3101–3108.
- SCHRÜNDER J., MEINHARDT F., ROHE M., KÄMPER J., 1994: Lineare Plasmide bei Mikroorganismen – Genetische Grundlagen und potentielle Anwendungen. *BioEngineering* **10**: 29–39.
- SCHULTZ J., COPLEY R.R., DOERKS T., PONTING C.P., BORK P., 2000: SMART: A Web-based tool for the study of genetically mobile domains. *Nucleic Acids Res.* **28**: 231–234.
- SCHULTZ J., MILPETZ F., BORK P., PONTING C.P., 1998: SMART, a simple modular architecture research tool: Identification of signalling domains. *Proc. Natl. Acad. Sci. USA* **95**: 5857–5864.
- SHANKLIN J., ACHIM C., SCHMIDT H., FOX B.G., MÜNCK E., 1997: Mössbauer studies of alkane ω -hydroxylase: Evidence for a diiron cluster in an integral-membrane enzyme. *Proc. Natl. Acad. Sci. USA* **94**: 2981–2986.
- SHANKLIN J., WHITTLE E., FOX B.G., 1994: Eight histidine residues are catalytically essential in a membrane-associated iron enzyme, stearyl-coenzyme A desaturase, and are conserved in alkane hydroxylase and xylene monooxygenase. *Biochemistry* **33**: 12787–12794.
- SHINE J., DALGARNO L., 1974: The 3'-terminal sequence of *Escherichia coli* 16S ribosomal RNA: complementarity to nonsense triplets and ribosomal binding sites. *Proc. Natl. Acad. Sci. USA* **71**: 1342–1346.
- SHINGLER V., BARTILSON M., MOORE T., 1993: Cloning and nucleotide sequence of the gene encoding the positive regulator (DmpR) of the phenol catabolic pathway encoded by pVI150 and identification of DmpR as a member of the NtrC family of transcriptional activators. *J. Bacteriol.* **175**: 1596–1604.

SHINGLER V., FRANKLIN C.H., TSUDA M., HOLROYD D., BAGDASARIAN M., 1989: Molecular analysis of a plasmid-encoded phenol hydroxylase from *Pseudomonas* CF600. *J. Gen. Microbiol.* **135**: 1083–1092.

SHINGLER V., POWLOWSKI J., MARKLUND U., 1992: Nucleotide sequence and functional analysis of the complete phenol/3,4-dimethylphenol catabolic pathway of *Pseudomonas* sp. strain CF600. *J. Bacteriol.* **174**: 711–724.

SIELAFF B., ANDREESEN J.R., SCHRÄDER T., 2001: A cytochrome P450 and a 3Fe–4S-ferredoxin isolated from *Mycobacterium* sp. strain HE5 after growth on morpholine. *Appl. Microbiol. Biotechnol.* Im Druck.

SINGER T.P., EDMONDSON D.E., 1980: Structure, properties, and determination of covalently bound flavins. *Methods Enzymol.* **66**: 253–264.

SINGER T.P., McINTIRE W., 1984: Covalent attachment of flavin to flavoproteins: Occurrence, assay, and synthesis. *Methods Enzymol.* **106**: 369–378.

SMALL F.J., ENSIGN S.A., 1997: Alkene monooxygenase from *Xanthobacter* strain Py2. *J. Biol. Chem.* **272**: 24913–24920.

SMITH T.S., LLOYD J.S., GALLAGHER S.C., FOSDIKE W.L.J., MURRELL J.C., DALTON H., 1999: Heterologous expression of alkene monooxygenase from *Rhodococcus rhodochrous* B-276. *Eur. J. Biochem.* **260**: 446–452.

SONNHAMMER E.L.L., VON HEIJNE G., KROGH A., 1998: A hidden Markov model for predicting transmembrane helices in protein sequences. In *Proc. of Sixth Int. Conf. on Intelligent Systems for Molecular Biology*, pp. 175–182. Ed J. GLASGOW, LITTLEJOHN T., MAJOR F., LATHROP R., SANNKOFF D., SENSEN C., Menlo Park, CA: AAAI Press.

SPALLEK R., 1998: Charakterisierung der Tetrahydrofuran-Monooxygenase aus *Rhodococcus ruber* 219. Dissertation. Universität Hannover.

SPARNINS V.L., CHAPMAN P.J., DAGLEY S., 1974: Bacterial degradation of 4-hydroxyphenylacetic acid and homoprotocatechuic acid. *J. Bacteriol.* **120**: 159–167.

STAINTHORPE A.C., LEES V., SALMOND G.P.C., DALTON H., MURRELL J.C., 1990: The methane monooxygenase gene cluster of *Methylococcus capsulatus* (Bath). *Gene* **91**: 27–34.

STIRLING D.I., DALTON H., 1980: Oxidation of dimethyl ether, methyl formate and bromomethane by *Methylococcus capsulatus* (Bath). *J. Gen. Microbiol.* **116**: 277–283.

- STRIJEWSKI A., 1982: The steroid-9 α -hydroxylation system from *Nocardia* species. *Eur. J. Biochem.* **128**: 125–135.
- STROHL W.R., 1992: Compilation and analysis of DNA sequences associated with apparent streptomycete promoters. *Nucleic Acids Res.* **20**: 961–974.
- SUTHERLAND J.B., 1986: Demethylation of veratrole by cytochrome P-450 in *Streptomyces setonii*. *Appl. Environ. Microbiol.* **52**: 98–100.
- SUZUKI M., HAYAKAWA T., SHAW J.P., REKIK M., HARAYAMA S., 1991: Primary structure of xylene monooxygenase: Similarities to and differences from the alkane hydroxylation system. *J. Bacteriol.* **173**: 1690–1695.
- TAN H.-M., JOANNOU C.L., COOPER C.E., BUTLER C.S., CAMMACK R., MASON J.R., 1994: The effect of ferredoxin_{BED} overexpression on benzene dioxygenase activity in *Pseudomonas putida* ML2. *J. Bacteriol.* **176**: 2507–2512.
- THOMPSON J.D., HIGGINS D.G., GIBSON T.J., 1994: CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* **22**: 4673–4680.
- THÖNY B., HENNECKE H., 1989: The -24/-12 promoter comes of age. *FEMS Microbiol. Rev.* **63**: 341–358.
- TROWER M.K., SARIASLANI F.S., O'KEEFE D.P., 1989: Purification and characterization of a soybean flour-induced cytochrome P-450 from *Streptomyces griseus*. *J. Bacteriol.* **171**: 1781–1787.
- TSITKO I.V., ZAITSEV G.M., LOBANOK A.G., SALKINOJA-SALONEN M.S., 1999: Effect of aromatic compounds on cellular fatty acid composition of *Rhodococcus opacus*. *Appl. Environ. Microbiol.* **65**: 853–855.
- VAN DER MEER J.R., DE VOS W.M., HARAYAMA S., ZEHNDER A.J.B., 1992: Molecular mechanisms of genetic adaptation to xenobiotic compounds. *Microbiol. Rev.* **56**: 677–694.
- VAN HYLCKAMA Vlieg J.E.T., LEEMHUIS H., LUTJE SPELBERG J.H., JANSSEN D.B., 2000: Characterization of the gene cluster involved in isoprene metabolism in *Rhodococcus* sp. strain AD45. *J. Bacteriol.* **182**: 1956–1963.
- VEDADI M., VRIELINK A., MEIGHEN E., 1997: Involvement of conserved glycine residues, 229 and 234, of *Vibrio harveyi* aldehyde dehydrogenase in activity and nucleotide binding. *Biochem. Biophys. Res. Commun.* **238**: 448–451.

- VELASCO A., ALONSO S., GARCIA J.L., PERERA J., DIAZ E., 1998: Genetic and functional analysis of the styrene catabolic cluster of *Pseudomonas* sp. strain Y2. *J. Bacteriol.* **180**: 106–1071.
- WALSH C.T., CHEN Y.-C.J., 1988: Enzymatische Baeyer–Villiger–Oxidationen durch flavinabhängige Monoxygenasen. *Angew. Chem.* **100**: 342–352.
- WALTERS K.J., GASSNER G.T., LIPPARD S.J., WAGNER G., 1999: Structure of the soluble methane monooxygenase regulatory protein B. *Proc. Natl. Acad. Sci. USA* **96**: 7877–7882.
- WARBURG O., CHRISTIAN W., 1942: Isolierung und Charakterisierung des Gärungsfermentes Enolase. *Biochem. Z.* **310**: 384–421.
- WEBER F.J., VAN BERKEL W.J.H., HARTMANN S., DE BONT J.A.M., 1992: Purification and properties of the NADH reductase component of alkene monooxygenase from *Mycobacterium* strain E3. *J. Bacteriol.* **174**: 3275–3281.
- WEBER K., OSBORN M., 1969: The reliability of the molecular weight determinations by dodecyl sulfate–polyacrylamide gel electrophoresis. *J. Biol. Chem.* **244**: 4406–4412.
- WEISBURG W.G., BARNS S.M., PELLETIER D.A., LANE D.J., 1991: 16S ribosomal DNA amplification for phylogenetic study. *J. Bacteriol.* **173**: 697–703.
- WESTERHEIDE L., PASCALY M., KREBS B., 2000: Methane monooxygenase and its related biomimetic models. *Curr. Opin. Chem. Biol.* **4**: 235–241.
- WHITE G.F., RUSSELL N.J., TIDSWELL E.C., 1996: Bacterial scission of ether bonds. *Microbiol. Rev.* **60**: 216–232.
- WHITED G.M., GIBSON D.T., 1991: Toluene–4–monooxygenase, a three–component enzyme system that catalyzes the oxidation of toluene to *p*–cresol in *Pseudomonas mendocina* KR1. *J. Bacteriol.* **173**: 3010–3016.
- WIDDEL F.G., KOHRING G.W., MAYER F., 1983: Studies on dissimilatory sulfate-reducing bacteria that decompose fatty acids. Characterization of the filamentous gliding *Desulfonema limicola* gen. nov. and *Desulfonema magnum* sp. nov. *Arch. Microbiol.* **134**: 286–294.
- WILLIE A., EDMONDSON D.E., SCHUMAN JORNS M., 1996: Sarcosine oxidase contains a novel covalently bound FMN. *Biochemistry* **35**: 5292–5299.
- WÖSTEN M.M.S.M., 1998: Eubacterial sigma–factors. *FEMS Microbiol. Rev.* **22**: 127–150.
- XUN L., 1996: Purification and characterization of chlorophenol 4–monooxygenase from *Burkholderia cepacia* AC1100. *J. Bacteriol.* **178**: 2645–2649.

YANISH-PERRON C., VIEIRA J., MESSING J., 1985: Improved M13 phage cloning vectors and host strains: nucleotide sequence of the M13mp18 und pUC vectors. *Gene* **33**: 103–115.

YEN K.M., KARL M.R., 1992: Identification of a new gene, *tmoF*, in the *Pseudomonas mendocina* KR1 gene cluster encoding toluene–4–monooxygenase. *J. Bacteriol.* **174**: 7253–7261.

YEN K.-M., KARL M.R., BLATT L.M., SIMON M.J., WINTER R.B., FAUSSET P.R., LU H.S., HARCOURT A.A., CHEN K.K., 1991: Cloning and characterization of a *Pseudomonas mendocina* KR1 gene cluster encoding toluene–4–monooxygenase. *J. Bacteriol.* **173**: 5315–5327.

ZHOU N.Y., JENKINS A., CHAN KWO CHION C.K.N., LEAK D.J., 1999: The alkene monooxygenase from *Xanthobacter* strain Py2 is closely related to aromatic monooxygenases and catalyzes aromatic monohydroxylation of benzene, toluene, and phenol. *Appl. Environ. Microbiol.* **65**: 1589–1595.