

Literaturverzeichnis

- [1] Barnett, S. B.: Biophysical aspects of diagnostic ultrasound. *Ultrasound in Medicine & Biology*, 26 Suppl 1, S68-S70, 2000
- [2] Barnett, S. B.; ter Haar, G. R.; Ziskin, M. C.; Rott, H. D.; Duck, F. A., et al : International recommendations and guidelines for the safe use of diagnostic ultrasound in medicine. *Ultrasound in Medicine & Biology*, 26 (3), 355-366, 2000
- [3] Bleck, J. S.; Gebel, M.; Manns, M. P.: Quantitative Sonographie. *Der Internist*, 41 (1), 10-16, 2000
- [4] Bogert, B. P.; Healy, M. J. R.; Tukey, J. W.: The Quefrency Alalysis of Time Series for Echoes: Cepstrum, Pseudo-Autocovariance, Cross-Cepstrum and Saphe-Cracking. In: *Proceedings of the Symposium on Time Series Analysis*, ed. Rosenblatt, M. New York: John Wiley and Sons, Inc., 209-243, 1963
- [5] Boote, E. J.; Zagzebski, J. A.; Madsen, E. L.: Backscatter coefficient imaging using a clinical scanner. *Medical Physics*, 19 (5), 1145-1152, 1992
- [6] Bree, R. L.; Hoang, D. T.: Scrotal ultrasound. *The Radiologic Clinics of North America*, 34 (6), 1183-1205, 1996
- [7] Burns, P. N.; Hope, S. D.; Averkiou, M. A.: Nonlinear imaging. *Ultrasound in Medicine & Biology*, 26 Suppl 1, S19-S22, 2000
- [8] Céspedes, I.; Ophir, J.: Diffraction correction methods for pulse-echo acoustic attenuation estimation. *Ultrasound in Medicine & Biology*, 16 (7), 707-717, 1990
- [9] Chen, X.; Phillips, D.; Schwarz, K. Q.; Mottley, J. G.; Parker, K. J.: The measurement of backscatter coefficient from a broadband pulse-echo system: a new formulation. *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, 44 (2), 515-525, 1997
- [10] Cloostermans, M. J.; Thijssen, J. M.: A beam corrected estimation of the frequency dependent attenuation of biological tissues from backscattered ultrasound. *Ultrasonic Imaging*, 5, 136-147, 1983
- [11] Del Gosso, V. A.; Mader, C. W.: Speed of sound in pure water. *The Journal of the Acoustical Society of America*, 52, 1442-1446, 1972
- [12] Duck, F. A.: *Physical Properties of Tissue*, London: Academic Press Limited, 1990
- [13] Einstein, D. M.; Paushter, D. M.; Singer, A. A.; Thomas, A. J.; Levin, H. S.: Fibrotic lesions of the testicle: sonographic patterns mimicking malignancy. *Urologic Radiology*, 14 (3), 205-210, 1992
- [14] Falbe, J.; Regitz, M.: *Chemie Lexikon / Römpp*, Stuttgart, New York: Thieme, 1989
- [15] Feleppa, E. J.; Kalisz, A.; Sokil-Melgar, J. B.; Lizzi, F. L.; Liu, T., et al : Typing of prostate tissue by ultrasonic spectrum analysis. *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, 43 (4), 609-619, 1996
- [16] Fink, M. A.; Cardoso, J. F.: Diffraction Effects in Pulse-Echo Measurement. *IEEE Transactions on Sonics and Ultrasonics*, SU-31 (4), 313-329, 1984
- [17] Foster, F. S.: Transducer materials and probe construction. *Ultrasound in Medicine & Biology*, 26 Suppl 1, S2-S5, 2000
- [18] Fraser, J.; Kino, G. S.; Birnholz, J.: Cepstral signal processing for tissue signature analysis. In: *Ultrasonic Tissue Characterization II*, ed. Linzer, M. Washington, D.C.: Government Printing Office, 287-295, 1979
- [19] Gärtner, T.: Untersuchung der Anwendbarkeit eines PVDF-Miniaturhydrophons zur Ultraschall-Feldmessung

- unter linearen und nichtlinearen Ausbreitungsbedingungen. Martin-Luther-Universität Halle-Wittenberg, Institut für Medizinische Physik und Biophysik, 1993
- [20] Gärtner, T.; Jenderka, K.-V.; Schneider, H.; Heynemann, H.: Tissue characterization by imaging of acoustical parameters. *Acoustical Imaging*, 22, 365-370, 1996
- [21] Gärtner, T.; Zacharias, M.; Jenderka, K.-V.; Heynemann, H.; Cobet, U.: Geräteunabhängige Ultraschall-Gewebecharakterisierung von Hoden und Prostata. *Der Radiologe*, 38 (5), 424-433, 1998
- [22] Geraghty, M. J.; Lee, F. T., Jr.; Bernsten, S. A.; Gilchrist, K.; Pozniak, M. A., et al : Sonography of testicular tumors and tumor-like conditions: a radiologic- pathologic correlation. *Critical Reviews in Diagnostic Imaging*, 39 (1), 1-63, 1998
- [23] Hall, T. J.; Insana, M. F.; Harrison, J. A.; Cox, G. G.: Ultrasonic measurement of glomerular diameters in normal adult humans. *Ultrasound in Medicine & Biology*, 22 (8), 987-997, 1996
- [24] Hamm, B.: *Sonographische Diagnostik des Skrotalinhalts* , Berlin: Springer,1991
- [25] Hamm, B.: Sonography of the testis and epididymis. *Andrologia*, 26 (4), 193-210, 1994
- [26] Hamm, B.: Differential diagnosis of scrotal masses by ultrasound. *European Radiology*, 7 (5), 668-679, 1997
- [27] Hamm, B.; Fobbe, F.: Maturation of the testis: ultrasound evaluation. *Ultrasound in Medicine & Biology*, 21 (2), 143-147, 1995
- [28] Hartmann, H.; Heywang-Köbrunner, S. H.; Soldner, R.; Millner, R.: Charakterisierung von normalem und pathologisch verändertem Mammagewebe mittels Ultraschall. *Zeitschrift für Medizinische Physik*, 7, 12-15, 1997
- [29] Heynemann, H.: Die Beurteilung von Hodengewebeveränderungen durch Ultraschallspektroskopie. Dissertation (B), Martin-Luther-Universität Halle/Wittenberg, Medizinische Fakultät, 1987
- [30] Heynemann, H.; Jenderka, K.-V.; Gärtner, T.; Heinicke, H.; Zacharias, M.; Wicht, A.: Charakterisierung von pathologischen Gewebeveränderungen mittels Spektralanalyse aus den Ultraschall-Hochfrequenz-Rückstreudaten eines B-Bild-Gerätes im Bereich des Hodens, transplantierte Nieren und der Prostata. DFG-Projekt HE 2156/2-2 - Abschlussbericht, Universitätsbibliothek/Technische Informationsbibliothek Hannover, Elektronische Bibliothek - Deutsche Forschungsberichte, 1999
- [31] Heynemann, H.; Richter, K. P.; Holzhausen, H. J.; Haerting, J.; Langkopf, B., et al : Sonographische Beurteilung von Hodengewebeveränderungen durch die Ultraschallspektroskopie. *Ultraschall in der Medizin*, 13, 119-126, 1992
- [32] Horstman, W. G.: Scrotal imaging. *The Urologic Clinics of North America*, 24 (3), 653-671, 1997
- [33] Huisman, H. J.: In vivo ultrasonic tissue characterization of liver metastasis. Dissertation, Kath. Univ. Nijmegen, Schiedam, DTQP, 1998
- [34] Huisman, H. J.; Thijssen, J. M.: Precision and accuracy of acoustospectrographic parameters. *Ultrasound in Medicine & Biology*, 22 (7), 855-871, 1996
- [35] Insana, M. F.: Modeling acoustic backscatter from kidney microstructure using an anisotropic correlation function. *The Journal of the Acoustical Society of America*, 97 (1), 649-655, 1995
- [36] Insana, M. F.; Brown, D. G.: Acoustic scattering theory applied to soft biological tissue. In: *Ultrasonic Scattering in Biological Tissues*, eds. Shung, K. K.; Thieme, G. A. Boca Raton: CRC Press, 75-124, 1993
- [37] Insana, M. F.; Hall, T. J.; Fishback, J. L.: Identifying acoustic scattering sources in normal renal parenchyma from the anisotropy in acoustic properties. *Ultrasound in Medicine & Biology*, 17 (6), 613-626, 1991

- [38] Insana, M. F.; Wagner, R. F.; Brown, D. G.; Hall, T. J.: Describing small-scale structure in random media using pulse-echo ultrasound. *The Journal of the Acoustical Society of America*, 87, 179-192, 1990
- [39] Insana, M. F.; Zagzebski, J. A.; Madsen, E. L.: Improvements in the spectral difference method for measuring ultrasonic attenuation. *Ultrasonic Imaging*, 5, 331-345, 1983
- [40] International Electrotechnical Commission (IEC): Ultrasonics - flow measurement systems - Flow test object. Draft 1685 - IEC, 1998
- [41] Jenderka, K.-V.: Messverfahren zur Untersuchung von Ultraschallrückstreuungssignalen mittels zeitvariabler Fensterfunktion. Diplom, Martin-Luther-Universität Halle-Wittenberg, 1985
- [42] Jenderka, K.-V.: Measurement of attenuation and mean scatterer's spacing by ultrasound spectroscopy. *The Journal of Nuclear Medicine and Allied Sciences*, 32 (3), 196-198, 1988
- [43] Jenderka, K.-V.: Die Bestimmung akustischer Parameter aus rückgestreuten Ultraschallsignalen. Dissertation (A), Martin-Luther-Universität Halle-Wittenberg, 1989
- [44] Jenderka, K.-V.; Gärtner, T.; Heynemann, H.; Heinicke, H.: Estimation of mean scatterer spacing based on rf echo data obtained from different transducer systems. *Acoustical Imaging*, 23, 337-342, 1997
- [45] Jensen, J. A.: Ultrasound fields from triangular apertures. *The Journal of the Acoustical Society of America*, 100 (4), 2049-2056, 1996
- [46] Jensen, J. A.; Svendsen, N. B.: Calculation of pressure fields from arbitrarily shaped, apodized, and excited ultrasound transducers. *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, 39 (2), 262-267, 1992
- [47] Krüger, M.: Ein Modell für die morphologische und qualitative Abbildung akustisch inhomogener Medien mit Ultraschall. Dissertation (A), Aachen, 1997
- [48] Kuc, R.: Estimating acoustic attenuation from reflected ultrasound signals: Comparison of spectral-shift and spectral-difference approaches. *IEEE Transactions on Acoustics, Speech and Signal Processing*, ASSP-32 (1), 1-6, 1984
- [49] Kuc, R.: Estimating reflected ultrasound spectra from quantized signals. *IEEE Transactions on Biomedical Engineering*, BME-32 (2), 105-112, 1985
- [50] Kuc, R.; Schwartz, M.: Estimating the acoustic attenuation coefficient slope for liver from reflected ultrasound signals. *IEEE Transactions on Sonics and Ultrasonics*, 26 (5), 353-362, 1979
- [51] Kuc, R.; Schwartz, M.; von Miesky, M.: Parametric estimation of the acoustic attenuation coefficient slope for soft tissue. *1976 IEEE Ultrasonics Symposium Proc.*, 44-47, 1976
- [52] Lange, F. H.: Zur Weiterentwicklung der Korrelationsanalyse - Teil III: Cepstrum-Methode. *Messen Steuern Regeln*, 27 (6), 271-274, 1984
- [53] Lange, P.; Richter, K. P.: Elektroakustische Messungen an Ultraschallwandlern mit dem Laufzeit-Spektral-Verfahren. *Messen Steuern Regeln*, 31 (9), 417-418, 1988
- [54] Laugier, P.; Berger, G.; Fink, M. A.; Perrin, J.: Diffraction correction for focused transducers in attenuation measurements in vivo. *Ultrasonic Imaging*, 9, 248-259, 1987
- [55] Lewin, D. A.: Miniatur piezoelectric polymer ultrasonic hydrophon probes. *Ultrasonics*, 19, 213-216, 1981
- [56] Lizzi, F. L.; Greenebaum, M.; Feleppa, E. J.; Elbaum, M. E.; Coleman, D. J.: Theoretical framework for spectrum analysis in ultrasonic tissue characterization. *The Journal of the Acoustical Society of America*, 73 (4), 1366-1373, 1983

- [57] Lizzi, F. L.; Ostromogilsky, M.; Feleppa, E. J.; Rorke, M. C.; Yaremko, M. M.: Relationship of Ultrasonic Spectral Parameters to Features of Tissue Microstructure. *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, UFFC-33 (3), 319-329, 1987
- [58] Ludwig, G.; Brendel, K.: Calibration of hydrophones based on reciprocity and time delay spectrometry. *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, 35, 168-174, 1988
- [59] Madsen, E. L.; Dong, F.; Frank, G. R.; Garra, B. S.; Wear, K. A., et al : Interlaboratory comparison of ultrasonic backscatter, attenuation, and speed measurements. *Journal of Ultrasound in Medicine*, 18 (9), 615-631, 1999
- [60] Madsen, E. L.; Zagzebski, J. A.; Banjavic, R. A.; Jutila, R. E.: Tissue mimicking materials for ultrasound phantoms. *Medical Physics*, 391-394, 1978
- [61] Madsen, E. L.; Zagzebski, J. A.; Frank, G.: Oil-in-gelatine dispersions for use as ultrasonically tissue-mimicking materials. *Ultrasound in Medicine & Biology*, 8 (3), 277-287, 1982
- [62] Malecki, I.: *Physical Foundations of Technical Acoustics*, Oxford: Pergamon Press, 1969
- [63] Millner, R.; Cobet, U.; Richter, K. P.; Petzold, M.: *Wissensspeicher Ultraschalltechnik*, Leipzig: Fachbuchverlag, 1987
- [64] Morneburg, H.: *Bildgebende Systeme für die medizinische Diagnostik*, Erlangen: Publics MCD Verlag, 1995
- [65] Morse, P. M.; Ingard, K. U.: *Theoretical Acoustics*, New York: McGraw-Hill Book Company, 1968
- [66] Nicholas, D.: Evaluation of backscattering coefficient for excised human tissues: results, interpretation and associated measurements. *Ultrasound in Medicine & Biology*, 8, 17-28, 1982
- [67] Nicholas, D.; Hill, C. R.; Nassiri, D. K.: Evaluation of backscattering coefficients for excised human tissues: Principles and techniques. *Ultrasound in Medicine & Biology*, 8 (1), 7-15, 1982
- [68] Nistal, M.; Paniagua, R.: Development of the testis from birth to puberty. In: *Testicular and epididymal pathology*, eds. Nistal, M.; Paniagua, R. New York: Thieme-Stratton, 14-25, 1984
- [69] Nistal, M.; Santamaria, L.; Paniagua, R.: Mast cells in the human testis and epididymis from birth to adulthood. *Acta anatomica*, 119 (3), 155-160, 1984
- [70] Oosterveld, B. J.; Thijssen, J. M.; Hartman, P. C.: Detection of diffuse liver disease by quantitative echography: dependence on a priori choice of parameters. *Ultrasound in Medicine & Biology*, 19, 21-25, 1993
- [71] Ophir, J.; Maklad, N. F.; Bigelow, R. H.: Ultrasonic attenuation measurements of in vivo human muscle. *Ultrasonic Imaging*, 4, 290-295, 1982
- [72] Parker, K. J.: Observation of nonlinear acoustic effects in a b-scan imaging instrument. *IEEE Transactions on Sonics and Ultrasonics*, 32 (1), 4-8, 1985
- [73] Parker, K. J.: Attenuation measurement uncertainties caused by speckle statistics. *The Journal of the Acoustical Society of America*, 80 (3), 727-734, 1986
- [74] Preston, R. C.: *Output Measurements for Medical Ultrasound*, Berlin: Springer, 1991
- [75] Puls, I.; Berg, D.; Maurer, M.; Schliesser, M.; Hetzel, G., et al : Transcranial sonography of the brain parenchyma: comparison of B-mode imaging and tissue harmonic imaging. *Ultrasound in Medicine & Biology*, 26 (2), 189-194, 2000
- [76] Reid, J. M.: Standard substitution methods for measuring ultrasonic scattering in tissues. In: *Ultrasonic Scattering in Biological Tissues*, eds. Shung, K. K.; Thieme, G. A. Boca Raton: CRC Press, 171-204, 1993

- [77] Richter, K.: Technique for detecting and evaluating breast lesions. *Journal of Ultrasound in Medicine*, 13 (10), 797-802, 1994
- [78] Richter, K.; Prihoda, H.; Heywang-Köbrunner, S. H.; Hamm, B.: Description and first clinical use of a new system for combined mammography and automated clinical amplitude/velocity reconstructive imaging breast sonography. *Investigative Radiology*, 32 (1), 19-28, 1997
- [79] Richter, K. P.: Frequenzanalyse von Ultraschallsignalen zur Gewebedifferenzierung. Dissertation (A), Martin-Luther-Universität Halle-Wittenberg, 1978
- [80] Romijn, R. L.; Thijssen, J. M.; Oosterveld, B. J.; Verbeek, A. M.: Ultrasonic differentiation of intraocular melanomas: parameters and estimation methods. *Ultrasonic Imaging*, 13, 27-55, 1991
- [81] Sachs, L.: *Angewandte Statistik: Anwendung statistischer Methoden*, Berlin: Springer, 1992
- [82] Schmitz, G.: Ein Verfahren zur Ultraschall-Gewebscharakterisierung der Prostata. Dissertation (A), Ruhr-Universität Bochum, Düsseldorf, VDI Verlag GmbH, 1996
- [83] Schmitz, G.; Ermert, H.; Senge, T.: Tissue-characterization of the prostate using radio frequency ultrasonic signals. *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, 46 (1), 126-138, 1999
- [84] Shung, K. K.; Dzierzanowski, J. M.: Effects of phase-cancellation on scattering measurements. *Ultrasonic Imaging*, 4, 56-70, 1982
- [85] Shung, K. K.; Thieme, G. A.: Biological tissues as ultrasonic scattering media. In: *Ultrasonic Scattering in Biological Tissues*, eds. Shung, K. K.; Thieme, G. A. Boca Raton: CRC Press, 53-74, 1993
- [86] Sigelmann, R. A.; Reid, J. M.: Analysis and measurement of ultrasound backscattering from an ensemble of scatterers excited by sine-wave bursts. *The Journal of the Acoustical Society of America*, 53 (5), 1351-1355, 1973
- [87] Smith, R. A.: Are hydrophones of diameter 0.5 mm small enough to characterise diagnostic ultrasound equipment? *Physics in Medicine and Biology*, 34 (11), 1593-1607, 1989
- [88] Sutilov, V. A.: *Physik des Ultraschalls*, Berlin: Akademie-Verlag, 1984
- [89] Tanaka, S.; Oshikawa, O.; Sasaki, T.; Ioka, T.; Tsukuma, H.: Evaluation of tissue harmonic imaging for the diagnosis of focal liver lesions. *Ultrasound in Medicine & Biology*, 26 (2), 183-187, 2000
- [90] Tessler, F. N.; Tublin, M. E.; Rifkin, M. D.: Ultrasound assessment of testicular and paratesticular masses. *Journal of Clinical Ultrasound*, 24 (8), 423-436, 1996
- [91] Thijssen, J. M.: Spectroscopy and image texture analysis. *Ultrasound in Medicine & Biology*, 26 Suppl 1, S41-S44, 2000
- [92] Thijssen, J. M.; Oosterveld, B. J.: Texture in tissue echograms. Speckle or information? *J. Ultrasound Med.*, 9 (4), 215-229, 1990
- [93] Thijssen, J. M.; Oosterveld, B. J.; Hartman, P. C.: Correlations between acoustic and texture parameters from rf and b- mode liver echograms. *Ultrasound in Medicine & Biology*, 19, 13-20, 1993
- [94] Ueda, M.; Ichikawa, H.: Analysis of an echo signal reflected from a weakly scattering volume by a discrete model of the medium. *The Journal of the Acoustical Society of America*, 70 (6), 1768-1775, 1981
- [95] Ueda, M.; Ichikawa, H.: Erratum: "Analysis of an echo signal reflected from a weakly scattering volume by a discrete model of the medium". *The Journal of the Acoustical Society of America*, 75 (3), 1012, 1984
- [96] Ueda, M.; Ozawa, Y.: Spectral analysis of echoes for backscattering coefficient measurement. *The Journal of the Acoustical Society of America*, 77 (1), 38-47, 1985

- [97] Valckx, F. M.; Thijssen, J. M.; van Geemen, A. J.; Rotteveel, J. J.; Mullaart, R.: Calibrated parametric medical ultrasound imaging. *Ultrason. Imaging*, 22 (1), 57-72, 2000
- [98] van der Steen, A. F.; Thijssen, J. M.; van der Laak, J. A.; Ebben, G. P.; de Wilde, P. C.: Correlation of histology and acoustic parameters of liver tissue on a microscopic scale. *Ultrasound in Medicine & Biology*, 20 (2), 177-186, 1994
- [99] Verhoef, W. A.; Cloostermans, M. J.; Thijssen, J. M.: Diffraction and dispersion effects on the estimation of ultrasound attenuation and velocity in biological tissues. *IEEE Transactions on Biomedical Engineering*, BME-32, 521-529, 1985
- [100] Verhoeven, J. T.; Thijssen, J. M.: A software controllable time-gain compensation amplifier board for VME-Bus systems. *Ultrasonics*, 40, 407-408, 1992
- [101] von Ramm, O. T.: 2-D arrays. *Ultrasound in Medicine & Biology*, 26 Suppl 1, S10-S12, 2000
- [102] Waag, R. C.; Astheimer, J. P.: Characterization of measurement system effects in ultrasonic scattering experiments. *The Journal of the Acoustical Society of America*, 88 (5), 2418-2436, 1990
- [103] Waag, R. C.; Astheimer, J. P.; Smith, J. F. I.: Analysis and computations of measurement system effects in ultrasonic scattering experiments. *The Journal of the Acoustical Society of America*, 91 (3), 1284-1297, 1992
- [104] Wagner, R. F.; Insana, M. F.; Brown, D. G.: Statistical properties of radio-frequency and envelope-detected signals with applications to medical ultrasound. *Journal of the Optical Society of America A*, 4 (5), 910-922, 1987
- [105] Wagner, R. F.; Smith, S. W.; Sandrik, J. M.; Lopez, H.: Statistics of speckle in ultrasound b-scans. *IEEE Transactions on Sonics and Ultrasonics*, 30 (3), 156-163, 1983
- [106] Yao, L. X.; Zagzebski, J. A.; Madsen, E. L.: Backscatter coefficient measurements using a reference phantom to extract depth-dependent instrumentation factors. *Ultrasonic Imaging*, 12, 58-70, 1990
- [107] Yao, L. X.; Zagzebski, J. A.; Madsen, E. L.: Statistical uncertainty in ultrasonic backscatter and attenuation coefficients determined with a reference phantom. *Ultrasound in Medicine & Biology*, 17, 187-194, 1991
- [108] Zecha, M.: Analyse von Ortungssignalen mittels Rückfaltung. *Wissenschaftliche Zeitschrift der Wilhelm-Pieck-Universität Rostock, Mathematisch-Naturwissenschaftliche Reihe*, 25 (8), 929-934, 1976