

6 Quellenangaben

Literatur

- [1] Akhalaq MS, Schuchmann HP, von Sonntag C: The reverse of the 'repair' reaction of thiols: H-abstraction at carbon by thiyl radicals. *Int J Radiat Stud Phys Chem Med* 51 (1987) 91-102
- [2] Ameno K, Fuke C, Shirakawa Y, Ogura S, Ameno S, Kiriu T, Kinoshita H, Ijiri I: Different distribution of paraquat and diquat in human poisoning cases after ingestion of a combined herbicide. *Arch Toxicol* 68 (1994) 134-7
- [3] Asikainen TM, Raivio KO, Saksela M, Kinnula V: Expression and developmental profile of antioxidant enzyme in human lung and liver. *Am J Respir Cell Mol Biol* 19 (1998) 942-9
- [4] Auwerx JH, Chait A, Wolfbauer G, Deeb SS: Loss of copper-zinc superoxide dismutase gene expression in differentiated cells of myelo-monocytic origin. *Blood* 74 (1989) 1807-10
- [5] Babior BM: Superoxide: a two-edged sword. *Braz J Med Biol Res* 30 (1997) 141-55
- [6] Bacon BR, O'Neill R, Park CH: Iron-induced peroxidative injury to isolated rat hepatic mitochondria. *J Free Radic Biol Med* 2 (1986) 339-47
- [7] Bae YS, Kang SW, Seo MS, Baines IC, Tekle E, Chock PB, Rhee SG: Epidermal growth factor induced generation of hydrogen peroxide. *J Biol Chem* 271 (1997) 217-21
- [8] Baker K, Marcus CB, Huffman K, Kruk H, Malfroy B, Doctrow SR: Synthetic combined superoxide dismutase/catalase mimetics are protective as a delayed treatment in a rat stroke model: A key role for reactive oxygen species in ischemic brain injury. *J Pharmacol Experiment Therapeutics* 284 (1998) 215-221
- [9] Baldwin CR, Pasi A, MacGregor JT, Hine CH: The rates of radical formation from the dipyridylum herbicides paraquat, diquat, and morfamquat in homogenates of rat lung, kidney, and liver: An inhibitory effect of carbon monoxide. *Toxicol Applied Pharmacol* 32 (1975) 298-304
- [10] Beck Y, Oren R, Amit B, Levanon A, Gorecki M, Hartman JR: Human Mn superoxide dismutase cDNA sequence. *Nucleic Acids Res* 15 (1987) 9076
- [11] Belinsky SA, Foley JF, White CM, Anderson MW, Maronpot RR: Dose-response relationship between O6-methylguanine formation in Clara cells and induction of pulmonary neoplasia in the rat by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone. *Cancer Res* 50 (1990) 3772-80
- [12] Belinsky SA, Devereux TR, White CM, Foley JF, Maronpot RR, Anderson MW: Role of Clara cells and type II cells in the development of pulmonary tumors in rats and mice following exposure to a tobacco-specific nitrosamine. *Exp Lung Res* 17 (1991) 263-78
- [13] Belinsky SA, Devereux TR, Foley JF, Maronpot RR, Anderson MW: Role of the alveolar type II cells in the development and progression of pulmonary tumors induced 4-(methylnitrosamino)-1-(3-pyridyl)-1-(3-pyridyl)-1-butanone in the A/J mouse. *Cancer Res* 52 (1992) 3164-73

- [14] Beloqui O, Cerderbaum AI: Microsomal interaction between iron, paraquat, and menadione: effect on hydroxyl radical production and alcohol oxidation. *Arch Biochem Biophys* 242 (1985) 187-96
- [15] Benamira M, Johnson K, Chaudhary A, Bruner K, Tibbetts C, Marnett LJ: Induction of mutations by replication of malondialdehyde-modified M13 DNA in *Escherichia coli*: determination of the extent of DNA modification, genetic requirements for mutagenesis, and types of mutations induced. *Carcinogenesis* 16 (1995) 93-9
- [16] Bhandari V, Maulik N, Kresch M: Hyperoxia causes an increase in antioxidant enzyme activity in adult and fetal rat type II pneumocytes. *Lung* 178 (2000) 53-60
- [17] Breen AP, Murphy JA: Reaction of oxyl radicals with DNA. *Free Radic Biol Med* 18 (1995) 1033-77
- [18] Brehm M, Schiller E, Zeller WJ: Quantification of reactive oxygen species generated by alveolar macrophages using lucigenin-enhanced chemoluminescence methodical aspects. *Tox Letters* 87 (1996) 131-138
- [19] Brodie AE, Reed DJ: Reversible oxidation of glyceraldehyde 3-phosphate dehydrogenase thiols in human lung carcinoma cells by hydrogen peroxide. *Biochem Biophys Res Commun* 148 (1987) 120-5
- [20] Brömme HJ, Holtz J: Apoptosis in the heart: when and why? *Mol Cell Biochem* 163-164 (1996) 261-75
- [21] Burdon RH, Alliangana D, Gill V: Endogenously generated active oxygen species and cellular glutathione levels in relation to BHK-211 cell proliferation. *Free Radic Res* 21 (1994) 121-33
- [22] Burkitt MJ, Kadiiska MB, Hanna PM, Jordan SJ, Mason RP: Electron spin resonance spin-trapping investigation into the effects of paraquat and desferrioxamine on hydroxyl radical generation during acute iron poisoning. *Mol Pharmacol* 43 (1993) 257-263
- [23] Buttke TM, Sandstorm PA: Redox regulation of programmed cell death in lymphocytes. *Free Radic Res* 22 (1995) 389-97
- [24] Campbell AK: Living light: biochemistry, applications. *Essays Biochem* 24 (1989) 41-81
- [25] Carmichael J, DeGraff WG, Gazdar AF, Minna JD, Mitchell JB: Evaluation of a tetrazolium-based semiautomated colorimetric assay: assessment of chemosensitivity testing. *Cancer Res* 47 (1987) 936-42
- [26] Chance B, Sies H, Boveris A: Hydroperoxide metabolism in mammalian organs. *Physiol Rev* 59 (1979) 527-605
- [27] Chen N, Bowles MR, Pond SM: Competition between paraquat and putrescine for uptake by suspensions of rat alveolar type II cells. *Biochem Pharmacol* 44 (1992) 1029-36
- [28] Chomczynski P, Sacchi N: Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem* 162 (1987) 156-9
- [29] Clark JM: Pulmonary limits of oxygen tolerance in man. *Exp Lung Res* 14 (1988) 897-910

- [30] Clerch LB, Massaro D, Berkovich A: Molecular mechanism of antioxidant enzyme expression in lung during exposure to and recovery from hyperoxia. *Am J Physiol* 274 (1998) L313-19
- [31] Cohen G, Dembiec D, Marcus J: Measurement of catalase activity in tissue extracts. *Analytical Biochem* 34 (1970) 30-38
- [32] Collins T, Read MA, Neish AS, Whitley MZ, Thanos D, Maniatis T: Transcriptional regulation of endothelial cell adhesion molecules: NF-kappa B and cytokine-inducible enhancers. *FASEB J* 9 (1995) 899-909
- [33] Cotton FA, Wilkinson G: *Anorganische Chemie* 4.. Aufl. Verlag Chemie (1985) S. 547
- [34] Crapo JD, Barry BE, Gehr P, Bachofen M, Weibel ER: Cell number and cell characteristics of the normal human lung. *Am Rev Respir Dis* 126 (1982) 332-7
- [35] DeCruo S, Kamboh MI, Leppert M, Ferrell RE: Isoelectric focusing of superoxide dismutase: report of the unique SOD A*2 allele in a US white population. *Hum Hered* 38 (1988) 1-7
- [36] Crum LA, Walton AJ, Mortimer A, Dyson M, Crawford DC, Gaitan DF: Free radical production in amniotic fluid and blood plasma by medical ultrasound. *J Ultrasound Med* 6 (1987) 643-7
- [37] Dahl AR: Metabolic Characteristics of the Respiratory Tract. In: *Inhalation Toxicologie*. Verlag, New York, S. 175-190
- [38] Daldrup T, Köppel C: Paraquat In: Gibitz HJ, Schütz H.: *Einfache toxikologische Laboratoriumsuntersuchungen bei akuten Vergiftungen*. VCH Verlagsgesellschaft (1995) S. 402-4
- [39] Darr D, Friedovich I: Irreversible inactivation of catalase by 3-amino-1,2,3-triazole. *Biochem Pharmacol* 35 (1986) 3642
- [40] Darville MI, Ho YS, Eizirik DL: NF- κ B is required for cytokine-induced manganese superoxide dismutase expression in insulin-producing cells. *Endocrinology* 141 (2000) 153-162
- [41] Deneke SM, Fanburg BL: Normobaric oxygen toxicity of the lung. *N Engl J Med* 303 (1980) 76-86
- [42] Dobbs LG, Gonzales R, Williams MC: An improved method for isolating type II cells in high yield and purity. *Am. Rev. Respir. Dis.* 134 (1986) 141-145
- [43] Dobbs LG: Isolation and culture of alveolar type II cells. *Am J Physiol* 258 (1990) 134-47
- [44] McDonald RJ, Pan LC, St. George JA, Hyde DM, Ducore JM: Hydrogen peroxide induces DNA single strand breaks in respiratory epithelial cells: *Inflammation* 17 (1993) 715-22
- [45] Donaldson K, Brown DM, Mitchell C, Dineva M, Beswick PH, Gilmour P, MacNee W: Free radical activity of PM10: iron-mediated generation of hydroxyl radicals. *Environ Health Perspect* 105 (1997) 1285-9
- [46] Dougall WC, Nick HS: Manganese superoxide dismutase. a hepatic acute phase protein regulated by interleukin-6 and glucocorticoids. *Endocrinology* 129 (1991) 2376-84

- [47] Drapper HH, Squires EJ, Mahmoodi H, Wu J, Agarwal S, Hadley M: A comparative evaluation of thiobarbituric acid methods for the determination of malondialdehyde in biological materials. *Free Radic Biol Med* 15 (1993) 353-63
- [48] Dubrovskaya VA, Wetterhahn KE: Effects of Cr(VI) on the expression of the antioxidative stress genes in human lung cells. *Carcinogenesis* 19 (1998) 1401-1407
- [49] Engstrom PC, Easterling L, Baker RR, Matalon S: Mechanism of extracellular hydrogen peroxide clearance by alveolar type II pneumocytes. *American Physiological Society* (1990) 2078-84
- [50] Esterbauer H, Schaur RJ, Zoller H: Chemistry and biochemistry of 4-hydroxynonenal, malondialdehyde and related aldehydes. *Free Radic Biol Med* 11 (1991) 81-128
- [51] Falkner K, Fridovich I: Luminol and lucigenin as detectors for $O_2^{\cdot -}$. *Free Radic Biol Med* 15 (1993) 447-51
- [52] Farrington JA, Ebert M, Land EJ, Flechner K: Bipyridylum quaternary salts and related compounds. V. Pulse radiolysis studies of the reaction of paraquat radical with oxygen. Implications for the mode of action of bipyridyl herbicides. *Biochem Biophys Acta* 314 (1973) 372-81
- [53] Franek WR, Horowitz S, Standsberry L, Kazzaz JA, Koo HC, Li Y, Arita Y, Davist JM, Mantell AS, Scott W, Mantell LL: Hyperoxia Inhibits Oxidant-Apoptosis in Lung Epithelial Cells. *J Biol Chem* 276 (2001) 569-75
- [54] Frank L: Effects of oxygen on the newborn. *Fed Proc* 44 (1985) 2328-34
- [55] Frejaville C, Karoui H, Tuccio B, Le Moigne F, Culcasi M, Pietri S, Lauricella R, Tordo P: 5-(Diethoxyphosphoryl)-5-methyl-1-pyrrolone N-oxide: a new efficient phosphorylated nitron for the in vitro and in vivo spin trapping of oxygen-centered radicals. *J Med Chem* 38 (1995) 258-65
- [56] Friedovich I: Superoxide radical and superoxide dismutases. *Annu Rev Biochem* 64 (1995) 97-112
- [57] Fubini B, Mollo L: Role of iron in the reactivity of mineral fibers. *Toxicol Letters* 82-83 (1995) 951-60
- [58] Fubini B, Mollo L, Giamello E: Free radical generation at the solid/liquid interface in iron containing minerals. *Free Radic Res* 23 (1995) 593-614
- [59] Fukushima T, Yamada K, Isobe A, Shiwaku K, Yamane Y: Mechanism of cytotoxicity of paraquat. I. NADH oxidation and paraquat radical formation via complex I. *Exp Toxicol Pathol* 45 (1993) 345-9
- [60] Furuta S, Hayashi H, Hijikata M, Miyazawa S, Osumi T, Hashimoto T: Complete nucleotide sequence of cDNA and deduced amino acid sequence of rat liver catalase. *Proc. Natl. Acad. Sci. USA* 83 (1986) 313-17
- [61] Gardner HW: Oxygen radical chemistry of polyunsaturated fatty acids. *Free Radic Biol Med* 7 (1989) 65-86
- [62] Gaudu P, Niviere V, Petillot Y, Kauppi B, Fontecave M: The irreversible inactivation of ribonucleotide reductase from *Escherichia coli* by superoxide radicals. *FEBS Lett* 387 (1996) 137-40

- [63] Gerlier D, Thomasset N: Use of MTT colorimetric assay to measure cell activation. *J Immunol Methods* 94 (1986) 57-63
- [64] Glatt H, Gemperlin I, Turchi G, Heinritz H, Doehmer J, Oesch F: Search for cell culture systems with diverse xenobiotic-metabolizing activities and their use in toxicological studies. *Mol Toxicol* 1 (1987-88) 313-34
- [65] Goeptar AR, Scheerens H, Vermeulen NP: Oxygen and xenobiotic reductase activities of cytochrome P450. *Crit Rev Toxicol* 25 (1995) 25-65
- [66] Gram TE: Chemically reactive intermediates and pulmonary xenobiotic toxicity. *Pharmacol Rev* 49 (1997) 297-341
- [67] Gutteridge JM, Nagy I, Maitt L, Floyd RA: ADP-iron as a Fenton reactant: radical reactions detected by spin trapping, hydrogen abstraction, and aromatic hydroxylation. *Arch Biochem Biophys* 277 (1990) 422-8
- [68] Halliwell B, Grootvenld M, Gutteridge JM: Methods for measurement of hydroxyl radicals in biomedical systems: deoxyribose degradation and aromatic hydroxylation. *Methods Biochem Anal* 33 (1988) 59-90
- [69] Halliwell B, Gutteridge JM: Role of free radicals and catalytic metal ions in human disease: an overview. *Methods Enzymol* 186 (1990) 1-85
- [70] Halliwell B, Gutteridge JM: Biologically relevant metal ion-dependent hydroxyl radical generation. An update. *FEBS Lett* 307 (1992) 108-12
- [71] Halliwell B, Gutteridge JMC: *Free radicals in biology and medicine*. Third edition Oxford University Press (2000)
- [72] Harris CA, Derbin KS, Hunte-McDonough B, Krauss MR, Chen KT, Smith DM, Epstein LB: Manganese superoxide dismutase is induced by IFN-gamma in multiple cell types. Synergistic induction by IFN-gamma and tumor necrosis factor or IL-1. *J Immunol* 147 (1991) 149-54
- [73] Hassan HM, Fridovich I: Superoxide radical and oxygen enhancement of the toxicity of paraquat in *Escherichia coli*. *J Biol Chem* 253 (1978) 8143-7
- [74] Hassan HM: Exacerbation of superoxide radical formation by paraquat. *Methods Enzymol* 105 (1984) 523-32
- [75] Hayes WJ, Laws ER: *Handbook of pesticide toxicology*, Academic Press, Inc., San Diego, New York, Boston, 1991
- [76] Heberlein W, Wodopia R, Bärtsch P, Mairbäurl: Possible role of ROS as mediators of hypoxia-induced ion transport inhibition of alveolar epithel cells. *Am J Physiol Lung Cell Mol Physiol* 278 (2000) L640-8
- [77] Hippeli S, Elstner F: Transition metals ion-catalyzed oxygen activation during pathogenic processes. *FEBS* 443 (1999) 1-7

- [78] Ho YS, Crapo JD: Nucleotide sequences of cDNAs coding for rat manganese-containing superoxid dismutase. *Nucleic Acids Res.* 15 (1987) 10070
- [79] Ho YS, Gargano M, Cao J, Bronson RT, Heimler I, Hutz RJ: Reduced fertility in female mice lacking copper-zink superoxide dismutase. *J Biol Chem* 273 (1998) 7765-9
- [80] Hoet PMH, Lewis CPL, Demedts M, Nemery B: Putresine and paraquat uptake in human lung slices and isolated type II pneumocytes. *Biochem Pharmacol* 48 (1994) 517-524
- [81] Hoet PMH, Demedts M, Nemery B: Effects of oxygen pressure and medium volume on the toxicity of paraquat in rat and human type II pneumocytes. *Human Exper Toxicol* 16 (1997) 305-10
- [82] Ishikawa T, Ohta Y, Takeda T, Shigeoka S, Nishikimi M: Increased cellular resistance to oxidative stress by expression of cyanobacterium catalase-peroxidase in animal cells. *FEBS* 426 (1998) 221-4
- [83] Jantsch B: Aufbau einer gekoppelten Reverse Transkription/Polymerase Kettenreaktion für den Nachweis der Boten-Ribonukleinsäure des "Multidrug-Resistance-Gens" *mdr1*. Dissertation Universität Leipzig (1998)
- [84] Ji LL: Antioxidants and oxidative Stress in Exercise. *PSEBM* 222 (1999) 283-92
- [85] Kelly IO, Lewis A, Peers C, Kemp PJ: O₂ Sensing by Airway Chemoreceptor-derived Cells. *The J of Biol Chem* 275 (2000) 7684-92
- [86] Kim EJ, Chung HJ, Suh B, Hah YC, Roe JH: Transcriptional and post-transcriptional regulation by nickel of *sodN* gene encoding nickel-containing superoxide dismutase from *Streptomyces coelicolor* Muller. *Mol Microbiol* 27 (1998) 187-95
- [87] Kitazawa Y, Matsubara M, Takeyama N, Tanaka T: The role of xanthine oxidase in paraquat intoxication. *Arch Biochem Biophys* 288 (1991) 220-4
- [88] Kneipil J: A short, simple method for the determination of paraquat in plasma. *Clin Chim Acta* 79 (1977) 387-90
- [89] Kono H, Rusyn I, Uesugi T, Yamashina S, Connor HD, Dikalowa A, Mason RP, Thurman RG: Diphenyleneiodonium sulfate, an NADPH oxidase inhibitor, prevents early alcohol-induced liver injury in the rat. *Am J Physiol* 280 (2001) G1005-12
- [90] Korbashi P, Kohen R, Katzhendler J, Chevion M: Iron mediates paraquat toxicity in *Escherichia coli*. *J Biol Chem* 261 (1986) 12472-6
- [91] Kullik I, Stevenson J, Toledano B, Storz G: Mutational analysis of the redox-sensitive transcriptional regulator OxyR: regions important for DNA binding and multimerization. *J Bacteriol* 177 (1995) 1285-91
- [92] Leikauf G, Driscoll K: Cellular Approaches in respiratory tract toxicology. In Gardner DE, Crapo JD, Mc Clellan RO: *Toxicology of the lung*. Raven Press, New York (1993) S.335-369
- [93] Liochev SI, Friedovich I: Lucigenin as a mediator of superoxide anion production. *Arch Biochem Biophys* 337 (1997) 115-20

- [94] Liochev SI, Friedovich I: Lucigenin luminescence as a measure of intracellular superoxide dismutase activity in *Escherichia coli*. *Biochemistry* 94 (1997) 2891-6
- [95] Lowry OH, Rosebrough NJ, Farr AL, Randall RJ: Protein measurement with Folin phenol reagent. *J Biol Chem* 193 (1951) 265-75
- [96] Mahmutoglu I, Scheulen ME, Kappus H: Oxygen radical formation and DNA damage due to enzymatic reduction of bleomycin-Fe(III). *Arch Toxicol* 60 (1987) 150-3
- [97] Margolis AS, Porasuphatana S, Rosen GM: Role of paraquat in the uncoupling of nitric oxide synthase. *Biochim Biophys Acta* 1524 (2000) 253-7
- [98] Marklund S, Beckmann G, Stigbrand T: A comparison between the common type and a rare genetic variant of human copper-zinc superoxide dismutase. *Eur J Biochem* 65 (1976) 415-22
- [99] Marklund SL, Westman NG, Lundgren E, Roos G: Copper- and zinc-containing superoxide dismutase, manganese-containing superoxide dismutase, catalase, and glutathione peroxidase in normal and neoplastic human cell lines and normal human tissues. *Cancer Res* 42 (1982) 1955-61
- [100] Martin LD, Rochelle LG, Fischer BM, Krunkosky TM, Adler KB: Airway epithelium as an effector of inflammation: molecular regulation of secondary mediators. *Eur Respir J* 10 (1997) 2139-46
- [101] Mason : Identification of rat alveolar type II epithelial cell with a tannic acid and polychrome stain. *Am Rev Respir Dis* 131 (1985) 786-788,
- [102] Minakata K, Suzuki O, Asano M: Rapid quantitative analysis of paraquat by electron spin resonance spectroscopy. *For Sci Int* 37 (1988) 215-222
- [103] Mossman BT, Surinrut P, Brinton BT, Marsh JP, Heintz NH, Lindau-Shepard B, Shaffer JB: Transfection of a manganese-containing superoxide dismutase gene into hamster tracheal epithelial cells ameliorates asbestos-mediated cytotoxicity. *Free Radic Biol Med* 21 (1996) 125-31
- [104] Murata M, Kawanishi S: Oxidative DNA damage by vitamin A and its derivative via superoxide generation. *J Biol Chem* 275 (2000) 2003-8
- [105] Nicotera P, Zhivotovsky B, Orrenius S: Nuclear calcium transport and the role of calcium in apoptosis. *Cell Calcium* 16 (1994) 279-88
- [106] Ohyashiki T, Nunomura M: A marked stimulation of Fe³⁺-dependent lipid peroxidation in phospholipid liposomes under acidic conditions. *Biochim Biophys Acta* 1484 (2000) 241-50
- [107] Piatarinen-Runtti, Raivio KO, Saksela MS, Asikainen TM, Kinnula VL: Antioxidant enzyme regulation and resistance to oxidants of human bronchial epithelial cells cultured under hyperoxic conditions. *Am J Respir Cell Mol Biol* 19 (1998) 286-92
- [108] Piatarinen-Runtti, Lakari E, Raivio KO, Kinnula VL: Expression of antioxidant enzymes in human inflammatory cells. *Am J Physiol Cell Physiol* 278 (2000) C118-25
- [109] Phalen RF, Yeh HC, Prasad SB: Morphology of the respiratory tract. In: *Inhalation toxicology* (1989) S. 129-49

- [110] Poli G, Parola M: Oxidative damage and fibrogenesis. *Free Radic Biol Med* 22 (1997) 287-305
- [111] Quan F, Korneluk RG, Tropak MB, Graval RA: Isolation and characterization of the human catalase gen. *Nucleic Acids Res* 14 (1986) 5321-35
- [112] Quinlan TR, Marsh JP, Janssen YM, Borm PA, Mossman BT: Oxygen radicals and asbestos-mediated disease. *Environ Health Perspect* 102 (1994) 107-10
- [113] Raff T, van der Giet M, Endemann D, Wiederholt T, Paul M: Design and testing of beta-actin primers for RT-PCR that do not co-amplify processed pseudogenes. *Biotechniques*. 23 (1997) 456-60
- [114] Reaume AG, Elliott JL, Hoffmann EK, Kowall NW, Ferrante RJ, Siwwek DF, Wilcox HM, Flood DG, Beal MF, Brown RH, Scott RW, Snider WD: Motor neurons in Cu/Zn superoxide dismutase-deficient mice develop normally but exhibit enhanced cell death after axonal injury. *Nat Genet* 13 (1996) 43-7
- [115] Remacle J, Raes M, Toussaint O, Renand P, Rao G: Low levels of reactive oxygen species as modulators of cell function. *Mutat Res* 316 (1995) 103-122
- [116] Rembish SJ, Trush MA: Further Evidence that Lucigenin-derived Chemoluminescence Monitors Mitochondrial Superoxide Generation in Rat Alveolar Macrophages. *Free Radic Biol Med* 17 (1994) 117-26
- [117] Reveillaud I, Kongpachith A, Park R, Fleming JE: Stress resistance of *Drosophila* transgenic for bovine CuZn superoxide dismutase. *Free Radic Res Commun* 17 (1992) 73-85
- [118] Richards RJ, Davies N, Atkins J, Oreffo VI: Isolation, biochemical characterisation, and culture of lung type II cells of the rat. *Lung* 165 (1987) 143-58
- [119] Richmond R, Halliwell B: Formation of hydroxyl radicals from the paraquat radical cation, demonstrated by a highly specific gas chromatographic technique. The role of superoxide radical anion, hydrogen peroxide, and glutathione reductase. *J Inorg Biochem* 17 (1982) 95-107
- [120] Richter C: Reactive oxygen and nitrogen species regulate mitochondrial Ca^{2+} homeostasis and respiration. *Biosci Rep* 17 (1997) 53-66
- [121] Robinson PC, Voelker DR, Mason RJ: Isolation and culture of human alveolar type II epithel cells. *Am Rev Respir Dis* 130 (1984) 1156-60
- [122] Röhrdanz E, Kahl R: Alteration of antioxidative enzyme expression in response to hydrogen peroxide. *Free Radic Biol Med* (1998) 24 27-38
- [123] Röhrdanz E, Obertriffter B, Ohler S, Tran-Thi QH, Kahl R: Influence of adriamycin and paraquat on antioxidative enzyme expression in primary rat hepatocytes. *Arch Toxicol* 74 (2000) 231-37
- [124] Sakai M, Yamagami K, Kitazawa Y, Takeyama N, Tanaka T: Xanthine oxidase mediates paraquat-induced toxicity on cultured endothelial cell. *Pharmacol Toxicol* 77 (1995) 36-40
- [125] Sambrook J, Fritsch BF, Maniatis T: *Molecular cloning. A laboratoric manual*. 2 Ed. New York: Cold Spring Harbor, Laboratory Press, (1989)

- [126] Sancar A: DNA excision repair. *Annu Rev Biochem* 65 (1996) 43-81
- [127] Sanders SA, Elisenthal R, Harrison R: NADH oxidase activity of human xanthine oxidoreductase-generation of superoxide anion. *Eur J Biochem* 245 (1997) 541-8
- [128] Sato M, Sasaki M, Hojo H: Antioxidative roles of metallothionein and manganese superoxide dismutase induced by tumor necrosis factor-alpha and interleukin-6. *Arch Biochem Biophys* 316 (1995) 738-44
- [129] Schraufstatter IU, Hyslop PA, Hinshaw DB, Spragg RG, Skar LA, Cochrane CG: Hydrogen peroxide-induced injury of cells and its prevention by inhibitors of poly (ADP-ribose) polymerase. *Proc Natl Acad Sci USA* 83 (1986) 4908-12
- [130] Simon RH, Edwards JA, Reza MM, Kunkel RG: Injury of rat pulmonary alveolar epithelial cells by H_2O_2 : dependence on phenotype and catalase. *Am. J. Physiol.* 260 (1991) L318-35
- [131] Sekido Y, Fong KM, Minna JD: Progress in understanding the molecular pathogenesis of human lung cancer. *Biochem Biophys Acta* 1378 (1998) F21-F59
- [132] Shull S, Heintz NH, Periasamy M, Manohar M, Janssen YM, Marsh JP, Mossman BT: Differential regulation of antioxidant enzymes in response to oxidants. *J Biol Chem* 266 (1991) 24398-403
- [133] Sion A, Samuni A, Chevion M: Mechanistic aspects of paraquat toxicity in *E. coli*. *Biochem Pharmacol* 38 (1989) 3903-7
- [134] Slot JW, Geuze HJ, Freemann BA, Crapo JD: Intracellular localization of the copper-zinc and manganese superoxide dismutase in rat liver parenchymal cells. *Lab Invest* 55 (1986) 363-71
- [135] Smith LL: The response of the lung to foreign compounds that produce free radicals. *Annu Rev Physiol* 48 (1986) 681-92
- [136] Sonntag C von: New aspects in the free-radical chemistry of pyrimidine nucleobases. *Free Radic Res Commun* 2 (1987) 217-24
- [137] Southern EM: Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol* 98 (1975) 503-17
- [138] Spencer JP, Jenner A, Chimel K, Aruoma OI, Cross CE, Wu R, Halliwell B: DNA damage in human respiratory tract epithelial cells: damage by gas phase cigarette smoke apparently involves attack by reactive nitrogen species in addition to oxygen radicals. *FEBS Lett* 375 (1995) 179-82
- [139] Stevens TM, Boswell GA, Adler R, Ackerman NR, Kerr JS: Induction of antioxidant enzyme activities by a phenylurea derivative, EDU. *Toxicol Appl Pharmacol* 96 (1988) 33-42
- [140] Streb P, Shang W, Feierabend J, Bligny R: Divergent strategies of photoprotection in high-mountain plants. *Planta* 207 (1998) 313-324
- [141] Synday ME, Willet CG, Grahman SA, Oreffo VI, Linnoila RI, Witsch M: Histochemical characterization of non-neuroendocrine tumor and neuroendocrine cell hyperplasia induced in hamster lung by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone with or without hyperoxia. *Am J Pathol* 147 (1995) 740-52

- [142] Tate DJ, Miceli MV, Newsome DA: Phagocytosis and H_2O_2 induce catalase and metallothionein gene expression in human retinal pigment epithelial cells. *Invest Ophthalmol Vis Sci*: 36 (1995) 1271-9
- [143] Tawara T, Fukishima T, Hojo N, Isobe A, Shiwaku K, Setogawa T, Yamane Y: Effects of paraquat on mitochondrial electron transport system and catecholamine contents in rat brain. *Arch Toxicol* 70 (1990) 585-89
- [144] Thorneley RN: A convenient electrochemical preparation of reduced methyl viologen and kinetic study of the reaction with oxygen using an anaerobic stopped-flow apparatus. *Biochim Biophys Acta* 333 (1974) 487-96
- [145] Tomita M: Comparison of one-electron reduction activity against the bipyridylum herbicides, paraquat and diquat, in microsomal and mitochondrial fractions of liver, lung and kidney. *Biochem Pharmacol* 42 (1991) 303-9
- [146] Tomita M, Okuyama T: Effect of paraquat on the malondialdehyd level in rat liver microsomes (in vitro). *Arch Toxicol* 68 (1994) 187-92
- [147] Trush MA, Mimnaugh EG, Ginsburg E, Gram TE: In vitro stimulation by paraquat of reactive oxygen-mediated lipid peroxidation in rat lung microsomes. *Toxicol Appl Pharmacol* 60 (1981) 279-86
- [148] Trush MA, Mimnaugh EG, Ginsburg E, Gram TE: Studies on the interaction of bleomycin A2 with rat lung microsomes. II. Involvement of adventitious iron and reactive oxygen in bleomycin-mediated DNA chain breakage. *J Pharmacol Exper Toxicol* 221 (1982) 159-165
- [149] Trush MA, Kensler TW: An overview of the relationship between oxidative stress and chemical carcinogenesis. *Free Radic Biol Med* 10 (1991) 201-9
- [150] Visner GA, Dougall WC, Wilson JM, Burr IA, Nick HS: Regulation of manganese superoxide dismutase by lipopolydaccaride, interleukin-1, and tumor necrosis factor. Role in the acute inflammatory response. *J Biol Chem* 265 (1990) 2856-64
- [151] Wagner BA, Buettner GR, Burns CP: Free radical-mediated lipid peroxidation in cells: oxidizability is a function of cell lipid bis-allylic hydrogen content. *Biochemistry* 33 (1994) 4449-53
- [152] Wan XS, Devalaraja MN, St Clair DK: Molekular structure and organisation of the human manganese superoxide dismutase gene. *DNA Cell Biol* 13 (1994) 1127-36
- [153] Winterbourn C: Production of hydroxyl radicals from paraquat radicals and H_2O_2 . *FEBS Letters* 128 (1981) 339-42
- [154] Winterbourn C, Sutton H: Hydroxyl radical production from hydrogen peroxide and enzymatically generated paraquat radicals: catalytic requirements and oxygen dependence. *Arch Biochem Biophys* 235 (1984) 116-26
- [155] Wispe JR, Warner BB, Clark JC, Dey CR, Neuman J, Glasser SW, Crapo JD, Chang LY, Whitsett JA: Human Mn-superoxide dismutase in pulmonary epithelial cells of transgenic mice confers protection from oxygen injury. *J Biol Chem* 267 (1992) 23937-41

- [156] Witschi HP: Proliferation of Type II Alveolar Cells. A Review of Common Responses in Toxic Lung Injury. *Toxicology* 5 (1976) 267-277
- [157] Wong GH, Goeddel DV: Induction of manganous superoxide dismutase by tumor necrosis factor: possible protective mechanism. *Science* 242 (1988) 941-4
- [158] Yabe Y, Nishikawa M, Tamada A, Takakura Y, Hashida M: Targeted delivery and improved therapeutic potential of catalase by chemical modification: Combination with superoxide dismutase derivatives. *J Pharmacol Exper Ther* 289 (1999) 1176-1184
- [159] Yang G, Wang ZY, Kim S, Liao J, Seril DN, Chen X, Smith TJ, Yang Y: Characterisation of early pulmonary hyperproliferation and tumor progression and their inhibition by black tea in a 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-induced lung tumorigenesis model with A/J mice. *Cancer Res* 15 (199) 1889-94
- [160] Yamamoto H, Hirose K, Hayasaki Y, Masuda M, Kazusaka A, Fujita S: Mechanism of enhanced lipid peroxidation in the liver of Long-Evans cinnamon (LEC) rats. *Arch Toxicol* 73 (1999) 457-464
- [161] Yamazaki I, Piette LH, Grover TA: Kinetic studies on spin trapping of superoxide and hydroxyl radicals generated in NADPH-cytochrome P-450 reductase-paraquat systems. *J Biol Chem* 265 (1990) 652-9
- [162] Yoo HY, Chang MS, Rho HM: The activation of the rat copper/zinc superoxide dismutase gene by hydrogen peroxide through the hydrogen-responsive element and by paraquat and heat shock through the same heat shock element. *J Biol Chem* 274 (1999) 23887-92
- [163] Youngman R, Elstner EF: Oxygen species in paraquat toxicity: The crypto-OH radical. *FEBS Letters* 129 (1981) 265-8
- [164] Zang LY, van Kuijk FJGM, Misra HP: EPR studies of spin-trapped free radicals in paraquat-treated lung microsomes. *Biochem Mol Biol internat* 370 (1995) 255-262