

Literaturverzeichnis

1. Abdelmouttaleb I, Danchin N, Ilardo C et al.: C-reactives protein and coronary artery disease: additional evidence of the implication of an inflammatory process in acute coronary syndromes. *Am Heart J* 137 (1999) 346-351
2. Alexandrova NA, Gibson WC, Norris JW, Raggison R.: Carotid artery stenosis in peripheral arterial disease. *J Vasc Surg* 23 (1996) 645-649
3. Aloysio D, Gambacciani M, Meschia M, Pansini F, Modena AB.: The effect of menopause on blood lipid and lipoprotein levels. *Atherosclerosis* 147 (1999) 147-153
4. Aronow WS, Ahn C.: Prevalence of coexistence of coronary artery disease, peripheral arterial disease and atherothrombotic brain infarction in men and women older than 62 years. *Am J Cardiol* 74 (1994), 64 - 65
5. Balas P. et al. *International Angiology* 19 (2000), suppl.1 to issue No 1,19
6. Baron YM, Galea R, Bricat M.: Carotid artery wall changes in estrogen-treated and-untreated postmenopausal women. *Obstet Gynecol* 91 (1989) 982-986
7. Bhakdi S, Dorweiler B, Kirchmann R , Torzewski J, Weise E, Tranum- Jensen J, Walev I, Wieland E.: On the pathogenesis of atherosclerosis: enzymatic transformation of human low density lipoprotein to an atherogenic moiety. *J Exp med* 182 (1995) 1959-1971
8. Bösing N, Hort W.: Lokalisation und Ausdehnung der Arteriosklerose; *Kardiologie* 90 (2001) 327-338
9. Boushey CJ, Beresford SAA, Omen GS, et al.: A quantitative assessment of plasma homocysteine as a risk factor for vascular disease. *JAMA* 274 (1995), 1049-1057.
10. Carmargo CA, Stampfer MJ, Glynn RJ, Gaziano JM, Manson JE, Goldhaber SZ, et al.: Prospective study of moderate alcohol consumption and risk of peripheral arterial disease in US male physicians. *Circulation* 95 (1997) 577-580
11. Cheng SW, Wu HL, Ting CW, Lau H, Wong J.: Screening for asymptomatic carotid stenosis in patients with peripheral vascular disease: a prospective study and risk factor analysis: *Cardiovasc Surg* 3 (1999) 303-309
12. Cole CW, Hill GB, Farzad E et al.: Cigarette smoking and peripheral arterial occlusive disease. *Surgery* 114 (1993) 753-56
13. Craven TE, Ryu JE, Espeland MA, Kahl FR, Mc Kinney WM: Evaluation of associations between carotid artery atherosclerosis and coronary artery stenosis. A case control study. *Circulation* 82 (1990) 1230-1240

14. Cremer P, Nagel D, Mann H, Labrot B, Müller- Berniger R, Elster H, Seidel D: Ten-year follow-up results from the Goettingen risk, incidence and prevalence study (GRIPS). I. Risk factors for myocardial infarction in a cohort of 5790 men. *Atherosclerosis* 129 (1997) 221-230
15. Criqui MH. : Peripheral arterial disease- epidemiological aspects. *Vasc. Med.*6 (2001), suppl 1, 3-7
16. Da Silva A, Widmer LK, Ziegler HW, Nissen C, Schweiger W.: The Basle longitudinal study; report on the relation of initial glucose level to baseline ECG abnormalities, peripheral artery disease, and subsequent mortality. *J Chron Dis* 32 (1979) 797- 803
17. De Backer IG, Kornitzer M, Sobolski J, Denolin H.: Intermittent claudication: Epidemiology and natural history. *Acuta Cardiol* 34 (1979) 115-124
18. Dobs AS, Nieto FJ, Szklo M, Barnes R, Sharrett AR.: Risk factors for popliteal and carotid wall thickness in the atherosclerosis risk in communities (ARIC) study. *Am J Epidemiol* 150 (1999) 1055-1067
19. Dormandy J, Mahir M, Ascady G et al.: Fate of the patient with chronic leg ischaemia. A review article. *J Cardiovasc Surg* 30 (1989) 50-57
20. Dormandy JA.: Epidemiology and natural history of arterial diseases of the lower limbs. *Rev Praticien* 45 (1995) 32-45
21. Ernst E.: Plasma fibrinogen- an independent cardiovascular risk factor. *J Intern Med* 227 (1990) 365
22. Fowkes FGR, Housley E, Cawood EHH, et al. Edinburgh Artery Study: Prevalence of asymptomatic and symptomatic peripheral arterial disease in the general population. *Int J Epidemiol* 20 (1991) 384- 392
23. Fowkes GR , Housley E et al.: Smoking, lipids , glucose intolerance and blood pressure. *Am J Epidemiol* 135 (1991) 331-340
24. Fuster V, Badimon L, Badimon JJ, Chesebro JH.: The pathogenesis of coronary artery disease and the acute coronary syndromes. *N Engl J Med* 326 (1992) 310-318
25. Hahmann HW, Schätzer- Klotz D, Bunte T, Becker D.: The significance of high levels of lipoprotein (a) compared with established risk factors in premature coronary artery disease: differences between men and women. *Atherosclerosis* 144 (1999) 221-228
26. Haltmayer M, T. Mueller.: Impact of atherosclerotic risk factors on the anatomical distribution of peripheral arterial disease. *Inter Angio* 9 (2001) 200-206
27. Hertzner N, Beven EG, Young JR: Coronary artery disease in peripheral vascular patients. *Ann Surg* 199 (1984) 223-233
28. Hertzner NR.: The natural history of peripheral vascular disease: Implications for its management. *Circulation* 83 (1999) 12-19

29. Housley E, Leng GC, Donnan PT, Fowkes FGR. : Physical activity and risk of peripheral artery disease in the general population: Edinburg Artery Study. *J Epidemiol Commun Health* 47 (1993) 475- 480
30. Hughson WG, Mann JI, Garrod A.: intermittent claudication: prevalence and risk factors. *J Br Med* 1 (1978) 1379-1383
31. Isomaa B et al.: Cardiovascular morbidity and mortality associated with the metabolic syndrome. *Diabetes Care* 24 (2001) 683-689
32. Iuliano G, Di Dominico G, Dello Iorio G: Ischemic cardiopathy and other heart diseases: differences in carotid atheromas examined by duplex scanner. *Acuta Neurol* 15 (1993) 194-199
33. Jaeger B, Seidel D.: Hyperlipoproteinämie und LDL- Apherese, Klinische Erfahrungen mit dem H.E.L.P.- System, *Herz* 26 (2001), 531-542
34. Kannel WB, Skinner JJ, Schwartz MJ, Shurtleff, D: Intermittent claudication: Incidence in the Framingham study. *Circulation* 41 (1970) 875-883
35. Kannel WB, Wolf PA, Castelli WB, de Agostino RB: Fibrinogen and risk of cardiovascular disease: the Framingham Study. *J Am Med Assoc* 258 (1987) 1183-1186
36. Kannel WB, D Agostino RB, Belanger AJ: Update on fibrinogen as a cardiovascular risk factor. *Ann Epidemiol* 2 (1992) 457-466
37. Kannel WB, MCGee DL.: Update on some epidemiological features of intermittent claudication. *J Am Geriatr Soc* 33 (1985) 13-18
38. Klop RBJ, Eikelboom BC, Taks ACJM.: Screening of the internal carotid arteries in patients with peripheral vascular disease by colour-flow duplex scanning. *Eur J Vasc Surg* 5 (1991) 41-45
39. Koenig W, Sund M, Frohlich M et al.: C- reactive protein, a sensitive marker of inflammation, predicts future risk of coronary heart disease in initially healthy middle-aged men: results from the Monica Augsburg Cohort Study, 1984 to 1992. *Circulation* 99 (1999) 237-42
40. Kröger K, C. Buss.: Segmental manifestation of peripheral atherosclerosis and the association to risk factors. *Vasa* 29 (2000) 199-203
41. Labarrere CA.: Relationship of fibrin deposition in microvasculature to outcomes in cardiac transplantation. *Curr Opin cardiol* 14 (1999) 133-139
42. Malone JM, Moore WS, Goldstone: Life expectancy following aortofemoral arterial grafting. *Surgery* 81 (1977) 551-555
43. Meade TW, Ruddock V, Sterling Y, Chakrabati R, Miller GJ.: Fibrinolytic activity, clotting factors, and long- term- incidence of ischaemic heart disease in the Northwick Park Heart Study. *Lancet* 342 (1993) 1076-9

44. Missouriis CG, Buckenham T, Cappuccio FP.: Renal artery stenosis. A Common and important problem in patients with peripheral vascular disease. *Am.J. Med.* 96 (1994) 10-14
45. Mueller T, Furtmueller B, Aigelsdorfer J, Luft C, Poelz W, Haltmayer M.: Total serum homocystein- a predictor of extracranial carotid artery stenosis in male patients with symptomatic peripheral arterial disease, *Vasc Med* 6 (2001) 163-167
46. Murabito JM, D Agostino RB, Silbershatz H, Wilson WF: Intermittent claudication: a risk profile from the Framingham Heart Study. *Circulation* 96 (1997) 44-49
47. Reaven GM. Banting Lecture: Role of insulin resistance in human disease. *Diabetes* 37 (1988) 1595-1607
48. Ridker PM, Nader R, Clearfield M, Downs JR, Weis SE, Miles JS, Gotto AM Jr.: For the Air Force / Texas Coronary Atherosclerosis Prevention Study Investigators. Measurement of C- reactive protein for the targeting of statin therapy in the primary prevention of acute coronary events. *N Engl J Med* 344 (2001) 1959-1965
49. Sanguigni V, Gallu M, Strano A.: Incidence of carotid artery atherosclerosis in patients with coronary artery disease. *Angiology* 44 (1993) 34-38
50. Szilagyi DE, Hageman JH, Smith RF.: Autogenous vein grafting in femoropopliteal atherosclerosis. *Surgery* 86 (1979) 836-851
51. Von Kemp K, van den Brande P, Peterson T: Screening for concomitant disease in peripheral vascular patients. *Int Angiol* 16 (1997) 14-122
52. Weiss N, Pietrzik K, Keller C.: Atheroskleroserisikofaktor Hyperhomozysteinämie: Ursachen und Konsequenzen, *DMW* 124 (1999) 1107-1113
53. Widmer LK, Da Silva A.: Periphere arterielle Verschlusskrankheit. Aus: Periphere arterielle Verschlusskrankheit, Frühdiagnose, Häufigkeit, Verlauf, Bedeutung. Huber Bern 1979, 22-23
54. Widmer LK, Da Silva A.: Historical perspectives and the Basle study. *Epidemiology of Peripheral Vascular Disease* (1991) 69-83
55. Yano K, Grove JS, Chen R, Rodriguez BL, Curb JD.: Plasma fibrinogen as a predictor of total and cause- specific mortality in elderly Japanese- American men. *Arterioscl Thromb Vasc Biol* 21 (2001) 1065-1070