

References

- Adams MD, Dubnick M, Kerlavage AR, Moreno R, Kelley JM, Utterback TR, Nagle JW, Fields C, Venter JC** (1992) Sequence identification of 2,375 human brain genes. *Nature* **355**: 632-634.
- Adams S, Vinkenoog R, Spielman M, Dickinson HG, Scott RJ** (2000) Parent-of-origin effects on seed development in *Arabidopsis thaliana* require DNA methylation. *Development* **127**: 2493-2502.
- Ahn S, Tanksley SD** (1993) Comparative linkage maps of the rice and maize genomes. *Proc Natl Acad Sci USA* **90**: 7980-7984.
- Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ** (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**: 3389-3402.
- Avsian-Kretchmer O, Eshdat Y, Gueta-Dahan Y, Ben-Hayyim G** (1999) Regulation of stress-induced phospholipid hydroperoxide glutathione peroxidase expression in citrus. *Planta* **209**: 469-477.
- Bairoch A, Apweiler R** (2000) The SWISS-PROT protein sequence database and its supplement TrEMBL in 2000. *Nucleic Acids Res* **28**: 45-48.
- Bateman A, Birney E, Cerruti L, Durbin R, Etwiller L, Eddy SR, Griffiths-Jones S, Howe KL, Marshall M, Sonnhammer ELL** (2002) The Pfam Protein Families Database *Nucleic Acids Res* **30**: 276-280.
- Beeor-Tzahar T, Ben-Hayyim G, Holland D, Faltin Z, Eshdat Y** (1995) A stress-associated citrus protein is a distinct plant phospholipid hydroperoxide glutathione peroxidase. *FEBS letters* **366**: 151-155.
- Ben-Hayyim G, Faltin Z, Gepstein S, Camoin L, Strosberg AD, Eshdat Y** (1993) Isolation and characterisation of salt-associated protein in citrus. *Plant Sci* **88**:129-140.
- Bhave MR, Lawrence S, Barton C, Hannah LC** (1990) Identification and molecular characterization of *Shrunken-2* cDNA clones of maize. *Plant Cell* **2**: 581-588.
- Boguski MS, Schuler GD** (1995) Establishing a human transcript map. *Nat Genet* **10**: 369-371.
- Bohnert HJ, Jensen RG** (1996) Metabolic engineering for increased salt tolerance. The next step. *Aust J Plant Physiol* **23**: 661-667.
- Bohnert HJ, Ayoubi P, Borchert C, Bressan RA, Burnap RL, Cushman JC, Cushman MA, Deyholos M, Fischer R, Galbraith DW, Hasegawa PM, Jenks M, Kawasaki S, Koiwa H, Kore-eda S, Lee BH, Michalowski CB, Misawa E, Nomura M, Ozturk N, Postier B, Prade R, Song CP, Tanaka Y, Wang H, Zhu JKA** (2001) Genomics approach towards salt stress tolerance. *Plant Physiol Biochem* **39**: 295-311.

- Boyer JS** (1982) Plant productivity and environment. *Science* **218**: 443-448.
- Borisjuk L, Walenta S, Rolletschek H, Mueller-Klieser W, Wobus U, Weber H** (2002a) Spatial analysis of plant metabolism: Sucrose imaging within *Vicia faba* cotyledons reveals specific developmental patterns. *Plant J* **29**: 521-530.
- Borisjuk L, Wang TL, Rolletschek H, Wobus U, Weber H** (2002b) A pea seed mutant affected in the differentiation of the embryonic epidermis is impaired in embryo growth and seed maturation. *Development* **129**: 1595-1607.
- Bosnes M, Weideman F, Olsen OA** (1992) Endosperm differentiation in barley wild-type and sex mutants. *Plant J* **2**: 661-674.
- Bowman JL, Smyth DR** (1999) CRABS CLAW, a gene that regulates carpel and nectary development in *Arabidopsis*, encodes a novel protein with zinc finger and helix-loop-helix domains. *Development* **126**: 2387-2396.
- Bradford MN** (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* **72**: 248-254.
- Brown RC, Lemon BE, Olsen OA** (1994) Endosperm development in barley: microtubule involvement in the morphogenetic pathway. *Plant Cell* **6**: 1241-1252.
- Bueno P, Piqueras A, Kurepa J, Savoure A, Verbruggen N, Van Montagu M, Inzé D** (1998) Expression of antioxidant enzymes in response to abscisic acid and high osmoticum in tobacco BY-2 cell cultures. *Plant Sci* **138**: 27-34.
- Chao S, Sharp PJ, Gale MD** (1988) A linkage map of wheat homeologous group 7 chromosomes using RFLP markers. In: Miller TE, Koebner RMD (eds) Proc 7th Int Wheat Genet Symp. Bath, UK, 493-498.
- Chaudhury AM, Ming L, Miller C, Craig S, Dennis ES, Peacock WJ** (1997) Fertilization-independent seed development in *Arabidopsis thaliana*. *Proc Natl Acad Sci USA* **94**: 4223-4228.
- Cheng W, Taliencio EW, Chourey PS** (1996) The *Miniature1* seed locus of maize encodes a cell wall invertase required for normal development of endosperm and maternal cells in the pedicel. *Plant Cell* **8**: 971-983.
- Christoffels A, Miller R, Hide W** (1999) STACK_PACK and STACK (Sequence Tag Alignment and Consensus Knowledgebase): A novel, comprehensive, hierarchical EST clustering and consensus generation and analysis system providing unique insight into the human genome. *American J Human Genet* **65**: 477.
- Chourey PS, Nelson OE** (1976) The enzymatic deficiency conditioned by the *shrunk-1* mutations in maize. *Biochem Genet* **14**: 1041-1055.
- Chu FF, Doroshov JH, Esworthy RS** (1993) Expression, characterization and tissue distribution of a new cellular selenium-dependent glutathione peroxidase, GSHPx-GI. *J Biol Chem* **268**: 2571-2576.

- Churin Y, Schilling S, Börner T** (1999) A gene family encoding glutathione peroxidase homologues in *Hordeum Vulgare* (barley). *FEBS letters* **459**: 33-38.
- Church GM, Gilbert W** (1984) Genomic sequencing. *Proc Natl Acad Sci USA* **81**: 1991-1995.
- Cowan AK, Cripps RF, Richings EW, Taylor NJ** (2001) Fruit size: Towards an understanding of the metabolic control of fruit growth using avocado as a model system. *Physiol Plant* **111**: 127-136.
- Cramer GR, Alberico GJ, Schmidt C** (1994) Salt tolerance is not associated with the sodium accumulation of two maize hybrids. *Aust J Plant Physiol* **21**: 675-692.
- Criqui M.C, Jamet E, Parmentier Y, Marbach J, Durr A, Fleck J** (1992) Isolation and characterization of plant cDNA showing homology to animal glutathione peroxidases. *Plant Mol Biol* **18**: 623-627.
- Cummins I, Cole DJ, Edwards R** (1999) A role for glutathione transferases functioning as glutathione peroxidases in resistance to multiple herbicides in black-grass. *Plant J* **18**: 285-292.
- Cushman JC, Bohnert HJ** (2000) Genomic approaches to plant stress tolerance. *Curr Opin Plant Biol* **3**: 117-124.
- Del Río LA, Sevilla F, Scandalio LM, Palma JM** (1991) Nutritional effect and expression of superoxide dismutases: Induction and gene expression diagnostics, prospective protection against oxygen toxicity. *Free Radical Res Commun* **12-13**: 819-828.
- Depège N, Drevet J, Boyer N** (1998) Molecular cloning and characterization of tomato cDNAs encoding glutathione peroxidase-like proteins. *European J Biochem* **253**: 445-451.
- Depège N, Varenne M, Boyer N** (2000) Induction of oxidative stress and GPX-like protein activation in tomato plants after mechanical stimulation. *Physiol Plant* **110**: 209-214.
- Desikan R, Mackerness SAH, Hancock JT, Neill SJ** (2001) Regulation of the *Arabidopsis* transcriptome by oxidative stress. *Plant Physiol* **127**: 159-172.
- Dionisio-Sese ML, Tobita S** (1998) Antioxidant responses of rice seedlings to salinity stress. *Plant Sci* **135**: 1-9.
- Disvik B, Jonassen I** (2001) J-Express: exploring gene expression data using Java. *Bioinformatics* **17**: 369-370.
- Djarot I, Peterson DM** (1991) Seed development in a shrunken endosperm barley mutant. *Ann Bot* **68**: 495-499.
- Doehlert DC, Felker FC** (1987) Characterization and distribution of invertase activity in developing maize (*zea mays*) kernels. *Physiol Plant* **70**: 51-57.

- Doehlert DC** (1990) Distribution of enzyme-activities within the developing maize (*zea mays*) kernel in relation to starch, oil and protein accumulation. *Physiol Plant* **78**: 560-567.
- Doehlert DC, Kuo TM** (1990) Sugar metabolism in developing kernels of starch-deficient endosperm mutants of maize. *Plant Physiol* **92**: 990-994.
- Eckermann C, Eichel J, Schroder J** (2000) Plant methionine synthase: New insights into properties and expression. *Biol Chem* **381**: 695-703.
- Eichel J, Gonzalez JC, Hotze M, Matthews RG, Schroder J** (1995) Vitamin-B-12-independent methionine synthase from a higher-plant (*Catharanthus roseus*) – Molecular characterization, regulation, heterologous expression and enzyme properties. *European J Biochem* **230**: 1053-1058.
- Eisen MB, Spellman PT, Brown PO, Botstein D** (1998) Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci USA* **95**: 14863-14868.
- Eshdat Y, Holland D, Faltin Z, Ben-Hayyim G** (1997) Plant glutathione peroxidases. *Physiol Plant* **100**: 234-240.
- Felker FC, Peterson DM, Nelson OE** (1985) Anatomy of immature grains of eight maternal effect shrunken endosperm barley mutants. *American J Bot* **72**: 248-256.
- Falquet L, Pagni M, Bucher P, Hulo N, Sigrist CJA, Hofmann K, Bairoch A** (2002) The PROSITE database, its status in 2002. *Nucleic Acids Res* **30**: 235-238.
- Flohé L, Günzler WA** (1984) Assays of glutathione peroxidase. *Methods Enzym* **105**: 114-121.
- Foyer CH, Descourvieres P, Kunert KJ** (1994) Protection against oxygen radicals: an important defence mechanism studied in transgenic plants. *Plant Cell Environ* **17**: 507-523.
- Girke T, Todd J, Ruska S, White J, Benning C, Ohlrogge J** (2000) Microarray analysis of developing *Arabidopsis* seeds. *Plant Physiol* **124**: 1570-1581.
- Gossett DG, Millhollon EP, Lucas MC** (1994) Antioxidant response to NaCl stress in salt-tolerant and salt-sensitive cultivars of cotton. *Crop Sci* **34**: 706-714.
- Goto S, Bono H, Ogata H, Fujibuchi T, Nishioka T, Sato K, Kanehisa M** (1997) *Proc Pacific Symp On Biocomputing World Scientific, Singapore*. 175-186.
- Grimes HD, Tranbarger TJ, Franceschi VR** (1993) Expression and accumulation patterns of nitrogen-responsive lipoxygenase in soybeans. *Plant Physiol* **103**: 457-466.
- Gueta-Dahan Y, Yaniv Z, Zilinskas BA, Ben-Hayyim G** (1997) Salt and oxidative stress: similar and specific responses and their relation to salt tolerance in citrus. *Planta* **203**: 460-469.

- Guerasimova A, Nyarsik L, Girnus I, Steinfath M, Wruck W, Griffiths H, Herwig R, Wierling CO, Brien J, Eickhoff H, Lehrach H, Radelof U** (2001) New tools for oligonucleotide fingerprinting. *Biotechniques* **31**: 490-495.
- Gupta PK, Roy JK Prasad M** (1999) DNA chips, microarrays and genomics. *Curr Sci* **77**: 875-884.
- Halliwell B, Gutteridge JMC** (1989) Free radicals in biology and medicine, London: Oxford University Press.
- Hannah LC, Nelson OE** (1976) Characterization of ADP-glucose pyrophosphorylase from *shrunk-2 and brittle-2* mutants of maize. *Biochem Genet* **14**: 547-560.
- Harrison CJ, Hedley CL, Wang TL** (1998) Evidence that the *rug3* locus of pea (*Pisum sativum* L.) encodes plastidial phosphoglucomutase confirms that the imported substrate for starch synthesis in pea amyloplasts is glucose-6-phosphate. *Plant J* **13**: 753-762.
- Hasegawa M, Bressan A, Zhu JK, Bohnert HJ** (2000) Plant cellular and molecular responses to high salinity. *Annu Rev Plant Physiol Plant Mol Biol* **51**: 463-499.
- Hattori T, Nakagawa S, Nakamura K** (1990) High-level expression of tuberous root storage protein genes of sweet potato in stems of plantlets grown *in vitro* on sucrose medium. *Plant Mol Biol* **14**: 595-604.
- Heath RL, Packer L** (1968) Photoperoxidation in isolated chloroplasts. 1. Kinetics and stoichiometry of fattyacid peroxidation. *Arch Biochem Biophys* **125**: 189-198.
- Heim U, Weber H, Bäumlein H, Wobus U** (1993) A sucrose-synthase gene of *Vicia faba* L: Expression pattern in developing seeds in relation to starch synthesis and metabolic regulation. *Planta* **191**: 394-401.
- Herbers K, Meuwly P, Frommer WB, Metraux JP, Sonnewald U** (1996) Systemic acquired resistance mediated by the ectopic expression of invertase: Possible hexose sensing in the secretory pathway. *Plant Cell* **8**: 793-803.
- Herbers K, Tacke E, Hazirezaei M, Krause KP, Melzer M, Rohde W, Sonnewald U** (1997) Expression of a luteoviral movement protein in transgenic plants leads to carbohydrate accumulation and reduced photosynthetic capacity in source leaves. *Plant J* **2**: 1045-1056.
- Hernandez JA, Corpas FJ, Gomez M, de Rio LA, Sevilla F** (1993) Salt-induced oxidative stress mediated by activated oxygen species in pea leaf mitochondria. *Physiol Plant* **89**: 103-110.
- Hernández JA, Jiménez A, Mullineaux P, Sevilla F** (2000) Tolerance of pea (*Pisum sativum* L.) to long-term salt stress is associated with induction of antioxidant defences. *Plant Cell Environ* **23**: 853-862.
- Herwig R, Aanstad P, Clark M, Lehrach H** (2001) Statistical evaluation of differential expression on cDNA nylon arrays with replicated experiments. *Nucleic Acids Res* **29**: 1-9.

- Hofestädt R, Scholz U** (1998) Information processing for the analysis of metabolic pathways and inborn errors. *Biosystems* **47**: 91-102.
- Holland D, Ben-Hayyim G, Faltin Z, Camoin L, Strosberg AD, Eshdat Y** (1993) Molecular characterisation of salt-stress-associated protein in citrus: protein and cDNA sequence homology to mammalian glutathione peroxidase. *Plant Mol Biol* **21**: 923-927.
- Houlgatte R, Mariage-Samson R, Duprat S, Tessier A, Bentolilal S, Lamy B, Aufray C** (1995) The genexpress index – A resource for gene discovery and the genic map of the human genome. *Genome Res* **5**: 272-304.
- Huang XQ, Madan A** (1999) CAP3: A DNA sequence assembly program. *Genome Res* **9**: 868-877.
- Jarvi AJ, Eslick RF** (1975) Shrunken endosperm mutants in barley. *Crop Sci* **15**: 363-366.
- Kawasaki S, Borchert C, Deyholos M, Wang H, Brazille S, Kawai K, Galbraith D, Bohnert HJ** (2001) Gene expression profiles during the initial phase of salt stress in rice. *Plant Cell* **13**: 889-905.
- Koch KE** (1996) Carbohydrate-modulated gene expression in plants. *Ann Rev Plant Physiol Plant Mol Biol* **47**: 509-540.
- Kohchi T, Fujisige K, Ohyama K** (1995) Construction of an equalized cDNA library from *Arabidopsis thaliana*. *Plant J* **8**: 771-776.
- Koßmann J, Visser RGF, Müller-Röber BT, Willmitzer L, Sonnewald U** (1991) Cloning and expression analysis of a potato cDNA that encodes branching enzyme: evidence for coexpression of starch biosynthetic genes. *Mol Gen Genet* **230**: 39-44.
- Laemmli UK** (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**: 680-685.
- Leprince O, Harren FJ, Buitink J, Alberda M, Hoekstra FA** (2000) Metabolic dysfunction and unabated respiration precede the loss of membrane integrity during dehydration of germinating radicles. *Plant Physiol* **122**: 597-608.
- Levine A, Tenhaken R, Dixon R, Lamb C** (1994) H₂O₂ from oxidative burst orchestrates the plant hypersensitive disease resistance response. *Cell* **79**: 583-593.
- Li W, Feng H, Fan J, Zhang R, Zhao N, Liu J** (2000) Molecular cloning and expression of a phospholipid hydroperoxide glutathione peroxidase homolog in *Oryza sativa*. *Biochim Biophys Acta* **1493**: 225-230.
- Lindorff-Larsen K, Winther JR** (2001) Surprisingly high stability of barley lipid transfer protein, LTP1, towards denaturant, heat and proteases. *FEBS letters* **488**: 145-148.
- Maheshwari P** (1950) An introduction to the embryology of angiosperms. McGraw-Hill, New York, NY.

- Maitz M, Santandrea G, Zhang Z, Lal S, Hannah C, Salamini F, Thompson RD** (2000) *rgf1*, a mutation reducing grain filling in maize through effects on basal endosperm and pedicel development. *Plant J* **23**: 29-42.
- McDonald AML, Stark JR, Morrison WR, Ellis RP** (1991) The composition of starch granules from developing barley genotypes. *J cereal sci* **13**: 93-112.
- Michal G** (1993) (Ed.), *Biochemical Pathways*. Boehringer Mannheim, Germany.
- Michalek W, Weschke W, Pleissner KP, Graner A** (2002) EST analysis in barley defines a unigene set comprising 4,000 genes. *Theor Appl Genet* **104**: 97-103.
- Miller ME, Chourey PS** (1992) The maize invertase-deficient *miniature-1* seed mutation is associated with aberrant pedicel and endosperm development. *Plant Cell* **4**: 297-305.
- Miller RT, Christoffels AG, Gopalakrishnan C, Burke J, Ptitsyn AA, Broveak TR, Hide WA** (1999) A comprehensive approach to clustering of expressed human gene sequence: The sequence tag alignment and consensus knowledge base. *Genome Res* **9**: 1143-1155.
- Mita S, Suzuki-Fujii K, Nakamura K** (1995) Sugar-inducible expression of a gene for β -amylase in *Arabidopsis thaliana*. *Plant Physiol* **107**: 895-904.
- Miyamoto Y** (2000) *Trends Glycosc Gly* **12**: 351-360.
- Murray DR** (1987) Nutritive role of seed coats in developing legume seeds. *American J Bot* **74**: 1122-1137.
- Müller-Röber BT, Koßmann J, Hannah LC, Willmitzer L, Sonnewald U** (1990) One of two different ADP-glucose pyrophosphorylase genes from potato responds strongly to elevated levels of sucrose. *Mol Gen Genet* **224**: 136-146.
- Mullineaux MP, Karpinski S, Jiménez A, Cleary SP, Robinson C, Creissen GP** (1998) Identification of cDNAs encoding plastid-targeted glutathione peroxidase. *Plant J* **13**: 375-379.
- Noctor G, Foyer C** (1998) Ascorbate and glutathione: keeping active oxygen under control. *Ann Rev Plant Physiol Plant Mol Biol* **49**: 249-279.
- Ohlrogge J, Benning C** (2000) Unraveling plant metabolism by EST analysis. *Curr Opin Plant Biol* **3**: 224-228.
- Ohto M, Hayashi K, Isobe M, Nakamura K** (1995) Involvement of Ca^{2+} - signalling in the sugar-inducible expression of genes coding for sporamin and β -amylase of sweet potato. *Plant J* **7**: 297-307.
- Olmos E, Hernandez JA, Sevilla F, Hellin E** (1994) Induction of several antioxidant enzymes in the selection of a salt-tolerant cell line of *Pisum sativum*. *J Plant Physiol* **144**: 594-598.
- Olsen OA, Potter RH, Kalla R** (1992) Histo-differentiation and molecular biology of developing cereal endosperm. *Seed Sci Res* **2**: 117-131.

- Paterson AH, Lin Y-R, Li Z, Schertz KF, Doebley JF, Pinson SRM, Liu S-C, Stansel JW, Irvine JE** (1995) Convergent domestication of cereal crops by independent mutations at corresponding genetic loci. *Science* **269**: 1714-1718.
- Patrick JW, Offler CE** (1995) Post-sieve element transport of sucrose in developing seeds. *Australian J Plant Physiol* **22**: 681-702.
- Patrick JW** (1997) Phloem unloading: Sieve element unloading and post-sieve element transport *Ann Rev Plant Physiol* **48**: 191-222.
- Patrick JW and Offler CE** (2001) Compartmentation of transport and transfer events in developing seeds. *J Exper Bot* **52**: 551-564.
- Pego JV, Smeekens SCM** (2000) Plant fructokinases: a sweet family get-together. *Trends Plant Sci* **5**: 531-536.
- Potokina E, Sreenivasulu N, Altschmied L, Michalek W, Graner A** (2002) Differential gene expression during seed germination in barley (*Horedum vulgare* L.) *Funct Integr Genomics* **2**: 28-39.
- Ramage RT, Crandall CR** (1981) Shrunken endosperm mutant *seg8*. *Barley Genet Newslett* **11**: 34.
- Ramage RT** (1983) Chromosome location of shrunken endosperm mutants *seg6g* and *seg8k*. *Barley Genet Newslett* **13**: 64-65.
- Richmond T, Somerville S** (2000) Chasing the dream: plant EST microarrays. *Curr Opin Plant Biol* **3**: 108-116.
- Ritchie S, Swanson SJ, Gilroy S** (2000) Physiology of the aleurone layer and starchy endosperm during grain development and early seedling growth: new insights from cell and molecular biology. *Seed Sci Res* **10**: 193-212.
- Rounsley SD, Glodek A, Sutton G, Adams MD, Somerville CR, Venter JC, Kerlavage AR** (1996) The construction of *Arabidopsis* expressed sequence tag assemblies - A new resource to facilitate gene identification. *Plant Physiol* **112**: 1177-1183.
- Sadka A, Dewald DB, May GD, Park WD, Mullet JE** (1994) Phosphate modulates transcription of soybean *vspB* and other sugar-inducible genes. *Plant Cell* **6**: 737-749.
- Schaffer AA, Petreikov M** (1997) Inhibition of fructokinase and sucrose synthase by cytosolic levels of fructose in young tomato fruit undergoing transient starch synthesis. *Physiol Plant* **101**: 800-806.
- Schena M, Shalon D, Davis RW, Brown PO** (1995) Quantitative monitoring of gene-expression patterns with a complementary-DNA microarray. *Science* **270**: 467-470.

- Schoof H, Zaccaria P, Gundlach H, Lemcke K, Rudd S, Kolesov G, Arnold R, Schomburg I, Chang A, Schomburg D** (2002) BRENDA, enzyme data and metabolic information. *Nucleic Acids Res* **30**: 47-49.
- Schomburg I, Chang AJ, Hofmann O, Ebeling C, Ehrentreich F, Schomburg D** (2002) BRENDA: a resource for enzyme data and metabolic information. *Trends Biochem Sci* **27**: 54-56.
- Schulman AH, Ahokas H** (1990) A novel shrunken endosperm mutant of barley. *Physiol Plant* **78**: 583-589.
- Sen-Gupta A, Webb RP, Holladay AS, Allen RD** (1993) Overexpression of superoxide dismutase protects plants from oxidative stress. Induction of ascorbate peroxidase in superoxide dismutase overexpressing plants. *Plant Physiol* **103**: 1067-1073.
- Singha S, Choudhuri MA** (1990) Effect of salinity (NaCl) stress on H₂O₂ metabolism in *Vigna* and *Oryza* seedlings. *Biochemie und Physiologie der Pflanzen* **186**: 69-74.
- Smeekens S** (2000) Sugar-induced signal transduction in plants. *Ann Rev Plant Physiol Plant Mol Biol* **51**: 49-81.
- Smirnoff N** (1993) The role of active oxygen in the response of plants to water deficit and desiccation. *New Phytol* **125**: 27-58.
- Sreenivasulu N, Ramanjulu S, Ramachandra-Kini K, Prakash HS, Shetty HS, Savithri HS, Sudhakar C** (1999) Peroxidase activity and peroxidase isoforms as modified by salt stress in two cultivars of *foxtail millet*. *Plant Sci* **141**: 1-9.
- Sreenivasulu N, Grimm B, Wobus U, Weschke W** (2000) Differential response of antioxidant compounds to salinity stress in salt-tolerant and salt-sensitive seedlings of foxtail millet (*Setaria italica*). *Physiol plant* **109**: 435-442.
- Sreenivasulu N, Altschmied L, Panitz R, Hähnel U, Michalek W, Weschke W, Wobus U** (2002) Identification of genes specifically expressed in maternal and filial tissues of barley caryopses: A cDNA array analysis. *Mol Genet Genomics* **266**: 758-767.
- Stoesser G, Baker W, van den Broek A, Camon E, Garcia-Pastor M, Kanz C, Kulikova T, Leinonen R, Lin Q, Lombard V, Lopez R, Redaschi N, Stoehr P, Tuli Tzouvara K, Vaughan R** (2002) The EMBL Nucleotide Sequence Database. *Nucleic Acids Res* **30**: 21-26.
- Sturm A** (1999) Invertases. Primary structures, functions, and roles in plant development and sucrose partitioning. *Plant Physiol* **121**: 1-7.
- Sturm A, Tang GQ** (1999) The sucrose-cleaving enzymes of plants are crucial for development, growth and carbon partitioning. *Trends Plant Sci* **4**: 401-407.
- Sugimoto M., Furui S, Suzuki Y** (1997a) Molecular cloning and characterization of a cDNA encoding putative phospholipid hydroperoxide glutathione peroxidase from spinach. *Biosci Biotech Biochem* **61**: 1379-1381.

- Sugimoto M, Sakamoto W** (1997b) Putative phospholipid hydroperoxide glutathione peroxidase gene from *Arabidopsis thaliana* induced by oxidative stress. *Genes Genetic Systematics* **72**: 311-316.
- Tavazoie S, Hughes JD, Campbell MJ, Cho RJ, Church GM** (1999) Systematic determination of genetic network architecture. *Nat Genet* **22**: 281-285.
- Tamayo P, Slonim D, Mesirov J, Zhu Q, Kitareewan S, Dmitrovsky E, Lande, ES, Golub TR** (1999) Interpreting patterns of gene expression with self-organizing maps: Methods and application to hematopoietic differentiation. *Proc Natl Acad Sci USA* **96**: 2907-2912.
- Takeda S, Mano S, Ohto M, Nakamura K** (1994) Inhibitors of protein phosphatases I and 2A block the sugar-inducible gene expression in plants. *Plant Physiol* **106**: 567-574.
- Takeda T, Toyofuku K, Matsukura C, Yamaguchi J** (2001) Sugar transporters involved in flowering and grain development of rice. *J Plant Physiol* **158**: 465-470.
- Tanaka TS, Jaradat SA, Lim MK, Kargul GJ, Wang XH, Grahovac MJ, Pantano S, Sano Y, Piao Y, Nagaraja R, Doi H, Wood WH, Becker KG, Ko MSH** (2000) Genome-wide expression profiling of mid-gestation placenta and embryo using a 15,000 mouse developmental cDNA microarray. *Proc Natl Acad Sci USA* **97**: 9127-9132.
- Tepperman JM, Zhu T, Chang HS, Wang X, Quail PH** (2001) Multiple transcription-factor genes are early targets of phytochrome A signaling. *Proc Natl Acad Sci USA* **98**: 9437-9442.
- Tobias RB, Boyer CD, Shannon JC** (1992) Alterations in carbohydrate intermediates in the endosperm of starch-deficient maize (*Za mays* L.) genotypes. *Plant Physiol* **99**: 146-152.
- Tran L, Inoue Y, Kimura A** (1993) Oxidative stress response in yeast: purification and some properties of a membrane-bound glutathione peroxidase from *Hansenula mrakii*. *Biochim Biophys Acta* **1164**: 166-172.
- Tsugane K, Kobayashi K, Niwa Y, Ohba Y, Wada K, Kobayashi H** (1999) A recessive *Arabidopsis* mutant that grows photoautotrophically under salt stress shows enhanced active oxygen detoxification. *Plant Cell* **11**: 1195-1206.
- Tyynelä J, Stitt M, Lönneborg A, Smeekens S, Schulman AH** (1995) Metabolism of starch synthesis in developing grains of the *shx* shrunken mutant of barley (*Hordeum vulgare*). *Physiol Plant* **93**: 77-84.
- Ursini F, Maiorino M, Brigelius-Flohé R, Aumann KD, Roveri A, Schomburg D, Flohé L** (1995) Diversity of glutathione peroxidase. *Methods Enzym* **252**: 38-53.
- Van de Loo FJ, Turner S, Somerville C** (1995) Expressed sequence tags from developing castor seeds. *Plant Physiol* **108**: 1141-1150.

- Weber H, Borisjuk L, Heim U, Buchner P, Wobus U** (1995) Seed coat-associated invertases of fava-bean control both unloading and storage functions – cloning and cell-type-specific expression. *Plant Cell* **7**: 1835-1846.
- Weber H, Borisjuk L, Wobus U** (1996) Controlling seed development and seed size in *Vicia faba*: A role for seed coat-associated invertases and carbohydrate state. *Plant J* **10**: 823-834.
- Weber H, Borisjuk L, Wobus U** (1997) Sugar import and metabolism during seed development. *Trends Plant Sci* **2**: 169-174.
- Weber H, Heim U, Golombek S, Borisjuk L, Wobus U** (1998) Assimilate uptake and the regulation of seed development. *Seed Sci Res* **8**: 331-345.
- Weber H, Rolletschek H, Heim U, Golombek S, Gubatz S, Wobus U** (2000) Antisense-inhibition of ADP-glucose pyrophosphorylase in developing seeds of *Vicia narbonensis* moderately decreases starch but increases protein content and affects seed maturation. *Plant J* **24**: 33-43.
- Weschke W, Panitz R, Sauer N, Wang Q, Neubohn B, Weber H, Wobus U** (2000) Sucrose transport into barley seeds: molecular characterization of two transporters and implications for seed development and starch accumulation. *Plant J* **21**: 455-467.
- Weschke W, Panitz R, Gubatz S, Wang Q, Sreenivasulu N, Weber H, Wobus U** (2002) The role of invertases and hexose transporters in controlling sugar ratios in maternal and filial tissues of barley caryopses during early development. (submitted)
- Wingender E, Chen X, Hehl R, Karas H, Liebich I, Matys V, Meinhardt T, rüß M, Reuter I, Schacherer F** (2000) TRANSFAC: an integrated system for gene expression regulation *Nucleic Acids Res* **28**: 316-319.
- Wobus U, Weber H** (1999) Sugars as signal molecules in plant seed development. *Biol Chem* **380**: 937-944.
- White JA, Todd T, Newman T, Focks N, Girke T, de Ilarduya OM, Jaworski JG, Ohlrogge JB, Benning C** (2000) A new set of *Arabidopsis* expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oil. *Plant Physiol* **124**: 1582-1594.
- Whitkus R, Doebley J, Lee M** (1992) Comparative genome mapping of sorghum and maize. *Genetics* **132**: 1119-1130.
- Xu FX, Chye ML** (1999) Expression of cysteine proteinase during developmental events associated with programmed cell death in brinjal. *Plant J* **17**: 321-327.
- Yeo AR, Flowers TJ** (1983) Varietal differences in the toxicity of sodium ions in rice leaves. *Physiol Plant* **59**: 189-195.

Young TE, Gallie DR, DeMason DA (1997) Ethylene-mediated programmed cell death during maize endosperm development of wild-type and *shrunk2* genotypes. *Plant Physiol* 115: 737-751.