

## 8. LITERATURVERZEICHNIS

- [1] R.P. Belardi, J. Pawliszyn, *The application of chemically modified fused silica fibres in the extraction of organics from water matrix samples and their rapid transfer to capillary columns*, Water Pollut. Res. J. Can., **1989**, 24, 179.
- [2] C. Aguilar, A. Peñalver, E. Pocurull, J. Ferré, F. Borrull, R.M. Marcé, *Optimization of solid-phase microextraction conditions using a response surface methodology to determine organochlorine pesticides in water by gas chromatography and electron-capture detection*, Journal of Chromatography A, **1999**, 844, 425-432.
- [3] D. Andrzejewski, A. Weisz, *Rapid quantification of hexachlorobenzene in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phases microextraction and gas chromatography-mass spectrometry*, Journal of Chromatography A, **1999**, 863, 37-46.
- [4] J. Auger, S. Rousset, E. Thibout, B. Jaillais, *Solid-phase microextraction-gas chromatography-direct deposition infrared spectrometry as a convenient method for the determination of volatile compounds from living organisms*, Journal of Chromatography A, **1998**, 819, 45-50.
- [5] M.-I. Bao, F. Pantani, O. Griffini, D. Burrini, D. Santianni, K. Barbieri, *Determination of carbonyl compounds in water by derivatization-solid-phase microextraction and gas chromatography analysis*, Journal of Chromatography A, **1998**, 809, 75-87.
- [6] W. Bechmann, P. Volkmer, *Einsatz der Mikrofestphasenextraktion in der Triazinanalytik*, GIT Labor-Fachzeitschrift, **1995**, 12, 1129-1133.
- [7] J. Beltran, F.J. Lopez, O. Cepria, F. Hernandez, *Solid-phase microextraction for quantitative analysis of organophosphorus pesticides in environmental water samples*, Journal of Chromatography A, **1998**, 808, 257-263.
- [8] H. v. Doorn, C. B. Grabanski, D. J. Miller, S.B. Hawthorne, *Solid-phase microextraction with pH adjustment for the determination of aromatic acids and bases in water*, Journal of Chromatography A, **1998**, 829, 223-233.
- [9] R. Eisert, K. Levsen, *Festphasenmikroextraktion organischer Spuren aus wäßrigen Umweltproben*, GIT Labor-Fachzeitschrift, **1996**, 6, 581-588.

- [10] R. Eisert, J. Pawliszyn, *Design of automatic solid-phase microextraction for trace analysis of organic compounds in aqueous samples*, Journal of Chromatography A, **1997**, 778, 293-303.
- [11] R. Ferrari, T. Nilson, R. Arena, P. Arlati, G. Bartolucci, R. Basla, F. Cioni, G. Del Carlo, P. Dellavedova, E. Fattore, M. Fungi, C. Grote, M. Guidotti, S. Morgillo, L. Müller, M. Volante, *Inter-laboratory validation of solid-phase microextraction for the determination of triazine herbicides and their degradation products at ng/ml level in water samples*, Journal of Chromatography A, **1998**, 795, 371-376.
- [12] C. Haberhauer-Troyer, E. Rosenberg, M. Grasserbauer, *Evaluation of solid-phase microextraction for sampling of volatile organic sulfur compounds in air for subsequent gas chromatographic analysis with atomic emission detection*, Journal of Chromatography A, **1999**, 848, 305-315.
- [13] W.J. Havenga, E.R. Rohwer, *Chemical characterization and screening of hydrocarbon pollution in industrial soils by headspace solid-phase microextraction*, Journal of Chromatography A, **1999**, 848, 279-295.
- [14] M. von der Heide, P.-H. Petry, *Anwendungsmethoden der Festphasenmikroextraktion (SPME) zur Bestimmung von BTX-Aromaten*, GIT Labor-Fachzeitschrift, **1997**, 12, 1191-1195.
- [15] V. Janda, V. Linek, J. Sinkule, V. Vejrosta, *Solid-phase microextraction as a source of data for the design of stripping aeration towers*, Journal of Chromatography A, **1998**, 823, 523-525.
- [16] G. Lespes, V. Desauziers, C. Montigny, M. Potin-Gautier, *Optimization of solid-phase microextraction for the speciation of butyl- and phenyltins using experimental designs*, Journal of Chromatography A, **1998**, 826, 67-76.
- [17] M. Llompert, K. Li, M. Fingas, *Headspace solid-phase microextraction for the determination of volatile and semi-volatiles pollutants in water and air*, Journal of Chromatography A, **1998**, 824, 53-61.
- [18] L. Müller, E. Fattore, E. Benfenati, *Determination of aromatic amines by solid-phase microextraction and gas chromatography-mass spectrometry in water sample*, Journal of Chromatography A, **1997**, 791, 221-230.

- [19] M. Natangelo, S. Tavazzi, R. Fanelli, E. Benfenati, *Analysis of some pesticides in water samples using solid-phase microextraction-gas chromatography with different mass spectrometric techniques*, Journal of Chromatography A, **1999**, 859, 193-201.
- [20] M.R. Negrão, M.F. Alpendurada, *Solvent-free method for the determination of polynuclear aromatic hydrocarbons in waste water by solid-phase microextraction-high-performance liquid chromatography with photodiode-array detection*, Journal of Chromatography A, **1998**, 823, 211-218.
- [21] A. Peñalver, E. Pocurull, F. Borrull, R.M. Marcé, *Solid-phase microextraction of the antifouling Irgarol 1051 and the fungicides dichlorfluanid and 4-chloro-3-methylphenol in water samples*, Journal of Chromatography A, **1999**, 839, 253-260.
- [22] P. Pollien, D. Roberts; *Use of solid-phase microextraction for measuring oil-water partition coefficients and correlation with high-performance liquid chromatographic methods for lipophilicity*, Journal of Chromatography A, **1999**, 864, 183-189.
- [23] P. Popp, A. Kauert, K. Kalbitz, *Festphasenmikroextraktion (SPME)*, GIT Labor-Fachzeitschrift, **1995**, 4, 325-331.
- [24] M.N. Sarrión, F.J. Santos, M.T. Galceran, *Solid-phase microextraction coupled with gas chromatography-ion trap mass spectrometry for the analysis of haloacetic acids in water*, Journal of Chromatography A, **1999**, 859, 159-171.
- [25] B. Schäfer, *Zur Anwendung der Festphasenmikroextraktion (SPME) in der gaschromatographischen Analytik*, Dissertation, Universität Leipzig, **1998**.
- [26] Y. Yang, D. J. Miller, S.B. Hawthorne, *Solid-phase microextraction of polychlorinated biphenyls*, Journal of Chromatography A, **1998**, 800, 257-266.
- [27] P.T. Zenner, *Analyse von umweltrelevanten Schadstoffen in wässrigen Systemen mittels Headspace-Festphasenmikroextraktion*, Diplomarbeit, Martin-Luther-Universität Halle-Wittenberg, **1997**.
- [28] C. Bartzsch, J. Weber, K.-H. Feller, *Study of aroma compounds in natural products by solid phase microextraction gas chromatography-mass spectrometry*, 22<sup>nd</sup> International Symposium on Chromatography, **1998**, P101, 112.
- [29] R. Batlle, C. Sánchez, C. Nerín, *A systematic approach to optimize solid-phase microextraction. Determination of pesticides in ethanol/water mixtures used as food simulants*. Analytical Chemistry, **1999**, 71, 2417-2422.

- [30] T.J. Evans, C.E. Butzke, S.E. Eberle, *Analysis of 2,4,6-trichloroanisole in wines using solid-phase microextraction coupled to gas chromatography-mass spectrometry*, Journal of Chromatography A, **1997**, 786, 293-298.
- [31] K. Friedrichs, H.-D. Winkeler, *Bestimmung von Fungiziden in Wein mittels Festphasenmikroextraktion (SPME)*, GIT Spezial Separation, **1999**, 2, 69-70.
- [32] S. Fuchs, T. Beck, A. Mosandl, *Biogeneseforschung ätherischer Öle mittels SPME-enantio-MDGC/MS*, GIT Labor-Fachzeitschrift, **2000**, 4, 358-362.
- [33] F. Hernandez, J. Beltran, F.J. Lopez, J.V. Gaspar, *Use of solid-phase microextraction for the quantitative determination of herbicides in soil and water samples*, Analytical Chemistry, **2000**, 72, 2313-2322.
- [34] J.J. Jimenez, J.L. Bernal, M.J. del Nozal, M.T. Martin, A.L. Mayorga, *Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection*, Journal of Chromatography A, **1998**, 829, 269-277.
- [35] M. Mestres, O. Busto, J. Guasch, *Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma*, Journal of Chromatography A, **1998**, 808, 211-218.
- [36] M. Mestres, C. Sala, M.P. Martí, O. Busto, J. Guasch, *Headspace solid-phase microextraction of sulphides and disulphides using Carboxen-polydimethylsiloxane fibers in the analysis of wine aroma*, Journal of Chromatography A, **1999**, 835, 137-144.
- [37] J. Salafranca, R. Ramón, C. Nerín, *Use of solid-phase microextraction for the analysis of bisphenol A and bisphenol A diglycidyl ether in food simulants*, Journal of Chromatography A, **1999**, 864, 137-144.
- [38] A.L. Simplicio, L.V. Boas, *Validation of solid-phase microextraction method for the determination of organophosphorus pesticides in fruits and fruit juice*, Journal of Chromatography A, **1999**, 833, 35-42.
- [39] S.B. Stanfill, D.L. Ashley, *Solid phase microextraction of alkenylbenzenes and other flavour-related compounds from tobacco for analysis by select ion monitoring gas chromatography-mass spectrometry*, Journal of Chromatography A, **1999**, 858, 79-89.

- [40] J. Weber, M. Beeg, C. Bartzsch, K.H. Feller, D. De la Calle Garcia, M. Reichenbächer, K. Danzer, *Improvement of the chemometric variety characterization of wines by improving the detection limit for aroma compounds*, Journal of High Resolution Chromatography, **1999**, 22, 322-326.
- [41] A.M. Bermejo, R. Seara, A.C. dos Santos Lucas, M.J. Tabernero, P. Fernández, R. Marsili, *Use of solid-phase microextraction (SPME) for the determination of methadone and its main metabolite, EDDP, in plasma by gas chromatography-mass spectrometry*, Journal of Analytical Toxicology, **2000**, 24, 66-69.
- [42] F. Guan, K. Watanabe, A. Ishii, H. Seno, T. Kumazawa, H. Hattori, O. Suzuki, *Headspace solid-phase microextraction and gas chromatographic determination of dinitroaniline herbicides in human blood, urine and environmental water*, Journal of Chromatography B, **1998**, 714, 205-213.
- [43] B.J. Hall, J.S. Brodbelt, *Determination of barbiturates by solid-phase microextraction (SPME) and ion trap gas chromatography-mass spectrometry*, Journal of Chromatography A, **1997**, 777, 275-282.
- [44] H. Kataoka, S. Narimatsu, H.L. Lord, J. Pawliszyn, *Automated in-tub solid-phase microextraction coupled with liquid chromatography/electrospray ionization mass spectrometry for the determination of  $\beta$ -blockers and metabolites in urine and serum samples*, Analytical Chemistry, **1999**, 71, 4237-4244.
- [45] C. Kohlert, G. Abel, E. Schmid, M. Veit, *Determination of thymol in human plasma by automated headspace solid-phase microextraction-gas chromatographic analysis*, Journal of Chromatography B, **2002**, 767, 11-18.
- [46] I. Koide, O. Noguchi, K. Okada, A. Yokoyama, H. Oda, S. Yamamoto, H. Kataoka, *Determination of amphetamine and metamphetamine in human plasma by headspace solid-phase microextraction and gas chromatography with nitrogen-phosphorus detection*, Journal of Chromatography B, **1998**, 707, 99-104.
- [47] E.H.M. Koster, C. Wemes, J.B. Morsink, G.J. de Jong, *Determination of lidocaine in plasma by direct solid-phase microextraction combined with gas chromatography*, Journal of Chromatography B, **2000**, 739, 175-182.
- [48] M. Krogh, H. Grefslie, K. E. Rasmussen, *Solvent-modified solid-phase microextraction for the determination of diazepam in human plasma samples by capillary gas chromatography*, Journal of Chromatography B, **1997**, 689, 357-364.

- [49] M. Krogh, K. Johansen, F. Tønnesen, K.E. Rasmussen, *Solid-phase micro-extraction for the determination of the free concentration of valproic acid in human plasma by capillary gas chromatography*, Journal of Chromatography B, **1995**, 673, 299-305.
- [50] C. Kroll, H.-H. Borchert, *Untersuchungen zum Einsatz der Festphasenmikroextraktion SPME bei der Probenvorbereitung aus einer komplexen biologischen Matrix im Rahmen von Biotransformationsstudien*, Pharmazie, **1998**, 53, 172-177.
- [51] M.-R. Lee, Y.-C. Yeh, W.-S. Hsiang, C.-C. Chen, *Application of solid-phase microextraction and gas chromatography-mass spectrometry for the determination of chlorphenols in urine*, Journal of Chromatography B, **1998**, 707, 91-97.
- [52] X.-P. Lee, T. Kumazawa, K. Kondo, K. Sato, O. Suzuki, *Analysis of methanol or formic acid in body fluids by headspace solid-phase microextraction and capillary gas chromatography*, Journal of Chromatography B, **1999**, 734, 155-162.
- [53] H.M. Liebich, E. Gesele J. Wöll, *Urinary organic acid screening by solid-phase microextraction of the methyl esters*, Journal of Chromatography B, **1998**, 713, 427-432.
- [54] A.C.S. Lucas, A.M. Bermejo, M.J. Taberero, P. Fernández, S. Strano-Rossi, *Use of solid-phase microextraction (SPME) for the determination of methadone and EDDP in human hair by GC-MS*, Forensic Science International, **2000**, 107, 225-232.
- [55] G.A. Mills, V. Walker, H. Mughal, *Headspace solid-phase microextraction with 1-pyrenyldiazomethane in-fibre derivatisation for analysis of faecal short-chain fatty acids*, Journal of Chromatography B, **1999**, 730, 113-122.
- [56] F. Musshoff, H. Junker, B. Madea, *Rapid analysis of parathion in biological samples using headspace solid-phase micro-extraction (HS-SPME) and gas chromatography/mass spectrometry (GC/MS)*, Clinical Chemistry and Laboratory Medicine, **1999**, 37(6), 639-642.
- [57] S.-W. Myung, S. Kim, J.-H. Park, M. Kim, J.-C. Lee, T.-J. Kim, *Solid-phase microextraction for the determination of pethidine and methadone in human urine using gas chromatography with nitrogen-phosphorus detection*, The Analyst, **1999**, 124, 1283-1286.

- [58] A. Namera, T. Watanabe, M. Yashiki, T. Kojima, *Simple and sensitive analysis of nereistoxin and its metabolites in human serum using headspace solid-phase microextraction and gas chromatography-mass spectrometry*, Journal of Chromatographic Science, **1999**, 37, 77-82.
- [59] D. Poli, E. Bergamaschi, P. Manini, R. Andreoli, A. Mutti, *Solid-phase microextraction gas chromatographic-mass spectrometric for the determination of inhalation anesthetics in urine*, Journal of Chromatography B, **1999**, 732, 115-125.
- [60] K.J. Reubsaet, H.R. Norli, P. Hemmersbach, K.E. Rasmussen, *Determination of benzodiazepines in human urine and plasma with solvent modified solid phase micro extraction and gas chromatography; rationalisation of method development using experimental design strategies*, Journal of Pharmaceutical and Biomedical Analysis, **1998**, 18, 667-680.
- [61] K. Singer, B. Wenz, V. Seefeld, U. Speer, *Drogenanalytik mit Festphasenmikroextraktion*, GIT Labor-Medizin, **1995**, 2, 112-118.
- [62] H.G. Uglund, M. Krogh, K.E. Rasmussen, *Aqueous alkylchloroformate derivatisation and solid-phase microextraction: Determination of amphetamines in urine by capillary gas chromatography*, Journal of Chromatography B, **1997**, 701, 29-38.
- [63] S. Ulrich, *Solid phase microextraction in biomedical analysis*, Journal of Chromatography A, **2000**, 902, 167-194.
- [64] S. Ulrich, J. Martens, *Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma*, Journal of Chromatography B, **1997**, 696, 217-234.
- [65] T. Watanabe, A. Namera, M. Yashiki, Y. Iwasaki, T. Kojima, *Simple analysis of local anesthetics in human blood using headspace solid-phase microextraction and gas chromatography-mass spectrometry-electron impact ionization selected ion monitoring*, Journal of Chromatography B, **1998**, 709, 225-232.
- [66] S.H. Preskorn, M.J. Burke, G.A. Fast, *Therapeutic Drug Monitoring, Principles and Practice*, Psychopharmacology I, **1993**, 16, 611-641.
- [67] P.J. Orsulak, *Therapeutic monitoring of antidepressant drugs: Guidelines updated*, Therapeutic Drug Monitoring, **1989**, 11, 497-507.

- [68] S.H. Preskorn, G.A. Fast, *Therapeutic Drug Monitoring for Antidepressants: Efficacy, Safety, and Cost Effectiveness*, Journal of Clinical Psychiatry, **1991**, 52, 23-33.
- [69] M. Bagli, M.L. Rao, G. Höflich, *Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection*, Journal of Chromatography B, **1994**, 657, 141-148.
- [70] M. Bonati, D. Castelli, R. Latini, S. Garattini, *Comparison of gas-liquid chromatography with nitrogen-phosphorus selective detection and high-performance liquid chromatography methods for caffeine determination in plasma and tissues*, Journal of Chromatography, **1979**, 164, 109-113.
- [71] U. Bondesson, L.H. Lindström, *Determination of clozapine and its N-demethylated metabolite in plasma by use of gas chromatography-mass spectrometry with single ion detection*, Psychopharmacology, **1988**, 95, 472-475.
- [72] G.D. Burrows, T.R. Norman, *Psychotropic drugs Plasma concentration and clinical response*, Marcel Dekker Inc. New York, **1981**.
- [73] J. Catlow, R. Barton, M. Clemens, T. Gillespie, M. Goodwin, S. Swanson, *Analysis of olanzapine in human plasma utilizing reversed-phase high-performance liquid chromatography with electrochemical detection*, Journal of Chromatography B, **1995**, 668, 85-90.
- [74] C.B. Eap, L. Koeb, P. Baumann, *Artifacts in the analysis of thioridazine and other neuroleptics*, Journal Pharmaceutical and Biomedical Analysis, **1993**, 11, 451-457.
- [75] R.N. Gupta, *Column liquid chromatographic determination of clozapine and N-desmethylclozapine in human serum using solid-phase extraction*, Journal of Chromatography B, **1995**, 673, 311-315.
- [76] R.N. Gupta, *Drug level monitoring: antidepressants*, Journal of Chromatography B, **1992**, 576, 183-211.
- [77] S. Guthrie, E.A. Lane, M. Linnoila, *Monitoring of plasma drug concentrations in clinical psychopharmacology*, Psychopharmacology, **1987**, 1323-1338.
- [78] H. Hattori, S. Yamamoto, M. Iwata, E. Takashima, T. Yamada, O. Suzuki, *Sensitive determination of phenothiazines in body fluids by gas chromatography with surface ionisation detection*, Journal of Chromatography B, **1992**, 579, 247-252.



- [79] N.E. Larsen, J. Naestoft, *Determination of perphenazine and its sulphoxide metabolite in human plasma after therapeutic doses by gas chromatography*, Journal of Chromatography, **1975**, 109, 259-264.
- [80] C. Long, J. Crisfasi, D. Maginn, M. Graham, S. Teas, *Comparison of analytical methods in the determination of two Venlafaxine fatalities*, Journal of Analytical Toxicology, **1997**, 21, 166-169.
- [81] Machery-Nagel, *SPE Applikations-Handbuch, Probenvorbereitung mittels Festphasenextraktion*, Machery-Nagel GmbH & Co. KG, **1997**.
- [82] R.K. Müller, *Toxicological Analysis*, Verlag Gesundheit Berlin, **1991**.
- [83] A. Namera, M. Yashiki, K. Okada, Y. Iwasaki, M. Ohtani, T. Kojima, *Automated preparation and analysis of barbiturates in human urine using the combined system of PrepStation and gas chromatography-mass spectrometry*, Journal of Chromatography B, **1998**, 706, 253-259.
- [84] W. Radeck, *Analysen physiologischer Flüssigkeiten-Festphasenextraktion und HPLC-Bestimmung*, GIT Labor-Medizin, **1993**, 16, 97-103.
- [85] E. Reid, I.D. Wilson, *Analysis for drugs and metabolites including anti-infective agents, Proceedings of the Eighth International Bioanalytical Forum*, Bookcraft Ltd. Bath, **1990**.
- [86] K. Richter, *Determination of clozapine in human serum by capillary gas chromatography*, Journal of Chromatography, **1988**, 434, 465.
- [87] J. Scheurer, C.M. Moore, *Solid-Phase Extraction of drugs from biological tissues-a review*, Journal of Analytical Toxicology, **1992**, 16, 264-269.
- [88] S. Süss, W. Seiler C. Hiemke, G. Schönhammer, H. Wetzel, A. Hillert, *Determination of benperidol and its reduced metabolite in human plasma by HPLC and electrochemical detection*, Journal of Chromatography B, **1991**, 565, 363-373.
- [89] S. Ulrich, T. Isensee, U. Pester, *Simultaneous determination of amitriptyline, nortriptyline and 4 hydroxylated metabolites in serum by capillary gas-liquid chromatography with nitrogen-phosphorus selective detection*, Journal of Chromatography B, **1996**, 685, 81-89.

- [90] S. Ulrich, F.P. Meyer, S. Neuhof, W. Knorr, *Megabore capillary gas-liquid chromatographic method with nitrogen-phosphorus selective detection for the assay of haloperidol and reduced haloperidol in serum: results of therapeutic drug-monitoring during acute therapy of eight schizophrenics*, Journal of Chromatography B, **1995**, 663, 289.
- [91] R.L. Vu, D. Helmeste, L. Albers, C. Reist, *Rapid determination of venlafaxine and O-desmethylvenlafaxine in human plasma by high-performance liquid chromatography with fluorimetric detection*, Journal of Chromatography B, **1997**, 703, 195-201.
- [92] H. Weigmann, C. Hiemke, *Determination of clozapine and its major metabolites in human serum using automated solid-phase extraction and subsequent isocratic high-performance liquid chromatography with ultraviolet detection*, Journal of Chromatography B, **1992**, 583, 209-216.
- [93] T. Agasøster, K.E. Rasmussen, *Automated analysis of oxolinic acid and flumequine in salmon whole blood and plasma using dialysis combined with trace enrichment as on-line sample preparation for high-performance liquid chromatography*, Journal of Chromatography, **1991**, 564, 171-179.
- [94] J.D.H. Cooper, D.C. Turnell, B. Green, F. Verillon, *Automated sequential trace enrichment of dialysates and robotics A technique for the preparation of biological samples prior to high-performance liquid chromatography*, Journal of Chromatography, **1988**, 456, 53-69.
- [95] R. Herráez-Hernández, N.C. van de Merbel, U.A.T. Brinkman, *Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs*, Journal of Chromatography B, **1995**, 666, 127-137.
- [96] N.C. van de Merbel, J.J. Hageman, U.A.T. Brinkman, *Membran-based sample preparation for chromatography*, Journal of Chromatography, **1993**, 634, 1-29.
- [97] N.C. van de Merbel, J.M. Teule, H. Lingeman, U.A.T. Brinkman, *Dialysis as an on-line sample-pretreatment technique for column liquid chromatography: influence of experimental variables upon the determination of benzodiazepines in human plasma*, Journal of Pharmaceutical & Biomedical Analysis, **1992**, 10, 225-233.

- [98] D.C. Turnell, J.D.H. Cooper, *Automated sequential process for preparing samples for analysis by high-performance liquid chromatography*, Journal of Chromatography, **1987**, 395, 613-621.
- [99] E.B. Asafu-Adjaye, S.Y. Su, G.K. Shiu, *Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using HPLC*, Journal of Chromatography B, **1994**, 652, 35-42.
- [100] P. Campins-Falco, R. Herraez-Hernandez, A. Sevillano-Cabeza, *Column-switching techniques for HPLC of drugs in biological samples*, Journal of Chromatography B, **1993**, 619, 177-190.
- [101] S. Härtter, *Entwicklung und Anwendung einer automatisierten HPLC-Methode mit Säulenschaltung zum quantitativen Nachweis von Antidepressiva und ihren Hauptmetaboliten in Plasma, Serum und Gewebe*, Dissertation, Johannes-Gutenberg-Universität Mainz, **1993**
- [102] S. Härtter, C. Hiemke, *Column switching and HPLC in the analysis of amitriptyline, nortriptyline and hydroxylated metabolites in human plasma or serum*, Journal of Chromatography B, **1992**, 578, 273-282.
- [103] H. Weigmann, J. Bierbrauer, S. Härtter, C. Hiemke, *Automated determination of clozapine and major metabolites in serum and urine*, Therapeutic Drug Monitoring, **1997**, 19, 480-488.
- [104] R.C. Dorey, S.H. Preskorn, P.K. Widener, *Results compared for tricyclic antidepressants as assayed by liquid chromatography and enzyme immunoassay*, Clinical Chemistry, **1988**, 34, 2348-2351.
- [105] M. Koel, A. Roth, P. Nebinger, *Zur Spezifität des Nachweises von trizyklischen Antidepressiva durch FPIA (TD<sub>x</sub>-System der Fa. Abbott)*, Ärztliches Labor, **1989**, 35, 57-59.
- [106] S. Pankey, C. Collins, A. Jaklitsch, A. Itzutso, M. Hu, M. Pirio, P. Singh, *Quantitative homogeneous immunoassays for amitriptyline, nortriptyline and desipramine*, Clinical Chemistry, **1986**, 32, 768-772.
- [107] K.-S. Boos, *Trends in der Probenaufarbeitung für die instrumentelle Bioanalytik*, GIT Labor-Fachzeitschrift, **1997**, 2, 174-177.
- [108] J. Pawliszyn, *Solid phase microextraction theory and practice*, Wiley-VCH New York Chichester Weinheim Brisbane Singapore Toronto, **1997**.

- [109] H.-H. Möbius, W. Dürselen, *Chemische Thermodynamik Lehrwerk Chemie*, VEB Deutscher Verlag für Grundstoffindustrie Leipzig, **1988**, 207-208.
- [110] D. Louch, S. Motlagh, J. Pawliszyn, *Dynamics of organic compound extraction from water using liquid-coated fused silica fibers*, *Analytical Chemistry*, **1992**, *64*, 1187-1199.
- [111] K. Doerffel, *Statistik in der analytischen Chemie*, VEB Deutscher Verlag für Grundstoffindustrie Leipzig, **1966**.
- [112] J. Ai, *Solid phase microextraction for quantitative analysis in nonequilibrium situations*, *Analytical Chemistry*, **1997**, *69*, 1230-1236.
- [113] W.E. Lindup, *Plasma protein binding of drugs-some basic and clinical aspects*, *Progress in Drug Metabolism*, **1987**, *10*, 141-185.
- [114] J. Pörschmann, F.-D. Kopinke, J. Pawliszyn, *Solid-phase microextraction for determining the binding state of organic pollutants in contaminated water rich in humic organic matter*, *Journal of Chromatography A*, **1998**, *816*, 159-167.
- [115] J. Pörschmann, Z. Zhang, F.-D. Kopinke, J. Pawliszyn, *Solid-phase microextraction for determining the distribution of chemicals in aqueous matrices*, *Analytical Chemistry*, **1997**, *69*, 597-600.
- [116] T.B. Cooper, *Clozapine plasma level monitoring: Current status*, *Psychiatric Quarterly*, **1996**, *67*, 297-311.
- [117] M.H. Kronig, R.A. Munne, S. Szymanski, A.Z. Safferman, S. Pollack, T. Cooper, J.M. Kane, J.A. Lieberman, *Plasma clozapine levels and clinical response for treatment-refractory schizophrenic patients*, *American Journal of Psychiatry*, **1995**, *152*, 179-182.
- [118] J.S. Markowitz, K.S. Patrick, *Thermal degradation of clozapine-N-oxide to clozapine during gas chromatographic analysis*, *Journal of Chromatography B*, **1995**, *668*, 171.
- [119] S. Kruggel, S. Ulrich, *Solid-phase microextraction for the assay of clozapine in human plasma*, *Fresenius' Journal Analytical Chemistry*, **1999**, *364*; 654-655.
- [120] S. Ulrich, S. Kruggel, H. Weigmann, C. Hiemke, *Fishing for a drug: Solid-phase microextraction for the assay of clozapine in human plasma*, *Journal of Chromatography B*, **1999**, *731*, 231-240.

- [121] F.P. Meyer, *Indicative therapeutic and toxic drug concentrations in plasma: A tabulation*, International Journal Clinical Pharmacology and Therapeutics, **1994**, 32, 71-81.
- [122] M. Schulz, A. Schmoltdt, *Therapeutic and toxic blood concentrations of more than 500 drugs*, Pharmazie, **1997**, 52, 895-911.
- [123] D.R.A. Uges, *Mitteilung XV der Senatskommission für Klinisch-toxikologische Analytik der Deutschen Forschungsgemeinschaft*, VCH Verlagsgesellschaft mbH, **1990**, 12-33.
- [124] S. Ulrich, C. Wurthmann, M. Brosz, F.P. Meyer, *The relationship between serum concentration and therapeutic effect of haloperidol in patients with acute schizophrenia*, Clinical Pharmacokinetic, **1998**, 34 (3), 227-263.
- [125] S. Kruggel, S. Ulrich, *Solid-phase microextraction for the assay of levomepromazine in human plasma*, Therapeutic Drug Monitoring, **2000**, 22, 723-728.
- [126] E. Mutschler, *Wie wirken Arzneimittel? Neue Erkenntnisse zu Wirkmechanismen*, Horizonte Wie weit reicht unsere Erkenntnis heute?, S. Hirzel, Wissenschaftliche Verlagsgesellschaft Stuttgart, **1993**, 231-240.
- [127] Arbeitsausschuss Chemische Terminologie (AChT) im DIN Deutsches Institut für Normung e.V., *DIN 32 645, Nachweis-, Erfassungs- und Bestimmungsgrenze*, **1994**, 1-10.
- [128] Vorstand der Bundesärztekammer, *Rilibäk, Richtlinien der Bundesärztekammer zur Qualitätssicherung in medizinischen Laboratorien*, Labormedizin, **1988**, 12.
- [129] G.L. Long, J.D. Wineforder, *Limit of detection a closer look at the IUPAC definition*, Analytical Chemistry, **1983**, 55, 712-724.