

6. Literaturverzeichnis

- Aichele, D., W. Schwegler** (1967): Unsere Moos- und Farn-Pflanzen. Franck'sche Verlagshandlung Stuttgart. 122.
- Altschul, F., L. Stephen, T. Madden, A. Schäffer, J. Zhang, Z. Zhang, W. Miller, D. J. Lipman** (1997): Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acid Res.* 25: 3389-3402.
- Altschul, S. F., W. Gish, W. Miller, E. W. Myers, D. J. Lipman** (1990): Basic local alignment search tool. *J. Mol. Biol.* 215: 403-410.
- Asakawa, Y.** (1982): Chemical constituents of hepaticae. In: Hegenauer, R. (1986): *Chemotaxonomie der Pflanzen*. Band 7: 375.
- Assuncao, A. G. L., P. D. C. Martins, S. de Folter, R. Vooijs, H. Schat, M. G. M. Aarts** (2001): Elevated expression of metal transporter genes in three accession of the metal hyperaccumulator *Thlaspi caerulescens*. *Plant Cell and Environ.* 24: 217-226.
- Axelsen, K., M. G. Palmgren** (2001): Inventory of the superfamily of P-type ion pumps in *Arabidopsis thaliana*. *Plant Physiology* 126: 696-706.
- Baker, A. J. M., S. P. McGrath, R. D. Reeves, J. A. Smith** (2000): Metal hyperaccumulator plants: a review of the ecology and physiology of a biological resource for phytoremediation of metal-polluted soils. In: Terry, N., G. Banuelos (eds): *Phytoremediation of contaminated soil and water*. Lewis Publishers, Boca Raton: 85-107.
- Bech-Otschir, D.** (1995): Untersuchungen zum Einfluss verschiedener Schwermetalle auf den Glutathion- und Gesamtthiolgehalt von *Fontinalis antipyretica*. Diplomarbeit. Fachbereich Biochemie/Biotechnologie, Martin-Luther Universität Halle-Wittenberg.
- Beckett, R. P., D. H. Brown** (1984): The control of cadmium uptake in the lichen genus *Peltigera*. *J. Exp. Bot.* 35: 1071-1082.
- Binz, P.-A., J. H. R. Kägi** (1999): Metallothionein: molecular evolution and classification. In: Klaasen, C. (ed.): *Metallothionein IV*. Birkhäuser Verlag, Basel: 7-13.
- Bloß, T., St. Clemens, D. H. Nies** (2002): Characterization of the ZAT1p zinc transporter from *Arabidopsis thaliana* in microbial model organisms and reconstituted proteoliposomes. *Planta* 214: 783-791.
- Blum, H., H. Beier, H. J. Gross** (1987): Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels. *Electrophoresis* 8 (2): 93-99.
- Boussama, N., O. Ouarti, A. Suzuki, M. H. Ghorbal** (1999): Cd-stress on nitrogen assimilation. *J. Plant Physiol.* 155: 310-317.

- Brand, W. A., A. R. Tegtmeier, A. Hilker** (1994): Compound specific isotope analysis: extending toward $^{15}\text{N}/^{14}\text{N}$. *Org. Geochem.* 21: 585-594.
- Bringezu, K., O. Lichtenberger, I. Leopold, D. Neumann** (1999): Heavy metal tolerance of *Silene vulgaris*. *J. Plant Physiol.* 154: 536-546.
- Brown, D. H., A. Avalos** (1991): Chemical control of cadmium uptake by *Peltigera*. *Symbiosis* 11: 299-311.
- Brown, D. H., J. M. Wells** (1988): Sequential elution technique for determining the cellular location of cations. In: Glime, J. M. (ed.): *Methods in bryology. Proc. Bryol. Meth. Workshop, Mainz. Hattori Bot. Lab., Nichinan.* 227-233.
- Brown, D. H., M. Sidhu** (1992): Heavy metal uptake, cellular location and inhibition of moss growth. *Crypt. Bot.* 3: 82-85.
- Brown, D. H., R. P. Beckett** (1985): Intracellular and extracellular uptake of cadmium by the moss *Rhytidiadelphus squarrosus*. *Ann. Bot.* 55: 179-188.
- Brown, D.H** (1982): Mineral nutrition. In: Smith, A. J. (ed): *Bryophyte ecology.* Academic Press, London: 383-443.
- Brown, J. E., H. Khodr, R. Hider, C. Rice-Evans** (1998): Structural dependence of flavonoid interactions with Cu^{2+} ions: implications for their antioxidant properties. *Biochem. J.* 330: 1173-1178.
- Brunold, Ch., A. Ruegsegger, R. Brändle** (1996): *Stress bei Pflanzen.* UTB Verlag. 191-219.
- Bruns, I.** (1997): Induktion thiolhaltiger Peptide im Wassermoos *Fontinalis antipyretica* L. ex Hedw. unter Schwermetalleinfluss und deren Nutzung als Biomarker für Schwermetallbelastungen aquatischer Systeme. Dissertationsschrift, Martin-Luther Universität Halle-Wittenberg.
- Bruns, I., A. Siebert, R. Baumbach, J. Miersch, D. Günther, B. Markert, G.-J. Krauß** (1995): Analysis of heavy metals and sulphur-rich compounds in the water moss *Fontinalis antipyretica* L. ex Hedw.. *Fresenius J. Anal. Chem.* 353: 101-104.
- Bruns, I., G.-J. Krauß** (1999): Das aquatische Monitormoos *Fontinalis antipyretica*-Schwermetallakkumulation und Synthese spezifischer Stressmetabolite. In: Oehlmann, J., B. Markert (eds.): *Ökotoxikologie. Ökosystemare Ansätze und Methoden.* Ecomed. Landsberg: 301-315.
- Bruns, I., K. Friese, G. Krauß, G.-J. Krauß** (2000a): Assessment of metal pollution of aquatic systems with the watermoss *Fontinalis antipyretica* L. ex Hedw. - from fundamental investigation to physiological effect. In: Markert, B., K. Friese (eds): *Trace elements their distribution and effects in the environment.* Elsevier Sci.. 323-339.

- Bruns, I., K. Sutter, D. Neumann, G.-J. Krauß** (2000b): Glutathione accumulation - a specific response of mosses to heavy metal stress. In: Brunold, Ch. (ed): Sulfur nutrition and sulfur assimilation in higher plants. Paul Haupt, Bern, Schweiz. 389-391.
- Bruns, I., K. Sutter, S. Menge, D. Neumann, G.-J. Krauß** (2001): Cadmium lets increase the glutathione pool in bryophytes. *J. Plant Physiol.* 158: 79-89.
- Buchanan-Wollaston, V.** (1994): Isolation of cDNA clones for genes that are expressed during leaf senescence in *Brassica napus*. *Plant Physiol.* 105: 839-846.
- Buschmann, C.** (1986): Fluoreszenz- und Wärmestrahlung bei Pflanzen. *Naturwissenschaften* 73: 691-699.
- Buschmann, C., H. Lichtenthaler** (1999): Contribution of chlorophyll fluorescence to the reflectance of leaves in stressed plants as determined with the VIRAF-spectrometer. *Z. Naturforsch.* 54c: 849-855.
- Busse, S.** (1997): Veränderungen der Diatomeenflora in Helbe und Urbach (Thüringen) aufgrund einer verringerten Salzbelastung. Diplomarbeit. Freie Universität Berlin. Fachbereich Biologie.
- Cenci, R. M.** (2000): The use of aquatic moss (*Fontinalis antipyretica*) as monitor of contamination in standing and running waters: limits and advantages. *J. Limnol.* 60: 53-61.
- Chen, C. T., L.-M. Chen, C. C. Lin, C. H. Kao** (2001): Regulation of proline accumulation in detached leaves exposed to excess copper. *Plant Science* 160: 283-290.
- Chen, L.-M., C.-H. Kao** (1998): Relationship between ammonium accumulation and senescence of detached rice leaves caused by excess copper. *Plant Soil* 200: 167-173.
- Chen, L.-M., C.-H. Kao** (1999): Effect of excess copper on rice leaves: evidence for involvement of lipid peroxidation. *Bot. Bull. Acad. Sin.* 40: 283-287.
- Chevalier, C., E. Bourgeois, A. Pradet, P. Raymond** (1995): Molecular cloning and characterization of six cDNA's expressed during glucose starvation in excised maize (*Zea mays* L.) root tips. *Plant Mol. Biol.* 28: 473-485.
- Choi, D., H. M. Kim, H. K. Yun, J.-A. Park, W. T. Kim, S. H. Bok** (1996): Molecular cloning of a metallthionein-like gene from *Nicotiana glutinosa* L. and its induction by wounding and tobacco mosaic virus infection. *Plant Physiol.* 112: 353-359.
- Ciscato, M., J. Vangronsveld, R. Valcke** (1999): Effects of heavy metals on the fast chlorophyll fluorescence induction kinetics of photosystem II: a comparative studie. *Z. Naturforsch.* 54c: 735-739.
- Clemens, St.** (2001): Molecular mechanisms of plant metal tolerance and homeostase. *Planta* 212: 475-486.

- Clemens, St., D. M. Antosiewicz, J. M. Ward, D. P. Schachtmann, J. I. Schröder** (1998): The plant cDNA LCT1 mediates the uptake of calcium and cadmium in yeast. *Proc. Natl. Acad. Sci. USA* 95: 12043-12048.
- Clemens, St., E. J. Kim, D. Neumann, J. I. Schröder** (1999): Tolerance to toxic metals by a gene family of phytochelatin synthetases from plants and yeast. *EMBO J.* 18: 3325-3333.
- Clijsters, H. M. M., F. van Assche** (1985): Inhibition of photosynthesis by heavy metals. *Photosynth. Res.* 7: 31-40.
- Cobbett, C. S.** (2000a): Phytochelatin biosynthesis and function in heavy-metal detoxification. *Curr. Opin. Plant Biol.* 3: 211-216.
- Cobbett, C. S.** (2000b): Phytochelatin and their roles in heavy metal detoxification. *Plant Physiol.* 123: 825-832.
- Cobbett, C. S., P. B. Goldsbrough** (2000): Mechanisms of heavy metal resistance: phytochelatin and metallothioneins. In: Raskin, I., B. D. Ensley (eds): *Phytoremediation of toxic metals: using plants clean up the environment*. Wiley & Sons. New York. 247-269.
- Costa, G., J.-L. Morel** (1994): Water relations, gas exchange and amino acid content in Cd-treated lettuce. *Plant Physiol. Biochem.* 32: 561-570.
- Curie, C., J. M. Alonso, M. Jean, J. R. Ecker, J. F. Briat** (2000): Involvement of Nramp1 from *Arabidopsis thaliana* in iron transport. *J. Biochem.* 347: 749-755.
- Danilov, R., N. G. A. Ekelund** (2001): Effects of Cu^{2+} , Ni^{2+} , Pb^{2+} , Zn^{2+} and pentachlorophenol on photosynthesis and motility in *Chlamydomonas reinhardtii* in short-term exposure experiments. *Bio. Med. Central Ltd. Eco.* 1-9.
- Dat, J., S. Vandenabeele, E. Vranova; M. van Montagu, D. Inze, F. van Breusegem** (2000): Dual action of the active oxygen species during plant stress responses. *Cellular and Molecular Life Science* 57: 779-795.
- Davis, J. M., H. R. Clarke, H. D. Bradshaw, M. P. Gordon** (1991): Populus chitinase genes: structure, organization and similarity of translated sequences to herbaceous plant chitinases. *Plant Mol. Biol.* 17 (4): 631-639.
- Dawson, R. M. C., D. C. Elliott, W. H. Elliott, K. M. Jones** (eds) (1989): *Data of biochemical research*. Ed. 3. Clarendon Press, Oxford, UK.
- De Knecht, J. A., M. van Dillen, P. Koevoets, H. Schat, J. Verkleij, W. H. O. Ernst** (1994): Phytochelatin in cadmium-sensitive and cadmium-tolerant *Silene vulgaris*. *Plant Physiol.* 104: 255-261.
- De Miranda, J. R., M. A. Thomas, D. A. Thurman, A. B. Tomsett** (1990): Metallothionein genes from the flowering plant *Mimulus guttatus*. *FEBS Lett.* 260: 277-280.

- Dixon, R. A., N. L. Paiva** (1995): Stress-induced phenylpropanoid metabolism. *The Plant Cell* 7: 1085-1097.
- Dower, W. J., J. F. Miller, C. W. Ragsdale** (1988): High efficiency transformation of *E. coli* by high voltage electroporation. *Nucleic Acid Res.* 16: 387-395.
- Dudley, H. W., I. Fleming** (1985): *Strukturaufklärung in der organischen Chemie*. Georg Thieme Verlag. 5. Auflage. 2-41.
- Ebbs, St., I. Lau, B. Ahner, L. Kochian** (2002): Phytochelatin synthesis is not responsible for Cd tolerance in the Zn/Cd hyperaccumulator *Thlaspi caerulescens*. *Planta* 214: 635-640.
- El-Sheekh, M. M.** (1993): Quenching of the variable fluorescence induced by zinc in the green alga *Chlorella fusca*. *R. Bras. Fisiol. Veg.* 5: 1-5.
- Ernst, W. H. O.** (1974): *Schwermetallvegetation der Erde*. G. Fischer Verlag. Stuttgart. 58.
- Ernst, W. H. O., J. A. Verkleij, H. Schat** (1992): Metal tolerance in plants. *Acta Bot. Neerl.* 41: 229-248.
- Ezaki, B., M. Katsuhara, M. Kawamura, H. Matsumoto** (2001): Different mechanisms of four aluminium resistant transgenes for Al-toxicity in *Arabidopsis*. *Plant Physiol.* 127: 918-927.
- Fiehn, O., J. Kopka, P. Dörmann, T. Altmann, R. N. Trethewey, L. Willmitzer** (2000): Metabolite profiling for plant functional genomics. *Nat. Biotechnol.* 18: 1157-1161.
- Foley, R. C., K. B. Singh** (1994): Isolation of a *Vicia faba* metallothionein-like gene, expression in foliar trichomes. *Plant Mol. Biol.* 26: 435-444.
- Frahm, J.-P.** (1998): *Moose als Bioindikatoren*. Biologische Arbeitsbücher. Quelle und Meyer Verlag Wiesbaden. 16-17.
- Frahm, J.-P., W. Frey** (1987): *Moosflora*. Verlag Eugen Ulmer Stuttgart. 398.
- Franco, E., S. Alessandrelli, J. Masojidek, A. Margonelli, M. T. Giardi** (1999): Modulation of D1-protein turnover under cadmium and heat stresses monitored by [³⁵S]methionine incorporation. *Plant Science* 144: 53-61.
- Gagnon, C., G. Vaillancourt, L. Pazdernik** (1998): Influence of water hardness on accumulation and elimination of cadmium in two aquatic mosses under laboratory conditions. *Arch. Env. Cont. Tox.* 34: 12-20.
- Gallardo, K., C. Job, St. P. C. Groot, M. Puype, H. Demol, J. Vandekerckhove, D. Job** (2001): Proteomic analysis of *Arabidopsis* seed germination and priming. *Plant Physiol.* 126: 835-848.
- Garcia-Hernandez, M., A. Murphy, L. Taiz** (1998): Metallothioneins 1 and 2 have distinct but overlapping expression patterns in *Arabidopsis*. *Plant Physiol.* 118: 387-397.

- Geiken, B., Masojidek, M. Rizzuto, M. L. Pompili, M. T. Giardi** (1998): Incorporation of [³⁵S]methionine in higher plants reveals that stimulation of the D1 reaction centre II protein turnover accompienes tolerance to heavy metal stress. *Plant Cell and Environm.* 21: 1265-1273.
- Genty, B., J. M. Briantais and N. R. Baker** (1989): The relationship between the quantum yield of photosynthetic electron transport and quenching of chlorophyll fluorescence. *Biochim. Biophys. Acta* 990: 87-90.
- Godbold, D. L., W. J. Horst, J. C. Collins, D. A. Thurman, H. Marschner** (1984): Accumulation of zinc and organic acids in roots of zinc tolerant and non-tolerant ecotypes of *Deschampsia caespitosa*. *Plant Physiol.* 116: 59-69.
- Goloubinoff, P., A. Mogk, A. P. Zvi, T. Tomoyasu, B. Bukau** (1999): Sequential mechanism of solubilization and refolding of stable protein aggregates by bichaperone network. *Proc. Natl. Acad. Sci. USA* 96: 13732-13737.
- Görg, A.** (1991): Ready-made gels, immobilized pH-gradients and automated procedures for high resolution two-dimensional electrophoresis. *Sciences Tools* 35: 1-5.
- Graham, A. W., G. K. McDonald** (2001): Effects of zinc of photosynthesis and yield of wheat under heat stress. *Proceedings of the 10th Australian Agronomy Conference*, Hobart.
- Grill, E., E.-L. Winnacker, M. H. Zenk** (1987): Phytochelatins, a class of heavy-metal-binding peptides from plants, are functionally analogous to metallothioneins. *Proc. Natl. Acad. Sci. USA* 84: 439-443.
- Grill, E., E.-L. Winnacker, M. H. Zenk** (1988): Occurence of heavy metal binding phytochelatins in plants growing in a mining refuse area. *Experientia* 44: 539.
- Grill, E., E.-L. Winnacker, M. H. Zenk** (1989): Phytochelatins, the heavy metal-binding peptides of plants, are synthesized from glutathione by a specific gamma-glutamylcysteine dipeptidyl transpeptidase. *Proc. Natl. Acad. Sci. USA* 86: 6838-6842.
- Grotz, N., T. Fox, E. L. Connoly, W. Park, D. Eide** (1998): Identification of a family of zinc transporter genes from *Arabidopsis* that respond to zinc deficiency. *Proc. Natl. Acad. Sci. USA* 95: 7220-7224.
- Guerinot, M. L., D. Eide** (1999): Zeroing in zinc uptake in yeast and plants. *Curr. Opin. Plant Biol.* 2: 244-249.
- Hall, J. L.** (2002): Cellular mechanisms for heavy metal detoxification and tolerance. *J. Exp. Bot.* 53: 1-11.
- Hegnauer, R.** (1986): *Chemotaxonomie der Pflanzen*. Band VII. Birkhäuser Verlag. 374-396.
- Henning, J. A., D. L. Moore** (1999): Hop Chitinase gene. (subm. *Plant Mol. Biol.*).

- Himmelblau, E., R. Amasino** (2000): Delivering copper within cells. *Curr. Opin. Plant Biol.* 3: 205-210.
- Hirschi, K. D., V. Korenkov, N. L. Wilganowski, G. J. Wagner** (2000): Expression of *Arabidopsis* CAX2 in tobacco. Altered metal accumulation and increased manganese tolerance. *Plant Physiol.* 124: 125-133.
- Hofmann, D., K. Jung, H.-J. Segschneider, M. Gehre, G. Schüürmann** (1995): $^{15}\text{N}/^{14}\text{N}$ analysis of amino acids with GC-C-IRMS-methodical investigation and ecotoxicological applications. *Isotopes Environ. Health. Stud.* 31: 367-375.
- Hofmann, D., M. Gehre, K. Jung** (eingereicht): Sample preparation techniques for the determination of $^{15}\text{N}/^{14}\text{N}$ variations in amino acids by gas chromatography-combustion-isotope ratio mass spectrometry (GC-C-IRMS). *Isotopes in Environmental and Health Studies*.
- Howden, R., C. R. Andersen, P. B. Goldsbrough, C. S. Cobbett** (1995): A cadmium-sensitive glutathione-deficient mutant of *Arabidopsis thaliana*. In: Clemens, St. (2001): Molecular mechanisms of plant metal tolerance and homeostase. *Planta* 212: 475-486.
- Hsieh, H.-M., W.-K. Liu, P. C. Huang** (1995): A novel stress-inducible metallothionein-like gene from rice. *Plant Mol. Biol.* 28: 381-389.
- Hsieh, H.-M., W.-K. Liu, W. K. Chang, P. C. Huang** (1996): RNA-expression patterns of a type 2 metallothionein-like gene from rice. *Plant Mol. Biol.* 32: 525-529.
- Jennings, A. C.** (1981): The determination of dihydroxy phenolic compounds in extracts of plant tissues. *Analyt. Biochem.* 118: 396-398.
- Kampfenkel, K., S. Kushnir, E. Baiychuk, D. Inze, M. van Montagu** (1995): Molecular characterization of a putative *Arabidopsis thaliana* copper transporter and its yeast homologue. *J. Biol. Chem.* 270: 28479-28486.
- Kautsky, H., W. Appel, H. Amann** (1960): Chlorophyllfluoreszenz und Kohlensäureassimilation. *Biochemische Zeitschrift.* 322: 277-292.
- Kawashima, I., Y. Inokuchi, M. Chino, M. Kimura, N. Shimizu** (1991): Isolation of a gene for a metallothionein-like protein from soyabean. *Plant Cell Physiol.* 32: 913-916.
- Klapheck, S., B. Chrost, J. Starke, H. Zimmermann** (1992): γ -Glutamylcysteinylserine-a new homologue of glutathione in plants of the family Poaceae. *Bot. Acta* 105: 174-179.
- Kleber, H.-P., D. Schlee, W. Schöpp** (1997): *Biochemisches Praktikum*. Gustav Fischer Verlag, 5. Aufl.. 90-94.
- Kombrink, E., M. Schröder, K. Hahlbrock** (1988): Several „pathogenese-related“ proteins in potato are 1,3- β -glucanases and chitinases. *Proc. Natl. Acad. Sci. USA* 85: 782-786.

- Korshunova, Y. O., D. Eide, W. G. Clark, M. L. Guerinot, H. B. Pakrasi** (1999): The IRT1-protein from *Arabidopsis thaliana* is a metal transporter with a broad substrate range. *Plant Mol. Biol.* 40: 37-44.
- Krämer, U., I. J. Pickering, R. C. Prince, I. Raskin, D. E. Salt** (2000): Subcellular localization and speciation of nickel in hyperaccumulator and non-accumulator *Thlaspi* species. *Plant Physiol.* 122: 1343-1353.
- Krämer, U., J. D. Cotter-Howells, J. M. Charnock, A. J. M. Baker, J. A. C. Smith** (1996): Free histidin as a metal chelator in plants that accumulate nickel. *Nature* 379: 635-638.
- Krause, G. H., E. Weis** (1991): Chlorophyll fluorescence and photosynthesis: The basics. *Plant Physiol. and Plant Mol. Biol.* 42: 313-349.
- Krotz, R. M., B. P. Evangelou, G. J. Wagner** (1989): Relationships between cadmium, zinc, Cd-peptide and organic acid in tobacco suspension cells. *Plant Physiol.* 91: 780-787.
- Krupa, Z., G. Öquist, N. Huner** (1993): The effects of cadmium on photosynthesis of *Phaseolus vulgaris* - a fluorescence analysis. *Physiol. Plantarum* 88: 626.
- Küllertz, G., A. Liebau, K. P. Rücknagel, A. Schierhorn, B. Dittrich, G. Fischer, M. Luckner** (1999): Stress-induced expression of cyclophilins in proembryonic masses of *Digitalis lanata* does not protect against freezing/thawing stress. *Planta* 208: 599-605.
- Küpper, H., F. Küpper, M. Spiller** (1996): Environmental relevance of heavy metal-substituted chlorophylls using the example of water plants. *J. Exp. Bot.* 47: 259-266.
- Lane, B., R. Kalioka, T. Kennedy** (1987): The wheat-germ E_C protein is a zinc-containing metallothionein. *Biochem. Cell Biol.* 65: 1001-1005.
- Larimer, F. W., J. R. Perry, A. A. Hardigree** (1989): The REV1 gene of *Saccharomyces cerevisiae*: isolation, sequence and functional analysis. *J. Bacteriol.* 171: 230-237.
- Lasat, M. M., N. S. Pence, D. F. Garvin, S. D. Ebbs, L. V. Kochian** (2000): Molecular physiology of zinc transport in the hyperaccumulator *Thlaspi caerulescens*. *J. Exp. Bot.* 51: 71-79.
- Lavid, N., A. Schwartz, O. Yarden, E. Tel-Or** (2001a): The involvement of polyphenols and peroxidase activities in heavy-metal accumulation by epidermal glands of the waterlily (Nymphaeaceae). *Planta* 212: 323-331.
- Lavid, N., Z. Barkay, E. Tel-Or** (2001b): Accumulation of heavy metals in epidermal glands of the waterlily (Nymphaeaceae). *Planta* 212: 313-322.
- Lawrence, C. W., V. M. Maher** (2001): Eukaryotic mutagenesis and translesion replication dependent on DNA polymerase ξ and REV1 protein. *Bio. Soc. Trans.* 29: 187.
- Lee, G. J., A. M. Roseman, H. S. Saibil, E. Vierling** (1997): A small heat shock protein stably binds heat denatured model substrates and can maintain a substrate in a folding-competent state. *EMBO J.* 16: 659-671.

- Lee, J., K. D. Reeves, R. R. T. Brooks** (1977): Jaffre isolation and identification of a citrato-complex of nickel from nickel-accumulating plants. *Phytochemistry* 16: 1503-1505.
- Lewis, S., R. D. Handy, B. Cordi, Z. Billingham, M. H. Depledge** (1999): Stress proteins (HSPs): methods of detection and their use as an environmental biomarker. *Ecotox.* 8: 351-358.
- Li, Z.-S., Y.-P. Lu, R.-G. Zhen, M. Szczypka, D. J. Thiele, P. A. Rea** (1997): A new pathway for vacuolar cadmium sequestration in *Saccharomyces cerevisiae*: YCF1-catalyzed transport of bis(gluththionato)cadmium. *Proc. Natl. Acad. Sci.* 94: 42-47.
- Lichtenberger, O., D. Neumann** (1997): Analytical electron microscopy as a powerful tool in plant cell biology: examples using electron energy loss spectroscopy and X-ray microanalysis. *Europ. J. Cell Biol.* 73: 378-386.
- Lichtenthaler, H. K., J. A. Miede** (1997): Fluorescence imaging as a diagnostic tool for plant stress. *Trends in Plant Science* 2: 316-320.
- Lichtenthaler, H. K., O. Wenzel, C. Buschmann, A. Gitelson** (1998): Plant stress detection by reflectance and fluorescence. *Ann. New York Academy of Sciences.* Vol. 58: 271-285.
- Lopez, J., M. D. Vazquez, A. Carballeira** (1994): Stress responses and metal kinetics following transplant of the aquatic moss *Fontinalis antipyretica*. *Freshwater Biol.* 32: 185-198.
- Lottspeich, F. H. Zorbach** (1998): *Bioanalytik.* Spektrum Akademischer Verlag, Heidelberg, Berlin. 235 pp.
- Lowry, D. H., N. J. Rosebrough, A. L. Farr, R. L. Randall** (1951): Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Lu, Y. P., Z. S. Li, P. A. Rea** (1997): AtMRP1 gene of *Arabidopsis* encodes a glutathione S-conjugate pump: isolation and functional definition of a plant ATP-binding cassette transporter gene. *Proc. Natl. Acad. Sci. USA* 94: 8243-8248.
- Luan, S., W. S. Lane, S. L. Schreiber** (1994): PCyPB: a chloroplast-localized, heat shock-responsive cyclophilin from fava bean. *Plant Cell* 6: 885-892.
- Lummerzheim, M., M. Sandroni, C. Castresana, D. E. Oliveira, M. van Montagu, D. Roby, B. Timmermann** (1995): Comparative microscopic enzymatic characterization of the leaf necrosis induced by lead nitrate and by *Xanthomonas campestris* pv. *campestris* after foliar spray. *Plant Cell Environ.* 18: 499-509.
- Luna, C. M., C. A. Gonzalez, V. S. Trippi** (1994): Oxidative damage caused by an excess of copper in oat leaves. *Plant Cell Physiol.* 35: 11-15.
- Ma, J. F.** (2000): Role of organic acids in the detoxification of aluminum in higher plants. *Plant Cell Physiol.* 41: 383-390.

- Ma, J. F., S. Hiradate, K. Nomoto, T. Iwashita, H. Matsumoto** (1997): Internal detoxification mechanism of Al in *Hydrangea* (identification of Al form in the leaves). *Plant Physiol.* 113: 1033-1039.
- Ma, Z., S. C. Miyasaka** (1998): Oxalate exudation by Taro in response to Al. *Plant Physiol.* 118: 861-865.
- Macnair, M. R., G. H. Tilstone, S. E. Smith** (2000): The genetics of metal tolerance and accumulation in higher plants. In: Terry, N., G. Banuelos (eds): *Phytoremediation of contaminated soil and water*. CRC Press LLC. 235-250.
- Marivet, J., P. Frendo, G. Burkhard** (1992): DNA sequence analysis of a cyclophilin gene from maize: development expression and regulation by salicylic acid. *Mol. Gen. Genet.* 247: 222-228.
- Marivet, J., P. M. Margis** (1994): Bean cyclophilin gene expression during plant development and stress conditions. *Plant Molecular Biology* 26: 1181-1189.
- Marschner, H.** (1995): *Mineral nutrition of higher plants*. Academic Press, 2. Ausgabe. 333-364.
- Mäser, P., S. Thomine, J. I. Schroeder, J. M. Ward, K. Hirschi, H. Sze, I. N. Talke, A. Amtmann, F. J. M. Maathuis, D. Sanders, J. F. Harper, J. Tchieu, M. Gribskov, M. W. Persan, D. E. Salt, S. A- Kim, M. L. Guerinot** (2001): Phylogenetic relationships within cation transporter families of *Arabidopsis*. *Plant Physiology* 126: 1646-1667.
- Masojidek, J., J. Maly, S. Alessandrelli, M. Koblizek, M. Rizzuto, B. Geiken, J. Kopecky, J. Komenda, O. Prasil, M. T. Giardi** (2000): Effect of heavy metals on the structure and function of photosystem II: potential and prospects for use as bioindicator. In: Pilloton, R., F. Mazzei (eds.): *Proceedings of the 2nd Workshop on Chemical Sensors and Biosensors*. 249-256.
- Maxwell, K., G. N. Johnson** (2000): Chlorophyll fluorescence - a practical guide. *J. Exp. Bot.* 51: 659-668.
- Maywald, F., H. J. Weigel** (1997): Zur Biochemie und Molekularbiologie der Schwermetallaufnahme und -speicherung bei höheren Pflanzen. *Landbauforschung Völkenrode* 3: 103-126.
- McCormick, C.C., L.-Y. Lin** (1991): Quantification and identification of metallothioneins by gel electrophoresis and silver staining. In: Riordan, J. F., B. Vallee (1991): *Methods of Enzymology* Vol. 205. Academic Press. 72.
- Melkonyan, V. Z., R. M. Nalbandyan** (1989): Cu-thionein from the roots of cucumber seedlings. *Biochimica* 54: 306-312.
- Mira, H., F. Martinez-Garcia, L. Penarrubia** (2001a): Evidence for the plant-specific intercellular transport of the *Arabidopsis* copper chaperone CCH. *Plant J.* 25: 521-528.

- Mira, H., M. Vilar, E. Perez-Paya, L. Penarrubia** (2001b): Functional and conformational properties of the exclusive C-domain from the *Arabidopsis* copper chaperone (CCH). *Biochem. J.* 357: 545-549.
- Monnet, F., N. Vaillant, P. Vernay, A. Coudret, H. Sallanon, A. Hitmi** (2001): Relationship between PSII activity, CO₂ fixation and Zn, Mn and Mg contents of *Lolium perenne* under Zn stress. *J. Plant Physiol.* 158: 1137-1144.
- Mullins, G. L., L. E. Sommers, T. L. Housley** (1986): Metal speciation in xylem and phloem exudates. *Plant Soil* 96: 377-391.
- Murphy, A., J. Zhou, P. B. Goldsbrough, L. Taiz** (1997): Purification immunological identification of metallothioneins 1 and 2 from *Arabidopsis thaliana*. *Plant Physiol.* 113: 1293-1301.
- Murphy, A., L. Taiz** (1995): Comparison of metallothionein gene expression and nonprotein thiols in ten *Arabidopsis* ecotypes. *Plant Physiol.* 109: 945-954.
- Nebel, M. und G. Philippi** (2000): Die Moose Baden-Württembergs. Band II. Verlag Eugen Ulmer Stuttgart. 213-215.
- Neumann, D., O. Lichtenberger, D. Günther, K. Tschiersch, L. Nover** (1994): Heat-shock proteins induce heavy-metal tolerance in higher plants. *Planta* 194: 360-367.
- Neumann, D., U. zur Nieden** (2000): Silicon and heavy metal tolerance of higher plants. *Phytochemistry* 56: 685-692.
- Neumann, D., U. zur Nieden, O. Lichtenberger, I. Leopold** (1995): How does *Armeria maritima* tolerate high heavy metal concentrations? *J. Plant Physiol.* 146: 704-717.
- Neumann, D., U. Zur Nieden, R. Manteuffel, G. Walter, K.-D. Scharf, L. Nover** (1987): Intracellular localization of heat shock proteins in tomato cell cultures. *Eur. J. Cell. Biol.* 43: 71-81.
- Neumann, D., U. zur Nieden, W. Schwieger, I. Leopold, O. Lichtenberger** (1997): Heavy metal tolerance of *Minuartia verna*. *J. Plant Physiol.* 151: 101-108.
- Nies, D. H., S. Silver** (1995): Ion efflux systems involved in bacterial metal resistances. *J. Ind. Microbiol.* 14: 186-199.
- Noctor, G., A.-C. M. Arisi, L. Jouanin, K. J. Kunert, H. Rennenberg, C. H. Foyer** (1998): Glutathione: biosynthesis, metabolism and relationship to stress tolerance explored in transformed plants. *J. Exp. Bot.* 49: 623-647.
- Noctor, G., C. H. Foyer** (1998): Ascorbate and glutathione: keeping active oxygen under control. *Annu. Rev. Plant Physiol. and Plant Mol. Biol.* 49: 249-279.
- Nordberg, M., M. Piscator, O. Vesterberg** (1972): Separation of two forms of rabbit metallothionein by isoelectric focusing. *Biochem. J.* 126: 491.
- Nover, L.** (1991): Heat shock response. CRC Press Boca Raton, London.

- Nover, L., D. Neumann** (1989): Cytoplasmic heat shock granules are formed from precursor particles and contain a specific set of mRNA's. *Mol. Cell Biol.* 9: 1298-1308.
- Nover, L., D. Neumann, K.-D. Scharf** (eds) (1989): Heat shock and other stress response systems of plants. Springer Verlag, Berlin. 13 pp.
- Nygaard, Ch., N. G. A. Ekelund** (1999): Effects of lead (PbCl₂) on photosynthesis and respiration of the bladder wrack, *Fucus vesiculosus*, in relation to different salinities. *Water, Air and Soil Poll.* 116: 549-565.
- O' Farrell, P. H.** (1975): High resolution two-dimensional electrophoresis of proteins. *J. Biol. Chem.* 250: 4007-4021.
- Okumura, N., N. K. Nishizawa, Y. Umehara, S. Mori** (1991): An iron deficiency-specific cDNA from barley roots having two homologous cystein-rich MT domains. *Plant Mol. Biol.* 17: 531-533.
- Ortiz, D. F., T. Ruscitti, K. F. McCue, D. W. Ow** (1995): Transport of metal-binding peptides by HMT1, a fission yeast ABC-type vacuolar membrane protein. *J. Biol. Chem.* 270: 4721-4728.
- Palatnik, J. F., N. Carrillo, E. M. Valle** (1999): The role of photosynthetic electron transport in the oxidative degradation of chloroplastic glutamine synthetase. *Plant Physiol.* 121: 471-478.
- Pardo, M., M. Ward, S. Bains, M. Molina, W. Blackstock, C. Gil, C. Nombela** (2000): A proteomic approach for the study of *Saccharomyces cerevisiae* cell wall biogenesis. *Electrophoresis* 21: 3396-3410.
- Pätsikkä, E., E.-M. Aro, E. Tyystjärvi** (1998): Increase in the quantum yield of photoinhibition contributes to copper toxicity *in vivo*. *Plant Physiol.* 117: 619-627.
- Pearson, W. R.** (1990): Rapid and sensitive sequence comparison with FASTP and FASTA. *Methods in Enzymology* 183: 63-98.
- Pence, N. S., P. B. Larsen, S. D. Ebbs, D. L. D. Letham, M. M. Lasat, D. F. Garvin, D. Eide, L. V. Kochian** (2000): The molecular physiology of metal transporter in the Zn/Cd hyperaccumulator *Thlaspi caerulescens*. *Proc. Natl. Acad. Sci. USA* 97: 4956-4960.
- Peterson, C. W., S. S. Narula, I. M. Armitage** (1996): 3D-solution structure of copper and silver-substituted yeast metallothioneins. *FEBS Lett.* 379: 85 pp.
- Pickering, D. C., I. L. Puia** (1969): Mechanism for the uptake of zinc by *Fontinalis antipyretica*. *Physiol. Plant* 22: 653-661.
- Prasad, M. N. V.** (1997): Trace metals. In: Prasad, M. N. V. (ed): *Plant ecophysiology*. Wiley, New York. 207-249.
- Prasad, M. N. V.** (1999): Metallothioneins and metal binding complexes in plants. In: Prasad, M. N. V., J. Hagemeyer (eds): *Heavy metal stress in plants*. Springer Verlag. 52-71.

- Quartacci, M. F., E. Cosi, F. Navari-Izzo** (2001): Lipids and NADPH-dependent superoxide production in plasma membrane vesicles from roots of wheat grown under copper deficiency or excess. *J. Exp. Bot.* 52: 77-84.
- Rabenstein, D. L.** (1989): Metal complexes of glutathione and their biological significance. In: Dolphin, D., O. Avramovic, R. Poulsonb (eds): *Glutathione*. Wiley Int. Sci, New York. 147-186.
- Rausser, W. E.** (1999): Structure and function of metal chelators produced by plants. *Cell Biochem. and Biophys.* 31: 19-48.
- Rausser, W. E.** (2000): The role of thiols in plants under metal stress. In: Brunhold, Ch., H. Rennenberg, L. J. de Kok, I. Stulen, J.-C. Davidian (eds): *Sulfur nutrition and sulfur assimilation in higher plants*. Paul Haupt, Bern, Schweiz: 169-183.
- Rea, P. A., Z. S. Li, Y. P. Lu, Y. M. Drozdowicz, E. Martinoia** (1998): From vacuolar GS-X pumps to multisppecific ABC transporters. *Annu. Rev. Plant Physiol. and Plant Mol. Biol.* 49: 727-760.
- Reese, R. N., C. A. White, D. R. Winge** (1992): Cadmium sulfide crystallites in Cd-(γ -EC)_nG peptide complexes from tomato. *Plant Physiol.* 98: 225-229.
- Rennenberg, H., C. Brunold** (1994): Significance of glutathione metabolism in plants under stress. *Prog. Bot.* 55: 142-156.
- Repcak, M., J. Imrich, M. Franekova** (2001): Umbelliferone, a stress metabolite of *Chamomilla recutita* (L.). *J. Plant Physiol.* 158: 1085-1087.
- Rice-Evans, C. A., N. J. Miller, G. Paganga** (1996): Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical. Biol. Med.* 20: 933-956.
- Rice-Evans, C. A., N. J. Miller, G. Paganga** (1997): Antioxidant properties of phenolic compounds. *Trends in Plant Science* 2 (4): 152-159.
- Richardson, D. H. S.** (1981): *The biology of mosses*. Blackwell Scientific Publications Oxford, London, Edinburgh, Boston, Melbourne. 184-185.
- Rivero, R. M., J. M. Ruiz, P. C. Garcia, L. R. Lopez-Lefebvre, E. Sanchez, L. Romero** (2001): Resistance to cold and heat stress: accumulation of phenolic compounds in tomato and watermelon plants. *Plant Science* 160: 315-321.
- Robinson, N. J., A. M. Tommey, C. Kuske, P. J. Jackson** (1993): Plant metallothioneins. *Biochem. J.* 295: 1-10.
- Robinson, N. J., J. R. Wilson, J. S. Turner** (1996): Expression of the type 2 metallothionein-like gene MT2 from *Arabidopsis thaliana* in Zn²⁺ metallothionein-deficient *Synechococcus* PCC 7942: putative role for MT2 in Zn²⁺ metabolism. *Plant Mol. Biol.* 30: 1169-1179.
- Roby, D., A. Toppan, M.-T. Esquerre-Tugaye** (1986): Cell surface in plant-microorganism interactions. *Plant Physiol.* 77: 700-704.

- Sagner, S., R. Kneer, G. Wanner, J. P. Gosson, B. Deus-Neumann, M. H. Zenk** (1998): Hyperaccumulation, complexation and distribution of nickel in *Sebertia acuminata*. *Phytochemistry* 47: 339-347.
- Saito, T., S. Ishiguro, H. Ashida, M. Kawamukai, H. Matsuda, H. Ochiai, T. Nakagwa** (1995): Cloning and sequence analysis of genes for cyclophilin from *Arabidopsis thaliana*. *Plant Cell Physiol.* 36: 377-382.
- Salt, D. E., R. C. Prince, A. J. M. Baker, I. Raskin, I. J. Pickering** (1999): Zinc ligands in the metal hyperaccumulator *Thlaspi caerulescens* as determined using X-ray absorption spectroscopy. *Environ Sci Technol.* 33: 713-717.
- Salt, D. E., R. D. Smith, I. Raskin** (1998): Phytoremediation. *Annu. Rev. Plant Physiol.* 49: 643-668.
- Sambrook, J., E. F. Fritsch, T. Maniates** (1989): *Molecular cloning: a laboratory manual*. Cold Spring Harbor Laboratory Press, New York. 2. Aufl..
- Samecka-Cymerman, A., A. J. Kempers** (1999): Background concentration of heavy metals in aquatic bryophytes used for biomonitoring in basaltic areas. *Env. Geol.* 39: 117-122.
- Sandalio, L. M., H. C. Dalurzo, M. Gomez, M. C. Romero-Puertas, L. A. del Rio** (2001): Cadmium-induced changes in the growth and oxidative metabolism of pea plants. *J. Exp. Bot.* 52: 2115-2126.
- Sandmann, G., P. Böger** (1980): Copper deficiency and toxicity in *Scenedesmus*. *Zeitschrift Pflanzenphysiol.* 98: 53-59.
- Sandmann, G., P. Böger** (1983): Enzymological function of heavy metals and their role in electron transfer processes of plants. In: *Encyclopedia of Plant Physiology*. Springer Verlag Berlin. *Physiological Plant Ecology III*. Vol 12: 246-300.
- Sanger, F., S. Nicklen, A. R. Coulson** (1977): DNA sequencing with chain terminating inhibitors. *Proc. Natl. Acad. Sci. USA* 74: 5463-5467.
- Sarvari, E., F. Fodor, E. Cseh, A. Varga, G. Zaray, L. Zolla** (1999): Relationship between changes in ion content of leaves and chlorophyll-protein composition in cucumber under Cd and Pb stress. *Z. Naturforschung* 54c: 746.
- Sato, S., H. Kotani, Y. Nakamura, T. Kaneko, E. Asamizu, M. Fukami, N. Miyajima, S. Tabata** (1997): Structural analysis of *Arabidopsis thaliana* chromosome 5. Sequence features of the 1,6 mb region covered by twenty physically assigned P1 clones. *DNA Res.* 4: 215-230.
- Schaefer, H. J., A. Haag-Kerwer, Th. Rausch** (1998): Cadmium-responsive genes in the heavy metal accumulator *Brassica juncea* L.: cDNA cloning of OAS (thio)lyase, gamma-glutamylcysteine synthetase, glutathione synthetase and metallothionein 2 and their expression in roots of Cd-exposed plants. *Mol. Plant Biol.* 37: 87-97.

- Schäfer, H. J., S. Greiner, Th. Rausch, A. Haag-Kerwer** (1997): In seedlings of the heavy metal accumulator *Brassica juncea* Cu²⁺ differentially affects transcript amounts for γ -glutamylcysteine synthetase (γ -ECS) and metallothionein (MT2). FEBS Letters 404: 216-220.
- Schägger, H., G. von Jagow** (1987): Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. Analytical Biochem. 166: 368-379.
- Schat, H., M. Llugany, R. Bernhard** (2000): Metal-specific patterns of tolerance, uptake and transport of heavy metals in hyperaccumulating and non-hyperaccumulating metallophytes. In: Terry, N., G. Banuelos (eds): Phytoremediation of contaminated soil and water. CRC Press LLC.
- Schlee, D.** (1992): Ökophysiologische Biochemie. Gustav Fischer. 130 pp.
- Schmid, F. X.** (1995): Prolyl isomerases join the fold. Curr. Biol. 5: 993-994.
- Schöffl, F., R. Prändl, A. Reindl** (1998): Regulation of the heat-shock response. Plant Physiol. 117: 1135-1141.
- Schopfer, P.** (1986): Experimentelle Pflanzenphysiologie. Band 1. Springer Verlag, Berlin, Heidelberg, New York, Tokio. 47.
- Schröder, H., T. Langer, F. U. Hartl, B. Bukau** (1993): DnaK, DnaJ and GrpE form a cellular chaperone machinery capable of repairing heat-induced protein damage. EMBO J. 12: 4137-4144.
- Schröder, W. P., J. B. Arellano, T. Bittner, M. Baron, H.-J. Eckert, G. Renger** (1994): Flash-induced absorption spectroscopy studies of copper interaction with PS II in higher plants. J. Biol. Chem. 269: 32865-32870.
- Schubert, R. und G. Wagner** (1988): Pflanzennamen und botanische Fachwörter. Neumann Verlag Leipzig, Radebeul. 183.
- Shaw, A. J., B. Goffinet** (eds) (2000): Bryophyte biology. Cambridge University Press. 113 pp.
- Slabbert, N.** (1992): Complexation of condensed tannins with metal ions. In: Hemingway, R. W., P. E. Laks (eds): Plant Polyphenols. Plenum Press, New York. 259-280.
- Snowden, K. C., R. C. Gardner** (1993): Five genes induced by aluminium in wheat (*Triticum aestivum*) roots. Plant Physiol. 103: 855-861.
- Sommer, C., S. Winkler** (1982): Reaktionen im Gaswechsel von *Fontinalis antipyretica* nach experimentellen Belastungen mit Schwermetallverbindungen. Arch. Hydrobiol. 93: 503-524.
- Stillman, M. J.** (ed) (1992): Metallothioneins: synthesis, structure and properties of metallothioneins, phytochelatins and metal-thiolate-complexes. VCH, New York. 258 pp.

- Stoller, G., K. P. Rücknagel, K. H. Nierhaus, F. X. Schmid, G. Fischer, J.-U. Rahfeld** (1995): A ribosome associated peptidyl-prolyl cis-trans isomerase identified as the trigger factor. *EMBO J.* 14: 4939-4948.
- Strack, D., G. B. Feige, R. Kroll** (1979): Screening of aromatic secondary lichen substances by high performance liquid chromatography. *Z. Naturforsch.* 34c: 695-698.
- Sutter, K.** (2000): Untersuchungen zur Akkumulation und physiologisch-biochemischen Wirkung von Schwermetallen im Wassermoos *Fontinalis antipyretica*. Dissertation. Fachbereich Biochemie/Biotechnologie der Universität Halle-Wittenberg.
- Sutter, K., K. Jung, G.-J. Krauß** (2001): Effects of heavy metals on the nitrogen metabolism of the aquatic moss *Fontinalis antipyretica* L. ex Hedw. A ¹⁵N-Tracer study. *Environm. Sci. Poll. Res.* (OnlineFirst). 1-5.
- Tateishi, Y., Y. Umemura, M. Esaka** (2001): A basic class I chitinase expression in winged bean is up-regulated by osmotic stress. *Biosci. Biotechnol. Biochem.* 65: 1663-1668.
- Thomine, S., R. Wang, J. M. Ward, N. M. Crawford, J. I. Schroeder** (2000): Cadmium and iron transport by members of a plant transporter gene family in *Arabidopsis* with homology to Nramp genes. *Proc. Natl. Acad. Sci. USA* 97: 4991-4996.
- Thüringisches Landesvermessungsamt Erfurt** (Hrsg.) (1996): Nivelliernetze. Messtischblatt 4629/2.
- Timischl, W.** (2000): Biostatistik. Eine Einführung für Biologen und Mediziner. Springer Verlag. 2. Aufl. 101-106.
- Tziveleka, L., A. Kaldis, A. Hegedüs, J. Kissimon, A. Prombona, G. Horvath, J. Argyroudi-Akoyunoglou** (1999): The effect of Cd on chlorophyll and light-harvesting complex II, biosynthesis in greening plants. *Z. Naturforsch.* 54c: 740-745.
- Vad, K., E. de Neergaard, K. Madritz-Ordenana, J. D. Mikkelsen, D. B. Collinge** (1993): Accumulation of defence-related transcripts and cloning of a chitinase mRNA from pea leaves (*Pisum sativum* L.) inoculated with *Ascochyta pisi*. *Lib. Plant Sci.* 92: 69-79.
- Van Assche, F., H. Clijsters** (1986): Inhibition of photosynthesis in *Phaseolus vulgaris* by treatment with toxic concentration of zinc: effect on electron transport and photophosphorylation. *Physiologia Plantarum* 66: 717-721.
- Van der Zaal, B. J., L. W. Neuteboom, J. E. Pinas, A. N. Chardonnans, H. Schat, J. A. Verkleij, P. J. Hooykaas** (1999): Overexpression of a novel *Arabidopsis* gene related to putative zinc-transporter genes from animals can lead to enhanced zinc resistance and accumulation. *Plant Physiol.* 119: 1047-1056.
- Vassilev, A, I. Yordanov, E. Chakalova, V. Kerin** (1995): Effect of cadmium stress on growth and photosynthesis of young (*H. vulgare* L.) plants. II. Structural and functional changes in photosynthetic apparatus. *Bul. J. Plant Physiol.* 21: 12-21.

- Vassilev, A., P. Manolov** (1999): Chlorophyll Fluorescence of barley (*H. vulgare* L.) seedlings grown in excess of Cd. *Bul. J. Plant Physiol.* 25: 67-76.
- Vatamanuik, O. K., S. Mari, Y. Lu, P. A. Rea** (2000): Mechanism of heavy metal ion activation of phytochelatase (PC) synthase. *J. Biol. Chem.* 275: 31451-31459.
- Vazquez, M. D., J. Lopez, A. Carballeira** (1999): Uptake of heavy metals to the extracellular and intracellular compartments in three species of aquatic bryophyte. *Ecotox. Environ. Safety* 44: 12-24.
- Vazquez, M. D., J. Lopez, S. Diaz, A. Carballeira** (2000): The effect of pH on the kinetics of intra- and extracellular uptake of Al in *Fontinalis antipyretica*: Changes in the cellular contents of K, Mg and Ca. *Arch. Environ. Cont. Tox.* 39: 74-85.
- Vögeli-Lange, R., G. J. Wagner** (1990): Subcellular localization of cadmium and cadmium-binding peptides in tobacco leaves. Implication of a transport function for cadmium-binding peptides. *Plant Physiol.* 92: 1086-1093.
- Vögeli-Lange, R., G. J. Wagner** (1996): Relationship between cadmium, glutathione and cadmium-binding peptides (phytochelatins) in leaves of intact tobacco seedlings. *Plant Science* 114: 11-18.
- Wagner, G. J.** (1993): Accumulation of cadmium in crop plants and its consequences to human health. *Adv. Agron.* 51: 173-212.
- Walland, A., H. Kinzel** (1966): Über die Zusammensetzung der Zellsäfte der Archeogoniaten. In: Hegenauer, R. (1986): *Chemotaxonomie der Pflanzen*. Band 7: 375.
- Wang, J., B. P. Evangelou, M. T. Nielsen, G. J. Wagner** (1991): Computer-simulated evaluation of possible mechanisms for quenching heavy metal ion activity in plant vacuoles. *Plant Physiol.* 97: 1154-1160.
- Wang, J., B. P. Evangelou, M. T. Nielsen, G. J. Wagner** (1992): Computer-simulated evaluation of possible mechanisms for sequestering ion activity in plant vacuoles. II. Zinc. *Plant Physiol.* 99: 621-626.
- Wehmeyer, N., E. Vierling** (2000): The expression of small heat shock proteins in seeds responds to discrete developmental signals and suggests a general protective role in desiccation tolerance. *Plant Physiol.* 122: 1099-1108.
- Westermeyer, R.** (1997): *Electrophoresis in practice*. VCH Weinheim.
- White, O., J. A. Eisen, J. F. Heidelberg, E. K. Hickey, J. D- Peterson, R. J. Dodson, D- H. Haft, M. L. Gwinn, W. C. Nelson, D. L. Richardson, K. S. Moffat, W. Pamhile, M. Crosby, M. Shen, J. J. Vamathevan, P. Lam, L. McDonald, T. Utterback, C. Zalewski, K. S. Makarova, L. Aravind, M. J. Daly, K. W. Minton, R. D. Fleischmann, K. A. Ketchum, K. E. Nelson, S. Salzberg, H. O. Smith, J. C. Venter, C. M. Fraser** (1999): Genome sequence of the radioresistant bacterium *Deinococcus radiodurans* R1. *Science* 286: 1571-1577.

- Williams, L. E., J. K. Pittman, J. L. Hall** (2000): Emerging mechanism for heavy metal transport in plants. *Biochimica et Biophysica Acta* 1465: 104-126.
- Wollgiehn, R., D. Neumann** (1999): Metal stress response and tolerance of cultured cells from *Silene vulgaris* and *Lycopersicon peruvianum*: role of heat stress proteins. *J. Plant Physiol.* 154: 547-553.
- Woste, K. E., J. J. Kieber** (2000): A strong loss-of-function mutation in RAN1 results in constitutive activation of the ethylene response pathway as well as a rosette-lethal phenotype. *Plant Cell* 12: 443-455.
- Yang, C.-Y., Y. Len, J.-F. Shaw** (2000): Cloning and characterization of a cDNA encoding a MT1 type metallothionein from broccoli florets. *Plant Physiol.* 122: 1457.
- Yruela, I., M. Alfonso, I. O. Ortiz de Zarate, G. Montoya, R. Picorel** (1993): Precise location of the Cu(II)-inhibitory binding site in higher plant and bacterial photosynthetic reaction centers as probed by light-induced absorption changes. *J. Biol. Chem.* 268: 1684-1689.
- Zenk, M. H.** (1996): Heavy metal detoxification in higher plant - a review. *Gene* 179: 21-30.
- Zhou, J., P. B. Goldsbrough** (1994): Functional homologs of fungal metallothionein genes from *Arabidopsis*. *Plant Cell* 6: 875-884.
- Zhu, Y. L., H. Pilon-Smits, A. S. Tarun, S. U. Weber, L. Jouanin, N. Terry** (1999): Cadmium tolerance and accumulation in indian mustard is enhanced by overexpressing gamma-glutamylcysteine synthetase. *Plant Physiol.* 121: 1169-1177.