

6. Literatur

Abassi ZA, Golomb E, Bridenbaugh R, Keiser HR (1993). Metabolism of endothelin-1 and big endothelin-1 by recombinant neutral endopeptidase EC.3.4.24.11.

Br J Pharmacol, **109**:1024-8.

Adams RH, Wilkinson GA, Weiss C, Diella F, Gale NW, Deutsch U, Risau W, Klein R (1999). Roles of ephrinB ligands and EphB receptors in cardiovascular development: demarcation of arterial/venous domains, vascular morphogenesis, and sprouting angiogenesis. *Genes Dev*, **13**:295-306.

Akimoto S, Mitsumata M, Sasaguri T, Yoshida Y (2000). Laminar shear stress inhibits vascular endothelial cell proliferation by inducing cyclin-dependent kinase inhibitor p21(Sdi1/Cip1/Waf1).

Circ Res, **86**:185-90.

Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs.

Nucleic Acids Res, **25**:3389-402.

Ausubel FM, Brent R, Kingston RE, Moore DD, Seidman JG, Smith JA, Struhl K. (1997) Current protocols in molecular biology.

Brooklyn, N. Y.: J. Wiley & Sons, Inc.

Ayajiki K, Kindermann M, Hecker M, Fleming I, Busse R (1996). Intracellular pH and tyrosine phosphorylation but not calcium determine shear stress-induced nitric oxide production in native endothelial cells.

Circ Res, **78**:750-8.

Azarani A, Boileau G, Crine P (1998). Recombinant human endothelin-converting enzyme ECE-1b is located in an intracellular compartment when expressed in polarized Madin-Darby canine kidney cells.

Biochem J, **333**:439-48.

Barnes K, Brown C, Turner AJ (1998). Endothelin-converting enzyme: ultrastructural localization and its recycling from the cell surface.

Hypertension, **31**:3-9.

Barnes K, Murphy LJ, Takahashi M, Tanzawa K, Turner AJ (1995). Localization and biochemical characterization of endothelin-converting enzyme.

J Cardiovasc Pharmacol, **26**:S37-9.

Bartling B, Milting H, Schumann H, Darmer D, Arusoglu L, Koerner MM, El-Banayosy A, Koerfer R, Holtz J, Zerkowski HR (1999). Myocardial gene expression of regulators of myocyte apoptosis and myocyte calcium homeostasis during hemodynamic unloading by ventricular assist devices in patients with end-stage heart failure.

Circulation, **100**:II216-23.

Bartling B, Tostlebe H, Darmer D, Holtz J, Silber RE, Morawietz H (2000). Shear stress-dependent expression of apoptosis-regulating genes in endothelial cells.

Biochem Biophys Res Commun, **278**:740-6.

Barton M, Carmona R, Krieger JE, Goettsch W, Morawietz H, d'Uscio LV, Lattmann T, Luscher TF, Shaw S (2000a). Endothelin regulates angiotensin-converting enzyme in the mouse kidney.

J Cardiovasc Pharmacol, **36**:S244-7.

- Barton M, Carmona R, Morawietz H, d'Uscio LV, Goettsch W, Hillen H, Haudenschild CC, Krieger JE, Munter K, Lattmann T, Luscher TF, Shaw S (2000b). Obesity is associated with tissue-specific activation of renal angiotensin-converting enzyme in vivo: evidence for a regulatory role of endothelin.
Hypertension, **35**:329-36.
- Barton M, Cosentino F, Brandes RP, Moreau P, Shaw S, Luscher TF (1997a). Anatomic heterogeneity of vascular aging: role of nitric oxide and endothelin.
Hypertension, **30**:817-24.
- Barton M, Haudenschild CC, d'Uscio LV, Shaw S, Munter K, Luscher TF (1998). Endothelin ETA receptor blockade restores NO-mediated endothelial function and inhibits atherosclerosis in apolipoprotein E-deficient mice.
Proc Natl Acad Sci U S A, **95**:14367-72.
- Barton M, Shaw S, d'Uscio LV, Moreau P, Luscher TF (1997b). Angiotensin II increases vascular and renal endothelin-1 and functional endothelin converting enzyme activity in vivo: role of ETA receptors for endothelin regulation.
Biochem Biophys Res Commun, **238**:861-5.
- Barton M, Vos I, Shaw S, Boer P, D'Uscio LV, Grone HJ, Rabelink TJ, Lattmann T, Moreau P, Luscher TF (2000c). Dysfunctional renal nitric oxide synthase as a determinant of salt-sensitive hypertension: mechanisms of renal artery endothelial dysfunction and role of endothelin for vascular hypertrophy and glomerulosclerosis.
J Am Soc Nephrol, **11**:835-45.
- Battistini B, D'Orleans-Juste P, Sirois P (1993). Endothelins: circulating plasma levels and presence in other biologic fluids.
Lab Invest, **68**:600-28.
- Behr-Roussel D, Rupin A, Sansilvestri-Morel P, Fabiani JN, Verbeuren TJ (2000). Histochemical evidence for inducible nitric oxide synthase in advanced but non-ruptured human atherosclerotic carotid arteries.
Histochem J, **32**:41-51.
- Bohnemeier H, Pinto YM, Horkay F, Toth M, Juhasz-Nagy A, Orzechowski HD, Bohm M, Paul M (1998). Endothelin converting-enzyme-1 mRNA expression in human cardiovascular disease.
Clin Exp Hypertens, **20**:417-37.
- Bongrazio M, Baumann C, Zakrzewicz A, Pries AR, Gaehtgens P (2000). Evidence for modulation of genes involved in vascular adaptation by prolonged exposure of endothelial cells to shear stress.
Cardiovasc Res, **47**:384-93.
- Boulanger C, Luscher TF (1990). Release of endothelin from the porcine aorta. Inhibition by endothelium-derived nitric oxide.
J Clin Invest, **85**:587-90.
- Brambilla R, Bruckner K, Orioli D, Bergemann AD, Flanagan JG, Klein R (1996). Similarities and Differences in the Way Transmembrane-Type Ligands Interact with the Elk Subclass of Eph Receptors.
Mol Cell Neurosci, **8**:199-209.
- Britten MB, Zeiher AM, Schachinger V (1999). Clinical importance of coronary endothelial vasodilator dysfunction and therapeutic options.
J Intern Med, **245**:315-27.

- Camenisch G, Wenger RH, Gassmann M (2002). DNA-binding activity of hypoxia-inducible factors (HIFs). *Methods Mol Biol*, **196**:117-29.
- Cernadas MR, Sanchez de Miguel L, Garcia-Duran M, Gonzalez-Fernandez F, Millas I, Monton M, Rodrigo J, Rico L, Fernandez P, de Frutos T, Rodriguez-Feo JA, Guerra J, Caramelo C, Casado S, Lopez F (1998). Expression of constitutive and inducible nitric oxide synthases in the vascular wall of young and aging rats. *Circ Res*, **83**:279-86.
- Challah M, Nadaud S, Philippe M, Battle T, Soubrier F, Corman B, Michel JB (1997). Circulating and cellular markers of endothelial dysfunction with aging in rats. *Am J Physiol*, **273**:H1941-8.
- Chen KD, Li YS, Kim M, Li S, Yuan S, Chien S, Shyy JY (1999). Mechanotransduction in response to shear stress. Roles of receptor tyrosine kinases, integrins, and Shc. *J Biol Chem*, **274**:18393-400.
- Chirgwin JM, Przybyla AE, MacDonald RJ, Rutter WJ (1979). Isolation of biologically active ribonucleic acid from sources enriched in ribonuclease. *Biochemistry*, **18**:5294-9.
- Corcoran GB, Salazar DE, Chan HH (1989). Obesity as a risk factor in drug-induced organ injury. III. Increased liver and kidney injury by furosemide in the obese overfed rat. *Toxicol Appl Pharmacol*, **98**:12-24.
- Davis ME, Cai H, Drummond GR, Harrison DG (2001). Shear stress regulates endothelial nitric oxide synthase expression through c-Src by divergent signaling pathways. *Circ Res*, **89**:1073-80.
- Davis S, Gale NW, Aldrich TH, Maisonpierre PC, Lhotak V, Pawson T, Goldfarb M, Yancopoulos GD (1994). Ligands for EPH-related receptor tyrosine kinases that require membrane attachment or clustering for activity. *Science*, **266**:816-9.
- de Nucci G, Thomas R, D'Orleans-Juste P, Antunes E, Walder C, Warner TD, Vane JR (1988). Pressor effects of circulating endothelin are limited by its removal in the pulmonary circulation and by the release of prostacyclin and endothelium-derived relaxing factor. *Proc Natl Acad Sci U S A*, **85**:9797-800.
- Detmar M, Brown LF, Schon MP, Elicker BM, Velasco P, Richard L, Fukumura D, Monsky W, Claffey KP, Jain RK (1998). Increased microvascular density and enhanced leukocyte rolling and adhesion in the skin of VEGF transgenic mice. *J Invest Dermatol*, **111**:1-6.
- Detmers PA, Hernandez M, Mudgett J, Hassing H, Burton C, Mundt S, Chun S, Fletcher D, Card DJ, Lisnock J, Weikel R, Bergstrom JD, Shevell DE, Hermanowski-Vosatka A, Sparrow CP, Chao YS, Rader DJ, Wright SD, Pure E (2000). Deficiency in inducible nitric oxide synthase results in reduced atherosclerosis in apolipoprotein E-deficient mice. *J Immunol*, **165**:3430-5.
- Dimmeler S, Haendeler J, Rippmann V, Nehls M, Zeiher AM (1996). Shear stress inhibits apoptosis of human endothelial cells. *FEBS Lett*, **399**:71-4.
- Dumont DJ, Gradwohl G, Fong GH, Puri MC, Gertsenstein M, Auerbach A, Breitman ML (1994). Dominant-negative and targeted null mutations in the endothelial receptor tyrosine kinase, tek, reveal a critical role in vasculogenesis of the embryo. *Genes Dev*, **8**:1897-909.

- Dzau VJ (1986). Significance of the vascular renin-angiotensin pathway. *Hypertension*, **8**:553-9.
- Ehmke H, Faulhaber J, Munter K, Kirchengast M, Wiesner RJ (1999). Chronic ETA receptor blockade attenuates cardiac hypertrophy independently of blood pressure effects in renovascular hypertensive rats. *Hypertension*, **33**:954-60.
- Emori T, Hirata Y, Ohta K, Shichiri M, Marumo F (1989). Secretory mechanism of immunoreactive endothelin in cultured bovine endothelial cells. *Biochem Biophys Res Commun*, **160**:93-100.
- Emoto N, Nurhantari Y, Alimsardjono H, Xie J, Yamada T, Yanagisawa M, Matsuo M (1999). Constitutive lysosomal targeting and degradation of bovine endothelin-converting enzyme-1a mediated by novel signals in its alternatively spliced cytoplasmic tail. *J Biol Chem*, **274**:1509-18.
- Emoto N, Yanagisawa M (1995). Endothelin-converting enzyme-2 is a membrane-bound, phosphoramidon-sensitive metalloprotease with acidic pH optimum. *J Biol Chem*, **270**:15262-8.
- Fiske WD, 3rd, Blouin RA, Mitchell B, McNamara PJ (1986). Renal function in the obese Zucker rat. *Int J Obes*, **10**:175-83.
- Fraccarollo D, Hu K, Galuppo P, Gaudron P, Ertl G (1997). Chronic endothelin receptor blockade attenuates progressive ventricular dilation and improves cardiac function in rats with myocardial infarction: possible involvement of myocardial endothelin system in ventricular remodeling. *Circulation*, **96**:3963-73.
- Fujiyama S, Matsubara H, Nozawa Y, Maruyama K, Mori Y, Tsutsumi Y, Masaki H, Uchiyama Y, Koyama Y, Nose A, Iba O, Tateishi E, Ogata N, Jyo N, Higashiyama S, Iwasaka T (2001). Angiotensin AT(1) and AT(2) receptors differentially regulate angiopoietin-2 and vascular endothelial growth factor expression and angiogenesis by modulating heparin binding-epidermal growth factor (EGF)-mediated EGF receptor transactivation. *Circ Res*, **88**:22-9.
- Fukuroda T, Fujikawa T, Ozaki S, Ishikawa K, Yano M, Nishikibe M (1994). Clearance of circulating endothelin-1 by ETB receptors in rats. *Biochem Biophys Res Commun*, **199**:1461-5.
- Gabriel A, Kuddus RH, Rao AS, Watkins WD, Gandhi CR (1998). Superoxide-induced changes in endothelin (ET) receptors in hepatic stellate cells. *J Hepatol*, **29**:614-27.
- Garg UC, Hassid A (1989). Nitric oxide-generating vasodilators and 8-bromo-cyclic guanosine monophosphate inhibit mitogenesis and proliferation of cultured rat vascular smooth muscle cells. *J Clin Invest*, **83**:1774-7.
- Gerety SS, Wang HU, Chen ZF, Anderson DJ (1999). Symmetrical mutant phenotypes of the receptor EphB4 and its specific transmembrane ligand ephrin-B2 in cardiovascular development. *Mol Cell*, **4**:403-14.
- Gloe T, Riedmayr S, Sohn HY, Pohl U (1999). The 67-kDa laminin-binding protein is involved in shear stress-dependent endothelial nitric-oxide synthase expression. *J Biol Chem*, **274**:15996-6002.

- Goettsch S, Goettsch W, Morawietz H, Bayer P (2002). Shear stress mediates tyrosylprotein sulfotransferase isoform shift in human endothelial cells.
Biochem Biophys Res Commun, **294**:541-6.
- Goettsch W, Lattmann T, Amann K, Szibor M, Morawietz H, Munter K, Muller SP, Shaw S, Barton M (2001). Increased expression of endothelin-1 and inducible nitric oxide synthase isoform II in aging arteries in vivo: implications for atherosclerosis.
Biochem Biophys Res Commun, **280**:908-13.
- Gray G, Webb DJ. (1995) Molecular biology and pharmacology of the endothelins.
Austin, N.Y.: Springer, Inc.
- Gupte A, Frangos JA (1990). Effects of flow on the synthesis and release of fibronectin by endothelial cells.
In Vitro Cell Dev Biol, **26**:57-60.
- Gwinner W, Deters-Evers U, Brandes RP, Kubat B, Koch KM, Pape M, Olbricht CJ (1998). Antioxidant-oxidant balance in the glomerulus and proximal tubule of the rat kidney.
J Physiol, **509**:599-606.
- Hahn AW, Resink TJ, Scott-Burden T, Powell J, Dohi Y, Buhler FR (1990). Stimulation of endothelin mRNA and secretion in rat vascular smooth muscle cells: a novel autocrine function.
Cell Regul, **1**:649-59.
- Hasegawa H, Hiki K, Sawamura T, Aoyama T, Okamoto Y, Miwa S, Shimohama S, Kimura J, Masaki T (1998). Purification of a novel endothelin-converting enzyme specific for big endothelin-3.
FEBS Lett, **428**:304-8.
- Hashimoto M, Akishita M, Eto M, Kozaki K, Ako J, Sugimoto N, Yoshizumi M, Toba K, Ouchi Y (1998). The impairment of flow-mediated vasodilatation in obese men with visceral fat accumulation.
Int J Obes Relat Metab Disord, **22**:477-84.
- Haynes WG, Webb DJ (1998). Endothelin as a regulator of cardiovascular function in health and disease.
J Hypertens, **16**:1081-98.
- Heinroth-Hoffmann I, Vogelsang M, Schiewe P, Morawietz H, Holtz J, Ponicke K, Brodde OE (1998). Mechanism of ET(A)-receptor stimulation-induced increases in intracellular Ca²⁺ in SK-N-MC cells.
Br J Pharmacol, **125**:1202-11.
- Hieda HS, Gomez-Sanchez CE (1990). Hypoxia increases endothelin release in bovine endothelial cells in culture, but epinephrine, norepinephrine, serotonin, histamine and angiotensin II do not.
Life Sci, **47**:247-51.
- Hirata Y, Emori T, Eguchi S, Kanno K, Imai T, Ohta K, Marumo F (1993). Endothelin receptor subtype B mediates synthesis of nitric oxide by cultured bovine endothelial cells.
J Clin Invest, **91**:1367-73.
- Hoang MV, Turner AJ (1997). Novel activity of endothelin-converting enzyme: hydrolysis of bradykinin.
Biochem J, **327**:23-6.

- Hochoer B, Thone-Reineke C, Rohmeiss P, Schmager F, Slowinski T, Burst V, Siegmund F, Quertermous T, Bauer C, Neumayer HH, Schleuning WD, Theuring F (1997). Endothelin-1 transgenic mice develop glomerulosclerosis, interstitial fibrosis, and renal cysts but not hypertension.
J Clin Invest, **99**:1380-9.
- Hofer T, Wenger H, Gassmann M (2002). Oxygen sensing, HIF-1alpha stabilization and potential therapeutic strategies.
Pflugers Arch, **443**:503-7.
- Holash J, Maisonpierre PC, Compton D, Boland P, Alexander CR, Zagzag D, Yancopoulos GD, Wiegand SJ (1999). Vessel cooption, regression, and growth in tumors mediated by angiopoietins and VEGF.
Science, **284**:1994-8.
- Howard PG, Plumpton C, Davenport AP (1992). Anatomical localization and pharmacological activity of mature endothelins and their precursors in human vascular tissue.
J Hypertens, **10**:1379-86.
- Hsieh HJ, Li NQ, Frangos JA (1992). Shear-induced platelet-derived growth factor gene expression in human endothelial cells is mediated by protein kinase C.
J Cell Physiol, **150**:552-8.
- Hsieh HJ, Li NQ, Frangos JA (1993). Pulsatile and steady flow induces c-fos expression in human endothelial cells.
J Cell Physiol, **154**:143-51.
- Hu J, Discher DJ, Bishopric NH, Webster KA (1998). Hypoxia regulates expression of the endothelin-1 gene through a proximal hypoxia-inducible factor-1 binding site on the antisense strand.
Biochem Biophys Res Commun, **245**:894-9.
- Hu YL, Chien S (1997). Effects of shear stress on protein kinase C distribution in endothelial cells.
J Histochem Cytochem, **45**:237-49.
- Huang YQ, Li JJ, Karparkin S (2000). Identification of a family of alternatively spliced mRNA species of angiopoietin-1.
Blood, **95**:1993-9.
- Ikura T, Sawamura T, Shiraki T, Hosokawa H, Kido T, Hoshikawa H, Shimada K, Tanzawa K, Kobayashi S, Miwa S, et al. (1994). cDNA cloning and expression of bovine endothelin converting enzyme.
Biochem Biophys Res Commun, **203**:1417-22.
- Imai T, Hirata Y, Emori T, Yanagisawa M, Masaki T, Marumo F (1992). Induction of endothelin-1 gene by angiotensin and vasopressin in endothelial cells.
Hypertension, **19**:753-7.
- Inoue A, Yanagisawa M, Kimura S, Kasuya Y, Miyauchi T, Goto K, Masaki T (1989a). The human endothelin family: three structurally and pharmacologically distinct isopeptides predicted by three separate genes.
Proc Natl Acad Sci U S A, **86**:2863-7.
- Inoue A, Yanagisawa M, Takawa Y, Mitsui Y, Kobayashi M, Masaki T (1989b). The human preproendothelin-1 gene. Complete nucleotide sequence and regulation of expression.
J Biol Chem, **264**:14954-9.

- Jackman HL, Morris PW, Rabito SF, Johansson GB, Skidgel RA, Erdos EG (1993). Inactivation of endothelin-1 by an enzyme of the vascular endothelial cells. *Hypertension*, **21**:925-8.
- Jaffe EA, Nachman RL, Becker CG, Minick CR (1973). Culture of human endothelial cells derived from umbilical veins. Identification by morphologic and immunologic criteria. *J Clin Invest*, **52**:2745-56.
- Jones N, Voskas D, Master Z, Sarao R, Jones J, Dumont DJ (2001). Rescue of the early vascular defects in Tek/Tie2 null mice reveals an essential survival function. *EMBO Rep*, **2**:438-45.
- Kaburagi S, Hasegawa K, Morimoto T, Araki M, Sawamura T, Masaki T, Sasayama S (1999). The role of endothelin-converting enzyme-1 in the development of alpha1- adrenergic-stimulated hypertrophy in cultured neonatal rat cardiac myocytes. *Circulation*, **99**:292-8.
- Kahler J, Mendel S, Weckmuller J, Orzechowski HD, Mittmann C, Koster R, Paul M, Meinertz T, Munzel T (2000). Oxidative stress increases synthesis of big endothelin-1 by activation of the endothelin-1 promoter. *J Mol Cell Cardiol*, **32**:1429-37.
- Kai T, Shimada S, Sugimura K, Kurooka A, Takenaka T, Fukamizu A, Murakami K, Ishikawa K (1998). Tissue-localized angiotensin II enhances cardiac and renal disorders in Tsukuba hypertensive mice. *J Hypertens*, **16**:2045-9.
- Kannel WB (1997). Hazards, risks, and threats of heart disease from the early stages to symptomatic coronary heart disease and cardiac failure. *Cardiovasc Drugs Ther*, **11 Suppl 1**:199-212.
- Kessler P, Bauersachs J, Busse R, Schini-Kerth VB (1997). Inhibition of inducible nitric oxide synthase restores endothelium- dependent relaxations in proinflammatory mediator-induced blood vessels. *Arterioscler Thromb Vasc Biol*, **17**:1746-55.
- Khan BV, Harrison DG, Olbrych MT, Alexander RW, Medford RM (1996). Nitric oxide regulates vascular cell adhesion molecule 1 gene expression and redox-sensitive transcriptional events in human vascular endothelial cells. *Proc Natl Acad Sci U S A*, **93**:9114-9.
- Ko Y, Glodny B, Stier S, Totzke G, Nickenig G, Dusing R, Sachinidis A, Vetter H (1997). Angiotensin type-1 (AT1) receptor gene expression in primarily cultured human arterial umbilical endothelial cells. *Biochem Pharmacol*, **53**:417-21.
- Kohno M, Yasunari K, Murakawa K, Yokokawa K, Horio T, Fukui T, Takeda T (1990). Plasma immunoreactive endothelin in essential hypertension. *Am J Med*, **88**:614-8.
- Kohno M, Yasunari K, Yokokawa K, Murakawa K, Horio T, Takeda T (1991). Inhibition by atrial and brain natriuretic peptides of endothelin-1 secretion after stimulation with angiotensin II and thrombin of cultured human endothelial cells. *J Clin Invest*, **87**:1999-2004.
- Krauss RM, Winston M, Fletcher BJ, Grundy SM (1998). Obesity : impact on cardiovascular disease. *Circulation*, **98**:1472-6.

- La M, Reid JJ (1995). Endothelin-1 and the regulation of vascular tone. *Clin Exp Pharmacol Physiol*, **22**:315-23.
- Laemmli UK (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**:680-5.
- Larcher F, Murillas R, Bolontrade M, Conti CJ, Jorcano JL (1998). VEGF/VPF overexpression in skin of transgenic mice induces angiogenesis, vascular hyperpermeability and accelerated tumor development. *Oncogene*, **17**:303-11.
- Li DY, Zhang YC, Philips MI, Sawamura T, Mehta JL (1999). Upregulation of endothelial receptor for oxidized low-density lipoprotein (LOX-1) in cultured human coronary artery endothelial cells by angiotensin II type 1 receptor activation. *Circ Res*, **84**:1043-9.
- Ling S, Dai A, Ma YH, Wilson E, Chatterjee K, Ives HE, Sudhir K (1999). Matrix-dependent gene expression of egr-1 and PDGF A regulate angiotensin II-induced proliferation in human vascular smooth muscle cells. *Hypertension*, **34**:1141-6.
- Loffler BM, Breu V, Clozel M (1993). Effect of different endothelin receptor antagonists and of the novel non-peptide antagonist Ro 46-2005 on endothelin levels in rat plasma. *FEBS Lett*, **333**:108-10.
- Maisonpierre PC, Suri C, Jones PF, Bartunkova S, Wiegand SJ, Radziejewski C, Compton D, McClain J, Aldrich TH, Papadopoulos N, Daly TJ, Davis S, Sato TN, Yancopoulos GD (1997). Angiopoietin-2, a natural antagonist for Tie2 that disrupts in vivo angiogenesis. *Science*, **277**:55-60.
- Minkes RK, Coy DH, Murphy WA, McNamara DB, Kadowitz PJ (1989). Effects of porcine and rat endothelin and an analog on blood pressure in the anesthetized cat. *Eur J Pharmacol*, **164**:571-5.
- Mohan S, Mohan N, Sprague EA (1997). Differential activation of NF-kappa B in human aortic endothelial cells conditioned to specific flow environments. *Am J Physiol*, **273**:C572-8.
- Monge JC (1998). Neurohormonal markers of clinical outcome in cardiovascular disease: is endothelin the best one? *J Cardiovasc Pharmacol*, **32**:S36-42.
- Morawietz H, Goettsch W, Szibor M, Barton M, Shaw S, Hakim K, Zerkowski HR, Holtz J (2002). Increased expression of endothelin-converting enzyme-1 in failing human myocardium. *Clin Sci (Lond)*, **103 Suppl 1**:237S-40S.
- Morawietz H, Ma YH, Vives F, Wilson E, Sukhatme VP, Holtz J, Ives HE (1999). Rapid induction and translocation of Egr-1 in response to mechanical strain in vascular smooth muscle cells. *Circ Res*, **84**:678-87.
- Morawietz H, Szibor M, Goettsch W, Bartling B, Barton M, Shaw S, Koerfer R, Zerkowski HR, Holtz J (2000a). Deloading of the left ventricle by ventricular assist device normalizes increased expression of endothelin ET(A) receptors but not endothelin- converting enzyme-1 in patients with end-stage heart failure. *Circulation*, **102**:III188-93.

- Morawietz H, Talanow R, Szibor M, Rueckschloss U, Schubert A, Bartling B, Darmer D, Holtz J (2000b). Regulation of the endothelin system by shear stress in human endothelial cells.
J Physiol, **525 Pt 3**:761-70.
- Moreau P, d'Uscio LV, Shaw S, Takase H, Barton M, Luscher TF (1997). Angiotensin II increases tissue endothelin and induces vascular hypertrophy: reversal by ET(A)-receptor antagonist.
Circulation, **96**:1593-7.
- Moreau P, Takase H, Luscher TF (1996). Effect of endothelin antagonists on the responses to prostanoid endothelium-derived contracting factor.
Br J Pharmacol, **118**:1429-32.
- Morey AK, Razandi M, Pedram A, Hu RM, Prins BA, Levin ER (1998). Oestrogen and progesterone inhibit the stimulated production of endothelin-1.
Biochem J, **330**:1097-105.
- Morita T, Yoshizumi M, Kurihara H, Maemura K, Nagai R, Yazaki Y (1993). Shear stress increases heparin-binding epidermal growth factor-like growth factor mRNA levels in human vascular endothelial cells.
Biochem Biophys Res Commun, **197**:256-62.
- Mortensen LH, Fink GD (1990). Hemodynamic effect of human and rat endothelin administration into conscious rats.
Am J Physiol, **258**:H362-8.
- Muller JM, Chilian WM, Davis MJ (1997). Integrin signaling transduces shear stress--dependent vasodilation of coronary arterioles.
Circ Res, **80**:320-6.
- Mullis KB, Faloona FA (1987). Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction.
Methods Enzymol, **155**:335-50.
- Nakamura S, Naruse M, Naruse K, Demura H, Uemura H (1990). Immunocytochemical localization of endothelin in cultured bovine endothelial cells.
Histochemistry, **94**:475-7.
- N'Diaye N, Pueyo ME, Battle T, Ossart C, Guedin D, Michel JB (1997). Conversion of big-endothelin-1 elicits an endothelin ETA receptor- mediated response in endothelial cells.
Eur J Pharmacol, **321**:387-96.
- Nelboeck P, Fuchs M, Bur D, Loffler BM (1998). Glycosylation of Asn-632 and Asn-651 is important for functional expression of endothelin-converting enzyme-1.
J Cardiovasc Pharmacol, **31**:S4-6.
- Nickenig G, Sachinidis A, Michaelsen F, Bohm M, Seewald S, Vetter H (1997). Upregulation of vascular angiotensin II receptor gene expression by low- density lipoprotein in vascular smooth muscle cells.
Circulation, **95**:473-8.
- Nishijo N, Takamine S, Sugiyama F, Kimoto K, Taniguchi K, Horiguchi H, Ogata T, Murakami K, Fukamizu A, Yagami K (1999). Vascular remodeling in hypertensive transgenic mice.
Exp Anim, **48**:203-8.
- Oh H, Takagi H, Suzuma K, Otani A, Matsumura M, Honda Y (1999). Hypoxia and vascular endothelial growth factor selectively up-regulate angiopoietin-2 in bovine microvascular endothelial cells.
J Biol Chem, **274**:15732-9.

- Okada K, Arai Y, Hata M, Matsuyama K, Yano M (1993). Big endothelin-1 structure important for specific processing by endothelin-converting enzyme of bovine endothelial cells.
Eur J Biochem, **218**:493-8.
- Okada K, Takada J, Arai Y, Matsuyama K, Yano M (1991). Importance of the C-terminal region of big endothelin-1 for specific conversion by phosphoramidon-sensitive endothelin converting enzyme.
Biochem Biophys Res Commun, **180**:1019-23.
- Orzechowski HD, Richter CM, Funke-Kaiser H, Kroger B, Schmidt M, Menzel S, Bohnemeier H, Paul M (1997). Evidence of alternative promoters directing isoform-specific expression of human endothelin-converting enzyme-1 mRNA in cultured endothelial cells.
J Mol Med, **75**:512-21.
- Otani A, Takagi H, Oh H, Koyama S, Honda Y (2001). Angiotensin II induces expression of the Tie2 receptor ligand, angiopoietin-2, in bovine retinal endothelial cells.
Diabetes, **50**:867-75.
- Palmer A, Zimmer M, Erdmann KS, Eulenburg V, Porthin A, Heumann R, Deutsch U, Klein R (2002). EphrinB phosphorylation and reverse signaling: regulation by Src kinases and PTP-BL phosphatase.
Mol Cell, **9**:725-37.
- Parrinello G, Scaglione R, Pinto A, Corrao S, Cecala M, Di Silvestre G, Amato P, Licata A, Licata G (1996). Central obesity and hypertension: the role of plasma endothelin.
Am J Hypertens, **9**:1186-91.
- Pieske B, Beyermann B, Breu V, Löffler BM, Schlotthauer K, Maier LS, Schmidt-Schweda S, Just H, Hasenfuss G (1999). Functional effects of endothelin and regulation of endothelin receptors in isolated human nonfailing and failing myocardium.
Circulation, **99**:1802-9.
- Plumpton C, Champeney R, Ashby MJ, Kuc RE, Davenport AP (1993). Characterization of endothelin isoforms in human heart: endothelin-2 demonstrated.
J Cardiovasc Pharmacol, **22**:S26-8.
- Ponicke K, Vogelsang M, Heinroth M, Becker K, Zolk O, Bohm M, Zerkowski HR, Brodde OE (1998). Endothelin receptors in the failing and nonfailing human heart.
Circulation, **97**:744-51.
- Predel HG, Yang Z, von Segesser L, Turina M, Buhler FR, Luscher TF (1992). Implications of pulsatile stretch on growth of saphenous vein and mammary artery smooth muscle.
Lancet, **340**:878-9.
- Procopio WN, Pelavin PI, Lee WM, Yeilding NM (1999). Angiopoietin-1 and -2 coiled coil domains mediate distinct homo- oligomerization patterns, but fibrinogen-like domains mediate ligand activity.
J Biol Chem, **274**:30196-201.
- Quaschnig T, Ruschitzka F, Stallmach T, Shaw S, Morawietz H, Goettsch W, Slowinski T, Theuring F, Hoher B, Lüscher TF, Gassmann M (2002). Erythropoietin-induced excessive erythrocytosis activates the tissue endothelin system in mice.
Faseb J, **in press**.
- Radomski MW, Palmer RM, Moncada S (1987). Comparative pharmacology of endothelium-derived relaxing factor, nitric oxide and prostacyclin in platelets.
Br J Pharmacol, **92**:181-7.

- Reckelhoff JF, Kanji V, Racusen LC, Schmidt AM, Yan SD, Marrow J, Roberts LJ, 2nd, Salahudeen AK (1998). Vitamin E ameliorates enhanced renal lipid peroxidation and accumulation of F2-isoprostanes in aging kidneys.
Am J Physiol, **274**:R767-74.
- Reusch P, Wagdy H, Reusch R, Wilson E, Ives HE (1996). Mechanical strain increases smooth muscle and decreases nonmuscle myosin expression in rat vascular smooth muscle cells.
Circ Res, **79**:1046-53.
- Riches FM, Watts GF, Hua J, Stewart GR, Naoumova RP, Barrett PH (1999). Reduction in visceral adipose tissue is associated with improvement in apolipoprotein B-100 metabolism in obese men.
J Clin Endocrinol Metab, **84**:2854-61.
- Rubanyi GM, Botelho LH (1991). Endothelins.
Faseb J, **5**:2713-20.
- Ruiz-Torres P, Lucio J, Gonzalez-Rubio M, Rodriguez-Puyol M, Rodriguez-Puyol D (1997). Oxidant/antioxidant balance in isolated glomeruli and cultured mesangial cells.
Free Radic Biol Med, **22**:49-56.
- Ruschitzka FT, Wenger RH, Stallmach T, Quaschnig T, de Wit C, Wagner K, Labugger R, Kelm M, Noll G, Rulicke T, Shaw S, Lindberg RL, Rodenwaldt B, Lutz H, Bauer C, Luscher TF, Gassmann M (2000). Nitric oxide prevents cardiovascular disease and determines survival in polyglobulic mice overexpressing erythropoietin.
Proc Natl Acad Sci U S A, **97**:11609-13.
- Saito Y, Nakao K, Mukoyama M, Imura H (1990). Increased plasma endothelin level in patients with essential hypertension [letter].
N Engl J Med, **322**:205.
- Sakai S, Miyauchi T, Kobayashi M, Yamaguchi I, Goto K, Sugishita Y (1996). Inhibition of myocardial endothelin pathway improves long-term survival in heart failure.
Nature, **384**:353-5.
- Sambrook J, Fritsch EF, Maniatis T. (1989) Molecular cloning : a laboratory manual. 2nd ed. Cold Spring Harbor, N.Y.: Cold Spring Harbor Laboratory
- Sanger F, Nicklen S, Coulson AR (1977). DNA sequencing with chain-terminating inhibitors.
Proc Natl Acad Sci U S A, **74**:5463-7.
- Sato TN, Qin Y, Kozak CA, Audus KL (1993). Tie-1 and tie-2 define another class of putative receptor tyrosine kinase genes expressed in early embryonic vascular system.
Proc Natl Acad Sci U S A, **90**:9355-8.
- Sato TN, Tozawa Y, Deutsch U, Wolburg-Buchholz K, Fujiwara Y, Gendron-Maguire M, Gridley T, Wolburg H, Risau W, Qin Y (1995). Distinct roles of the receptor tyrosine kinases Tie-1 and Tie-2 in blood vessel formation.
Nature, **376**:70-4.
- Scandinavian, Simvastatin, Survival, Study, Group (1994). Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S).
Lancet, **344**:1383-9.
- Schachinger V, Britten MB, Zeiher AM (2000). Prognostic impact of coronary vasodilator dysfunction on adverse long- term outcome of coronary heart disease.
Circulation, **101**:1899-906.

- Schmidt M, Kroger B, Jacob E, Seulberger H, Subkowski T, Otter R, Meyer T, Schmalzing G, Hillen H (1994). Molecular characterization of human and bovine endothelin converting enzyme (ECE-1). *FEBS Lett*, **356**:238-43.
- Schweizer A, Valdenaire O, Nelbock P, Deuschle U, Dumas Milne Edwards JB, Stumpf JG, Loffler BM (1997). Human endothelin-converting enzyme (ECE-1): three isoforms with distinct subcellular localizations. *Biochem J*, **328**:871-7.
- Sdougos HP, Bussolari SR, Dewey CF (1984). Secondary flow and turbulence in a cone-and-plate device. *J Fluid Mech*, **138**:379-404.
- Shimada K, Matsushita Y, Wakabayashi K, Takahashi M, Matsubara A, Iijima Y, Tanzawa K (1995a). Cloning and functional expression of human endothelin-converting enzyme cDNA. *Biochem Biophys Res Commun*, **207**:807-12.
- Shimada K, Takahashi M, Ikeda M, Tanzawa K (1995b). Identification and characterization of two isoforms of an endothelin- converting enzyme-1. *FEBS Lett*, **371**:140-4.
- Shimada K, Takahashi M, Tanzawa K (1994). Cloning and functional expression of endothelin-converting enzyme from rat endothelial cells. *J Biol Chem*, **269**:18275-8.
- Sirvio ML, Metsarinne K, Saijonmaa O, Fyhrquist F (1990). Tissue distribution and half-life of 125I-endothelin in the rat: importance of pulmonary clearance. *Biochem Biophys Res Commun*, **167**:1191-5.
- Steinberg HO, Chaker H, Leaming R, Johnson A, Brechtel G, Baron AD (1996). Obesity/insulin resistance is associated with endothelial dysfunction. Implications for the syndrome of insulin resistance. *J Clin Invest*, **97**:2601-10.
- Stratmann A, Risau W, Plate KH (1998). Cell type-specific expression of angiopoietin-1 and angiopoietin-2 suggests a role in glioblastoma angiogenesis. *Am J Pathol*, **153**:1459-66.
- Sugden PH, Bogoyevitch MA (1996). Endothelin-1-Dependent Signaling Pathways in the Myocardium. *Trends in Cardiovascular Medicine*, **6**:87-94.
- Sugden PH, Fuller SJ, Mynett JR, Hatchett RJ, Bogoyevitch MA, Sugden MC (1993). Stimulation of adult rat ventricular myocyte protein synthesis and phosphoinositide hydrolysis by the endothelins. *Biochim Biophys Acta*, **1175**:327-32.
- Suri C, Jones PF, Patan S, Bartunkova S, Maisonpierre PC, Davis S, Sato TN, Yancopoulos GD (1996). Requisite role of angiopoietin-1, a ligand for the TIE2 receptor, during embryonic angiogenesis. *Cell*, **87**:1171-80.
- Suzuki T, Hoshi H, Mitsui Y (1990). Endothelin stimulates hypertrophy and contractility of neonatal rat cardiac myocytes in a serum-free medium. *FEBS Lett*, **268**:149-51.
- Takahashi M, Berk BC (1996). Mitogen-activated protein kinase (ERK1/2) activation by shear stress and adhesion in endothelial cells. Essential role for a herbimycin- sensitive kinase. *J Clin Invest*, **98**:2623-31.

- Takai S, Jin D, Hara K, Takami H, Fujita T, Miyazaki M (1998). 12-Hydroxyeicosatetraenoic acid directly potentiates angiotensin II- induced vascular contraction.
Eur J Pharmacol, **358**:161-4.
- Takai S, Jin D, Kirimura K, Ikeda J, Sakaguchi M, Baba K, Fujita T, Miyazaki M (1999). Effects of a lipoxygenase inhibitor, panaxynol, on vascular contraction induced by angiotensin II.
Jpn J Pharmacol, **80**:89-92.
- Thoumine O, Nerem RM, Girard PR (1995). Changes in organization and composition of the extracellular matrix underlying cultured endothelial cells exposed to laminar steady shear stress.
Lab Invest, **73**:565-76.
- Thurston G, Suri C, Smith K, McClain J, Sato TN, Yancopoulos GD, McDonald DM (1999). Leakage-resistant blood vessels in mice transgenically overexpressing angiopoietin-1.
Science, **286**:2511-4.
- Tiret L, Poirier O, Hallet V, McDonagh TA, Morrison C, McMurray JJ, Dargie HJ, Arveiler D, Ruidavets JB, Luc G, Evans A, Cambien F (1999). The Lys198Asn polymorphism in the endothelin-1 gene is associated with blood pressure in overweight people.
Hypertension, **33**:1169-74.
- Tschudi MR, Barton M, Bersinger NA, Moreau P, Cosentino F, Noll G, Malinski T, Luscher TF (1996). Effect of age on kinetics of nitric oxide release in rat aorta and pulmonary artery.
J Clin Invest, **98**:899-905.
- Upchurch GR, Jr., Banes AJ, Wagner WH, Ramadan F, Link GW, Henderson RH, Johnson G, Jr. (1989). Differences in secretion of prostacyclin by venous and arterial endothelial cells grown in vitro in a static versus a mechanically active environment.
J Vasc Surg, **10**:292-8.
- Valdenaire O, Lepailleur-Enouf D, Egidy G, Thouard A, Barret A, Vranckx R, Tougard C, Michel JB (1999). A fourth isoform of endothelin-converting enzyme (ECE-1) is generated from an additional promoter molecular cloning and characterization.
Eur J Biochem, **264**:341-9.
- Vasquez-Vivar J, Kalyanaraman B, Martasek P, Hogg N, Masters BS, Karoui H, Tordo P, Pritchard KA, Jr. (1998). Superoxide generation by endothelial nitric oxide synthase: the influence of cofactors.
Proc Natl Acad Sci U S A, **95**:9220-5.
- Verbeuren TJ, Bonhomme E, Laubie M, Simonet S (1993). Evidence for induction of nonendothelial NO synthase in aortas of cholesterol-fed rabbits.
J Cardiovasc Pharmacol, **21**:841-5.
- Wagner OF, Christ G, Wojta J, Vierhapper H, Parzer S, Nowotny PJ, Schneider B, Waldhausl W, Binder BR (1992a). Polar secretion of endothelin-1 by cultured endothelial cells.
J Biol Chem, **267**:16066-8.
- Wagner OF, Vierhapper H, Gasic S, Nowotny P, Waldhausl W (1992b). Regional effects and clearance of endothelin-1 across pulmonary and splanchnic circulation.
Eur J Clin Invest, **22**:277-82.
- Wang HU, Chen ZF, Anderson DJ (1998). Molecular distinction and angiogenic interaction between embryonic arteries and veins revealed by ephrin-B2 and its receptor Eph-B4.
Cell, **93**:741-53.

- Wang W, Wang S, Yan L, Madara P, Del Pilar Cintron A, Wesley RA, Danner RL (2000). Superoxide production and reactive oxygen species signaling by endothelial nitric-oxide synthase.
J Biol Chem, **275**:16899-903.
- Weidmann P, de Courten M, Boehlen L, Shaw S (1993). The pathogenesis of hypertension in obese subjects.
Drugs, **46**:197-208; discussion 208-9.
- Wever RM, van Dam T, van Rijn HJ, de Groot F, Rabelink TJ (1997). Tetrahydrobiopterin regulates superoxide and nitric oxide generation by recombinant endothelial nitric oxide synthase.
Biochem Biophys Res Commun, **237**:340-4.
- WHO (1993). Cardiovascular Disease Mortality in the Developing Countries.
World Health Statistics Quarterly, **46**:121.
- Wilkinson DG (2001). Multiple roles of EPH receptors and ephrins in neural development.
Nat Rev Neurosci, **2**:155-64.
- Wilmink HW, Banga JD, Hijmering M, Erkelens WD, Stroes ES, Rabelink TJ (1999). Effect of angiotensin-converting enzyme inhibition and angiotensin II type 1 receptor antagonism on postprandial endothelial function.
J Am Coll Cardiol, **34**:140-5.
- Wilson E, Mai Q, Sudhir K, Weiss RH, Ives HE (1993). Mechanical strain induces growth of vascular smooth muscle cells via autocrine action of PDGF.
J Cell Biol, **123**:741-7.
- Wong AL, Haroon ZA, Werner S, Dewhirst MW, Greenberg CS, Peters KG (1997). Tie2 expression and phosphorylation in angiogenic and quiescent adult tissues.
Circ Res, **81**:567-74.
- Xu D, Emoto N, Giaid A, Slaughter C, Kaw S, deWit D, Yanagisawa M (1994). ECE-1: a membrane-bound metalloprotease that catalyzes the proteolytic activation of big endothelin-1.
Cell, **78**:473-85.
- Yanagisawa M, Kurihara H, Kimura S, Goto K, Masaki T (1988). A novel peptide vasoconstrictor, endothelin, is produced by vascular endothelium and modulates smooth muscle Ca²⁺ channels.
J Hypertens Suppl, **6**:S188-91.
- Yancopoulos GD, Davis S, Gale NW, Rudge JS, Wiegand SJ, Holash J (2000). Vascular-specific growth factors and blood vessel formation.
Nature, **407**:242-8.
- Yoshida H, Nakamura M (1992). Inhibition by angiotensin converting enzyme inhibitors of endothelin secretion from cultured human endothelial cells.
Life Sci, **50**:L195-200.
- Yuan HT, Yang SP, Woolf AS (2000). Hypoxia up-regulates angiopoietin-2, a Tie-2 ligand, in mouse mesangial cells.
Kidney Int, **58**:1912-9.
- Yusuf S (1998). The global problem of cardiovascular disease.
Int J Clin Pract Suppl, **94**:3-6.

- Zagzag D, Hooper A, Friedlander DR, Chan W, Holash J, Wiegand SJ, Yancopoulos GD, Grumet M (1999). In situ expression of angiopoietins in astrocytomas identifies angiopoietin-2 as an early marker of tumor angiogenesis. *Exp Neurol*, **159**:391-400.
- Zaugg CE, Hornstein PS, Zhu P, Simper D, Luscher TF, Allegrini PR, Buser PT (1996). Endothelin-1-induced release of thromboxane A2 increases the vasoconstrictor effect of endothelin-1 in postischemic reperfused rat hearts. *Circulation*, **94**:742-7.
- Zeihler AM, Drexler H, Saurbier B, Just H (1993). Endothelium-mediated coronary blood flow modulation in humans. Effects of age, atherosclerosis, hypercholesterolemia, and hypertension. *J Clin Invest*, **92**:652-62.
- Zhou R (1998). The Eph family receptors and ligands. *Pharmacol Ther*, **77**:151-81.
- Ziegler SF, Bird TA, Schneringer JA, Schooley KA, Baum PR (1993). Molecular cloning and characterization of a novel receptor protein tyrosine kinase from human placenta. *Oncogene*, **8**:663-70.
- Zolk O, Quatteck J, Sitzler G, Schrader T, Nickenig G, Schnabel P, Shimada K, Takahashi M, Bohm M (1999). Expression of endothelin-1, endothelin-converting enzyme, and endothelin receptors in chronic heart failure. *Circulation*, **99**:2118-23.