

5. Literaturverzeichnis

- Alberts B.** Bray D. Lewis J. Raff M. Roberts K. Watson JD. (1995). Molekularbiologie der Zelle: Signalübertragung durch G-Protein-gekoppelte Zelloberflächen-Rezeptoren. *VCH Verl.* 869-896
- Alfano JR.** Collmer A. (1996). Bacterial pathogens in plants - life up against the wall. *Plant Cell* 8: 1683-1698
- Amano M.** Toyoda K. Ichinose Y. Yamada T. Shiraishi T. (1997). Association between ion fluxes and defense responses in pea and cowpea tissues. *Plant and Cell Physiol.* 38: 698-706
- Andre B.** Scherer GFE. (1991). Stimulation by auxin of phospholipase A in membrane vesicles from an auxin-sensitive tissue is mediated by an auxin receptor. *Planta* 185: 209-214
- Apostel I.** Heinsteins PF. Low PS. (1989). Rapid stimulation of an oxidative burst during elicitation of cultured plant cells. *Plant Physiol.* 109-116
- Arz MC.** Grambow H J. (1994). Polyphosphoinositide phospholipase C and evidence for inositol-phosphate-hydrolysing activities in the plasma-membrane fraction from light-grown wheat (*Triticum aestivum L.*) leaves. *Planta* 195: 57-62
- Askerlund P.** Laurent P. Nakagawa H. Kader JC. (1991). NADH-Ferricyanide reductase of leaf plasma membranes. *Plant Physiol.* 95: 6-13
- Askerlund P.** Larsson C. (1991). Transmembrane electron transport in plasma membrane vesicles loaded with an NADH-generating system or ascorbate. *Plant Physiol.* 96: 1178-1184
- Bach M.** Schnitzler JP. Seitz HU. (1993). Elicitor induced changes in Ca²⁺ influx, K⁺ influx, and 4-hydroxybenzoic acid synthesis in protoplasts of *Daucus carota L.* *Plant Physiol.* 103: 407-412
- Bafor M.** Smith MA. Jonsson L. Stobart K. Stymne S. (1991). Ricinoleic acid biosynthesis and triacylglycerol assembly in microsomal preparations from developing castor-bean (*Ricinus communis*) endosperm. *Biochem J.* 280: 507-514.
- Baker CJ.** Orlandi EW. (1995). Active oxygen in plant pathogenesis. *Annu. Rev. Phytopathol.* 33: 299-321
- Balsinde J.** Barbour SE. Bionco ID. Dennis EA. (1994). Arachidonic acid mobilization in P388D₁ macrophages is controlled by two distinct Ca²⁺-dependent phospholipase A₂ enzymes. *Proc. Natl. Acad. Sci.* 91: 11060-11064
- Balsinde J.** Bionco ID. Ackermann EJ. Conde-Frieboes K. Dennis EA. (1995). Inhibition of calcium-independent phospholipase A₂ prevents arachidonic acid incorporation and phospholipid remodeling in P388D₁ macrophages. *Proc. Natl. Acad. Sci.* 92: 8527-8531
- Balsinde J.** Dennis EA. (1997) Function and inhibition of intracellular calcium-independent phospholipase A₂. *J. Biol. Chem.* 272: 16069-16072
- Benard S.** Arnhold J. Lehnert M. Schiller J. Arnold K. (1999). Experiments towards quantification of saturated and polyunsaturated diacylglycerols by matrix-assisted laser desorption and ionization time-of-flight mass spectrometry. *Chem. Phys. Lipids* 100: 115-125

- Benhamou N.** (1996). Elicitor-induced plant defence pathways. *Trends in Plant Science* 1: 233-240
- Berczi A.** Brightman AO. (1994). NADH-ferricyanide oxidoreductase is present on both sides of plant plasma membrane. *Plant Science* 97: 47-52
- Bilushi SV.** Shebunin AG. Babakov AV. (1991). Purification and subunit composition of GTP-binding protein from maize root plasma membranes. *FEBS. Lett.* 291: 219-221
- Bischoff F.** Molendijk A. Rajendrakumar CSV. Palme K. (1999). GTP binding proteins in plants. *Cell. & Mol. Life Scien.* 55: 233-256
- Blechert S.** Wilhelm B. Hoelder S. Kammerer L. Kutchan T. Mueller M. Martin J. Zhi-Qiang Xia . Zenk MH. (1995). The octadecanoic pathway: Signal molecules for the regulation of secondary pathways. *Proc. Natl. Acad. Sci.* 92: 4099-4105
- Bligh EG.** Dyer WJ. (1959). A Rapid Method of total Lipid Extraction and Purification. *Can. J. of Biochem. and Physiol.* 37: 909-917
- Blum W.** Hinsch KD. Schulz G. Weiler EW. (1988). Identification of GTP-binding Proteins in the plasma membrane of higher plants. *Biochem. and Biophys. Res. Comm.* Vol 156: 954-959
- Boller T.** (1995). Chemoperception of microbial signals in plant cells. *Annu. Rev. Plant Physiol. & Plant Mol. Biol.* 46: 189-214
- Bolwell GP.** Buti VS. Davies DR. Zimmerlin A. (1995). The origin of the oxidative burst in plants. *Free Radical Research* 23: 517-532
- Bolwell G P.** Wojtaszek P. (1997). Mechanisms for the generation of reactive oxygen species in plant defence a broad perspective. *Physiol. & Mol. Plant Pathol.* 51: 347-366
- Böttger M.** Lüthje S. (1989). Hexabromoiridate IV as electron acceptor: comparison with hexachloroiridate IV and hexacyanoferrate III. *Biochem. Biophys. Acta* 977: 335-340
- Böttger M.** Barr R. Döring O. Crane FL. Brightman A. Morre DJ. (1992). The effect of calcium and calmodulin inhibitors on NADH oxidation by isolated plasma membrane vesicles preloaded with NADH. *Plant Science* 87: 39-44
- Bradford M.** (1976). A rapid sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72:255-260
- Briskin DP.** Leonard RT. Hodges TK. (1987). Isolation of the plasma membrane: membrane markers and general principles. *Methods in Enzymology* 148: 542-558
- Burgos PA.** Donaire JP. (1996). Phospholipids, free sterols, fluidity, and ATPase activity of plasma membrane-enriched vesicles from sunflower and jojoba roots. *Plant Physiol. Biochem.* 34: 315-324
- Butikofer P.** Brodbeck U. (1993). Partial purification and characterization of a (glycosyl) inositol phospholipid-specific phospholipase C from peanut. *J. Biol. Chem.* 268: 17794-17802
- Causier BE.** Millner PA. (1996). G protein regulated phospholipase D another piece in the plant cell signalling jigsaw. *Trends in Plant Science* 1: 168-170

- Chandra S.** Heinsteins PF. (1996). Low PS. Activation of phospholipase A by plant defense elicitors. *Plant Physiol.* 110: 979-986
- Chapman KD.** Tripathy S. Venables B. Desouza AD. (1998). N-Acylethanolamines -formation and molecular composition of a new class of plant lipids. *Plant Physiol.* 116: 1163-1168
- Chapman KD.** (2000). Emerging physiological roles for N-acylphosphatidylethanolamine metabolism in plants: signal transduction and membrane protection. *Chem. Phys. Lipids* 108: 221-229
- Cocucci M C.** (1986). Inhibition of plasma membrane and tonoplast ATPases by erythrosin B
Plant Science 47: 21-27
- Coleman J.** Randall R. Blake-Kalff M. (1997). Detoxification of xenobiotics in plant cells by glutathione conjugation and vakuolar compartmentalization: a fluorescent assay using monochlorobimane. *Plant, Cell, Envir.* 20: 449-460
- Conconi A.** Miquel M. John B. Ryan A. (1996). Clarence A Intracellular levels of free linolenic and linolenic acids increase in tomato leaves in response to wounding. *Plant Physiol.* 111: 797-803
- Dennis EA.** (1994). Diversity of group types, regulation, and function of phospholipase A-2. *J. Biol. Chem.* 269: 13057-13060
- Döring O.** Lüthje S. (1996). Molecular components and biochemistry of electron transport in plant plasma membranes. *Mol. Memb. Biol.* 13: 127-142
- Dwyer SC.** Legendre L. Low PS. Leto TL. (1996). Plant and human neutrophil oxidative burst complexes contain immunologically related proteins. *Biochim. Biophys. Acta* 1289: 231-7
- Ebel J.** Mithöfer A. (1998). Early events in the elicitation of plant defense. *Planta* 206: 335-348
- Facchini JP.** (2001). Alkaloid Biosynthesis in Plants: Biochemistry, Cell Biology, Molecular Regulation and Metabolic Engineering, Applications. *Annu. Rev. Plant Physiol. & Plant Mol. Biol.* 52: 29-66
- Feijo JA.** Sainhas J. Hackett GR. Kunkel JG. Hepler PK. (1999). Growing pollen tubes possess a constitutive alkaline band in the clear zone and a growth-dependent acidic tip. *J. Cell Biol.* 144: 483-496
- Fernandez-Checa JC.** Kaplowitz N. (1990). The use of monochlorobimane to determine hepatic GSH levels and synthesis. *Anal. Biochem.* 190: 212-219
- Gallagher SR.** Leonard RT. (1982). Effect of vanadate, molybdate, and azide on membrane-associated ATPase and soluble phosphatase activities of corn roots. *Plant Physiol.* 70: 1335-1340
- Giannini JL.** Gildehsoph LH. Briskin DP. (1987). Selective production of sealed plasma membrane vesicles from red beet (*Beta Vulgaris* L.) storage tissue. *Arch. Biochem. Biophys.* 254: 621-630
- Gomes E.** Venema K. Simonplais F. Milat ML. Palmgren MG. Blein JP. (1996). Activation of the plant plasma membrane H⁺-ATPase - is there a direct interaction between lysophosphatidylcholine and the C-terminal part of the enzyme. *FEBS Lett.* 398: 48-52

- Hagendoorn MJM.** Poortinga AM. Wong FS. Plas LHW. van der Walraven HS. (1991). Effect of elicitors on the plasmamembrane of *Petunia hybrida* cell suspensions. Role of delta pH in signal transduction. *Plant Physiol.* 96: 1261-1267
- Hahn MG.** (1996). Microbial elicitors and their receptors in plants. *Annu. Rev. Phytopathol.* 34: 387-412
- Hammerschmidt R.** (1999). Phytoalexins: What have we learned after 60 years? *Annu. Rev. Phytopathol.* 37: 285-306
- Harborne JB.** (1999). The comparative biochemistry of phytoalexin induction in plants. *Biochem. Syst. & Ecol.* 27: 335-367
- He DY.** Yazaki Y. Nishizawa Y. Takai R. Yamada K. Sakano K. Shibuya N. Minami E. (1998). Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, N-acetylchitoheptaose. *Mol. Plant-Microbe Interact.* 11: 1167-1174
- Heath MC.** (1998). Apoptosis, programmed cell death and the hypersensitive response. *Eur. J. Plant Pathol.* 104: 117-124
- Hendrickson HS.** (1994). Fluorescence-based assays of lipases, phospholipases, and other lipolytic enzymes. *Anal Biochem.* 219: 1-8
- Hirabayashi T.** Shimizu T. (2000). Localization and regulation of cytosolic phospholipase A(2). *Biochim. Biophys. Acta* 1488: 124-138
- Hirajama T.** Ohto C. Mizoguchi T. Shinozaki K. (1995). A gene encoding a phosphatidylinositol-specific phospholipase C is induced by dehydration and salt stress in *Arabidopsis thaliana*. *Proc. Natl. Acad. Sci.* 92: 3903-3907
- Hirajama T.** Mitsukawa N. Shibata D. Shinozaki K. (1997). At PLC2, a gene encoding phosphoinositide-specific Phospholipase C, is constitutively expressed in vegetative and floral tissues in *Arabidopsis thaliana*. *Plant. Mol. Biol.* 34:175-180
- Hirt H.** (1997). Multiple roles of MAP kinases in plant signal transduction. *Trends in Plant Science* 2: 11-15
- Hollstein P.** (2001). Fluoreszenzmikroskopische Charakterisierung der Phospholipase A₂-Aktivität und ihre Beziehung zum Glutathion-Gehalt in Einzelzellen von *Eschscholzia californica*. Diplomarbeit, FB Pharmazie, Martin-Luther-Universität Halle/Wittenberg
- Huang CH.** Tate B. Crain RC. Cote GG. (1995). Multiple phosphoinositide-specific phospholipases C in oat roots-characterization and partial. *Plant J.* 8: 257-267
- Humphrey TV.** Botella JR. (2001). Re-evaluation of the cytokinin receptor role of the *Arabidopsis* gene GCR1. *J. Plant Physiol.* 158: 645-653
- Imbusch R.** Mueller MJ. (2000). Analysis of Oxidative Stress and Wound-Inducible Dinor Isoprostanes F₁(Phytprostanes F₁) in Plants. *Plant Physiol.* 124: 1293-1303

- Jabs T.** Tschöpe M. Colling C. Hahlbrock K. Scheel D. (1997). Elicitor-stimulated ion fluxes and O₂- from the oxidative burst are essential components in triggering defense gene activation and phytoalexin synthesis in parsley. *Proc. Natl. Acad. Sci.* 94:4800-4805
- Jakobek J.** Lindgren P B. (1993). Generalized induction of defense responses in beans not correlated with the induction of the hypersensitive reaction. *Plant Cell* 5: 49-56
- Johansson F.** Olbe M. Sommarin M. Larsson C. (1995). Brij 58, a polyoxyethylene acyl ether, creates membrane vesicles of uniform sidedness. A new tool to obtain inside-out (cytoplasmic side-out) plasma membrane vesicles. *Plant J.* 7: 165-173
- Jung KM.** Kim DK. (2000). Purification and characterization of a membrane-associated 48-kilodalton phospholipase A₂ in leaves of broad bean. *Plant Physiol.* 123: 1057-1067
- Kamada Y.** Muto S. (1994). Stimulation by fungal elicitor of inositol phospholipid turnover in tobacco suspension culture cells. *Plant & Cell Physiol.* 35: 397-404
- Kim DK.** Lee HJ. Lee YS. (1994). Detektion of two Phospholipase A₂ (PLA₂) activities in leaves of higher plant *Vicia faba* and comparison with mammalian PLA₂-s. *FEBS Lett.* 343: 213-218
- Kopka J.** Pical C. Gray JE. Müller-Röber B. (1998). Molecular and enzymatic Characterization of three Phosphoinositide-specific Phospholipase C isoforms from potato. *Plant Physiol.* 116: 239-250
- Kuc J.** (1995). Phytoalexins, stress metabolism, and disease resistance in plants. *Annu. Rev. Phytopathol.* 33: 275-297
- Kuc J.** (1997). Molecular aspects of plant responses to pathogens. *Acta Physiol. Plant.* 19: 551-559
- Kuchitsu K.** Yazaki Y. Sakano K. Shibuya N. (1997). Transient cytoplasmic pH-change and ion fluxes through the plasma membrane in suspension-cultured rice cells triggered by n-acetylchitoooligosaccharide elicitor. *Plant & Cell Physiol.* 38: 1012-1018
- Kurosaki F.** Tsurusawa Y. Nishi A. (1987). Breakdown of phosphatidylinositol during the elicitation of phytoalexin production in cultured carrot cells. *Plant Physiol.* 85: 601-604
- Kuzniak E.** Urbanek H. (2000). The involvement of hydrogen peroxide in plant responses to stresses. *Acta Physiol. Plant.* 22: 195-203
- Lamb C.** Dixon RA. (1997). The oxidative burst in plant disease resistance. *Annu. Rev. Plant Physiol. & Plant Mol. Biol.* 48: 251-275
- Lapous D.** Mathieu Y. Guern J. Lauriere C. (1998). Increase of defense gene transcripts by cytoplasmic acidification in tobacco cell suspensions. *Planta* 205: 452-458
- Larsson C.** Widell S. Sommarin M. (1988). Inside-out plant plasma membrane vesicles of purity obtained by aqueous two-phase partitioning. *FEBS Lett.* 229: 289-292
- Larsson C.** Widell S. Sommarin M. Widell S. (1994). Isolation of highly purified plant plasma membranes and separation of inside-out and right-side-out vesicles. *Methods in Enzymology.* 228: 451- 469

- Larsson C.** Widell S. Kjellbom P. (1987). Preparation of High-Purity Plasma Membranes. *Methods in Enzymology* 148: 558-568
- Legendre L.** Heinsteint PF. Low PS. (1992). Evidence for participation of GTP-binding proteins in elicitation of the rapid oxidative burst in cultured soybean cells. *J. Biol. Chem.* 267: 20140-20147
- Legendre L.** Yueh YG. Crain R. Haddock N. Heinsteint PF. Low PS. (1993). Phospholipase C Activation during Elicitation of the Oxidative Burst in Cultured Plant Cells. *J. Biol. Chem.* 268: 24559-24563
- Lein W.** Saalbach G. (2001). Cloning and direct G-protein regulation of phospholipase D from tobacco. *Biochim. Biophys. Acta* 1530: 172-183
- Li WX.** Kodama O. Akatsuka T. (1991). Role of oxygenated fatty acids in rice phytoalexin production. *Agricultural & Biol. Chem.* 55: 1041-1048
- Ligterink W.** Kroj T. Zurnieden U. Hirt H. Scheel D. (1997). Receptor-mediated activation of a MAP-Kinase in pathogen defense of plants. *Science* 276: 2054-2057
- Lundborg T.** Widell S. Larsson C. (1981). Distribution of ATPases in wheat root membranes separated by phase partition. *Plant Physiol.* 52: 89-95
- Luo H.** Morsomme P. Boutry M. (1999). The two major types of plant plasma membrane H⁺-ATPases show different enzymatic properties and confer differential pH sensitivity of yeast growth. *Plant Physiol.* 119: 627-634
- Martiny-Baron G.** Scherer GFE. (1989) Phospholipid stimulated Protein Kinase in plants. *J. Biol. Chem.* 264: 18052-18059
- Mason MG.** Botella JR. (2000). Completing the heterotrimer: Isolation and characterization of an Arabidopsis thaliana G protein gamma-subunit cDNA. *Proc. Natl. Acad. Sci.* 97: 14784-14788
- Mathieu Y.** Lapous D. Thomine S. Lauriere C. Guern J. (1996). Cytoplasmic acidification as an early phosphorylation-dependent response of tobacco cells to elicitors. *Planta* 199: 416-424
- McHowat J.** Kell PJ. O'Neil BO. Creer MH. (2001). Endothelial Cell PAF Synthesis following Thrombin Stimulation Utilizes Ca²⁺-Independent Phospholipase A₂. *Biochem.* 40: 14921 -14931
- Meijer HJ.** Arisz SA. Van Himbergen JA. Musgrave A. Munnik T. (2001). Hyperosmotic stress rapidly generates lyso-phosphatidic acid in Chlamydomonas. *Plant J.* 25:541-548
- Menendez A.** Larsson C. Ugalde U. (1995). Purification of Functionally Sealed Cytoplasmic Side-out Plasma Membrane Vesicles from Saccharomyces cerevisiae. *Anal. Biochem.* 230: 308-314
- Miege C.** Marechel E. (1999). 1,2-sn-Diacylglycerol in plant cells: Product, substrate and regulator. *Plant Physiol. Biochem.* 37: 795-808
- Mizoguchi T.** Ichimura K. Shinozaki K. (1997). Environmental stress response in plants- the role of mitogen-activated protein kinases. *Trends in Biotech.* 15: 15-19
- Morel JB.** Dangl JL. (1997). The hypersensitive response and the induction of cell death in plants. *Cell Death & Differentiation* 4: 671-683

- Müller M.** Schiller J. Petkovic M. Oehrl W. Heinze R. Wetzker R. Arnold K. Arnhold J. (2001). Limits for the detection of (poly-)phosphoinositides by matrix-assisted laser desorption and ionization time-of-flight mass spectrometry. *Chem. Phys. Lipids* 110: 151-164
- Mueller MJ.** Brodschelm W. Spannagl E. Zenk MH. (1993). Signaling in the elicitation process is mediated through the octadecanoid pathway leading to jasmonic acid. *Proc Natl Acad Sci.* 90:7490-7494.
- Munnik T.** Arisz SA. Devrije T. Musgrave A. (1995). G-protein activation stimulates phospholipase D signaling in plants. *Plant Cell* 7: 2197-2210
- Munnik T.** Irvine RF. Musgrave A. (1998). Phospholipid signalling in plants. *Biochim. Biophys. Acta.* 1389: 222-272
- Munnik T.** (2001). Phosphatidic acid: an emerging plant lipid second messenger. *Trends in Plant Science* 6: 227-233
- Murakami M.** Nakatani Y. Atsumi G. Inoue K. Kudo I. (1997). Regulatory functions of phospholipase A₂. *Crit. Rev. in Immun.* 17: 225-283
- Nitzsche A.** (2001). Fluoreszenzmikroskopische Charakterisierung zellulärer Kontrollmechanismen der Phospholipase A₂-Aktivität in *Eschscholzia californica*. Diplomarbeit, FB Pharmazie, Martin-Luther-Universität Halle/Wittenberg
- Noehringer C.** Scheel D. Blee E. (2000). Lipoxygenase isoforms in elicitor-treated parsley cell suspension cultures. *Biochem. Soc. Transact.* 28: 827-829
- Nürnbergger T.** (1999). Signal perception in plant pathogen defense. *Cell. & Mol. Life Sciences.* 55: 167-182
- Palmer JE.** Dikeman DA. Fujinuma T. Kim B. Jones JJ. Denda M. Martinez-Zapater JM. Cruz-Alvarez M. (2001). A Brassica oleracea gene expressed in a variety-specific manner may encode a novel plant transmembrane receptor. *Plant & Cell Physiol.* 42: 404-413
- Palmgren MG.** Sommarin M. (1989). Lysophosphatidylcholine Stimulates ATP Dependent Proton Accumulation in Isolated Oat Root Plasma Membrane Vesicles. *Plant Physiol.* 90: 1009-1014
- Palmgren MG.** (1990). An H⁺-ATPase Assay: Proton Pumping and ATPase Activity Determined Simultaneously in the Same Sample *Plant Physiol.* 94: 882-886
- Palmgren MG.** Sommarin M. Ulvskov P. Jorgensen PL (1988). Modulation of plasma membrane H⁺-ATPase from oat roots by lysophosphatidylcholine, free acids and phospholipase A₂. *Physiol. Plantarum* 74: 11-19
- Pappan K.** Wang X. (1999). Molecular and biochemical properties and physiological roles of plant phospholipase D. *Biochim. Biophys. Acta* 1439: 151-166
- Parchmann S.** Gundlach H. Mueller MJ. (1997). Induction of 12-oxo-phytodienoic acid in wounded plants and elicited plant cell cultures. *Plant Physiol.* 115: 1057-1064
- Paul R.** Holk A. Scherer GFE. (1998). Fatty acids and lysophospholipids as potential second messengers in auxin action. rapid activation of phospholipase A₂ activity by auxin in suspension-cultured parsley and soybean cells. *Plant J.* 16: 601-611

- Petkovic M.** Schiller J. Müller J. Müller M. Arnold K. Arnhold J. (2001). The Signal-to-noise ratio as the measure for the quantification of lysophospholipids by matrix-assisted laser desorption/ ionisation time-of-flight mass spectrometry. *Analyst*. 126: 1042-1050
- Pfüller U.** (1986). Mizellen-Vesikel-Mikroemulsionen: Tensidassoziate und ihre Anwendung in Analytik und Biochemie. *Springer-Verl. Berlin*
- Roberts MF.** (1996). Phospholipases structural and functional motifs for working at an interface. *FASEB J.* 10: 1159-1172
- Romeis T.** (2001). Protein kinases in the plant defence response. *Curr. Opin. Plant Biol.* 4: 407-414
- Romeis T.** Piedras P. Jones JDG. (2000). Resistenc gene-dependent activation of a calcium-dependent protein Kinase in the plant defense response. *Plant Cell* 12: 803-815
- Roos W.** Evers S. Hieke M. Tschöpe M. Schumann B. (1998). Shifts of intracellular pH distribution as a part of the signal mechanism leading to the elicitation of benzophenanthridine alkaloids phytoalexin biosynthesis in cultured cells of *Eschscholtzia californica*. *Plant Physiol.* 118: 349-364
- Roos W.** Dordschbal B. Steighardt J. Hieke M. Weiss D. Saalbach G. (1999). A redox-dependent, G-protein-coupled phospholipase A of the plasma membrane is involved in the elicitation of alkaloid biosynthesis in *Eschscholtzia californica*. *Biochim. Biophys. Acta* 1448: 390-402
- Roy S.** Pounat ML. Caumont C. Cariven C. Prevost MC. Esquerretugaye MT. (1995). Phospholipase activity and phospholipid patterns in tobacco cells treated with fungal elicitor. *Plant Science* 107: 17-25
- Rubinstein B.** (1993). Plasma membrane redox activity: Components and Role in Plant Processes. *Annu.Rev.Plant Physiol.Plant Mol.Biol.* 44: 131-155
- Ruy SB.** Wang X. (1998). Increase in free linolenic and linoleic acids associated with phospholipase D-mediated hydrolysis of phospholipids in wounded castor bean leaves. *Biochim. Biophys. Acta* 1393: 193-202
- Samuelsson B.** Dahlen SE. Lindgren JA. Rouzer CA. Serhan CN. (1987). Leukotrienes and lipoxins structures biosynthesis and biological effects. *Science* 237: 1171-1176
- Sandelius AS.** Morre DJ. (1990). Plasma Membrane Isolation. *The Plant Plasma Membrane* Springer Verl. 45-75
- Schwartz W.** (2001). Untersuchungen zur Rolle der Phospholipase A₂ und ihrer Katalyseprodukte im Signaltransfer in Einzelzellen von *Eschscholtzia californica*. Diplomarbeit, FB Pharmazie, Martin-Luther-Universität Halle/Wittenberg
- Scheel D.** (1998). Resistance response physiology and signal transduction. *Curr. Opin. in Plant Biol.* 1: 305-310
- Scherer GFE.** Andre B. (1995). Activation of phospholipase A₂ by auxin and mastoparan in hypocotyl segments from zucchini and sunflower. *Plant Physiol.* 145: 483-490
- Scherer GFE.** Arnold B. (1997) Inhibitors of animal phospholipase A enzymes are selective inhibitors of auxin-dependent growth. Implications for auxin induced signal transduction. *Planta* 462-469

- Scherer GFE.** (1996). Phospholipid signalling and lipid-derived second messengers in plants. *Plant Growth Regulation* 18: 125-133
- Scherer GFE.** Paul RU. Holk A. (2000). Phospholipase A(2) in auxin and elicitor signal transduction in cultured parsley cells (*Petroselinum crispum* L.). *Plant Growth Regulation*. 32: 123-128
- Schumacher HM.** Gundlach H. Fiedler F. Zenk MH (1987) Elicitation of benzophenanthridine alkaloid synthesis in *Eschscholtzia* cell cultures. *Plant Cell Rep.* 6: 410-413
- Senda K.** Yoshioka H. Doke N. Kawakita K. (1996). A cytosolic phospholipase A(2) from potato tissues appears to be patatin. *Plant & Cell Physiol.* 37: 347-353
- Senda K.** Yoshioka H. Doke N. Kawakita K. (1998). Effect of Mastoparan on Phospholipase A₂ Activity in Potato Tubers Treated with Fungal Elicitor. *Plant & Cell Physiol.* 39: 1080-1086
- Serhan CN.** Haeggstrom JZ. Leslie CC. (1996). Lipid mediator networks in cell signaling - update and impact of cytokines. *FASEB J.*10: 1147-1158
- Serrano R.** (1990). Plasma Membrane ATPase. *The Plant Plasma Membrane*. Springer Verlag. 127-153
- Simons ER.** Meshulam T. Herscovitz H. Casavant D. Bernardo J. Roman R. Haugland RP. Strohmeier GS. Diamond RD. (1992). Flow cytometric kinetic measurements of neutrophil phospholipase A activation. *J. Biol. Chem.* 267: 21465-21470
- Shi J.** Gonzales RA. Bhattacharyya MK. (1995). Characterization of a plasma membrane-associated phosphoinositide-specific phospholipase C from soybean. *Plant J.* 8: 381-390
- Six DA.** Dennis EA. (2000) The expanding superfamily of phospholipase A₂ enzymes: classification and characterization. *Biochim. Biophys. Acta* 1488: 1-19
- Shingles R.** McCarty RE. (1995). Production of Membrane Vesicles by Extrusion: Size Distribution, Enzyme Activity, and Orientation of Plasma Membrane and Chloroplast inner-Envelope Membrane Vesicles. *Anal. Biochem.* 229: 92-98
- Staeb MR.** Ebel J. (1987). Effects of Ca on phytoalexin induction by fungal elicitor in soybean. *Arch. Biochem. & Biophys.* 257: 416-423
- Stahl U.** Ek B. Stymne S. (1998). Purification and characterization of a low-molecular-weight phospholipase a(2) from developing seeds of elm. *Plant Physiol.* 117: 197-205
- Stahl U.** Lee M. Sjodahl S. Archer D. Cellini F. Ek B. Iannacone R. MacKenzie D. Semeraro L. Tramontano E. Stymne S. (1999). Plant low-molecular-weight phospholipase A(2)s (PLA(2)s) are structurally related to the animal secretory PLA(2)s and are present as a family of isoforms in rice (*Oryza sativa*). *Plant Mol. Biol.* 41: 481-490
- Stryer L.** (1994). Biochemie: Biologische Membranen. *Spektrum Akad. Verl. Heidelberg, Berlin, Oxford*
- Sze H.** (1985). H⁺-Translocating ATPes: Advances Using Membrane Vesicles. *Ann.Rev.Plant.Physiol.* 36:175-208

- Tavernier E.** Pugin A. (1995). Phospholipase activities associated with the tonoplast from *Acer pseudoplatanus* cells: Identification of a phospholipase A-1 activity. *Biochim. Biophys. Acta* 1233: 118-122
- Tjoelker LW.** Eberhardt C. Unger J. Trong HL. Zimmerman GA. McIntyre TM. Stafforini DM. Prescott SM. Gray PW. (1995). Plasma platelet-activating factor acetylhydrolase is a secreted phospholipase A2 with a catalytic triad. *J Biol Chem.* 270: 25481-25487
- Touchstone JC.** Levin SS. Dobbins MF. und Beers PC. (1983). Analysis of saturated and unsaturated phospholipids in biological fluids. *J. Liq. Chromatogr.* 6: 179-192
- Toyoda K.** Shiraishi T. Yoshioka H. Yamada T. Ichinose Y. Oku H. (1992). Regulation of polyphosphoinositide metabolism in pea plasma membranes by elicitor and suppressor from a pea pathogen, *Mycosphaerella pinodes*. *Plant & Cell Physiol.* 33: 445-452
- Toyoda K.** Shiraishi T. Tamada T. Ichinose Y. Oku H. (1993). Rapid change in polyphosphoinositide metabolism in pea in response to fungal signals. *Plant & Cell Physiol.* 35: 729-735
- Valster AH.** Hepler PK. Chernoff J. (2000). Plant GTPases: the Rhos in bloom. *Trends in Cell Biol.* 10: 141-146
- van der Luit AH.** Piatti T. van Doorn A. Musgrave A. Felix G. Boller T. Munnik T. (2000). Elicitation of suspension-cultured tomato cells triggers the formation of phosphatidic acid and diacylglycerol pyrophosphate. *Plant Physiol.* 123: 1507-1515
- van Himbergen JAJ.** ter Riet B. Meijer HJG. van den Ende H. Musgrave A. Munnik T. (1999). Mastoparan analogues stimulate phospholipase C- and phospholipase D-activity in *Chlamydomonas*: a comparative study. *J. Exper. Botany* 50: 1735-1742
- Narvaez-Vasquez J.** Florin-Christensen J. and Ryan CA. (1999). Positional specificity of a phospholipase A activity induced by wounding, systemin, and oligosaccharide elicitors in tomato leaves. *Plant Cell* 11: 2249-2260
- Vera-Estrella R.** Higgins VJ. Blumwald E. (1994). Plant defense response to fungal pathogens. *Plant Physiol.* 106: 97-102
- Viehweger K.** Dordschbal B. Roos W. (2002). Elicitor-Activated Phospholipase A₂ Generates Lysophosphatidylcholines That Mobilize the Vacuolar H⁺ Pool for pH Signaling via the Activation of Na⁺-Dependent Proton Fluxes. *Plant Cell* 14: 1509-1525.
- Wakelam MJO.** (1998). Diacylglycerol-when is it an intracellular messenger?. *Biochim. Biophys. Acta* 1436: 117-126
- Wang X.** (2001). Plant Phospholipases. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 52: 211-231
- Wasternack C.** Parthier B. Jasmonate-signalled plant gene expression. *Trends Plant Sci.* 2: 302-307
- Weaver J.** Electroporation Theory. *Methods in Molecular Biol.* 55: 3-28
- Widell S.** Larsson C. (1990). A Critical Evaluation of Markers Used in Plasma Membrane Purification. *The Plant Plasma Membrane.* Springer Verl. 17-43

- White IR.** Wise A. Millner PA. (1993). Evidence for G-Protein-linked receptors in higher plants: stimulation of GTP-gamma-S binding to membrane fractions by the mastoparan analogue mas 7. *Planta* 191: 285-288
- Wojtaszek P.** (1997). Oxidative burst - an early plant response to pathogen infection. *Biochem. J.* 322: 681-692
- Xing Ti.** Higgins VJ. Blumwald E. (1997). Identification of G Proteins mediating fungal elicitor-induced dephosphorylation of host plasma H⁺-ATPase. *J. Exper. Botany* 48: 229-237
- Yi HJ.** Park D. Lee Y. (1996). In vivo evidence for the involvement of phospholipase A and protein kinase in the signal transduction pathway for auxin-induced corn coleoptile elongation. *Physiol. Plant* 96: 359-368