

6. Literaturverzeichnis

Alpert JE und Fava M. Nutrition and depression: the role of folate. *Nutrition Review*. 55(5):145-9, 1997.

Altshuler LL, Curran JG, Hauser P, Mintz J, Denicoff K, Post R. T₂ hyperintensities in bipolar disorder: magnetic resonance imaging comparison and literature meta-analysis. *American Journal of Psychiatry*. 152:1139-44, 1995.

Andreasen NC, Swayze VD, Flaum M, Alliger R, Cohen. Ventricular abnormalities in affective disorder: clinical and demographic correlates. *American Journal of Psychiatry*. 147:893-900, 1990.

Aylward EH, Roberts-Twillie JV, Barta PE, Kumar AJ, Harris GJ, Geer M, Peyser CE, Pearlson GD. Basal Ganglia Volumes and White Matter Hyperintensities in Patients with Bipolar Disorder. *American Journal of Psychiatry*. 151(5):687-93, 1994.

Banki CM, Karmacsi L, Bissette G, Nemeroff CB. CSF corticotropin releasing hormon, somatostatin, and thyrotropin releasing hormone in schizophrenia. *Psychiatry Research*. 43 (1):13-21, 1992

Bartalena L, Pellegrini L, Meschi M, Antonangeli L, Bogazzi F, Dell'Osso L, Pinchera A, Placidi GF. Evaluation of Thyroid Function in Patients With Rapid-Cycling and Non-Rapid-Cycling Bipolar Disorder. *Psychiatry Research*. 34:13-17, 1990.

Bauer MS, Whybrow PC, Gyulai L, Gonnel J, Yeh HS. Rapid-cycling bipolar affective disorder: I. Association with grade I hypothyroidism. *Archives of General Psychiatry*. 47:427-34, 1990.

Bauer MS, Whybrow PC, Gyulai L, Gonnel J, Yeh HS. Testing definitions of dysphoric mania and hypomania: prevalence, clinical characteristics and interepisode stability. *Journal of Affective disorders*. 32:210-11, 1994.

Bearden CE, Hoffmann KM, Cannon TD. The neuropsychology and neuroanatomy of bipolar affective disorder: a critical review. *Bipolar Disorders*. 3(3):106-150, 2001.

Besser R, Hornung K, Theison M, Rothacher G, Kramer G. EEG-changes in patients during the introduction of carbamazepine. *Electroencephalography and Clinical Neurophysiology*. 83(1):19-23, 1992.

Biesalski HK. *Vitamine: Physiologie, Pathophysiologie, Therapie*. Stuttgart, New York: Thieme, 1997.

Bottiglieri T. Folate, vitamin B₁₂, and neuropsychiatric disorders. *Nutrition Review*. 54(12):382-90, 1996.

Bottiglieri T, Laundry M, Crellin R, Toone BK, Carney MW, Reynolds EH. Homocysteine, folate, methylation, and monoamine metabolism in depression. *Journal of Neurology, Neurosurgery, Psychiatry*. 69(2):228-32, 2000.

Brenda WJH, Penninx BW, Guralnik JM, Ferrucci L, Fried LP, Allen RH, Stabler SP. Vitamin B (12) deficiency and depression in physically disabled older women: epidemiologic evidence from the Women's Health and Ageing Study. *American Journal of Psychiatry*. 157(5):715-21, 2000.

Broich K. In: Marneros A. *Handbuch der unipolaren und bipolaren Erkrankungen*. Stuttgart, New York: Thieme, 1999.

Cassidy F, Ahearn EP, Carroll BJ. Thyroid function in mixed and pure manic episodes. *Bipolar Disorders*. 4:393-397, 2002.

Cervantes P, Ghadirian AM, Vida S. Vitamin B₁₂ and Folate Levels and Lithium Administration in Patients with Affective Disorders. *Biological Psychiatry*. 45(2): 214-21, 1999.

Chang KD, Keck PE, Stanton SP, McElroy SL, Strakowski SM, Geracioti TD. Differences in thyroid function between bipolar manic and mixed states. *Biological Psychiatry*. 15;43(10):730-33, 1998.

Cook BL, Shukla S, Hoff AL. EEG abnormalities in bipolar affective disorder. *Journal of Affective Disorders*. 11:147-49, 1986.

Coppen A und Bailey J. Enhancement of the antidepressant action of fluoxetine by folic acid: a randomised, placebo controlled trial. *Journal of Affective Disorders*. 60: 121-30, 2000.

Dilling H und Mombour W. Hrsg. Weltgesundheitsorganisation. *Internationale Klassifikation psychischer Störungen. ICD-10 Kapitel V (F) Forschungskriterien*. Bern, Göttingen, Toronto, Seattle: Huber, 1994.

Drevets WC. Neuroimaging Studies of mood disorders. *Biological Psychiatry*. 48(8):813-829, 2000.

El-Badri SM, Ashton CH, Moore PB, Marsh VR, Ferrier IN. Electrophysiological and cognitive function in young euthymic patients with bipolar affective disorder. *Bipolar Disorders*. 3(2):79-87, 2001.

Elkis H, Friedman L, Wise A, Meltzer HY. Metaanalysis of studies of ventricular enlargement and cortical sulcal prominence in mood disorders. Comparison with controls or patients with schizophrenia. *Archives of General Psychiatry*. 52:735-746, 1995

Esposito S, Prange, Jr. AJ, Golden RN. The Thyroid Axis and Mood Disorders: Overview and Future Prospects. *Psychopharmacology Bulletin*. 33(2):205-17, 1997.

Fava M, Borus JS, Alpert JE, Nierenberg AA, Rosenbaum JF, Bottiglieri T. Folate, vitamin B₁₂ and homocysteine in major depressive disorder. *American Journal of Psychiatry*. 154(3):426-28, 1997.

Figiel GS, Krishnan KR, Rao VP, Doraiswamy M, Ellinwood EH Jr, Nemeroff CB, Evans D, Boyko O. Subcortical hyperintensities on brain magnetic resonance imaging: a comparison of normal and bipolar subjects. *Journal of Neuropsychiatry and clinical neuroscience*. 3(1):18-22, 1991.

Friedman L, Findling RL, Kenny JT, Swales TP, Stuve TA, Jesberger JA, Lewin JS, Schulz SC. An MRI study of adolescent patients with either schizophrenia or bipolar disorder as compared to healthy control subjects. *Biological Psychiatry*. 46(4):584ff., 1999.

Goodwin FK und Jamison KR. *Manic-Depressive Illness*. New York: Oxford University Press, 1990.

Haggerty JJ Jr und Prange AJ Jr. Borderline Hypothyroidism and depression. *Annual Review of Medicine*. 46:37-46, 1995.

Haggerty JJ Jr, Silva SG, Marquardt M, Mason GA, Chang HY, Evans DL, Golden RN, Pedersen C. Prevalence of antithyroid antibodies in mood disorders. *Depression and Anxiety*. 5(2):91-96,1997.

Hasanah CI, Khan UA, Musalmah M, Razali SM. Reduced red-cell folate in mania. *Journal of Affective Disorders*. 46(2):95-99, 1997.

Hauser P, Matochik J, Altshuler LL, Denicoff KD, Conrad A, Li X, Post RM. Mri-based measurement of temporal lobe and ventricular structures in patients with bipolar I and bipolar II disorders. *Journal of Affective Disorders*. 60(1):25-32, 2000.

Hendren RL, De Backer I, Pandina GJ. Review of neuroimaging studies of child and adolescent psychiatric disorders from the past 10 years. *Journal of the American Academy of Child & Adolescent Psychiatry*. 39(7):815-828, 2000.

Hendrick V, Altshuler L, Whybrow P. Psychoneuroendocrinology of Mood Disorders. *The Psychiatric Clinics of North America*. 21(2):277-92, 1998.

Hughes JR und John ER. Conventional and Quantitative Electroencephalography in Psychiatry. *Journal of Neuropsychiatry and clinical Neurosciences*. 11(2):190-208, 1999.

Jay V. Dr Robert James Graves. *Archives of Pathology and Laboratory Medicine*. 123(4):284, 1999.

Joffe RT und Singer W. A comparison of triiodthyronine and thyroxine in the potentiation of antidepressants. *Psychiatry Research*. 32:241-52, 1990.

Joffe RT, Young LT, Cooke RG et al. The thyroid and mixed affective states. *Acta Psychiatrica Scandinavica*. 90:131-32, 1994.

Kraepelin E. *Lehrbuch der Psychiatrie*. 5. Auflage. Leipzig: Barth 1896.

Krishnan RR, McDonald WM, Tupler LA. Neuropathology in affective illness. *American Journal of Psychiatry*. 150:1568-69, 1993.

Kujawa MJ und Nemeroff CB. The biology of bipolar disorder. In: Marneros A, Angst J (Hrsg.). *Bipolar Disorders. 100 years after manic-depressive insanity*. Great Britain: Kluwer Academic Publishers, 2000.

Kusalic M. Grade II and grade III hypothyroidism in rapid-cycling bipolar patients. *Neuropsychobiology*. 25:177-81, 1992.

Lederbogen F, Hermann D, Hewer W, Henn FA. Thyroid function test abnormalities in newly admitted psychiatric patients residing in an iodine-

deficient area: patterns and clinical significance. *Journal of Affective Disorders*. 104:305-10, 2001.

Leibenluft E. Women with bipolar illness: clinical and research issues. *American Journal of Psychiatry*. 153(2):163-73, 1996.

Marneros A. *Handbuch der unipolaren und bipolaren Erkrankungen*. Stuttgart, New York: Thieme, 1999.

Marneros A. Expanding the group of bipolar disorders. *Journal of Affective Disorders*. 62: 39-44, 2001.

Mc Elroy SL, Freeman MP, Akiskal HS. The mixed bipolar disorders. In: Marneros A, Angst J (Hrsg.). *Bipolar Disorders. 100 years after manic-depressive insanity*. Great Britain: Kluwer Academic Publishers, 2000.

McElroy SL, Keck PE Jr, Pope HG Jr, et al. Clinical and research implication of the diagnosis of dysphoric or mixed mania or hypomania. *American Journal of Psychiatry*. 149:1633-44, 1992.

Müller-Oerlinghausen B, Greil W, Berghöfer A (Hrsg.). *Die Lithiumtherapie, Nutzen, Risiken, Alternativen*. Berlin, Heidelberg, New York, Barcelona, Budapest, Hongkong, London, Mailand, Paris, Santa Clara, Singapur, Tokio: Springer, 1997.

Musselman DL und Nemeroff CB. Depression and endocrine disorders: focus on the thyroid and adrenal system. *British Journal of Psychiatry Supplement*. (30):123-8, 1996.

Nasrallah HA, McCalley-Whitters M, Jacoby CG. Cerebral ventricular enlargement in young manic males. A controlled study. *Journal of Affective Disorders*. 4(1):15-19, 1982.

Post RM, Rubinow DR, Ballenger JC. Conditioning and sensitization in the longitudinal course of affective illness. *British Journal of Psychiatry*. 149:191-201, 1986.

Rayesh Sagar R. Late-onset bipolar disorder due to hyperthyroidism. *Acta Psychiatrica Scandinavica*. 104 (1):72-75, 2001

Rieder RO, Mann LS, Weinberger DR, van Kammen DP, Post RM. Computed tomographic scans in patients with schizophrenia, schizoaffective, and bipolar affective disorder. *Archives of General Psychiatry*. 40(7):735-39, 1983.

Robinson RG, Boston JD, Starkstein S, Price TR. Comparison of mania and depression after brain injury: causal factors. *American Journal of Psychiatry*. 145:172-78, 1988.

Röttig, S. Vergleich von EEG-Befunden bei akuten vorübergehenden psychotischen Störungen mit schizophrenen und schizoaffectiven Störungen. Halle, Univ., Med. Fak. *Dissertation*: 72 Seiten, 2000.

Skerritt UM. A prevalence study of folate deficiency in a psychiatric in-patient population. *Acta Psychiatrica Scandinavica*. 97:228-32, 1998.

Small JG, Milstein V, Malloy FW, Medlock CE, Klapper MH. Clinical and quantitative EEG studies of mania. *Journal of Affective Disorders*. 53(3):217-24, 1999.

Strakowski SM, Woods BT, Tohen M, Wilson DR, Douglass AW, Stoll AL. MRI subcortical signal hyperintensities in mania at first hospitalization. *Biological Psychiatry*. 33:204-06, 1993.

Swayze VD, Andreasen NC, Alliger RJ et al. Structural brain abnormalities in bipolar affective disorder. Ventricular enlargement and focal sign hyperintensities. *Archives of General Psychiatry*. 47:1054-59, 1990.

Ulrich G. *Psychiatrische Elektroenzephalographie*. Gustav Fischer Verlag. Jena, Stuttgart, New York, 1994.

Valle J, Ayuso-Gutierrez JL, Abril A, Ayuso-Mateos JL. Evaluation of thyroid function in lithium-naïve bipolar patients. *European Psychiatry*. 14: 341-5, 1999.

Ward KE, Friedman L, Wise A, Schulz SC. Meta-analysis of brain and cranial size in schizophrenia. *Schizophrenia Research*. 22:93-101, 1996

Wehr TA, Sack DA, Rosenthal NA, Cowdry RW. Rapid cycling affective disorder: Contributing factors and treatment responses in 51 patients. *American Journal of Psychiatry*. 145:79-84, 1988.

Wolfersdorf M und König F. Serum-Folsäure und Vitamin B₁₂ bei stationären depressiven Patienten. Untersuchung der Serum-Folsäure mittels Radio-Immuno-Assay bei 121 stationären Depressiven. *Psychiatrische Praxis*. 22(4):162-64, 1995.

World Health Organization, Regional Office for Europe (2002). http://www.who.dk/nutrition/infantfeeding/20010920_1.

Zarate CA, Tohen M, Zarate SB. Thyroid function test in first-episode bipolar disorder manic and mixed type. *Biological psychiatry*. 42(4):302-04, 1997.