

7. Literatur

- 1) Allen DG, Morris PG, Orchard CH, Pirolo JS: A nuclear magnetic resonance study of metabolism in the ferret heart during hypoxia and inhibition of glycolysis. *J Physiol* 361 (1985) 185-204
- 2) Aonuma S, Kohama Y, Akai K, Iwasaki S: Studies on heart. 20. Further effects of bovine protein (BVP) and antiarrhythmic peptide (AAP) on myocardial cells in culture. *Chem Pharm Bull* 28 (1980b) 3340-3346
- 3) Aonuma S, Kohama Y, Akai K, Komiyama Y, Nakajima S, Wakabayashi M, Makino T: Studies on heart. 19. Isolation of an atrial peptide that improves the rhythmicity of cultured myocardial cell clusters. *Chem Pharm Bull* 28 (1980a) 3332-3339
- 4) Aonuma S, Kohama Y, Makino T, Fujisawa Y: Studies on heart. 21. Amino acid sequence of antiarrhythmic peptide (AAP) isolated from atria. *J Pharmacobiodyn* 5 (1982) 40-48
- 5) Aonuma S, Kohama Y, Makino T, Hattori K: Studies on heart. 22. Inhibitory effect of an atrial peptide (AAP) on drug-induced arrhythmia. *Yakugaku Zasshi* 103 (1983) 662-666
- 6) Argentieri T, Cantor E, Wiggins JR: Antiarrhythmic peptide has no direct cardiac actions. *Experientia* 45 (1989) 737-738
- 7) Asaoka Y, Nakamura S, Yoshida K, Nishizuka Y: Protein kinase c, calcium and phospholipid degradation. *Trends Biochem Sci* 17 (1992) 414-417
- 8) Bastide B, Neyses L, Ganten D, Paul M, Willecke K, Traub O: Gap Junction protein connexin 40 is preferentially expressed in vascular endothelium and conductive bundles of rat myocardium and is increased under hypertensive conditions. *Circ Res* 73 (1993) 1138-1149

- 9) Bergoffen J, Scherer SS, Wang S, Oronzi-Scott M, Bone LJ, Paul DL, Chen K, Lensch MW, Chance PF, Fischbeck KH: Connexin mutations in X-linked Charcot-Marie-Tooth disease. *Science* 262 (1993) 2039-2042
- 10) Chanson M, Meda P: Rat pancreatic acinar cell coupling: comparison of extent and modulation in vitro and in vivo. In: Hall JE, Zampighi GA, Davis RM (Hrsg.): *Gap Junctions*. Elsevier, Amsterdam, 1993, 199-205
- 11) Christ GJ, Spray DC, El-Schaban M, Moore LK, Brink BR: Gap junctions in vascular tissues. *Circ Res* 79 (1996) 631-646
- 12) Daleau P: Effects of antiarrhythmic agents on junctional resistance of guinea pig ventricular cell pairs. *J Pharmacol Exp Ther* 284 (1998) 1174-1179
- 13) Dekker LRC, Fiolet JWT, Van Bavel E, Coronel R, Opthof T, Spaan JAE, Janse MJ: Intracellular Ca^{2+} , intercellular electrical coupling and mechanical activity in ischemic rabbit papillary muscle. *Circ Res* 79 (1996) 237-246
- 14) De Mello WC: Influence of the sodium pump on intercellular communication in heart fibers: Effect of intracellular injection of sodium ion on electrical coupling. *J Physiol* 263 (1976) 171-197
- 15) Dhein S: Gap junction channels in the cardiovascular system: pharmacological and physiological modulation. *Trends pharmacol sci*, 19 (1998a) 229-241
- 16) Dhein S: Gap-Junction-Kanäle und zelluläre Kommunikation. *Dtsch Med Wochenschr*, 123 (1998b) 912-917
- 17) Dhein S: Cardiac gap junctions – physiology, regulation, pathophysiology and pharmacology. Karger, Basel (u.s.w), 1998c
- 18) Dhein S, Gottwald M, Schaefer T, Müller A, Gover R, Tudyka T: Improvement of intercellular coupling by an antiarrhythmic peptide during ischemia and hypoxia. *Eur Heart J* 18 Supplement (1997) 568

- 19) Dhein S, Hammerath SB: Effect of a gap junction blockade using palmitoleic acid in the beating heart. Anisotropy and electrophysiology. Naunyn Schmiedebergs Arch Pharmacol 361 Supplement (2000) R108
- 20) Dhein S, Hammerath SB: Aspects of the intercellular communication in aged hearts: effects of the gap junction uncoupler palmitoleic acid. Naunyn Schmiedebergs Arch Pharmacol 364 (2001) 397-408
- 21) Dhein S, Krüseemann K, Schaefer T: Effects of the gap junction uncoupler palmitoleic acid on the activation and repolarisation wavefronts in isolated rabbit hearts. Br J Pharmacol 128 (1999a) 1375-1384
- 22) Dhein S, Manicone N, Müller A, Gerwin R, Ziskoven U, Irankhahi A, Minke C, Klaus W: A new synthetic antiarrhythmic peptide reduces dispersion of epicardial activation recovery interval and diminishes alterations of epicardial activation patterns induced by regional ischemia. A mapping study. Naunyn Schmiedebergs Arch Pharmacol 350 (1994) 174-184
- 23) Dhein S, Müller A, Gerwin R, Klaus W: Comparative study on the proarrhythmic effects of some antiarrhythmic agents. Circulation 87 (1993) 617-630
- 24) Dhein S, Poeppel P, Krüseemann K, Schaefer T, Stuhlmann D, Klaus W: Intracellular distribution of gap junction channels in rat atria is altered by arrhythmia. Europ J Physiol 435 Supplement (1998d) R81
- 25) Dhein S, Schaefer T, Poeppel P, Grover R, Bachmann M, Müller A: On the molecular mechanism of action of antiarrhythmic peptides in transfected HELA-Cx43-Cells. Naunyn Schmiedebergs Arch Pharmacol 359 Supplement (1999b) R7
- 26) Dhein S, Schott M, Gottwald E, Tudyka T, Rutten P: Antiarrhythmic effects of the antiarrhythmic peptide AAP10 in regional ischemia: preservation of longitudinal propagation of activation. Circulation 94 Supplement (1996) 715

- 27) Dhein S, Tudyka T: Therapeutic potential of antiarrhythmics peptides. Cellular coupling as a new antiarrhythmic target. *Drugs* 49 (1995a) 851-855
- 28) Dhein S, Tudyka T, Schott M, Gottwald E, Müller A, Klaus W: A new antiarrhythmic peptide improves cellular coupling: A possible new antiarrhythmic mechanism. *Circulation* 92 Supplement (1995b) 641
- 29) Dhein S, Weng S, Grover R, Tudyka T, Gottwald M, Schaefer T, Polontchouk L: Protein kinase C α mediates the effect of antiarrhythmic peptide on gap junction conductances. *Cell Adhesion and Communication* 8 (2001c) 257 - 264
- 30) Dhein S, Weng S, Polontchouk L, Grover R, Schaefer T: Pharmacological modification of gap junctional coupling by antiarrhythmic peptides. Role of PKC. *Naunyn Schmiedebergs Arch Pharmacol* 363 Supplement (2001a) R99
- 31) Dhein S, Weng S, Schaefer T, Grover R, Polontchouk L: Role of protein kinase c (PKC) in the action of antiarrhythmic peptides. *FASEB J* 15 (2001b) A916
- 32) Doble BW, Kardami E: Basic fibroblast growth factor and gap junction mediated intercellular communication of cardiac fibroblasts. *Mol Cell. Biochem* 143 (1995) 81-87
- 33) Doble BW, Ping P, Kardami E: The ϵ subtype of protein kinase C is required for cardiomyocyte connexin-43 phosphorylation. *Circ Res* 86 (2000) 293-301
- 34) Echt DS, Liebson PR, Mitchel LB et al.: Mortality and morbidity in patients receiving encainide, flecainide or placebo. The cardiac arrhythmia suppression trial. *New Engl J Med* 324 (1991) 781-788
- 35) Elvan A, Huang XD, Pressler ML, Zipes DP: Radiofrequency catheter ablation of the atria eliminates pacing-induced sustained atrial fibrillation and reduces connexin 43 in dogs. *Circulation* 96 (1997) 1675-1685

- 36) Faber DS, Yang XD, Wolszon LR: Plasticity of gap junctions at mixed synapses. In: Hall JE, Zampighi GA, Davis RM (Hrsg.): Gap Junctions. Elsevier, Amsterdam, 1993, 135-139
- 37) Hillis GS, Duthie LA, Brown PA, Simpson JG, MacLeod AM, Haites NE: Upregulation and co-localisation of connexin 43 and cellular adhesion molecules in inflammatory renal disease. *J Pathol.* 182 (1997) 373-379
- 38) Hofmann, J: The potential for isoenzyme-selective modulation of protein kinase C. *The FASEB Journal* 11 (1997) 649-669
- 39) Horowitz P, Hill W: The art of electronics. Cambridge Univers. Press, 1991
- 40) Hoya A, Venosa RA: Ionic movements mediated by monensin in frog skeletal muscle. *Biochim Biophys Acta* 1104(1) (1992) 123-131
- 41) Imanishi S, Surawicz B: Automatic activity in depolarized guinea pig ventricular myocardium. *Circ Res* 39 (1976) 751
- 42) Inabayashi M, Miyauchi S, Kamo N, Jin T: Conductance change in phospholipid bilayer membrane by an electroneutral ionophore, monensin. *Biochemistry* 34(10) (1995) 3455-3460
- 43) Inoguchi T, Battan R, Handler E, Sportsman JR, Heath W, King GL: Preferential elevation of protein kinase c isoform β II and diacylglycerol levels in the aorta and heart of diabetic rats: Differential reversibility to glycemic control by islet cell transplantation. *Proc Natl Acad Sci* 89 (1992) 11059-11063
- 44) Jalili T, Takeishi Y, Walsh RA: Signal transduction during cardiac hypertrophy: The role of $G\alpha_q$, $PLC\beta_1$, and PKC. *Cardiovasc Res* 44 (1999) 5-9
- 45) Jara PI, Boric MP, Saez JC: Leukocytes express connexin 43 after activation with lipopolysaccharide and appear to form gap junctions with endothelial cells after ischemia-reperfusion. *Proc Natl Acad Sci* 92 (1995) 7011-7015

- 46) Kameyama M: Electrical coupling between ventricular paired cells isolated from guinea-pig heart. *J Physiol* 336 (1983) 345-357
- 47) Kashiwada Y, Huang L, Ballas LM, Jiang JB, Janzen WP, Lee KH: New hexahydroxybiphenyl derivatives as inhibitor of protein kinase c. *J Med Chem* 37 (1994) 195-200
- 48) Klaunig JE, Ruch RJ: Biology of disease. *Lab Invest* 62 (1990) 135-142
- 49) Kohama Y, Iwabuchi K, Shibahara T, Okabe M, Mimura T: Response of immunoreactive antiarrhythmic peptide (IR-AAP) level associated with experimental arrhythmia in rats. *J Pharmacobiodyn* 9 (1986) 806-810
- 50) Kohama Y, Kawahara Y, Kabe M, Mimura T, Aonuma S: Determination of immunoreactive antiarrhythmic peptide (AAP) in rats. *J Pharmacobiodyn* 8 (1985) 1024-1031
- 51) Kohama Y, Okimoto N, Mimura T, Fukaya C, Watanabe M, Yokoyama K: A new antiarrhythmic peptide, N-3-(4-hydroxyphenyl)-propionyl-Pro-Hyp-Gly-Ala-Gly. *Chem Pharm Bull* 35 (1987) 3928-3930
- 52) Kolb HA: Double whole-cell patch clamp technique. In: Kettenmann H., Grantyn R. (Hrsg.): *Practical Electrophysiological Methods*. Wiley-Liss, New York (u.s.w), 1992, S. 289-298
- 53) Krutovskikh VA, Mazzoleni G, Mironov N, Omori Y, Aguelon AM, Mesnil M, Berger F, Partenski C, Yamasaki H: Altered homologues and heterologues gap junctional intercellular communication in primary human liver tumors associated with aberrant protein localization but not gene mutation of connexin 32. *Int J Cancer* 56 (1994) 87-94
- 54) Kwak BR, Hermans MM, De Jonge HR, Lohmann SM, Jongsma HJ, Chanson M: Differential regulation of distinct types of gap junction channels by similar phosphorylating conditions. *Mol Biol Cell* 6 (1995c) 1707-1719

- 55) Kwak BR, Jongsma HJ: Cardiac gap junctions: three distinct single channel conductances and their modulation by phosphorylating treatments. *Pflügers Arch* 422 (1992) 198-200
- 56) Kwak BR, Jongsma HJ: Regulation of cardiac gap junction channel permeability and conductance by several phosphorylating conditions. *Mol Cell Biochem* 157 (1996) 93-99
- 57) Kwak BR, Saez JC, Wilders R, Chanson M, Fishman GI, Hertzberg EL, Spray DC, Jongsma HJ: Effects of cGMP-dependent phosphorylation on rat and human connexin43 gap junction channels. *Pflügers Arch* 430 (1995a) 770-778
- 58) Kwak BR, Van Veen TA, Analbers LJ, Jongsma HJ: TPA increases conductance but decreases permeability in neonatal rat cardiomyocyte gap junctional channels. *Exp Cell Res* 220 (1995b) 456-463
- 59) Laird DW, Puranam KL, Revel JP: Turnover and phosphorylation dynamics of connexin43 gap junction protein in cultured cardiac myocytes. *Biochem J* 273 (1991) 67-72
- 60) Loewenstein WR: Junctional intercellular communication and the control of growth. *Biochem Biophys Acta* 56 (1979) 1-65
- 61) Loewenstein WR, Kanno Y: Intercellular communication and the control of tissue growth. *Nature* 209 (1966) 1248-1249
- 62) Lüderitz B: *Herzrythmusstörungen*. 5.Aufl., Springer, Berlin, Heidelberg, New York, 1998
- 63) Mesnil M, Piccoli C, Klein JL, Morand I, Yamasaki H. Lack of correlation between the gap junctional communication capacity of human colon cancer cell lines and expression of the DCC gene, a homologue of a cell adhesion molecule (N-CAM). *Jpn J Cancer Res* 84 (1993a) 742-747
- 64) Mesnil M, Yamasaki H: Cell-cell communication and growth control of normal and cancer cells – evidence and hypothesis. *Mol Carcinogen* 7 (1993b) 14-17

- 65) Metzger P, Weingart R: Electric current flow in cell pairs isolated from adult rat hearts. *J Physiol* 366 (1985) 177-195
- 66) Mochly-Rosen D, Henrich CJ, Cheever L, Khaner H, Simpson PC: A PKC-Isoenzym is translocated to cytoskeletal elements on activation. *Cell Regul* 1 (1990) 693-706
- 67) Müller A, Gottwald M, Tudyka T, Linke W, Klaus W, Dhein S: Increase in gap junction conductance by an antiarrhythmic peptide. *Eur J Pharmacol* 327 (1997a) 65-72
- 68) Müller A, Lauven M, Berkels R, Dhein S, Polder HR, Klaus W: Switched single-electrode voltage-clamp amplifiers allow precise measurement of gap junction conductance. *Am. J. Physiol* 276 (Cell Physiol. 45) (1999) C980-C987
- 69) Müller A, Schaefer T, Linke W, Tudyka T, Gottwald M, Klaus W, Dhein S: Actions of the antiarrhythmic peptide AAP10 on intercellular coupling. *Naunyn Schmiedebergs Arch Pharmacol* 356 (1997b) 76-82
- 70) Musil LS, Cunningham BA, Edelmann GM, Goodenough DA: Differential phosphorylation of the gap junction protein connexin 43 in junctional communication-competent and -deficient cell lines. *J Cell Biol* 111 (1990) 2077-2088
- 71) Musil LS, Goodenough DA: Multisubunit assembly of an integral plasma membrane channel protein, gap junction connexin 43, occurs after exit from the ER. *Cell* 74 (1993) 1065-1077
- 72) Musil LS, Goodenough DA: Biochemical analysis of connexon assembly. In: Kanno Y, Kataoka K, Shiba Y, Shibata Y, Shimazu T (Hrsg.): *Intercellular communication through gap junctions*. Progress in Cell Research, Elsevier, Amsterdam, 1995, 327-330
- 73) Nishizuka Y: The molecular heterogeneity of protein kinase c and its implication for cellular regulation. *Nature* 334 (1988) 661-665

- 74) Noma A, Tsuboi N: Dependence of junctional conductance on proton, calcium and magnesium ions in cardiac paired cells of guinea-pig. *J Physiol* 382 (1987) 193-211
- 75) Numberger M, Draguhn A: Patch-Clamp-Technik. Spektrum Akademischer Verlag GmbH, Heidelberg, Berlin, Oxford, 1996
- 76) Oyamada M, Sakamoto H, Enomoto K, Oyamada Y, Kojima T, Sawada M, Mori M: Expression of multiple connexins is differentially modulated during multistage hepatocarcinogenesis. In: Kanno Y, Kataoka K, Shiba Y, Shibata Y, Shimazu T (Hrsg): Intercellular communication through gap junctions. Elsevier, Amsterdam, 1995, 103-106
- 77) Page E: Cardiac gap junctions. In: Fozzard HA, Haber E, Jennings RB, Katz AM, Morgan HE (Hrsg.): The cardiovascular system. Raven Press 2nd ed., New York, 1992, 1003-1047
- 78) Paul DL: New functions for gap junctions. *Curr Opin Cell Biol* 7 (1995) 665-672
- 79) Perkins G, Goodenough DA, Sosinsky G: Three dimensional structure of the gap junction connexon. *Biophys J* 72 (1997) 533-544
- 80) Peters NS: Myocardial gap junction organization in ischemia and infarction. *Microscopy Res Tech* 31 (1995) 375-386
- 81) Peters NS, Green CR, Poole-Wilson PA, Severs NJ: Reduced content of connexin 43 gap junctions in ventricular myocardium from hypertrophied and ischaemic human hearts. *Circulation* 88 (1993) 864-875
- 82) Petersen OH: The electrophysiology of gland cells. Academic press, London, 1980
- 83) Polder HR: SEC 05L/H Single electrode system – Operating instructions and system description. NPI Electronic GmbH, Tamm, 1996

- 84) Polontchouk L, Haefliger JA, Ebel B, Schaefer T, Stuhlmann D, Mehlhorn U, Kuhn-Regnier F, De Vivie ER, Dhein S: Effects of chronic atrial fibrillation on gap junction distribution in human and rat atria. *J Am Coll Cardiol* 38(3) (2001) 883-891
- 85) Powell T, Terrar D, Twist VM: Electrical properties of individual cells isolated from adult rat ventricular myocardium. *J Physiol* 303 (1980) 131-153
- 86) Puranam KL, Laird DW, Revel JP: Trapping an intermediate form of connexin 43 in the golgi. *Exp Cell Res* 206 (1993) 85-92
- 87) Rouet-Benzineb P, Mohammadi K, Perennec J, Poyard M, Bouanani NEH, Crozatier B: Protein kinase c isoform expression in normal and failing rabbit heart. *Circ Res* 79 (1996) 153-161
- 88) Rybin VO, Steinberg SF: Protein kinase c isoform expression and regulation in the developing rat heart. *Circ Res* 74/2 (1994) 299-309
- 89) Saez JC, Nairn AC, Czernik AJ, Fishman GI, Spray DC, Hertzberg EL: Phosphorylation of connexin 43 and the regulation of neonatal rat cardiac myocyte gap junctions. *J Mol Cell Cardiol* 29 (1997) 2131-2145
- 90) Schaefer T: Molekularer Wirkmechanismus des antiarrhythmischen Peptides AAP10. Inaugural Dissertation, Math.-Nat. Fak., Univ. zu Köln (2000)
- 91) Schaefer T, Gottwald M, Grover R, Dhein S: Action and mechanism of antiarrhythmic peptide AAP10. *Eur J Physiol* 437 Supplement (1999) R156
- 92) Schmidt RF, Thews G: *Physiologie des Menschen*. 27.Aufl., Springer-Verlag, Berlin, Heidelberg, New York, 1997
- 93) Spray DC, Burt JM: Structure-activity relations of the cardiac gap junction channel. *Am J Physiol* 258 (1990) C195-C205
- 94) Spray DC, Harris AL, Bennett MV: Equilibrium properties of a voltage-dependent junctional conductance. *J Gen Physiol* 77 (1981) 77-93

- 95) Spray DC, White RL, Mazet F, Bennett MV: Regulation of gap junctional conductance. *Am J Physiol* 248 (1985) H753-H764
- 96) Stergiopoulos K, Alvarado JL, Mastroianni M, EK-Vitorin JF, Taffet M, Delmar M: Hetero-domain interactions as a mechanism for the regulation of connexin channels. *Circ Res* 84 (1999) 1144-1155
- 97) Sugiura H, Toyama J, Tsuboi N, Kamiyama K, Kodama I: ATP directly affects junctional conductance between paired ventricular myocytes isolated from guinea pig heart. *Circ Res* 66 (1990) 1095-1102
- 98) Toullec D, Pianetti P, Coste H, Bellevergue P, Grand-Perret T, Ajakane M, Baudet V, Boissin P, Boursier E, Loriolle F, Duhamel L, Charon D, Kirilovsky J: The bisindolylmaleimide GF 109203X is a potent selective inhibitor of protein kinase C: *J Biol Chem* 266(24) (1991) 15771-15781
- 99) Valiunas V, Weingart R, Brink PR: Formation of heterotypic channels by connexins 40 and 43. *Circ Res* 86 (2000) e42-e49
- 100) Van Der Velden HMW, Van Zijverden M, Van Kempen MJA, Wijfeld MCEF, Groenewegen WA, Allessie MA, Jongsma HJ: Abnormal expression of the gap junction protein connexin 40 during chronic atrial fibrillation in the goat. *Circulation* 94 Supplement I (1996) I-593
- 101) Van Rijen HVM, Wilders R, Van Ginneken ACG, Jongsma HJ: Quantitative analysis of dual whole-cell voltage-clamp determination of gap junctional conductance. *Pflüger Arch – Eur J Physiol* 436 (1998) 141-151
- 102) Vera B, Sanchez-Abarca LI, Bolanos JP, Medina JM: Inhibition of astrocyte gap junctional communication by ATP depletion is reversed by calcium sequestration. *FEBS Letters* 392 (1996) 225-228
- 103) Verrecchia F, Duthe F, Duval S, Duchatelle I, Sarrouilhe D, Herve JC: ATP counteracts the rundown of gap junctional channels of rat ventricular myocytes by promoting protein phosphorylation. *J Physiol* 516 (1999) 447-459

- 104) Verrechia F, Herve JC: Reversible inhibition of gap junctional communication elicited by several classes of lipophilic compounds in cultured rat cardiomyocytes. *Can J Cardiol* 13(11) (1997) 1093-1100
- 105) Way KJ, Chou E, King GL: Identification of PKC-isoform-specific biological actions using pharmacological approaches. *Trends pharmacol sci* 21 (2000) 181-187
- 106) Weingart R: Electrical properties of the nexal membrane studied in rat ventricular cell pairs. *J Physiol* 370 (1986) 267-284
- 107) Weingart R, Maurer P: Action potential transfer in cell pairs isolated from adult rat and guinea pig ventricles. *Circ Res* 63 (1988) 72-80
- 108) Wilders R, Jongsma HJ: Limitations of the dual voltage clamp method in assaying conductance and kinetics of gap junction channels. *Biophys J* 63 (1992) 942-953
- 109) Wit AL, Hoffmann BF, Cranefield PF: Slow conduction and re-entry in the ventricular conducting system. Return extrasystole in canine Purkinje fibers. *Circ Res* 30 (1972) 1
- 110) Zimmermann J, Garavani G, Fabbro P, Mett H, Müller M, Regenass B, Meyer E: Phenylaminopyrimidines – a new class of highly selective PKC-Inhibitor. International meeting on growth control and therapy of cancer. abstr 015 (1994)