

## 7 Literaturverzeichnis

- Aastveit, A.H., K. Aastveit. 1990. Theory and application of open-pollination and polycross in forage grass breeding. *Theor Appl Genet* 79:618-624.
- Adams, E., I. Roldan-Ruiz, A. Depicker, E. van Bockstaele, M. de Loose. 2000. A maternal factor conferring resistance to crown rust in *Lolium multiflorum*. *Plant Breed* 119:182-184.
- Adler, F.E. 1964. Preliminary results of a comparison between tetraploid and diploid ryegrass. *Nature* 203:546-547.
- Adomako, B., D. Thorogood, B.C. Clifford. 1997. Plant reaction types to crown rust (*Puccinia coronata* Corda) in meadow fescue (*Festuca pratensis* L.), perennial ryegrass (*Lolium perenne* L.) and *Lolium perenne* introgression lines. *Int Turfgrass Soc Res J* 8:823-831.
- Allard, R.W. 1956. Formulas and tables to facilitate the calculation of recombination values in heredity. *Hilgardia* 24:235-278.
- Allard, R.W. 1999. Principles of Plant Breeding, 2<sup>nd</sup> ed. John Wiley & Sons, Inc. New York.
- Allison, J.C.S., R.N. Curnow. 1966. On the choice of tester parent for the breeding of synthetic varieties of maize (*Zea mais* L.). *Crop Sci* 6:541-544.
- Anderson, J.A., Y. Ogihara, M.E. Sorrells, S.D. Tanksley. 1992. Development of a chromosome arm map for wheat based on RFLP markers. *Theor Appl Genet* 83:1035-1043.
- Anslow, R.C. 1964. Seed formation in perennial ryegrass. II. Maturation of seed. *J Br Grassl Soc* 20:349-357.
- Areshchenkova, T., M.W. Ganal. 1999. Long tomato microsatellites are predominantly associated with centromeric regions. *Genome* 42:536-544.
- Armstead, I.P., A. Bollard, W.G. Morgan, J.A. Harper, I.P. King, R.N. Jones, J.W. Forster, M.D. Hayward, H.M. Thomas. 2001. Genetic and physical analysis of a single *Festuca pratensis* chromosome segment substitution in *Lolium perenne*. *Chromosoma* 110:52-57.
- Armstead, I.P., L.B. Turner, I.P. King, A.J. Cairns, M.O. Humphreys. 2002. Comparison and integration of genetic maps generated from F<sub>2</sub> and BC<sub>1</sub>-type mapping populations in perennial ryegrass. *Plant Breed* 121:501-507.

- Balfourier, F., G. Charmet, C. Ravel. 1998. Genetic differentiation within and between natural populations of perennial and annual ryegrass (*Lolium perenne* and *L. rigidum*). *Heredity* 81:100-110.
- Barker, R.E., S.E. Warnke. 1998. Characterisation of grass cultivars by use of DNA markers. In: H. Nakagawa (ed.), *Proc Internat Workshop on Utilization of Transgenic Plants and Genome Analysis in Forage Crops*. National Research Institute, pp. 123-134, Nishinasuno, Japan.
- Bean, E.W. 1972. Clonal evaluation for increased seed production in two species of forage grasses, *Festuca arundinacea* Schreb. and *Phleum pratense* L. *Euphytica* 21:377-383.
- Becker, H. 1982. Züchtung synthetischer Sorten II. Leistungsvorhersage und Selektion der Eltern. *Vortr Pflanzenzüchtg* 1:23-40.
- Becker, H. 1993. *Pflanzenzüchtung*. UTB Verlag Eugen Ulmer, Stuttgart.
- Beever, D.E., N. Offer, M. Gill. 2000. The feeding value of grass and grass products. In: A. Hopkins (ed), *Grasses. Its production and utilization*, pp. 140-195. 3<sup>rd</sup> ed, Blackwell Science Ltd Malden, USA.
- Bennet, S.J., M.D. Hayward, D.F. Marshall. 2000. Phenotypical variation in four species of the genus *Lolium* in Europe. *Gen Res Evol* 47:247-255.
- Bennet, S.J., M.D. Hayward, D.F. Marshall. 2002. Electrophoretic variation as a measure of species differentiation between four species of the genus *Lolium*. *Gen Res Evol* 49:59-66.
- Bert, P.F., G. Charmet, P. Sourdille, M.D. Hayward, F. Balfourier. 1999. A high-density molecular map for ryegrass (*Lolium perenne*) using AFLP markers. *Theor Appl Genet* 99:445-452.
- Bertling, U., C. Bothe, G. Kobabe. 1994. Chancehybriden beim Welschen Weidelgras. *Vort Pflanzenzüchtg* 28:292-294.
- Bócsa, I. 1990. What has been achieved in fodder crops breeding. In: A.P.M. den Nijs, A. Elgersma (eds). *Achievements, novel strategies and biotechnology*, pp. 19-24. Pudoc Wageningen 1991.
- Börner, H. 1998. *Pflanzenkrankheiten und Pflanzenschutz*. 7. Aufl., UTB Ulmer Verlag, Stuttgart.

- Bradeen, J.M., P.W. Simon. 1998. Conversion of an AFLP fragment linked to the carrot *Y2* locus to a simple codominant PCR-based marker form. *Theor Appl Genet* 97:960-967.
- Breese, E.L. 1966. Reproductive biology and taxonomy of vascular plants. J.G. Hawkes (ed). Pergamon Press.
- Breese, E.L., E.J. Lewis. 1960. The effect of varying the numbers of parents on the behaviour of synthetic varieties. Report Welsh Plant Breed Station 1959:21-25.
- Breese, E.L., B.F. Tyler. 1986. Patterns of variation and the underlying genetic and cytological architecture in grasses with particular reference to *Lolium*. In: B.T. Styles (ed), Intraspecific classification of wild and cultivated plants, pp. 53-69. Oxford University Press.
- Brewbaker, J.L. 1957. Pollen cytology self-incompatibility systems in plants. *J Heredity* 48:271-277.
- Broun, P., S. D. Tanksley. 1996. Characterization and genetic of SSR in the tomato genome. *Mol Gen Genet* 250:39-49.
- Budowle, B., R. Chakraborty, A.M. Giusti, A.J. Eisenberg, R.C. Allen. 1991. Analysis of the VNTR locus DIS80 by the PCR followed by high-resolution PAGE. *Am J Hum Genet* 48:137-144.
- Bugge, G. 1987. Selection for seed yield in *Lolium perenne* L. *Plant Breed* 98:149-155.
- Bulinska-Radomska, Z., R.N. Lester. 1985. Relationships between five species of *Lolium*. *Pl Syst Evol* 148:169-175.
- Bullitta, S., R. Floris, M.D. Hayward, F. Veronesi. 1993. The reproductive system of a *Lolium rigidum* Gaud. population from Sardinia and its implication for breeding. *Plant Breed* 111:312-317.
- Bundessortenamt 2001. Beschreibende Sortenliste Gräser, Klee, Luzerne. Bundessortenamt (ed). Verlag Alfred Strothe.
- Burbidge, A., P.D. Hebblethwaite, J.D. Ivins. 1978. Lodging studies in *Lolium perenne* grown for seed. 2. Floret site utilization. *J Agric Sci* 90:269-274.
- Bush, A.L., R.P. Wise. 1998. High resolution mapping adjacent to the Pc71 crown-rust resistance locus in hexaploid oat. *Mol Breed* 4:13-21.
- Camlin, M.S. 1997. Plant breeding – achievements and prospects. Grasses. In: J.A. Weddell (ed), *Seeds of Progress*, pp. 2-14. BGS Occasional Symposia 31.

- Canter, P.H., I. Pasakinskiene, R.N. Jones, M.W. Humphreys. 1999. Chromosome substitutions and recombination in the amphiploid *Lolium perenne* x *Festuca pratensis* cv. Prior (2n = 4x = 28). *Theor Appl Genet* 98:809-814.
- Carpenter, J.A., M.D. Casler. 1990. Divergent phenotypic selection response in smooth brome grass for forage yields and nutritive value. *Crop Sci* 30:17-22.
- Casler, M.D. 1982. Genotype x environment interaction bias to parent-offspring regression heritability estimates. *Crop Sci* 22:540-542.
- Catherall, P.L. 1987. Effects of barley yellow dwarf and ryegrass mosaic viruses alone and in combination on the productivity of perennial and Italian ryegrasses. *Plant Pathol* 36:73-78.
- Charles, A.H. 1966. Variation in grass and clover populations in response to agronomic selection pressure. 10<sup>th</sup> Int Grassl Congr, pp. 626-629.
- Charmet, G., F. Balfourier. 1994. Isoenzyme variation and species relationships in the genus *Lolium* L. (ryegrasses, Gramineae). *Theor Appl Genet* 87:641-649.
- Charmet, G., C. Imbert, F. Balfourier. 2000. Evidence for phylogeographic structure in *Lolium* species related to the spread of agriculture in Europe. A cpDNA study. *Theor Appl Genet* 101:131-138.
- Charmet, G., C. Ravel, F. Balfourier. 1997. Phylogenetic analysis in the *Festuca-Lolium* complex using molecular markers and ITS rDNA. *Theor Appl Genet* 94:1038-1046.
- Cho, Y.G., T. Ishii, S. Temnykh, X. Chen, L. Lipovich, S.R. McCouch, W.D. Park, N. Ayres, S. Cartinhour. 2000. Diversity of microsatellites derived from genomic libraries and GenBank sequences in rice (*Oryza sativa* L.). *Theor Appl Genet* 100:713-722.
- Clarke, R.G., O.N. Villalta, G. Hepworth. 1997. Evaluation of resistance to five isolates of *Puccinia coronata* f. sp. *lolii* in 19 perennial ryegrass cultivars. *Austr J Agric Res* 48: 191-198.
- Clayton, W.D., S.A. Renvoize. 1986. Genera Graminum: grasses of the world. *Kew Bull* 13:1-389.
- Coleman, P.C. 1977. Spatial and temporal variation in population structure of *Lolium multiflorum* Lam. (Italian Ryegrass). PhD Thesis, University of California, Davis.

- Cordeiro, G.M., R. Casu, C.L. McIntyre, J.M. Manners, R.J. Henry. 2001. Microsatellite markers from sugarcane (*Saccharum* spp.) ESTs cross transferable to erianthus and sorghum. *Plant Sci* 160:1115-1123.
- Cornelius, P.L., J.W. Dudley. 1974. Effects of inbreeding by selfing and full-sib mating in a maize population. *Crop Sci* 14:818-819.
- Cornish, M.A., M.D. Hayward, M.J. Lawrence. 1979. Self-incompatibility in ryegrass. I. Genetic control in the diploid *Lolium perenne* L. *Heredity* 43:95-106.
- Cresswell, A., N.R.S. Hamilton, A.K. Roy, B.M.F. Viegas. 2001. Use of amplified fragment length polymorphism markers to assess genetic diversity of *Lolium* species from Portugal. *Mol Ecol* 10:229-241.
- Dangl, J.L., C. Ritter, M.J. Gibbon, L.A. Mur, J.R. Wood, S. Goss, J. Mansfield, J.D. Taylor, A. Vivian. 1992. Functional homologs of arabidopsis *RPM1* disease resistance gene in bean and peas. *Plant Cell* 4:1359-1369.
- Dehmer, K.J. 2001. Conclusions on the taxonomy of the *Solanum nigrum* complex by molecular analyses of IPK germplasm accessions. In: R.G. van den Berg, G.W.M. Barendse, G.M. van der Weerden, C. Mariani (eds), *Solanaceae V*, pp. 85-96. Nijmegen University Press, NL.
- Demesure, B., B. Comps., R.J. Petit. 1996. Chloroplast DNA phylogeography of the common beech (*Fagus sylvatica* L.) in Europe. *Evolution* 50:2515-2520.
- Dice, L.R. 1945. Measures of the amount of ecological associations between species. *Ecol* 26:297-302.
- Doyle, J.J., J.L. Doyle. 1990. Isolation of plant DNA from fresh tissue. *Focus* 12:13-15.
- Dubcovsky, J., M.C. Luo, G.-Y. Zhong, R. Bransteitter, A. Desai, A. Kilian, A. Kleinhofs, J. Dvorák. 1996. Genetic map of diploid wheat, *Triticum monococcum* L., and its comparison with maps of *Hordeum vulgare* L. *Genetics* 143:983-999.
- Dumolin-Lapegue, S., B. Demesure., S. Fineschi, V.L. Corre, R.J. Petit. 1997. Phylogeographic structure of white oaks throughout the European continent. *Genetics* 146:1475-1487.
- Eickmeyer, F. 1994. Erstellung von molekularen Markern und Untersuchungen zur Hybridzüchtung mit Hilfe der genetischen Inkompatibilität bei Weidelgras - Arten (*Lolium* ssp.). Dissertation Universität Hannover.

- Elgersma, A. 1985. Floret site utilization in grasses: definitions, breeding perspectives and methodology. *J Appl Seed Prod* 3:50-54.
- Elgersma, A. 1990a. Genetic variation for seed yield in perennial ryegrass (*Lolium perenne* L.). *Plant Breed* 105:117-125.
- Elgersma, A. 1990b. Seed yield related to crop development and to yield components in nine cultivars of perennial ryegrass (*Lolium perenne* L.). *Euphytica* 49:141-154.
- Elgersma, A. 1990c. Heritability estimates of spaced-plant traits in three perennial ryegrass (*Lolium perenne* L.) cultivars. *Euphytica* 51:163-171.
- Elgersma, A., R. Śniezko. 1988. Cytology of seed development related to floret position in perennial ryegrass (*Lolium perenne* L.). *Euphytica* S:59-68.
- Elgersma, A., J.E. Leeuwangh, H.J. Wilms. 1988. Abscission and seed shattering in perennial ryegrass (*Lolium perenne* L.). *Euphytica* S:51-57.
- Elgersma, A., A.G. Stephenson, A.P.M. den Nijs. 1989. Effects of genotype and temperature on pollen tube growth in perennial ryegrass (*Lolium perenne* L.). *Sex Plant Reprod* 2:225-230.
- Emoto, T. 1985. Isoenzyme variation in the genus *Lolium*. I. Phylogenetic relationships of *Lolium* species. *J Jap Soc Grassland Sci* 30:327-334.
- Erpelding, J.E., N.K. Blake, T.K. Blake, L.E. Talbert. 1996. Transfer of sequence tagged site PCR markers between wheat and barley. *Genome* 39:802-810.
- Evans, A.W., D.S. Muncey. 1977. Report of the results of trials between 1972-1975 to assess the seed production performance of a range of ryegrass varieties. *J Nat Inst Agric Bot* 14:742-754.
- Falconer, D.S., T.F.C. Mackay. 1996. *Introduction to Quantitative Genetics*. 4<sup>th</sup> edn. Addison-Wesley Longman Ltd, London.
- Fearon, C.H., M.D. Hayward, M.J. Lawrence. 1983. Self-incompatibility in ryegrass. V. Genetic control, linkage and seed-set in diploid *Lolium multiflorum* Lam. *Heredity* 50:35-45.
- Fernando, W.M.U., M.D. Hayward, M.J. Kearsey. 1997. Isozyme and quantitative traits polymorphisms in European provenances of perennial ryegrass (*Lolium perenne* L.). *Euphytica* 93:263-269.

- Feuerstein, U. 1997. Einsatz von modernen Methoden zur Beschreibung der genetischen Diversität am Beispiel von Gräsern. In: F. Begemann (ed), Züchterische Nutzung pflanzengenetischer Ressourcen, pp. 71-80. Schriften zu genetischen Ressourcen Bd 8.
- Fischer-Weyer, H., H. Freudenstein. 1995. Variety testing of fodder plants (grasses and clovers) in Germany. Proc 3<sup>rd</sup> Int Herbage Seed Conf, pp. 143-146.
- Forster, C.A. 1971a. A study of the theoretical expectation of F<sub>1</sub> hybridity resulting from bulk interpopulation hybridization in herbage grasses. J Agric Sci 76:295-300.
- Forster, C.A. 1971b. Interpopulational and intervarietal hybridization in *Lolium perenne* breeding: heterosis under non-competitive conditions. J Agric Sci 76:107-130.
- Forster, J.W. 1999. The International *Lolium* Genome Initiative. Plant Animal Genome VII:W100.
- Forster, J.W., E.S. Jones, R. Kölliker, M.C. Drayton, J. Dumsday, M.P. Dupal, K.M. Guthridge, N.L. Mahoney, E. van Zijll de Jong, K.F. Smith. 2001. Development and implementation of molecular markers for forage crop improvement. In: G. Spangenberg (ed), Proc of 2<sup>nd</sup> Internat Symp on Molecular Breeding in Forage Crops, pp. 101-133. Kluwer Academic Publisher, Dordrecht, The Netherlands.
- Fried, P.M., E. Meister. 1987. Inheritance of leaf and head resistance of winter wheat to *Septoria nodorum* in a diallel cross. Phytopathol 77:1371-1375.
- Gale, M.D., K.M. Devos. 1998. Plant comparative genetics after 10 years. Science 282:656-659.
- Gallais, A. 1974. Selection among synthetics. Theor Appl Genet 44:24-30.
- Gallais, A. 1975. Prévision de la vigueur et sélection des parents d'une variété synthétique. Ann Amélior Plantes 25:233-264.
- Gaue, I. 1981. Ergebnisse von Untersuchungen zur Hybridzüchtung bei *Lolium perenne*. Dtsch Akad Landwirtschaftswiss Berlin 191:119-126.
- Gaue, I., W. Luesink, L. Wolters, O. Dolstra, M. Frauen. 2003. Performance of F<sub>1</sub>-hybrids in *Lolium perenne* under different nitrogen regimes. Vort Pflanzenzüchtg 59:116-120.
- Gaut, B.S., L.P. Tredway, C. Kubik, R.L. Gaut, W. Meyer. 2000. Phylogenetic relationship and genetic diversity among members of the *Festuca-Lolium* complex (Poaceae) based in ITS sequence data. Plant Syst Evol 224:33-53.

- Geiger, H.H. 1990. Wege, Fortschritte und Aussichten der Hybridzüchtung. In: G. Haug, G. Schuhmann, G. Fischbeck, Pflanzenproduktion im Wandel. VCH, Weinheim.
- Geiger, H.H., M. Heun. 1989. Genetics of quantitative resistance to fungal disease. *Ann Rev Pathol* 27:317-341.
- Geiger H.H., F.W. Schnell. 1970. Cytoplasmatic male sterility in rye (*Secale cereale* L.). *Crop Sci* 10:590-593.
- Gertz, A. 1989. Die Nutzung der Selbstinkompatibilität in der Roggenzüchtung unter besonderer Berücksichtigung der Entwicklung von Hybridsorten. Dissertation Universität Hannover.
- Gilliland, T.J., M.S. Camlin, C.E. Wright. 1982. Evaluation of phosphoglucoisomerase allozyme electrophoresis for the identification and registration of cultivars of perennial ryegrass (*Lolium perenne*). *Seed Sci and Technol* 10:415-430.
- Gilliland, T.J., R. Coll, E. Calsyn, M. De Loose, M.J.T. van Eijk, I. Roldan-Ruiz. 2000. Estimating genetic conformity between related ryegrass (*Lolium*) varieties. 1. Morphology and biochemical characterisation. *Mol Breed* 6:569-580.
- Gilmore, E.C. 1969. Effect of inbreeding of parental lines on predicted yields of synthetics. *Crop Sci* 9:102-104.
- Giordano, M., J.P. Oefner, P.A. Underhill, L. Luca Cavalli Sforza, R. Tosi, P.M. Richiardi. 1999. Identification by denaturing high-performance liquid chromatography of numerous polymorphisms in a candidate region for multiple sclerosis susceptibility. *Genomics* 56:247-253.
- Griffiths, D.J. 1965. Breeding for higher seed yields from herbage varieties. *J Nat Inst Agric Bot* 10:320-331.
- Griffith, H.E., D.G. Jones. 1987. Components of partial resistance as criteria for identifying resistance. *Ann Appl Biol* 110:630-710.
- Guthridge, K.M., M.P. Dupal, R. Kölliker, E.S. Jones, K.F. Smith, J.W. Forster. 2001. AFLP analysis of genetic diversity within and between populations of perennial ryegrass (*Lolium perenne* L.). *Euphytica* 122:191-201.
- Hallauer, A.R., J.H. Sears. 1973. Changes in quantitative traits associated with inbreeding in a synthetic variety of maize. *Crop Sci* 13:327-330.
- Harrison J., C. Tonkinson, C. Eagles, C. Foyer. 1997. Acclimation to freezing temperatures in perennial ryegrass (*Lolium perenne*). *Acta Physiol Plant* 19:505-515.

- Hayman, D.L., J. Richter. 1992. Mutations affecting self-incompatibility in *Phalaris coerulea* Desf. (Poaceae). *Heredity* 68:495-503.
- Hayward, M.D. 1977. Genetic control of resistance to crown rust (*Puccinia coronata* Corda) in ryegrass (*Lolium perenne* L.) and its implication in plant breeding. *Theor Appl Genet* 51:49-53.
- Hayward, M.D., N.J. McAdams. 1977. Isoenzyme polymorphism as a measure of distinctiveness and stability in cultivars of *Lolium perenne*. *Z Pflanzenzüchtg* 79:59-68.
- Hayward, M.D., J.L. Vivero. 1984. Selection for yield in *Lolium perenne*. II. Performance of spaced plant selections under competitive conditions. *Euphytica* 33:787-800.
- Hayward, M.D., L.D. Gottlieb, N.J. McAdams. 1978. Survival of allozyme variants in swards of *Lolium perenne* L. *Z Pflanzenzüchtg* 81:228-234.
- Hayward, M.D., J.W. Forster, J.G. Jones, O. Dolstra, C. Evans, N.J. McAdams, K.G. Hossein, M. Stammers, J.A.K. Will, M.O. Humphreys, G.M. Evans. 1998. Genetic analysis of *Lolium*. I. Identification of linkage groups and their establishment of a genetic map. *Plant Breed* 117:451-455.
- Hayward, M.D., N.J. McAdams, J.G. Jones, C. Evans, G.M. Evans, J.W. Forster, A. Ustin, K.G. Hussain, B. Quader, M. Stammers, J.A.K. Will. 1994. Genetic markers and the selection of quantitative traits in forage grasses. *Euphytica* 77:269-275.
- Heard, A.J., J. A'Brook, E.T. Roberts, J.R. Cook. 1974. The incidence of ryegrass mosaic virus in crops of ryegrass grown for seed in some southern countries of England. *Plant Pathol* 23:119-127.
- Hill, M.J. 1980. Temperate pasture grass-seed crops: formative factors. In: P.D. Hebblethwaite (ed), *Seed production*, pp. 137-150. Butterworths, London.
- Hill, Jr., R.R. 1971. Effect of the number of parents on the mean and variance of synthetic varieties. *Crop Sci* 11:283-286.
- Hoffmann, W., A. Mudra, W. Plarre. 1970. *Lehrbuch der Züchtung landwirtschaftlicher Kulturpflanzen*. Bd. 2, Verlag Paul Parey, Berlin und Hamburg.
- Holmes, S.J.I. 1980. Field studies on the effects of ryegrass mosaic infection on the yield of Italian ryegrass cv. S22. *Ann Appl Biol* 96:209-217.

- Holmes, S.J.I. 1983. The susceptibility of agricultural grasses to pre-emergence damage caused by *Fusarium culmorum* and its control by fungicide seed treatment. *Grass For Sci* 38:209-214.
- Hovin, A.W., H.D. Hill. 1966. B-chromosomes, their origin and relation to meiosis in interspecific *Lolium* hybrids. *Am J Bot* 53:702-708.
- Huff, D.R. 1997. RAPD characterisation heterogeneous perennial ryegrass cultivars. *Crop Sci* 37:557-564.
- Humphreys M.O. 1989a. Water-soluble carbohydrates in perennial ryegrass breeding. I. Genetic differences among cultivars and hybrid progeny grown as spaced plants. *Grass For Sci* 44:231-236.
- Humphreys M.O. 1989b. Water-soluble carbohydrates in perennial ryegrass breeding. II. Cultivar and hybrid progeny performance in cut plots. *Grass For Sci* 44:237-244.
- Humphreys M.O. 1989c. Water-soluble carbohydrates in perennial ryegrass breeding. III. Relationships with herbage production, digestibility and crude protein content. *Grass For Sci* 44:423-430.
- Humphreys M.O. 1992. Association of agronomic traits with isoenzyme loci in perennial ryegrass (*Lolium perenne* L.). *Euphytica* 59:141-150.
- Humphreys M., L. Turner. 2003. Nutritive quality QTL and marker assisted selection in ryegrass. *Vort Pflanzenzüchtg* 59:280-288.
- Huth, W. 1994. Significance of virus infections on pastures and turf grasses in Central Europe, pp. 21-26. *Int Conf Harm Ben Microorg Grassland, Pasture, Turf*. Paderborn, Germany.
- Internationaler Nomenklatur-Code 1969. International Code of Nomenclature for Cultivated Plants. Utrecht, Niederlande.
- IUPAC-IUB Commission on Biochemical Nomenclature. 1972. The nomenclature of multiple forms of isoenzymes. Recommendations. *Biochim Biophys Acta* 258:1-3.
- Jaccard, P. 1908. Nouvelles recherches sur la distribution florale. *Bull SOC Vaudoise Sci Nat* 44:223-270.
- Jauhar, P.P. 1993. Cytogenetics of the *Festuca-Lolium* complex. Springer Verlag, Berlin, Heidelberg.

- Jenkin, T.J. 1959. The ryegrass (*Lolium* L.). In: Th. Roemer , W. Rudolf (eds), Handbuch der Pflanzenzüchtung 4, pp. 443-448. Paul Parey, Berlin.
- Jensen, H.A. 1976. Investigation of anthesis, length of caryopsis, moisture content, seed weight, seed shadding and striping ripeness during development and ripening of a *Festuca pratensis* seed crop. Acta Agric Scandinavica 26:264-268.
- Jones, C.J., K.J. Edwards, S. Castaglione, M.O. Winfield, F. Sala, C. van de Wiel, G. Bredemeijer, B. Vosman, M. Matthes, A. Daly, R. Brettschneider, P. Bettini, M. Buiatti, E. Maestri, A. Malcevski, N. Marmiroli, R. Aert, G. Volckaert, J. Rueda, R. Linacero, A. Vazquez, A. Karp. 1997. Reproducibility testing of RAPD, AFLP and SSR markers in plants by a network of European laboratories. Mol Breed 3:381-390.
- Jones, E.S., M.P. Dupal, J.L. Dumsday, L.J. Hughes, J.W. Forster. 2002b. An SSR-based genetic linkage map for perennial ryegrass (*Lolium perenne* L.). Theor Appl Genet 105:577-584.
- Jones, E.S., M.P. Dupal, R. Kölliker, M.C. Dryton, J.W. Forster. 2001. Development and characterisation of simple sequence repeat (SSR) markers for perennial ryegrass (*Lolium perenne* L.). Theor Appl Genet 102:405-415.
- Jones, E.S., N.L. Mahoney, M.D. Hayward, I.P. Armstead, J.G. Jones, M.O. Humphreys, T. Kashida, T. Yamada, F. Balfourier, G. Charmet, J.W. Forster. 2002a. An enhanced molecular marker-based genetic map of perennial ryegrass (*Lolium perenne* L.) reveals comparative relationships with other Poaceae genomes. Genome 45:282-295.
- Jones, R.N., P. Jenabzadeh. 1981. Variation in self-fertility, flowering time and inflorescence production in inbred *Lolium perenne* L. J Agric Sci 96:521-537.
- Jonsson, H.A., L.G. Engqvist, C. Nilsson. 1998. Recurrent selection for crown rust resistance in tetraploid perennial ryegrass. In: Genetics and Breeding for Crop Quality and Resistance. Proc 15<sup>th</sup> EUCARPIA General Congress, Viterbo, Italy.
- Kalb, O., W.E. Weber. 2000. Evaluation of inbred lines in Italian ryegrass. In: P. Monjardino, A. da Câmara, V. Carnide (eds.), Breeding for stress tolerance in fodder crops and amenity grasses, pp. 63-65. Proc 23<sup>rd</sup> Meeting of Fodder Crops and Amenity Grasses Section of EUCARPIA, Azores, Portugal.
- Kaul, M.L.H. 1988. Male Sterility in Higher Plants. Springer Verlag, Berlin, Heidelberg.

- Keim, P., J.M Schupp, S.E. Travis, K. Clayton, T. Zhu, L.A. Shi, A. Ferreira, D.M. Webb. 1997. A high-density soybean genetic map based on AFLP markers. *Crop Sci* 37:537-543.
- Kennedy, S.J., S.J. Gardiner, T.J. Gilliland, M.S. Camlin. 1985. The use of electrophoretic techniques to distinguish perennial ryegrass cultivars when sown in mixtures. *J Agric Sci Camb* 104:1-9.
- Kimbeng, C.A. 1999. Genetic basis of crown rust resistance in perennial ryegrass, breeding strategies, and genetic variation among pathogen populations: a review. *Austr J Exp Agri* 39:361-378.
- King, I.P., W.G. Morgan, I.P. Armstead, J.A. Harper, M.D. Hayward, A. Bollard, J.V. Nash, J.W. Forster, H.M. Thomas. 1998. Introgression mapping in the grasses. I. Introgression of *Festuca pratensis* chromosomes and chromosome segments into *Lolium perenne*. *Heredity* 81:462-467.
- Kinman, M.L., G.F. Sprague. 1945. Relation between number of parental lines and theoretical performance of synthetic varieties of corn. *J Am Soc Agron* 37:341-351.
- Klapp, E., W. Opitz von Boberfeld. 1990. Taschenbuch der Gräser. 12. Auflage. Verlag Paul Parey, Berlin und Hamburg.
- Klemm, V. 1999. Entwicklung des Züchtungsfortschrittes aus der Sicht des Bundessortenamtes an den Beispielen Deutsches Weidelgras und Rotklee. *Votr Pflanzenzüchtg* 44:92-101.
- Knowles, R.P. 1977. Recurrent mass selection for improved seed yields in intermediate wheatgrass. *Crop Sci* 17:51-54.
- Knowles, R.P., H. Baenzinger. 1962. Fertility indices in cross-pollinated grasses. *Can J Plant Sci* 42:460-471.
- Kobabe, G. 1982. Untersuchungen an Experimentalhybriden bei Welschem Weidelgras (*Lolium multiflorum* Lam.). *Z Pflanzenzüchtg* 88:265-277.
- Kölliker, R., F.J. Stadelmann, B. Reidy, J. Nösberger. 1999. Genetic variability of forage grass cultivars: A comparison of *Festuca pratensis* Huds., *Lolium perenne* L., and *Dactylis glomerata* L. *Euphytica* 106:261-270.
- Kosambi, D.D. 1944. The estimation of map distances from recombination values. *Ann Eugen* 12:172-175.

- Kota, R., M. Wolf, W. Michalek, A. Graner. 2001. Application of denaturing high-performance liquid chromatography for mapping of single nucleotide polymorphisms in barley (*Hordeum vulgare* L.). *Genome* 44:523-528.
- Kubik, C., W.A. Meyer, B.S. Gaut. 1999. Assessing the abundance and polymorphism of simple sequence repeats in perennial ryegrass. *Crop Sci* 39:1136-1141.
- Kubik, C., W.A. Meyer, B.S. Gaut. 2001. Genetic diversity in seven perennial ryegrass (*Lolium perenne*) cultivars based on SSR markers. *Crop Sci* 41:1565-1572.
- Lallemand, J., P. Lem, M. Ghesquiere, G. Charmet, F. Balfourier. 1998. Potentiality of STS for variety distinction in ryegrass. In: Working Group on Biochemical and Molecular Techniques and DNA profiling in particular. 5<sup>th</sup> Session, Beltsville, USA. September 28-30, 1998. UPOV (ed), BMT/S/11.
- Lam, A. 1983. A survey of ryegrass swards for the presence of fungal pathogens in relation to management. *Grass For Sci* 38:55-65.
- Lam, A. 1985. Effect of fungal pathogens on digestibility and chemical composition of Italian ryegrass (*Lolium multiflorum*) and tall fescue (*Festuca arundinacea*). *Plant Pathol* 34:190-199.
- Lancashire, J.A., G.C.M. Latch. 1966. Some effects of crown rust (*Puccinia coronata* Corda) on the growth of two ryegrass varieties in New Zealand. *N Zeal J Agric Res* 9:628-640.
- Latch, G.C.M. 1997. An overview of *Neotyphodium*-grass interactions. In: C.W. Bacon, N.S. Hill (eds), *Neotyphodium/Grass Interactions*, pp. 1-11. Plenum New York.
- Leister, D., A. Bollvora, F. Salamini, C. Gebhardt. 1996. A PCR based approach for isolating pathogen resistance genes from potato with potential for wide application in plants. *Nat Genet* 14:421-429.
- Lellbach, H. 2003. Resistance to crown rust of ryegrass cultivars tested in the field (Eucarpia multisite rust evaluation) and *In Situ* (leaf-segment test). In: Eucarpia fodder crops section meeting. 1-4 Sept 2003, Brno.
- Lellbach, H., P. Wehling. 2000. Genetic analysis of crown rust resistance in *Lolium perenne*. In: P. Monjardino, A. da Câmara, V. Carnide (eds.), *Breeding for stress tolerance in fodder crops and amenity grasses*, pp. 108-111. Proc 23<sup>rd</sup> Meeting of Fodder Crops and Amenity Grasses Section of Eucarpia. Azores, Portugal.

- Lewis, G.C. 1989. Factors affecting the effects of fungicide treatment on seedling emergence of perennial ryegrass (*Lolium perenne*). Grass For Sci 44:417-422.
- Lewis, G.C. 1992. Foliar fungal disease of perennial ryegrass at 16 sites in England and Wales. Crop Prot 11:35-38.
- Lewis, G.C., R.H. Lavender, T.M. Martyn. 1996. The effect of propiconazole on foliar fungal diseases, herbage yield and quality of perennial ryegrass. Crop Prot 15:91-95.
- Lewis, G.C., C. Ravel, W. Naffa, C. Astier, G. Charmet. 1997. Occurrence of *Acremonium* endophytes of wild populations of *Lolium* spp. in European countries and a relationship between level of infection and climate in France. Ann Appl Biol 130:227-238.
- Lin, X., S. Kaul, S. Rounsley, T.P. Shea, M.-I. Benito, C.D. Town, C.Y. Fujii, T. Mason, C.L. Bowman, M. Barnstead, T.V. Feldblyum, C.R. Buell, K.A. Ketchum, J. Lee, C.M. Ronning, H.L. Koo, K.S. Moffat, L.A. Cronin, M. Shen, G. Pai, S. van Aken, L. Umayam, L.J. Tallon, J.E. Gill, M.D. Adams, A.J. Carrera, T.H. Creasy, H.M. Goodman, C.R. Somerville, G.P. Copenhaver, D. Preuss, W.C. Nierman, O. White, J.A. Eisen, S.L. Salzberg, C.M. Fraser, J.C. Venter. 1999. Sequence and analysis of chromosome 2 of the plant *Arabidopsis thaliana*. Nature 402:761-768.
- Lindhoff, V. 2003. Dürresommer 2003 – Fatale Verluste für die Bauern. Neue Landwirtschaft 8:20-23.
- Lonnquist, J.H., M.F. Lindsey. 1964. Topcross versus S<sub>1</sub> line performance in corn (*Zea mays* L.). Crop Sci 4:580-584.
- Loos, B.P. 1993. Allozyme variation within and between populations in *Lolium* (Poaceae). Plant Syst Evol 188:101-113.
- Lowe, C.C., R.W. Cleveland, R.R., Jr., Hill. 1974. Variety synthesis in alfalfa. Crop Sci. 14:321-325.
- Lundquist, A. 1990. A postcygotically acting lethal gene linked to one of the four S-loci in *Ranunculus polyanthemos*. Hereditas 113:87-90.
- Lundqvist, A. 1956. Self incompatibility in rye. I. Genetic control in the diploid. Hereditas 42:293-348.
- Lütke Entrup, E. 1982. Eine Zuchtmethodede bei perennierenden Gräsern. Vortr Pflanzenzüchtg 1:89-96.

- Matzk, F. 1974. Selbstfertilität, Inzuchtdepression und kreuzungstechnische Experimente bei *Lolium*. Arch Züchtungsforsch Berlin 4:141-151.
- Maguire, T.L., R. Peakall, P. Saenger. 2002. Comparative analysis of genetic diversity in the mangrove species *Avicennia marina* (Forsk.) Vierh. (Avicenniaceae) detected by AFLPs und SSRs. Theor Appl Genet 104:388-398.
- Malik, C.P., P.T. Thomas. 1966. Karyotypic studies in some *Lolium* and *Festuca* species. Caryologia 19:167-196.
- Mangelsdorf, P.C. 1951. Hybrid corn: its genetic basis and its significance in human affairs. In: L.C. Dunn (ed), Genetics in the 20th century, pp. 555-571. Macmillan Co, New York.
- Mano, Y., B.E. Sayed-Tabatabaei, A. Graner, T. Blake, F. Takaiwa, S. Oka, T. Komatsuda. 1999. Map construction of sequence-tagged sites (STSS) in barley (*Hordeum vulgare* L.). Theor Appl Genet 98:937-946.
- Mantel, N. 1967. The detection of disease clustering and generalized regression approach. Cancer Res 27:209-220.
- Marshall, C. 1985. Developmental and physiological aspects of seed production in grasses. J Appl Seed Prod 3:43-49.
- McAdams, N.J., M.W. Humphreys, T.M.P. Michaelson-Yates. 1984. Isoenzyme polymorphism in grasses and clover, pp. 36-37. Ann Rep Welsh Plant Breed St.
- McAdams, N.J., J. Senior, M.D. Hayward. 1987. Testing the efficiency of pollination bag material. Plant Breed 98:178-180.
- McKenzie, E.H.C. 1971. Seasonal changes of fungal spore number in ryegrass-white clover pasture, and effects of benomyl on pasture fungi. NZ J Agric Res 14:379-392.
- Meijer, W.J.M. 1985. The effect of uneven ripening on floret site utilization in perennial ryegrass seed crops. J Appl Seed Prod 3:55-57.
- Meksem, K., E. Ruben, D. Hyten, K. Triwitayakorn, D.A. Lightfoot. 2001. Conversion of AFLP bands into high-throughput DNA markers. Mol Genet Genomics 265:207-214.
- Morell, M.K., R. Peakall, R. Appels, L.R. Preston, H.L. Lloyd. 1995. DNA profiling techniques for plant variety identification. Austr J Exp Agr 35:807-819.
- Mühle, E. 1971. Krankheiten und Schädlinge der Futtergräser. S. Hirzel Verlag Leipzig.

- Muyllé, H., E. van Bockstaele, I. Roldan-Ruiz. 2003. Genetic dissection of crown rust resistance in a *Lolium perenne* mapping population. *Vortr Pflanzenzüchtg* 59:217-224.
- Namuth, D.M., N.L.V. Lapitan, K.S. Gill, B.S. Gill. 1994. Comparative RFLP mapping of *Hordeum vulgare* and *Triticum tauschii*. *Theor Appl Genet* 89:865-872.
- Naylor, B. 1960. Species differentiation in the genus *Lolium*. *Heredity* 15:219-233.
- Naylor, B., H. Rees. 1958. Chromosome size in *L. perenne* und *L. temulentum*. *Nature* 181:854-855.
- Neale, D.B., D.E. Harry. 1994. Genetic mapping in forest trees: RFLPs, RAPDs and beyond. *AgBiotech News Inf* 6:107N-114N.
- Nguyen, H.T., D.A. Sleper. 1983. Genetic variability of seed yield and reproductive characters in tall fescue. *Crop Sci* 32:621-626.
- NIAB. 1998. NIAB Recommended Lists of Grasses and Herbage Legumes 1998/99: Grasses and Herbage Legumes Variety Leaflet, p. 48. NIAB, Cambridge.
- Nielsen, G., H. Ostergaard, H. Johansen. 1985. Cultivar identification by means of isoenzymes. II. Genetic variation at four enzyme loci in diploid ryegrass. *Z Pflanzenzüchtg* 94:74-86.
- Nitzsche, W. 1971. Cytoplasmatische männliche Sterilität bei Weidelgras (*Lolium* ssp.). *Z Pflanzenzüchtg* 65:206-220.
- Nitzsche, W. 1980. Weidelgräser. In: H. Kappert, W. Rudolf (eds), *Handbuch der Pflanzenzüchtung*. Bd. 4, 3. Aufl., pp. 383-397. Paul Parey Verlag, Berlin und Hamburg.
- Nösberger, J., W. Opitz von Boberfeld. 1986. *Grundfutterproduktion*. Verlag Paul Parey, Berlin und Hamburg.
- Oertel, K., F. Matzk. 1999. Introgression of crown rust resistance from *Festuca* ssp. into *Lolium multiflorum*. *Plant Breed* 118:491-496.
- Oetting, W.S., H.K. Lee, D.J. Flanders, G.L. Wiesner, T.A. Sellers, R.A. King. 1995. Linkage analysis with multiplexed short tandem repeat polymorphism using infrared fluorescence and M13 tailed primers. *Genomics* 30:450-458.
- Olesen, A., S.B. Andersen, I.K. Due, 1988. Anther culture response in perennial ryegrass (*Lolium perenne*). *Plant Breed* 101:60-65.

- Ostergaard, H., G. Nielsen. 1981. Cultivar identification by means of isoenzymes. I. Genotypic survey of the *Pgi-2* locus in tetraploid ryegrass. *Z Pflanzenzüchtg* 87:121-132.
- Parsons, A.J., D.F. Chapman. 2000. The principles of pasture growth and utilization. In: A. Hopkins (ed), *Grasses - its production and utilization*, pp. 31-89. 3<sup>rd</sup> ed, Blackwell Science Ltd Malden, USA.
- Pejic, I., P. Ajmone-Marsan, M. Morgante, V. Kozumplick, P. Castiglioni, G. Taramino, M. Motto. 1998. A comparative analysis of genetic similarity among maize inbred lines detected by RFLPs, RAPDs, SSRs, and AFLPs. *Theor Appl Genet* 97:1248-1255.
- Plummer, R.M., R.L. Hall, T.A. Watt. 1990. The influence of crown rust (*Puccinia coronata* var. *lolii*) on tiller production and survival of perennial ryegrass (*Lolium perenne* L.) plants in simulated swards. *Grass For Sci* 45:9-16.
- Posselt, U.K. 1984. Hybridzüchtung bei *Lolium perenne*. *Votr Pflanzenzüchtg* 5:87-100.
- Posselt, U.K. 1989. Comparison of progeny-testing methods in *Lolium perenne* L. II. *S<sub>1</sub> per se* vs. testcross progenies. *Plant Breed* 103:177-180.
- Posselt, U.K. 1993. Hybrid production in *Lolium perenne* based on incompatibility. *Euphytica* 71:29-33.
- Potter, L.R. 1987. Effect of crown rust on regrowth, competitive ability and nutritional quality of perennial and Italian ryegrass. *Plant Pathol* 36:455-461.
- Potter, L.R., B. Cagas, V.H. Paul, E. Birckenstaedt. 1990. Pathogenicity of some European collections of crown rust (*Puccinia coronata* Corda) on cultivars of perennial ryegrass. *J Phytopath* 130:119-126.
- Powell, R.G., R.J. Petroski. 1992. Alkaloid toxins in endophyte-infected grasses. *Natur Tox* 1:163-170.
- Powell, W., M. Morgante, C. Andre, M. Hanafey, J. Vogel, S. Tingey, A. Rafalski. 1996. The comparison of RFLP, RAPD, AFLP and SSR (microsatellite) markers for germplasm analysis. *Mol Breed* 2:225-238.
- Preston, L.R., N. Harker, T. Holton, M.K. Morell. 1999. Plant cultivar identification using DNA analysis. *Plant Var Seeds* 12:191-205.
- Price, T. 1987. Ryegrass rust in Victoria. *Plant Prot Quart* 2:189.

- Quaite, E., M.S. Camlin. 1986a. Electrophoretic labelling of perennial ryegrass (*Lolium perenne* L.) cultivars for the examination of seeds mixtures. *Seed Sci and Technol* 14:553-566.
- Quaite, E., M.S. Camlin. 1986b. The use of electrophoretically labelled populations for intraspecific competition studies in perennial ryegrass (*Lolium perenne* L.) swards. *J agric Sci Camb* 106:99-106.
- Radatz, W. 1973. Untersuchungen zur Histologie des Samenausfalles bei Futtergräsern. Züchtung und Saatguterzeugung von Kleearten und Gräsern. Frankfurt/M, DLG-Verlag.
- Radojevic, I., R.J. Simpson, J.A. St John, M.O. Humphreys. 1994. Chemical composition and *in vitro* digestibility of lines of *Lolium perenne* selected for high concentrations of water-soluble carbohydrate. *Austr J Agric Res* 45:901-912.
- Rajeshwari, R., S. Sivaramakrishnan, R.L. Smith, N.C. Subrahmanyam. 1994. RFLP analysis of mitochondrial DNA from cytoplasmic male-sterile lines of pearl millet. *Theor Appl Genet* 88:441-448.
- Ramsay, L., M. Macaulay, D.S. Ivanissevich, K. MacLean, L. Cardle, J. Fuller, K.J. Edwards, S. Tuveesson, M. Morgante, A. Massari, E. Maestri, N. Marmiroli, T. Sjakste, M. Ganal, W. Powell, R. Waugh. 2000. A simple sequence repeat-based linkage map of barley. *Genetics* 156:1997-2005.
- Reheul, D. 2000. Breeding Methods. In: P. Monjardino, A. da Câmara, V. Carnide (eds), Breeding for stress tolerance in fodder crops and amenity grasses, pp. 240-244. Proc 23<sup>rd</sup> Meeting of Fodder Crops and Amenity Grasses Section of Eucarpia. Azores, Portugal.
- Reheul, D., M. Ghesquiere. 1996. Breeding perennial ryegrass with better crown rust resistance. *Plant Breed* 115:465-469.
- Reheul, D., J. Beart, A. Ghesquiere. 2003b. Progress in Breeding perennial fodder grasses. 1. In search of tetraploid ryegrass with a higher dry matter content (DMC). In: Eucarpia fodder crops section meeting. 1-4 Sept 2003, Brno.
- Reheul, D., J. Beart, A. Ghesquiere, B. Waters, M. Humphreys, A.J.P. van Wijk, H. Scheller, L. Röbl. 2003a. Progress in Breeding perennial fodder grasses. 2. Differences between SYN1 and SYN2 varieties of *Lolium perenne* L. In: Eucarpia fodder crops section meeting. 1-4 Sept 2003, Brno.

- Roderick, H.W., D. Thorogood, B. Adomako. 2000. Temperature-dependent resistance to crown rust infection in perennial ryegrass, *Lolium perenne*. *Plant Breed* 119:93-95.
- Roderick, H.W., M.O. Humphreys, L. Turner, I. Armstead, D. Thorogood. 2003. Isolate specific quantitative trait loci for resistance to crown rust in perennial ryegrass. *Vort Pflanzenzüchtg* 59:244-247.
- Rognli, O.A. 1987. Genetic variation in arctic populations of timothy (*Phleum pratense* L.). I. Seed production characters. *Hereditas* 107:27-54.
- Roldan-Ruiz, I., J. Dendauw, E. van Bockstaele, A. Depicker, M. De Loose. 2000a. AFLP markers reveal high polymorphic rates in ryegrasses (*Lolium* spp.). *Mol Breed* 6:125-134.
- Roldan-Ruiz, I., E. Calsyn, T.J. Gilliland, R. Coll, M.T.J. van Eijk, M. De Loose. 2000b. Estimating genetic conformity between related ryegrass (*Lolium*) varieties. 2. AFLP characterisation. *Mol Breed* 6:593-602.
- Roldan-Ruiz, I., F.A. van Eeuwijk, T.J. Gilliland, P. Dubreuil, C. Dillmann, J. Lallemand, M. De Loose. 2001. A comparative study of molecular and phenotypical methods of describing relationships between perennial ryegrass (*Lolium perenne* L.) varieties. *Theor Appl Genet* 103:1138-1150.
- Roldan-Ruiz, I., K. van Laecke, J. De Riek, E. Calsyn, A. Depicker, E. van Bockstaele, L. Beerepoot, M. De Loose. 1997. The use of molecular markers for assessing genetic conformity between varieties of ryegrass. *Med Fac Landbouw Univ Gent* 62/4a:1451-1457.
- Röder, M., V. Korzun, K. Wendehake, J. Plaschke, M.-H. Tixier, P. Leroy, M.W. Ganal. 1998. A microsatellite map of wheat. *Genetics* 149:2007-2023.
- Ruge, B., A. Linz, I. Gaue, H. Baudis, G. Leckband, P. Wehling. 2003. Molecular characterisation of cytoplasmic male sterility in *Lolium perenne*. *Vortr Pflanzenzüchtg* 59:121-127.
- Saiki, R.K., D.H. Gelfand, S. Stoffel, S.J. Scharf, R. Higuchi, G.T. Horu, K.B. Mullis, H.A. Ehrlich. 1988. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239:487-491.

- Sato, M., M. Yamashita, S. Kato, T. Mikami, Y. Shimamoto. 1995. Mitochondrial DNA analysis reveals cytoplasmic variation within a single cultivar of perennial ryegrass (*Lolium perenne* L.). *Euphytica* 83:205-208.
- Scheller, H. 1976. Ertrag und Entwicklung verschiedener Merkmale in drei aufeinanderfolgenden Vermehrungsgenerationen von synthetischen Sorten bei Lieschgras. *Bayr Landw Jb* 53:29-34.
- Scheller, H. 1982. Ertragsleistung von synthetischen Futterpflanzensorten in Abhängigkeit von Klonzahl und Vermehrungsgeneration. *Vortr Pflanzenzüchtg* 1:97-105.
- Schnell, F.W. 1982. A synoptic study of the methods and categories of plant breeding. *Z Pflanzenzüchtg* 89:1-18.
- Schöberlein, W. 1970. Untersuchungen an mehrjährigen Gramineen über die Abhängigkeit der generativen Triebbildung vom Entwicklungsstand der Herbsttriebe und Möglichkeiten seiner Beeinflussung im Hinblick auf höhere Saatguterträge. Inauguraldissertation, Universität Halle.
- Schubiger, F.X., P. Streckeisen, B. Boller. 2003. Pathogenicity of crown rust on cultivars of Italian and perennial ryegrass. *Vortr Pflanzenzüchtg* 59:208-216.
- Schwarz, G., W. Michalek, V. Mohler, G. Wenzel, A. Jahoor. 1999. Chromosome landing at the *Mla* locus in barley (*Hordeum vulgare* L.) by means of high-resolution mapping with AFLP markers. *Theor Appl Genet* 98:521-530.
- Scott, K.D., P. Eggler, G. Seaton, M. Rossetto, E.M. Ablett, L.S. Lee, R.J. Henry. 2000. Analysis of SSRs derived from grape ESTs. *Theor Appl Genet* 100:723-726.
- Shan, X., T.K. Blake, L.B. Talbert. 1999. Conversion of AFLP markers to sequence-specific PCR markers in barley and wheat. *Theor Appl Genet* 98:1072-1078.
- Siebert, K. 1975. Kriterien der Futterpflanzen einschließlich Rasengräser und ihre Bewertung zur Sortenidentifizierung. Bundesverband Deutscher Pflanzenzüchter e.V., Bonn.
- Simons, M.D. 1985. Crown rust. In: A.P. Roelfs, W.R. Bushnell (eds), *The Cereals Rust*, pp. 132-164. Academic Press, Sydney.
- Simonsen, Ø. 1976. Genetic variation in diploid and autotetraploid populations of *Lolium perenne* L. *Hereditas* 84:133-156.
- Skipp, R.A., J.G. Hampton. 1996. Fungal and bacterial disease of pasture plants in New Zealand. In: S. Chakraborty, K.T. Leath, R.A. Skipp, G.A. Pederson, R.A. Bray,

- G.C.M. Latch, F.W. Nutter Jr. (eds), Pasture and Forage Crop Pathology, pp. 216-236. ASS, CSSA, SSSA: Madison, Wisconsin.
- Skot, L., N.R. Sackville Hamilton, S. Mizen, K.H. Chorlton, I.D. Thomas. 2002. Molecular genecology of temperature response in *Lolium perenne*: 2. association of AFLP markers with ecogeography. Mol Ecol 11:1865-1876.
- Smith, K.F., R.J. Simpson, R.N. Oram, K.F. Lowe, K.B. Kelly, P.M. Evans, M.O. Humphreys. 1998. Seasonal variation in the herbage yield and nutritive value of perennial ryegrass (*Lolium perenne* L.) cultivars with high or normal herbage water-soluble carbohydrate concentrations grown in three contrasting Australian dairy environments. Austr J Exp Agric 38:821-830.
- Sneath, P.H.A., R.R. Sokal. 1973. Numerical Taxonomy. Freeman, San Francisco. pp 573.
- Soreng, R.J., J.I. Davis. 1998. Phylogenetics and character evolution in the grass family (Poaceae): simultaneous analysis of phenotypical and chloroplast DNA restriction site character sets. Bot Rev 64:1-85.
- Stachel, M., T. Lelley, H. Grausgruber, J. Vollmann. 2000. Application of microsatellites in wheat (*Triticum aestivum* L.) for studying genetic differentiation caused by selection for adaptation and use. Theor Appl Genet 100:242-248.
- Stam, P. 1998. Crop physiology, QTL analysis and plant breeding. In: H. Lamberts, H. Poorter, M.M.I. van Vuuren (eds), Inherent Variation in Plant Growth. Physiological Mechanisms and Ecological Consequences, pp. 429-440. Backhuys Publishers, Leiden, The Netherlands.
- Stam, P., J. W. van Ooijen. 1995. JOINMAP™ version 2.0. Software for the calculation of genetic linkage maps. CPRO-DLO, Wageningen, The Netherlands.
- Stammers, M., J. Harris, G.M. Evans, M.D. Hayward, J.W. Forster. 1995. Use of random PCR (RAPD) technology to analyse phylogenetic relationships in the *Lolium/Festuca* complex. Heredity 74:19-27.
- Stelling, U. 1995. Studies of the intraspecific composition and performance of chance-hybrids in *Lolium multiflorum* Lam. Plant Breed 114:61-65.
- Stoddart, J.L. 1964. Seed ripening in grasses. Changes in carbohydrate content. J Agric Sci 62:67-72.

- Surprenant, J., D.K. Barnes, R.H. Busch, G.C. Marten, 1988. Bidirectional selection for neutral detergent fiber and yield in reed canarygrass. *Can J Plant Sci* 68:705-712.
- Sweeney P.M., T.K. Danneberger. 1994. Random amplified polymorphic DNA in perennial ryegrass: a comparison of bulk samples vs. individuals. *Hort Sci* 29:624-626.
- Sweeney P.M., T.K. Danneberger. 1997. RAPD markers for perennial ryegrass DNA extracted from seeds. *Hort Sci* 32:1212-1215.
- Talbert, L.E., P.L. Bruckner, L.Y. Smith, R. Sears, T.J. Martin. 1996. Development of PCR markers linked to resistance to wheat streak mosaic virus in wheat. *Theor Appl Genet* 93:463-467.
- Tanksley, D., H. Medina-Filho, C.M. Rick. 1981. The effect of isozyme selection on metric characters in an interspecific backcross of tomato – basis of an early screening procedure. *Theor Appl Genet* 60:291-296.
- Tanksley, S. 1993. Mapping polygenes. *Ann Rev Genet* 27:205-233.
- Taylor, C., K. Madsen, S. Borg, M.G. Moller, B. Boelt, P.B. Holm. 2001. The development of sequence-tagged sites (STSs) in *Lolium perenne* L.: the application of primer sets derived from other genera. *Theor Appl Genet* 103:648-658.
- Terrell, E.E. 1968. A taxonomic revision of the genus *Lolium*. *Tech Bull US Dep Agric* 1392:1-65.
- Thiel, T., W. Michalek, R.K. Vashney, A. Graner. 2003. Exploiting EST databases for the development and characterization of gene-derived SSR-markers in barley (*Hordeum vulgare* L.). *Theor Appl Genet* 106:411-422.
- Thomas, H., M.O. Humphreys. 1991. Progress and potential of inter-specific hybrids of *Lolium* and *Festuca*. *J Agric Sci* 117:1-8.
- Thomas, H., A.R. James. 1999. Partitioning of sugars in *Lolium perenne* (perennial ryegrass) during drought and on rewatering. *New Phytol* 142:295-305.
- Thomas, H., C. Evans, H.M. Thomas, M.W. Humphreys, W.G. Morgan, B. Hauck, I. Donnison. 1997. Introgression, tagging and expression of a leaf senescence gene in *Festulolium*. *New Phytol* 137:29-34.
- Thomas, H.M. 1981. The giemsa C-band karyotypes of six *Lolium* species. *Heredity* 56, 263-267.

- Thomas, J. 1991. Diseases of established grassland. In: Strategies for weed, disease and pest control in grassland, 3.1-3.12. Proc of BSA Conf. Brit Grassl Soc Hurley, UK.
- Thomson, A.J., A.J. Wright, H.H. Rogers. 1973. Studies on the agronomy, genetics and interrelationships of yield and its phenotypical components in a diallel set of families of *Lolium perenne* L. J Agric Sci 80:511-520.
- Thorogood, D., M.D. Hayward. 1992. Self-incompatibility in *Lolium temulentum* L.: Its genetic control and transfer into *L. perenne* L. and *L. multiflorum* Lam. Heredity 68:71-78.
- Thorogood, D., W.J. Kaiser, J.G. Jones, I.P. Armstead. 2002. Genotyping and mapping the self-incompatibility loci of *L. perenne* L. Heredity 88:385-390.
- Trang, Q.S., G. Wricke, W.E. Weber. 1982. Number of alleles at the incompatibility loci in *Secale cereale* L. Theor Appl Genet 63:245-248.
- Turner, L.B., M.O. Humphreys, A.J. Cairns, C.J. Pollock. 2001. Comparison of growth and carbohydrate accumulation in seedlings of two varieties of *Lolium perenne*. J Plant Physiol 158:891-897.
- Utz, H.F., G. Oettler. 1978. Performance of inbred lines and their topcrosses in perennial ryegrass (*Lolium perenne* L.). Z Pflanzenzüchtg 80:223-229.
- Van Bockstaele, E. 1998. Aspects of breeding perennial ryegrass (*Lolium perenne*). Plant Sci 35:690-694.
- Van Deynze, A.E., J. Dubcovsky, K.S. Gill, J.C. Nelson, M.E. Sorrells, J. Dvorák, B.S. Gill, E.S. Lagudah, S.R. McCouch, R. Appels. 1995. Molecular-genetic maps for group 1 chromosomes of Triticeae species and their relation to chromosomes in rice and oat. Genome 38:45-59.
- Van Loo, E.N., O. Dolstra, M.O. Humphreys, L. Wolter, W. Luessink, J. de Riek, N. Bark. 2003. Lower nitrogen losses through marker assisted selection for nitrogen use efficiency and feeding value in ryegrass (NIMGRASS). Vortr Pflanzenzüchtg 59:270-279.
- Van Soest, P.P., R.H. Wine. 1967. Use of detergents in the analysis of fibrous feeds. IV. Determination of plant cell wall constituents. J Ass Off Anal Chem 50:50-56.

- Van Wijk, A.J.P. 1980. Breeding for improved herbage and seed yield in *Setaria spaelata* (Schumach.) Stapf and Hubbard ex Moss. Agric Res Rep (Versl. Landbouwk. Onderz.) 900. Pudoc, Wageningen.
- Van Wijk, A.J.P., D. Reheul. 1990. Achievements in fodder crops breeding in maritime Europe. In: A.P.M. den Nijs, A. Elgersma (eds), Achievements, novel strategies and biotechnology, pp. 13-18. Pudoc Wageningen 1991.
- Vekemans, X., T. Beauwens, M. Lemaire, I. Roldan-Ruiz. 2002. Data from amplified fragment length polymorphism (AFLP) markers show indication of size homoplasy and of a relationship between degree of homoplasy and fragment size. Mol Ecol 11:139-151.
- Virk, P.S., B.V. Ford-Lloyd, H.J. Newbury. 1998. Mapping AFLP markers associated with subspecific differentiation of *Oryza sativa* (rice) and an investigation of segregation distortion. Heredity 81:613-620.
- Vogel, K.P., J.F. Pedersen. 1993. Breeding systems for cross-pollinated forage grasses. Plant Breed Revs 11:251-274.
- Vogel, K.P., F.A. Haskine, H.J. Gorz. 1980. Parent-offspring regression in indiangrass: Inflation of heritability estimates by environmental covariance. Crop Sci 20:580-582.
- Voorrips, R.E. 2002. MapChart: Software for the graphical presentation of linkage maps and QTLs. J. Heredity 93:77-78.
- Vos, P., R. Hogers, M. Bleeker, M. Reijans, T. Vandeleee, M. Hornes. A. Frijters, J. Pot, J. Peleman, M. Kuiper, M. Zabeau. 1995. AFLP – a new technique for DNA fingerprinting. Nucl Acids Res 23:4407-4414.
- Voylokov, A.V., F.T. Fuong, S.N. Priyatkina, N.A. Saltykovskaya, I.A. Nemova, V.G. Smirnov. 1994. Identification and location of self-fertility mutations in rye inbred lines. Russ J Genetics 30:921-927.
- Wagner, H., W.E. Weber, G. Wricke. 1992. Estimating linkage relationship of isoenzyme markers and phenotypical markers in sugar beet (*Beta vulgaris* L.) including families with distorted segregations. Plant Breed 108:89-96.
- Warpeha, K.M.F., I. Capesius, T.J. Gilliland. 1998. Genetic diversity in perennial ryegrass (*Lolium perenne*) evaluated by hybridisation with ribosomal DNA: implications for cultivar identification and breeding. J Ag Sci Camb 131:23-30.

- Wehling, P. 1986. Genetische Analyse und chromosomale Lokation von Isoenzymloci beim Roggen. Dissertation Universität Hannover.
- Wei, F., K. Gobelman-Werner, S.M. Morroll, J. Kurth, L. Mao, R. Wing, D. Leister, P. Schulze-Lefert, R.P. Wise. 1999. The *Mla* (powdery mildew) resistance cluster is associated with three NBS-LRR gene families and suppressed recombination within a 240-kb DNA interval on chromosome 5S (1HS) of barley. *Genetics* 153:1929-1948.
- Weissenbach, J., G. Gyapay, C. Dib, A. Vignal, J. Morissette, P. Millasseau, G. Vaysseix, M. Lathrop. 1992. A second-generation linkage map of the human genome. *Nature* 359:794-801.
- Wexelsen, H. 1952. The use of inbreeding in forage crops. Proc 6<sup>th</sup> Intern Grassland Congress 1:299-305.
- Wilkins, P.W. 1975. Inheritance of resistance to *Puccinia coronata* Corda and *Rhynchosporium orthosporium* Caldwell in Italian ryegrass. *Euphytica* 24:191-199.
- Wilkins, P.W. 1978a. Specialisation of crown rust in highly and moderately resistant plants of perennial ryegrass. *Ann Appl Biol* 88:179-184.
- Wilkins, P.W. 1978b. Specialisation of crown rust (*Puccinia coronata* Corda) on clones of Italian ryegrass (*Lolium multiflorum* Lam.). *Euphytica* 27:837-841.
- Wilkins, P.W. 1991. Breeding perennial ryegrass for agriculture. *Euphytica* 52:201-214.
- Wilkins, P.W., D. Thorogood. 1992. Breakdown of self-incompatibility in perennial ryegrass at high temperatures and its use in breeding. *Euphytica* 52:201-214.
- Wilkinson, H.H., C.L. Schardl. 1997. The evolution of mutualism in grass-endophyte associations. In: C.W. Bacon, N.S. Hill (eds), *Neotyphodium/Grass Interactions*, pp. 13-25. Plenum, New York.
- Wilkinson, J.M., B.A. Stark. 1992. *Silage in Western Europe*. 2<sup>nd</sup> edn Chalcombe Publications, Canterbury.
- Willner, E. 1999. Erste Ergebnisse der Evaluierung von Sammlungsmaterial von *Lolium perenne* zur Bereitstellung von Ausgangsmaterial für gegenwärtige Züchtungsaufgaben. *Vort Pflanzenzüchtg* 44:110-118.
- Wofford, D.S., A.A. Baltensperger. 1985. Heritability estimates for turfgrass characteristics in bermudagrass. *Crop Sci* 25:133-136.

- Wricke, G. 1973. Inzuchtdepression und Genwirkung beim Roggen (*Secale cereale*). Theor Appl Genet 43:83-87.
- Wricke, G. 1984. Hybridzüchtung beim Roggen mit Hilfe der Inkompatibilität. Vortr Pflanzenzüchtg 5:43-54.
- Wricke, G. 1985. Hybrid breeding in rye by means of self-incompatibility. Eucarpia, Cereal Section, Rye Meeting, pp. 267-278. Svalöv, Schweden.
- Wricke, G., W.E. Weber. 1978. Number of lines for synthetic varieties in rye. Ann Amélior Plantes 28:667-674.
- Wricke, G., W.E. Weber. 1986. Quantitative Genetics and Selection in Plant Breeding. Walter de Gruyter, Berlin and New York.
- Wright, A.J. 1974. A genetic theory of general varietal ability for diploid crops. Theor Appl Genet 45:163-165.
- Wright, S. 1922. The effects of inbreeding and cross-breeding on guinea pigs. US Dep Agri Bull 1121.
- Xu, W.W., D.A. Sleper. 1994. Phylogeny of tall fescue and related species using RFLPs. Theor Appl Genet 88:685-690.
- Yamada, T., T. Kishida. 2003. Genetic analysis of forage grasses based on heterologous RFLP markers detected by rice cDNAs. Plant Breed 122:57-60.
- Young, W.P., J.M. Schupp, P. Keim. 1999. DNA methylation and AFLP marker distribution in the soybean genome. Theor Appl Genet 99:785-790.
- Zabeau, M., P. Vos. 1993. Selective restriction fragment amplification: a general method for DNA fingerprinting. European Patent Application 9240260 29.7 (publ. no.: 0534858 A1).