

## 7. Literaturverzeichnis

**Adam Z, Adamska I, Nakabayashi K, Ostersetzer O, Haussuhl K, Manuell A, Zheng B, Vallon O, Rodermel SR, Shinozaki K, Clarke AK. 2001.** Chloroplast and mitochondrial proteases in *Arabidopsis thaliana*: a proposed nomenclature. *Plant Physiol* 125: 1912-1918.

**Agrawal GK, Rakwal R, Jwa NS, Agrawal VP. 2002.** Characterization of a novel rice gene *OsATX* and modulation of its expression by components of the stress signalling pathways. *Physiol Plant* 116: 87-95.

**Asano K, Kinzy TG, Merrick WC and Hershey JW. 1997.** Conservation and diversity of eukaryotic translation initiation factor eIF3. *J Biol Chem* 272: 1101-1109.

**Auf der Maur A, Belser T, Elgar G, Georgiev O, Schaffner W. 1999.** Characterization of the transcription factor MTF-1 from the Japanese pufferfish (*Fugu rubripes*) reveals evolutionary conservation of heavy metal stress response. *Biol Chem* 380: 175-185.

**Barcelo J, Poschenrieder Ch. 1999.** Structural and ultrastructural changes in heavy metal exposed plants. In: Heavy metal stress in plants. Prasad MNV und Hagemeyer J (eds.) Springer-Verlag Heidelberg, D: 83-205.

**Bazzaz FA, Rolfe GL, Carlson RW. 1992.** Effect of cadmium on photosynthesis and transportation of excised leaves of corn and sunflower. *Physiol Plant* 32: 373-377.

**Belles-Boix E, Inze D. 2002.** The role of active oxygen species in plant signal transduction. In: Plant signal transduction. Scheel D, Wasternach C (eds.) Oxford University Press Inc, New York, USA: 46-73.

**Bergmüller E, Porfirova S, Dormann P. 2003.** Characterization of an *Arabidopsis* mutant deficient in gamma-tocopherol methyltransferase. *Plant Mol Biol* 2003 52 (6):1181-1190.

**Binz PA, Kägi JHR. 1999.** Metallothionein: molecular evolution and classification. In: Metallothionein IV, C. Klaasen (ed.) Birkhäuser Verlag Basel, CH: 7-13.

**Bleecker AB, Patterson SE. 1997.** Last excit: senescence, abscission and meristem arrest in *Arabidopsis*. Plant Cell 9: 1169-1179.

**Blinda A, Koch B, Ramanjulu S, Dietz KJ. 1997.** *De novo* synthesis and accumulation of apoplastic proteins in leaves of heavy metal-exposed barley seedlings. Plant Cell Environ 20: 969-981.

**Blokhina O, Virolainen E, von Fagerstedt K. 2003.** Antioxidants, oxidative damage and oxygen deprivation stress: a review. Ann Bot 91: 179-194.

**Bordin G, Cordeiro Raposo F, Rodriguez AR. 1998.** Effect of temperature variation on metallothionein sub-isoform separation by reverse phase high performance liquid chromatography. J Liq Chrom Rel Technol 21 (13): 2039-2060.

**Brune A, Dietz KJ. 1995.** A comparative analysis of element composition of roots and leaves of barley seedlings grown in the presence of toxic cadmium, molybdenum, nickel and zinc concentrations. J Plant Nutr 18 (4): 853-868.

**Buchanan-Wollaston V, Ainsworth C. 1997.** Leaf senescence in *Brassica napus*: cloning of senescence related genes by subtractive hybridisation. Plant Mol Biol 33: 821-843.

**Carbonnel-Campaa L, Lauga B, Combes D. 2000.** Isolation of a type 2 metallothionein-like gene preferentially expressed in the tapetum in *Zea mays*. Gene 254: 199-208

**Cazalé AC, Clemens S. 2001.** *Arabidopsis thaliana* expresses a second functional phytochelatin synthase. FEBS Lett 507: 215-219.

**Chen J, Zhou J, Goldsbrough PB. 1997.** Characterization of the phytochelatin synthase from tomato. *Physiol Plant* 101: 165-172.

**Chen RH, Miettinen PJ, Maruoka EM, Choy L, Derynck R. 1995.** A WD-domain protein that is associated with and phosphorylated by the type II TGF-beta receptor. *Nature* 377: 548-552.

**Chen T, Li W, Schulz PJ, Furst A, Chien PK. 1995.** Induction of peroxisome proliferation and increase of catalase activity in yeast, *Candida albicans*, by cadmium. *Biol Trace Elem Res* 50: 125-133.

**Chevalier C, Bourgeois E, Pradet A, Raymond P. 1995.** Molecular cloning and characterization of six cDNAs expressed during glucose starvation in excised maize (*Zea mays* L.) root tips. *Plant Mol Biol* 28 (3): 473-485.

**Chirgwin JM, Pryzbyla AE, MacDonald RJ, Rutter WJ. 1979.** Isolation of biologically active ribonucleic acid from sources enriched in ribonuclease. *Biochem* 18: 5294-5299.

**Choi D, Kim HM, Yun HK, Park JA, Kim WT, Bok SH. 1996.** Molecular cloning of a metallothionein-like gene from *Nicotiana glutinosa* L. and its induction by wounding and Tobacco Mosaic Virus infection. *Plant Physiol* 112: 353-359.

**Clemens S, Antosiewicz DM, Ward JM, Schachtman DP, Schroeder J. 1998.** The plant cDNA LCT1 mediates the uptake of calcium and cadmium in yeast. *Proc Natl Acad Sci USA* 95: 12043-12048.

**Clemens S, Kim EJ, Neumann D, Schroeder J. 1999.** Tolerance to toxic metals by a gene family of phytochelatin synthases from plants and yeast. *EMBO J* 18 (12): 3325-3333.

**Clemens S, Palmgren MG, Kraemer U. 2002.** A long way ahead: understanding and engineering plant metal accumulation. *Trends in Plant Science* 7: 309-315.

**Clemens S, Schroeder JI, Degenkolg T. 2001.** *Caenorhabditis elegans* expresses a functional phytochelatin synthase. *Eur J Biochem* 268(13): 3640-3643.

**Clemens S, Simm C. 2003.** *Schizosaccharomyces pombe* as a model for metal homeostasis in plant cells: the phytochelatin-dependent pathway is the main Cd detoxification mechanism. *New Phytol* 159: 323-330.

**Clendennen SK, May GD. 1997.** Differential gene expression in ripening banana fruit. *Plant Physiol* 115: 463-469.

**Clouse SD, Sasse JM. 1998.** Brassinosteroids: essential regulators of plant growth and development. *Annu Rev Plant Physiol Plant Mol Biol* 49: 427-451.

**Cobbett CS, Goldsbrough PB. 2000.** Mechanisms of metal resistance: Phytochelatin and metallothioneins. In: *Phytoremediation of toxic metals: Using plants to clean up the environment*. Raskin I, Ensley BD (eds.) Library of Congress Cataloging-in-Publication Data, New York, USA: 247-269.

**Cobbett CS, Goldsbrough PB. 2002.** Phytochelatin and metallothioneins: Roles in heavy metal detoxification and homeostasis. *Annu Rev Plant Biol* 53: 159-182.

**Collakova E, DellaPenna D. 2003a.** Homogentisate phytyltransferase (HPT) is a key enzyme limiting tocopherol biosynthesis in unstressed *Arabidopsis* leaves. *Plant Physiol* 131: 632-642.

**Collakova E, DellaPenna D. 2003b.** The role of homogentisate phytyltransferase and other tocopherol pathway enzymes in the regulation of tocopherol synthesis during abiotic stress. *Plant Physiol* 133 (2): 930-940.

**Coupe SA, Taylor JE, Roberts JA. 1995.** Characterization of an mRNA encoding a metallothionein-like protein that accumulates during ethylene-promoted abscission of *Sambucus nigra* L. leaflets. *Planta* 197: 442-447.

**Coupe SA, Taylor JE, Roberts JA. 1997.** Temporal and spatial expression of mRNAs encoding pathogenesis-related proteins during ethylene-promoted leaflet abscission in *Sambucus nigra*. *Plant Cell Environ* 20: 1517–1524.

**Coux O, Tanaka K, Goldberg AL. 1996.** Structure and functions of the 20S and 26S proteasomes. *Annu Rev Biochem* 65: 801-847.

**Curie C, Panaviene Z, Loulergue C, Dellaporta SL, Briat JF, Walker EL. 2001.** Maize yellow stripe1 encodes a membrane protein directly involved in Fe(III) uptake. *Nature* 409: 346-349.

**Debouck D. 1995.** Differential display or differential dismay. *Curr Opin Biol* 6: 597-599.

**DellaPenna D. 1999.** Nutritional genomics: manipulating plant micronutrients to improve human health. *Science* 285: 375-379.

**Desimone M, Weiss-Wichert W, Wagner E, Altenfeld U, Johanningmeier U. 1997.** Immuno-chemical studies on the Clp-protease in chloroplasts: evidence for the formation of a ClpC/P complex. *Bot Acta* 110: 234-239.

**Dietz KJ, Baier M, Krämer U. 1999.** Free radicals and reactive oxygen species as mediators of heavy metal toxicity in plants. In: *Heavy metal stress in plants*. Prasad MNV, Hagemeyer J (eds.) Springer-Verlag Heidelberg, D: 73-97.

**Dittmer H J. 1937.** A quantitative study of the roots and root hairs of a winter rye plant. *Am J Bot* 24: 417-420.

**Drossopoulos JB, Bouranis DL, Bairaktari BD. 1994.** Patterns of mineral nutrient fluctuations in soybean leaves in relation to their position. *J Plant Nutr* 17: 1017-1035.

**Drossopoulos JB, Kouchaji GG, Bouranis DL. 1996.** Seasonal dynamics of mineral nutrients by walnut tree reproductive organs. *J Plant Nutr* 19: 421-434.

**Eckey C, Korell M, Kogel KH. 2002.** Identification and characterization of powdery mildew induced genes in barley. Eintrag in Datenbank (NCBI), nicht publiziert, Stand Dezember 2003.

**Eide D, Broderius M, Fett J, Guerinot ML. 1996.** A novel iron-regulated metal transporter from plants identified by functional expression in yeast. *Proc Natl Acad Sci USA* 93: 5624-5628.

**El Gazhie I, Menge S, Miersch J, Chafik A, Benhra A, Elamrani MK, Krauss GJ.** Quantifikation of metallothionein-like proteins in the mussel *Mytilus galloprovincinalis* using RP-HPLC fluorescence detection. *Environ Sci Technol* (2004, im Druck).

**Ellmann GL. 1959.** Tissue sulfhydryl groups. *Arch Biochem Biophys* 82: 70-77.

**Ezaki B, Sivaguru M, Ezaki Y, Matsumoto H, Gardner RC 1999.** Acquisition of aluminum tolerance in *Saccharomyces cerevisiae* by expression of the *BCB* or *NtGDII* gene derived from plants. *FEMS Microbiol Lett* 171: 81-87.

**Ezaki B, Gardner, RC, Ezaki Y, Matsumoto H. 2000.** Expression of aluminium-induced genes in transgenic *Arabidopsis* plants can ameliorate aluminium stress and/or oxidative stress. *Plant Physiol* 122: 657-665.

**Ezaki B, Katsuhara M, Kawamura M, Matsumoto H. 2001.** Different mechanisms of four aluminium (Al)-resistant transgenes for Al toxicity in *Arabidopsis*. *Plant Phys* 127: 918-927.

**Falk J, Andersen G, Kernebeck B, Krupinska K. 2003.** Constitutive overexpression of barley 4-hydroxyphenylpyruvate dioxygenase in tobacco results in elevation of the vitamin E content in seeds but not in leaves. *FEBS Letters* 540: 35-40.

**Faller P, Hasler DW, Zerbe O, Klauser S, Winge DR, Vašák M. 1999.** Evidence for a dynamic structure of human neuronal growth inhibitory factor and for major rearrangements of its metalthiolate clusters. *Biochemistry* 38: 10158-10167.

**Field, LS, Luk E, Culotta VC. 2002.** Copper chaperones: personal escorts for metal ions. *J of Bioenergetics and Biomembranes* 34 (5): 373-379.

**Foley RC, Liang ZM, Singh KB. 1997.** Analysis of type 1 metallothionein cDNAs in *Vicia faba*. *Plant Mol Biol* 33: 583-591.

**Fox TC, Guerinot ML. 1998.** Molecular biology of cation transporters in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol* 49: 669-696.

**Foyer CH, Theodoulou FL, Delrot S. 2001.** The functions of inter- and intracellular glutathione transportsystems in plants. *Trends in Plant Sci* 6 (10): 486-492.

**Freitas JD, Wintz H, Kim JH, Poynton H, Fox T, Vulpe C. 2003.** Yeast, a model organism for iron and copper metabolism studies. *BioMet* 16: 185-197.

**Gallego SM, Benavides MP, Tomara ML. 1996.** Effect of heavy metal ions excess on sunflower leaves: evidence for involvement of oxidative stress. *Plant Sci* 121: 151-159.

**Ganesh AK, Rakwal R, Jwa NS, Agrawal VP. 2002.** Characterization of a novel rice gene *OsATX* and modulation of its expression by components of the stress signalling pathways. *Physiol Plant* 116: 87-95.

**Garcia I, Rodgers M, Lenne C, Rolland A, Sailland A, Matringe M. 1997.** Subcellular localization and purification of a *p*-hydroxyphenylpyruvate dioxygenase from cultured carrot cells and characterization of the corresponding cDNA. *Biochem J* 325: 761-769.

**Gaymard F, Pilot G, Lacombe B, Bouchez D, Bruneau D, Boucherez J, Michaux-Ferriere N, Thibaud JB, Sentenac H. 1998.** Identifikation and disruption of a plant shaker-like outward channel involved in K<sup>+</sup>-release into the xylem sap. *Cell* 94: 647-655.

**Genschik P, Philipps G, Gigot C, Fleck J. 1992.** Cloning and sequence analysis of a cDNA clone from *Arabidopsis thaliana* homologous to a proteasome  $\alpha$  subunit from *Drosophila*. *FEBS Lett* 309: 311-315.

**Genty B, Briantais JM, Baker NR. 1989.** The relationship between the quantum yield of photosynthetic electron transport and quenching in chlorophyll fluorescence. *Biochem Biophys Acta* 990: 87-92.

**Giritch A, Ganai M, Stephan UW, Bäumlein H. 1998.** Structure, expression and chromosomal localisation of the metallothionein-like gene family of tomato. *Plant Mol Biol* 37: 701-714.

**Gottesman S. 1996.** Proteases and their targets in *Escherichia coli*. *Annu Rev Genet* 30: 465-506.

**Grill E, Winnacker EL, Zenk MH. 1985.** Phytochelatins, the principal heavy-metal complexing peptides of higher plants. *Science* 230: 674-676.

**Grill E, Loeffler S, Winnacker EL, Zenk MH. 1989.** Phytochelatins, the heavy-metal-binding peptides of plants, are synthesized from glutathion by a specific glutamylcysteine dipeptidyl transpeptidase (phytochelatin synthase). *Proc Natl Acad Sci USA* 86: 6838-6842.

**Grill E, Winnacker EL, Zenk MH. 1991.** Phytochelatins. *Meth Enzymol* 205: 333-341.



**Guo WJ, Bundithya W, Goldsbrough PB. 2003.** Characterization of the *Arabidopsis* metallothionein gene family: tissue-specific expression and induction during senescence and in response to copper. *New Phytol* 159: 369-381.

**Ha SB, Smith AP, Howden R, Diertrich WM, Bugg S, O'Connell MJ, Goldsbrough PB, Cobbett CS. 1999.** Phytochelatin Synthase Genes from *Arabidopsis* and the Yeast *Schizosaccharomyces pombe*. *Plant Cell* 11: 1153-1163

**Habu Y, Fukada-Tanaka S, Hisatomi Y, Lida S. 1997.** Amplified restriction fragment length polymorphism - based mRNA fingerprinting using a single restriction enzyme that recognizes a 4-bp sequence. *Biochem Biophys Res Com* 234: 516-521.

**Halliwell B, Gutteridge JM. 1984.** Oxygen toxicity, oxygen radicals, transition metals and disease. *Biochem J* 219: 1-14.

**Hanley-Bowdin L, Lane BG. 1983.** A novel protein programmed by the mRNA conserved in dry wheat embryos. The principal site of cysteine incorporation during early germination. *Eur J Biochem* 135: 9-15.

**Hartner RD. 1983.** Effect of soil pH on adsorption of lead, copper, zinc and nickel. *Soil Sci Soc Am J* 47: 47-51.

**Heise J. 1999.** Untersuchungen von Laubblättern und Grannen während der natürlichen Blattseneszenz in Gerste (*Hordeum vulgare* L.). Diplom-Arbeit an der MLU Halle.

**Hernandez GM, Murphy A, Taiz L. 1998.** Metallothioneins 1 and 2 have distinct but overlapping expression patterns in *Arabidopsis*. *Plant Physiol* 118: 387-397.

**Himmelblau E, Mira H, Lin SJ, Culotta VC, Penarrubia L, Amasino RM. 1998.** Identification of a functional homolog of the yeast copper gene *ATX1* from *Arabidopsis*. *Plant Physiol* 117: 1227-1234.

**Himmelblau E, Amasino RM. 2000.** Delivering copper within plant cells. *Curr Opin in Plant Biol* 3: 205-210.

**Hocking PJ. 1994.** Dry-matter production, mineral nutrient concentrations, and nutrient distribution and redistribution in irrigated spring wheat. *J Plant Nutr* 17: 1289-1308.

**Holtorf S, Apel K, Bohlmann H. 1995.** Specific and different expression patterns of two members of the leaf thionin family of barley in transgenic tobacco. *Plant Science* 111: 27-37.

**van Hoof NALM, Hassinen VH, Hakvort HWJ, Ballintijn KF, Schat H, Verkleij JAC, Ernst WHO, Karenlampi SO, Tervahauta AI. 2001.** Enhanced copper tolerance in *Silene vulgaris* (Moench) garcke populations from copper mines is associated with increased transcript levels of 2b-type metallothionein gene. *Plant Phys* 126: 1519-1526.

**Hopkins FG. 1921.** On an autoxidisable constituent of the cell. *Biochem J* 15:286–305.

**Howden R, Goldsbrough PB, Andersen CR, Cobbett CS. 1995.** Cadmium-sensitive, *cad1* mutants of *Arabidopsis thaliana* are phytochelatin deficient. *Plant Physiol* 107: 1059-1066.

**Hsieh HM, Liu WK, Huang PC. 1995.** A novel stress-inducible metallothionein-like gene from rice. *Plant Mol Biol* 28: 381-389.

**Hsieh HM, Liu WK, Chang A, Huang PC. 1996.** RNA expression patterns of a type 2 metallothionein-like gene from rice. *Plant Mol Biol* 32: 525-529.

**Humbeck K, Krupinska K. 1996.** Does the Clp protease play a role during senescence-associated protein degradation in barley leaves? *J Photochem Photobiol* 36: 321-326.

**Humbeck K, Quast S, Krupinska K. 1996.** Functional and molecular changes in the photosynthetic apparatus during senescence of flag leaves from field-grown barley plants. *Plant Cell and Environ* 19: 337-344.

**Humbeck K, Krupinska K. 1999.** Successive degradation of the light-harvesting system of the photosystem apparatus during senescence of barley flag leaves. In: The chloroplast: From Molecular biology to biotechnology. Argyroudi-Akoyunoglou JH, Sanger H (eds.) Kluwer Academic Publishers: 297-392.

**Humbeck K, Krupinska K. 2003.** The abundance of minor chlorophyll *a/b*-binding proteins CP29 and LHCI of barley (*Hordeum vulgare* L.) during leaf senescence is controlled by light. J Exp Bot 54 (381): 375-383.

**Krupinska K, Humbeck K. 2004.** Photosynthesis and chloroplast breakdown. In: Plant cell death processes. Noodén LD (ed.). Elsevier Acad. Press. San Diego, Ca, USA: 169-187.

**Ito N, Tomizawa K, Tanaka K, Matsui M, Kendrick RE, Sato T, Nakagawa H. 1997.** Characterization of 26S proteasome  $\alpha$ - and  $\beta$ -type and ATPase subunits from spinach and their expression during early stages of seedling development. Plant Mol Biol 34: 307-316.

**Jacob C, Maret W, Vallee BL. 1998.** Control of zinc transfer between thionein, metallothionein, and zinc proteins. Proc Natl Acad Sci USA 95: 3489-3494.

**Jensen LT, Culotta VC. 2000.** Role of *Saccharomyces cerevisiae* *ISA1* and *ISA2* in iron homeostasis. Mol Cell Biol 20 (11): 3918-3927.

**Jiang J, Clouse SD. 2001.** Expression of a plant gene with sequence similarity to animal TGF- $\beta$  receptor interacting protein is regulated by brassinosteroids and required for normal plant development. Plant J 26 (1): 35-45.

**Jiang LJ, Maret W, Vallee BL. 1998.** The glutathione redox couple modulates zinc transfer from metallothionein to zinc-depleted sorbitol dehydrogenase. Proc Natl Acad Sci USA 95: 3483-3488.

**Kamachi K, Yamaya T, Hayakawa T, Mae T, Ojima K. 1992.** Changes in cytosolic glutamine synthase polypeptide and its mRNA in a leaf blade of rice plants during natural senescence. *Plant Phys* 98: 1323-1329.

**Kamal-Eldin A, Appelqvist LA. 1996.** The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids* 31: 671-701.

**Kampfenkel K, Kushinr S, Babychuk E, Inze D, Van Montagu M. 1995.** Molecular characterization of a putative *Arabidopsis thaliana* copper transporter and its yeast homologue. *J Biol Chem* 270: 28479-28486.

**Kawai S, Itoh K, Tagaki SI, Iwashita T, Nomoto K. 1988.** Studies on phytosiderophores: biosynthesis of mugineic acid and 2'-deoxymugineic acid in *Hordeum vulgare* L. var. Minorimugi. *Tetrahedron Lett* 29: 1053-1056.

**Kawai S, Kamei S, Matsuda Y, Ando R, Kondo S, Ishizawa A, Alam S. 2001.** Concentrations of iron and phytosiderophores in xylem sap of iron-deficient barley plants. *Soil Science and Plant Nutrition* 47 (2): 265-272.

**Kawashima I, Kennedy TD, Chino M, Lane BG. 1992.** Wheat  $E_c$  metallothionein genes like mammalian  $Zn^{2+}$  metallothionein genes, wheat  $Zn^{2+}$  metallothionein genes are conspicuously expressed during embryogenesis. *Eur J Biochem* 209: 971-976.

**Kleber-Janke T, Krupinska K. 1997.** Isolation of cDNA clones for genes showing enhanced expression in barley leaves during dark-induced senescence as well as under field conditions. *Planta* 203: 332-340.

**Klemsdal SS, Hughes W, Lönneborg A, Aalen RB, Olsen OA. 1991.** Primary structure of a novel barley gene differentially expressed in immature aleurone layers. *Mol Gen Genet* 228: 9-16.

**Korshunova YO, Eide D, Clark WG, Guerinot ML, Pakrasi HB. 1999.** The IRT1 protein from *Arabidopsis thaliana* is a metal transporter with abroad substrate range. *Plant Mol Biol* 40: 37-44.

**Krause K, Falk J, Humbeck K, Krupinska K. 1998.** Responses of the transcriptional apparatus of barley chloroplasts to a prolonged dark period and to subsequent reillumination. *Physiol Plant* 104: 143-152.

**Kupper H, Kupper F, Spiller M. 1996.** Environmental relevance of heavy-metal-substituted chlorophylls using the example of water plants. *J Exp Bot* 47: 259-266.

**Lane BG, Kajioka R, Kennedy TD. 1987.** The wheat germ Ec protein is a zink-containing metallothionein. *Biochem Cell Biol* 65: 1001-1005.

**Ledger SE, Gardner RC. 1994.** Cloning and characterization of five cDNAs for genes differentially expressed during fruit development of kiwifruit (*Actinidia deliciosa* var. *delicosa*). *Plant Mol Biol* 25: 877-886.

**Levy-Adam F, Miao HQ, Heinrikson RL, Vlodaysky I, Ilan N. 2003.** Heterodimer formation is essential for heparanase enzymatic activity. *Biochem Biophys Res Commun* 308 (4): 885-891.

**Li Q, Hu N, Daggett MA, Chu WA, Bittel D, Johanson JA, Andrews GK. 1998.** Participation of upstream stimulator factor (USF) in cadmium-induction of the mouse metallothionein-I gene. *Nucleic Acids Res* 26: 5182-5189.

**Liang P, Pardee AB. 1992.** Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction. *Science* 257: 967-972.

**Lohman K, Gan S, John M, Amasino RM. 1994.** Molecular analysis of natural leaf senescence in *Arabidopsis thaliana*. *Physiol Plant* 92: 322-328.

**Ma M, Lau PS, Jia YT, Tsang WK, Lam SKS, Tam NFY, Wong YS. 2003.** The isolation and characterization of type 1 metallothionein (MT) cDNA from a heavy-metal-tolerant plant, *Festuca rubra* cv. Merlin. *Plant Science* 164: 51-60.

**Malik D, Sheoran IS, Singh R. 1992.** Carbon metabolism in leaves of cadmium treated wheat seedlings. *Plant Physiol Biochem* 30: 223-229.

**Maret W, Vallee BL. 1998.** Thiolate ligands in metallothionein confer redox activity on zinc clusters. *Proc Natl Acad Sci USA* 95: 3478-3482.

**Margoshes M, Vallee BL. 1957.** A cadmium protein from equine kidney cortex. *J Am Chem Soc* 79: 4813-4814.

**Marschner H, Römheld V. 1994.** Strategies of plants for acquisition of iron. *Plant Soil* 165: 261-274.

**Marschner H. 1995.** The soil-root interface (rhizosphere) in relation to mineral nutrition. In: *Mineral Nutrition of Higher Plants*. 2<sup>nd</sup> edn. Marschner H (ed.) Academic Press, London, UK: 537-595.

**Massague J. 1998.** TGF-beta signal transduction. *Annu Rev Biochem* 67: 753-791.

**Matsumoto H. 2000.** Cell biology of aluminium toxicity and tolerance in higher plants. *Int Rev Cytol* 200: 1-46.

**Matsumura H, Shizuko N, Terauchi R. 1999.** Transcript profiling in rice (*Oryza sativa* L.) seedlings using serial analysis of gene expression (SAGE). *Plant J* 20 (6): 719-726.

**Matz M, Usman, N, Shagin D, Bogdanova E, Lukyanov S. 1997.** Ordered Differential display: a simple method for systematic comparison of gene expression profiles. *Nucl Acids Res* 25: 2541-2542.

**Mauk CS, Noodén LD. 1992.** Regulation of mineral redistribution in pod-bearing soybean explants. *J Exp Bot* 43: 1429-1440.

**McCarthy I, Romero-Puertas MC, Palma JM, Corpas FJ, Gomez M, Del Rio LA. 2001.** Cadmium induces senescence symptoms in leaf peroxisomes of pea plants. *Plant Cell Environ* 24: 1065-1073.

**McMahon PJ, Anderson JW. 1998.** Preferential allocation of sulfur into  $\gamma$ -glutamylcysteinyl peptides in wheat plants grown at low sulphur nutrition in the presence of cadmium. *Physiol Plant* 104: 440-448.

**Melkonyan VZ und Nalbandyan RM. 1989.** Copperthionein from the roots of cucumber seedlings. *Biochemia* 54: 306-312.

**Miersch I, Heise J, Zelmer I, Humbeck K. 2000.** Differential degradation of the photosynthetic apparatus during leaf senescence in barley (*Hordeum vulgare* L.). *Plant Biol* 2: 618-623.

**Mira H, Martinez-Gracia F, Penarrubia L. 2001a.** Evidence for the plant-specific intercellular transport of the *Arabidopsis* copper chaperone CCH. *Plant J* 25 (5): 521-528.

**Mira H, Vilar M, Perez-Paya E, Penarrubia L. 2001b.** Functional properties of the exclusive C-domain from the *Arabidopsis* copper chaperone (CCH). *Biochem J* 357: 545-549.

**Miyairi S, Shibata S, Naganuma A. 1998.** Determination of metallothionein by high-performance liquid chromatography with fluorescence detection using an isocratic solvent system. *Analytical Biochem* 258: 168-175.

**Money T, Reader S, Qu LJ, Dunford RD, Moore G. 1996.** AFLP-based mRNA fingerprinting. *Nucl Acids Res* 24: 2616-2617.

**Murphy A, Taiz L. 1995.** Comparison of metallothionein gene expression and nonprotein thiols in ten *Arabidopsis* ecotypes. *Plant Physiol* 109: 945-954.

**Murphy A, Zhou J, Goldsbrough PB, Taiz L. 1997.** Purification and immunological identification of metallothioneins 1 and 2 from *Arabidopsis thaliana*. *Plant Phys* 113 (4): 1293-1301.

**Navabpour S, Morris K, Allen R, Harrison E, Mackerness SAH, Buchanan-Wollaston V. 2003.** Expression of senescence-enhanced genes in response to oxidative stress. *J Exp Bot* 54 (391): 2285-2292.

**Nielsen E, Akita M, Davila-Aponte J, Keegstra K. 1997.** Stable association of chloroplastic precursors with protein translocation complexes that contain proteins from both envelope membranes and a stromal Hsp100 molecular chaperone. *EMBO J* 16: 935-946.

**Noodén LD, Leopold AC. 1988.** Whole plant senescence. In: *Senescence in aging plants*. Noodén LD, Leopold AC (eds.), Academic press, San Diego, CA, USA: 330-386.

**Noodén LD, Guamet JJ, John I. 1997.** Senescence mechanisms. *Physiol Plant* 101: 746-753

**Norvell WA. 1991.** Reactions of metal chelates in soils and nutrient solution. In: *Micronutrients in Agriculture*. 2<sup>nd</sup> edn., Mortvedt JJ et al. (eds.), Soil Sci Soc Am, Madison, WI, USA: 187-227.

**Oh MH, Ray WK, Huber SC, Asara JM, Gage DA, Clouse SD. 2000.** Recombinant brassinosteroid insensitive 1 receptor-like kinase autophosphorylates on serine and threonine residues and phosphorylates a conserved peptide motif in vitro. *Plant Physiol* 124: 751-766.

**Okumura N, Nishizawa NK, Umehara Y, Mori S. 1991.** An iron deficiency-specific cDNA from barley roots having two homologous cysteine-rich MT domains. *Plant Mol Biol* 17: 531-533.



**Okumura N, Nishizawa NK, Umehara Y, Ohata T, Nakainshi H, Yamaguchi T, Chino M, Mori S. 1994.** A dioxygenase gene (*Ids2*) expressed under iron deficiency conditions in the roots of *Hordeum vulgare* L. *Plant Mol Biol* 25: 705-719.

**Ortiz DF, Kreppel L, Speiser DM, Scheel G, McDonald G, Ow DW. 1992.** Heavy-metal tolerance in the fission yeast requires an ATP-binding cassette-type vacuolar membrane protein. *EMBO J* 11: 3491-3499.

**Porankiewicz J, Wang J, Clarke AK. 1999.** New insights into the ATP-dependent Clp protease: *Escherichia coli* and beyond. *Mol Microbiol* 32: 449-458.

**Prasad MNV, Strzalka K. 1999.** Impact of heavy metals. In: Heavy metal stress in plants. Prasad MNV, Hagemeyer J (eds.) Springer-Verlag Heidelberg, D: 117-138.

**Puig S, Thiele DJ. 2002.** Molecular mechanisms of copper uptake and distribution. *Curr Opin in Chem Biol* 6: 171-180.

**Punter FA, Glerum DM 2003.** Mutagenesis reveals a specific role for Cox17p in copper transport to cytochrome oxidase. *J Biol Chem* 278 (33): 30875-30880.

**Quaife CJ, Findley SD, Erickson JC, Froelick GJ, Kelly EJ, Zambrowicz BP, Palmiter RD. 1994.** Induction of a new metallothionein isoform (MT-IV) occurs during differentiation of stratified squamous epithel. *Biochem* 33: 7250-7259.

**Quirino BF, Noh YS, Himelblau E, Amasino RM. 2000.** Molecular aspects of leaf senescence. *Trends in Plant science* 5 (7): 278-282.

**Rausser WE. 1999.** Structure and function of metal chelators produced by plants: the case for organic acids, amino acids, phytin and metallothioneins. *Cell Biochem Biophys* 31: 19-48.

**Reid SJ, Gross GS. 1997.** Up-regulation of two cDNA clones encoding metallothionein-like proteins in apple fruit during cool storage. *Physiol Plant* 100: 183-189.

**Richards KD, Schott EJ, Sharma, YK, Davis KR, Garnder RC. 1998.** Aluminium induces oxidative stress gene in *Arabidopsis thaliana*. *Plant Physiol* 116: 409-418.

**Riek R, Prêcheur B, Wang Y, MacKay EA, Wider G, Güntert P, Liu A, Kägi JHR, Wüthrich K. 1999.** NMR structure of the sea urchin (*Strongylocentrotus purpuratus*) metallothionein MTA. *J Mol Biol* 291: 417-428.

**Robinson NJ, Tommey AM, Kuske C, Jackson PJ. 1993.** Plant metallothioneins. *Biochem J* 295: 1-10.

**Robinson NJ, Wilson JR, Turner JS. 1996.** Expression of the type 2 metallothionein-like gene MT2 from *Arabidopsis thaliana* in Zn<sup>2+</sup>-metallothionein-deficient *Synechococcus* PCC 7942: putative role for MT2 in Zn<sup>2+</sup> metabolism. *Plant Mol Biol* 30: 1169-1179.

**Robinson NJ, Procter CM, Connolly EL, Guerinot ML. 1999.** A ferric-chelate reductase for iron uptake from soils. *Nature* 397 (6721): 694-697.

**Rohrmeier T, Lehle L. 1993.** WIP1, a wound-inducible gene from maize with homology to Bowman-Birk proteinase inhibitors. *Plant Mol Biol* 22 (5): 783-792.

**Sancenon V, Puig S, Mira H, Thiele DJ, Peñarrubia L. 2003.** Identification of a copper transporter family in *Arabidopsis thaliana*. *Plant Molecular Biology* 51: 577-587.

**Sandalio LM, Dalurzo HC, Gomez M, Romero-Puertas MC, Del Rio LA. 2001.** Cadmium-induced changes in the growth and oxidative metabolism of pea plants. *J Exp Bot* 52 (364): 2115-2126.

**Sasaki K, Taura F, Shoyama Y, Morimoto S. 2000.** Molecular characterization of a novel  $\beta$ -glucuronidase from *Scutellaria baicalensis* Georgi. JBC 275 (35): 27466-27472.

**Sassa H, Oguchi S, Inoue T, Hirano H. 2000.** Primary structural features of the 20S proteasome subunits of rice (*Oryza sativa*). Gene 250 (1-2): 61-66.

**Schmidtke I, Stephan UW. 1995.** Transport of metal micronutrients in the phloem of castor bean (*Ricinus communis*) seedlings. Physiol Plant 95: 147-153.

**Schreiber U, Schliwa U, Bilger W. 1989.** Continuous recording of photochemical and non-photochemical chlorophyll fluorescence quenching with a new type of modulation fluorometer. Photosyn Res 10: 51-62.

**Sharma YK, Davis KR. 1994.** Ozone-induced expression of stress-related genes in *Arabidopsis thaliana*. Plant Physiol 105: 1089-1096.

**Shen GA, Pang YZ, Lin CF, Wei C, Qian XY, Jiang LZ, Du XL, Li KG, Attia K, Yang JS. 2003.** Cloning and characterization of a novel Hsp100/Clp gene (osClpD) from *Oryza sativa*. DNA Seq 14 (4): 285-293.

**Shojima S, Nishizawa NK, Mori S. 1989.** Establishment of a cell-free system for the biosynthesis of nicotianamine. Plant Cell Physiol 30: 673-677.

**Simpson RJ, Dalling MJ. 1981.** Nitrogen distribution during grain growth in wheat (*Triticum aestivum* L.): whole plants aspects. III. Enzymology and transport of amino acids from senescing flag leaves. Planta 151: 447-456.

**Singh R, Rana SV. 2002.** Influence of antioxidants on metallothionein-mediated protection in cadmium-fed rats. Biol Trace Elem Res 88 (1): 71-77.

**Smart CM. 1994.** Tansley Rev 64: Gene expression during leaf senescence. *New Phytol* 126: 419-448.

**Snowden KC, Gardner RC. 1993.** Five genes induced by aluminium in wheat (*Triticum aestivum* L.) roots. *Plant Physiol* 103: 855-861.

**Somashekaraiah BV, Padmaja K, Prasad ARK. 1992.** Phytotoxicity of cadmium ions on germinating seedlings of mung bean (*Phaseolus vulgaris*): involvement of lipid peroxides in chlorophyll degradation. *Phys Plant* 85: 85-89.

**Stephan UW, Scholz G. 1993.** Nicotianamine: mediator of transport of iron and heavy metals in the phloem? *Physiol Plant* 88: 522-529.

**Stevens C, Titarenko E, Hargeaves JA, Gurr SJ. 1996.** Defence-regulated gene activation during an incompatible interaction between *Stagonospora (Septoria) nodorum* and barley (*Hordeum vulgare* L.) coleoptile cells: *Plant Mol Biol* 31: 741-749.

**Suhy DA, Simon KD, Linzer DI, O'Halloran TV. 1999.** Metallothionein is a part of a zinc-scavenging mechanism for cell survival under conditions of extreme zinc deprivation. *J Biol Chem* 274: 9183-9192.

**Terras FRG, Schoofs HME, Thevissen K, Osborn RW, Vanderleyden J, Cammune BPA, Broekaert WF. 1993.** Synergistic enhancement of the antifungal activity of wheat and barley thionins by radish and oilseed rape 2S albumins and by barley trypsin inhibitors. *Plant Physiol* 103: 1311-1319.

**Vasak M, Hasler DW. 2000.** Metallothioneins: new functional and structural insights. *Curr Opin Chem Biol* 4: 177-183.

**Vatamaniuk OK, Mari S, Lu YP, Rea PA. 1999.** *AtPCSI*, a phytochelatin synthase from *Arabidopsis*: isolation and *in vitro* reconstruction. *Proc Natl Acad Sci USA* 96: 7110-7115.

**Vatamaniuk OK, Mari S, Lu YP, Rea PA. 2000.** Mechanism of heavy metal ion activation of phytochelatin (PC) synthase. *J Biol Chem* 275 (40): 31451-31459.

**Virtanen V, Bordin G. 1998.** Charakterization of mammalian metallothionein isoforms by capillary zone electrophoresis with diode array detection using TRIS-borate buffer. *J Liq Chrom Rel Technol* 21 (20): 3087-3098.

**Weaver LM, Froehlich JE, Amasino RM. 1999.** Chloroplast-targeted ERD1 protein declines but its mRNA increases during senescence in *Arabidopsis*. *Plant Physiol* 119: 1209-1216.

**Wei JZ, Chatterton NJ, Wang RR, Larson SR. 2002.** Characterization of mRNAs that accumulate during illumination of excised leaves of big bluegrass (*Poa secunda*). *J Plant Physiol* 159: 661-670.

**Woeste KE, Kieber JJ. 2000.** A strong loss-of-function mutation in *RANI* results in constitutive activation of the ethylene response pathway as well as a rosette-lethal phenotype. *Plant Cell* (12): 443-455.

**Yamaguchi H, Nishizawa NK, Nakanishi H, Mori S. 2002.** IDI7, a new iron-regulated ABC transporter from barley roots, localizes to the tonoplast. *J Exp Bot* 53 (369): 727-735.

**Yu LH, Umeda M, Liu JY, Zhao NM, Uchimiya H. 1998.** A novel MT gene of rice plants is strongly expressed in the node portion of the stem. *Gene* 206 (1): 29-35.

**Zangger K, Öz G, Otvos JD, Armitage IM. 1999.** Three-dimensional solution structure of mouse [Cd7]-metallothionein-1 by homonuclear NMR spectroscopy. *Protein Sci* 8: 2630-2638.

**Zenk MH. 1996.** Heavy metal detoxifikation in higher plants - a review. *Gene* 179: 21-30.

**Zheng B, Halperin T, Hruskova-Heidingsfeldova O, Adam Z, Clarke AK. 2002.** Characterization of Chloroplast Clp proteins in *Arabidopsis*: Localization, tissue specificity and stress responses. *Physiol Plant* 114 (1): 92-101.

**Zhou J, Goldsbrough PB. 1994.** Functional homologs of animal and fungal metallothionein genes from *Arabidopsis*. *Plant Cell* 6: 875-884.

**Zhou J, Goldsbrough PB. 1995.** Structure, organization and expression of the metallothionein gene family in *Arabidopsis*. *Mol Gen Genet* 248: 318-328.

**Zhou J, Tang X, Martin GB. 1997.** The Pto kinase conferring resistance to tomato bacterial speck disease interacts with proteins that bind a cis element of pathogen-related genes. *EMBO J* 16: 3207-3218.