

Literaturverzeichnis

- [1] I. Afanas'ev, A. Dorozhko, A. Brodskii, V. Kostyuk und A. Potapovitch. Chelating and free radical scavenging mechanisms of inhibitory action of rutin and quercetin in lipid peroxidation. *Biochem. Pharmacol.* 38: 1763–1769, 1989
- [2] F. Afaq und H. Mukhtar. Photochemoprevention by botanical antioxidants. *Skin Pharmacol. Appl. Skin Physiol.* 15: 297–306, 2002
- [3] T. Agner und J. Serup. Skin reactions to irritants assessed by non-invasive bioengineering methods. *Contact Dermatitis* 20: 352–359, 1989
- [4] J. Alonso-Lebrero, C. Domínguez-Jiménez, R. Tejedor, A. Brieva und J. Pivel. Photoprotective properties of a hydrophilic extract of the fern *Polypodium leucotomos* on human skin cells. *J. Photochem. Photobiol. B: Biology* 70: 31–37, 2003
- [5] J. Arct, A. Oborska, M. Mojski, A. Binkowska und B. Swidzikowska. Common cosmetic hydrophilic ingredients as penetration modifiers of flavonoids. *Int. J. Cosmetic Sci.* 24: 357–366, 2002
- [6] B. Armstrong und A. Krickler. The epidemiology of UV induced skin cancer. *J. Photochem. Photobiol. B: Biol.* 63: 8–18, 2001
- [7] A. Arnous, D. Makris und P. Kefalas. Effect of principal polyphenolic components in relation to antioxidant characteristics of aged red wine. *J. Agric. Food Chem.* 49: 5736–5742, 2001
- [8] A. Arora, T. Byrem, M. Nair und G. Strasburg. Modulation of liposomal membrane fluidity by flavonoids and isoflavonoids. *Arch. Biochem. Biophys.* 373: 102–109, 2000
- [9] A. Arora, M. Nair und G. Strasburg. Structure-activity relationship for antioxidant activities of a series of flavonoids in a liposomal system. *Free Rad. Biol. Med.* 24: 1355–1363, 1998
- [10] K. Azuma, M. Nakayama, M. Koshioka, K. Ipposushi, Y. Yamaguchi, K. Kohata, Y. Yamauchi, H. Ito und H. Higashio. Phenolic antioxidants from the leaves of *Corchorus Olitorius L.* *J. Agric. Food Chem.* 47: 3963–3966, 1999
- [11] K. Bauer, K. Frömming und C. Führer. *Kapitel 18: Pflanzliche Arzneizubereitungen.* Gustav Fischer Verlag, Stuttgart, 1997

- [12] A. Baumgertel, R. Grimm, W. Eisenbeiß und W. Kreis. Purification and characterization of a flavonol-3- α - β -heterodisaccharidase from the dried herb of *Fagopyrum esculentum* Moench. *Phytochemistry* 64: 411–418, 2003
- [13] G. Berset, H. Gonzenbach, R. Christ, R. Martin, A. Deflandre, R. Mascotto, J. Jolley, W. Lowell, R. Pelzer und T. Stiehm. Proposed protocol for determination of photostability part I: Cosmetic UV filters. *Int. J. Cosmet. Sci.* 18: 167–177, 1996
- [14] A. Bilia, M. Bergonzi, G. Mazzi und F. Vincieri. Analysis and stability of the constituents of artichoke and St. John's wort tinctures by HPLC-DAD and HPLC-MS. *Drug Devel. Ind. Pharm.* 28: 609–619, 2002
- [15] A. Bilia, M. Bergonzi, F. Morgenni, G. Mazzi und F. Vincieri. Evaluation of chemical stability of St. John's wort commercial extract and some preparations. *Int. J. Pharm.* 213: 199–208, 2001
- [16] A. R. Bilia, M. Bergonzi, S. Gallori, G. Mazzi und F. Vincieri. Stability of the constituents of calendula, milk-thistle and passionflower tinctures by LC-DAD and LC-MS. *J. Pharm. Biomed. Anal.* 30: 613–624, 2002
- [17] M. Blois. Antioxidant determinations by the use of a stable free radical. *Nature* 181: 1199–1200, 1958
- [18] F. Bonina, M. Lanza, L. Montenegro, C. Puglisi, A. Tomaino, D. Trombetta, F. Castelli und A. Saija. Flavonoids as potential protective agents against photo-oxidative skin damage. *Int. J. Pharm.* 145: 87–94, 1996
- [19] F. Bonina, C. Puglia, A. Tomaino, A. Saija, N. Mulinacci, A. Romani und F. Vincieri. In-vitro antioxidant and in-vivo photoprotective effect of three lyophilized extracts of *Sedum Telephium* L. leaves. *J. Pharm. Pharmacol.* 52: 1279–1285, 2000
- [20] M. Bors, W. Heller, C. Michel und M. Saran. Flavonoids as antioxidants: Determination of radical-scavenging efficiencies. In L. Packer, Hg., *Methods Enzymol., Oxygen radicals in biological systems B*, Bd. 186, S. 343–355. Academic Press, New York, 1990
- [21] W. Bors, C. Michel und S. Schikora. Interaction of flavonoids with ascorbate and determination of their univalent redox potentials: A pulse radiolysis study. *Free Rad. Biol. Med.* 19: 45–52, 1995
- [22] O. Brenna und E. Pagliarini. Multivariate analysis of antioxidant power and polyphenolic composition in red wines. *J. Agr. Food Chem.* 49: 4841–4844, 2001
- [23] H. Brockmann, E. Weber und G. Pampus. Protofagopyrin und Fagopyrin, die photodynamisch wirksamen Farbstoffe des Buchweizens (*Fagopyrum esculentum*). *Liebigs Ann. Chem.* 575: 53–83, 1952

- [24] J. Brown, H. Khodr, R. Hider und C. Rice-Evans. Structural dependence of flavonoid interactions with Cu^{2+} ions: Implications for their antioxidant properties. *Biochem. J.* 330: 1173–1178, 1998
- [25] J. Callahan, G. Cleary, M. Elefant, G. Kaplan, T. Kensler und R. Nash. Equilibrium moisture content of pharmaceutical excipients. *Drug Devel. Ind. Pharm.* 8: 355–369, 1982
- [26] A. Canada, E. Giannella, T. Nguyen und R. Mason. The production of reactive oxygen species by dietary flavonols. *Free Radical Biol. Med.* 9: 441–449, 1990
- [27] G. Cao, E. Sofic und R. Prior. Antioxidant and prooxidant behaviour of flavonoids: Structure-activity relationships. *Free Rad. Biol. Med.* 22: 749–760, 1997
- [28] T. Chan, G. Galati und P. O'Brian. Oxygen activation during peroxidase catalysed metabolism of flavones or flavanones. *Chem. Biol. Interactions* 122: 15–25, 1999
- [29] H. Chick und P. Ellinger. The photo-sensitizing action of buckwheat (*Fagopyrum esculentum*). *J. Physiol.* 100: 212–230, 1941
- [30] K. Chu und A. Chow. Impact of carbohydrate constituents on moisture sorption of herbal extracts. *Pharm. Res.* 17: 1133–1137, 2000
- [31] M. Dalle Carbonare und M. Pathak. Skin photosensitizing agents and the role of reactive oxygen species in photoaging. *J. Photochem. Photobiol. B: Biol.* 14: 105–124, 1992
- [32] O. Dangles, G. Fargeix und C. Dufour. One-electron oxidation of quercetin and quercetin derivatives in protic and non protic media. *J. Chem. Soc., Perkin Trans. 2* S. 1387–1395, 1999
- [33] L. Dao und M. Friedman. Chlorophyll, chlorogenic acid, glycoalkaloid, and protease inhibitor content of fresh and green potatoes. *J. Agric. Food Chem.* 42: 633–639, 1994
- [34] A. Dattner. From medical herbalism to phytotherapy in dermatology: back to the future. *Dermatologic Therapy* 16: 106–113, 2003
- [35] F. De Gruijl. Photocarcinogenesis: UVA vs. UVB. *Method. Enzymol.* 319: 359–366, 2000
- [36] E. Dechene. The relative stability of rutin and quercetin in alkaline solution. *J. Americ. Pharm. Assoc.* 40: 495–497, 1951
- [37] E. Dičkancaitė, A. Nemeikaitė, A. Kalvelytė und N. Čėnas. Prooxidant character of flavonoid cytotoxicity: Structure-activity relationships. *Biochem. Mol. Biol. Int.* 45: 923–930, 1998

- [38] B. Diffey. A method for broad spectrum classification of sunscreens. *Int. J. Cosmet. Sci.* 16: 47–52, 1994
- [39] B. Diffey, R. Stokes, S. Forestier, C. Mazilier und A. Rougier. Suncare product photostability: a key parameter for a more realistic in vitro efficacy evaluation. *Eur. J. Dermatol.* 7: 226–228, 1997
- [40] B. Diffey, P. Tanner, P. Matts und J. Nash. In vitro assessment of the broad-spectrum ultraviolet protection of sunscreen products. *J. Am. Acad. Dermatol.* 43: 1024–1035, 2000
- [41] K. Dvorakova, R. Dorr, S. Valcic, B. Timmermann und D. Alberts. Pharmacokinetics of the green tea derivative, EGCG, by the topical route of administration in mouse and human skin. *Cancer Chemother. Pharmacol.* 43: 331–335, 1999
- [42] R. Ebermann, G. Alth, M. Kreitner und A. Kubin. Natural products derived from plants as potential drugs for photodynamic destruction of tumor cells. *J. Photochem. Photobiol. B: Biol.* 36: 95–97, 1996
- [43] M. Edelenbos, L. Christensen und K. Grevsen. HPLC determination of chlorophyll and carotenoid pigments in processed green pea cultivars (*Pisum sativum* L.). *J. Agric. Food Chem.* 49: 4768–4774, 2001
- [44] M. Eder und W. Mehnert. Bedeutung pflanzlicher Begleitstoffe in Extrakten. *Pharmazie* 5: 285–293, 1998
- [45] E. Elsner. *Der Sauerstoff: Biochemie, Biologie, Medizin*. BI-Wiss.-Verl., Mannheim, 1990
- [46] C. Enk, M. Hochberg, A. Torres, O. Lev, I. Dor, M. Srebnik und V. Dembitsky. Photoprotection by *Cichorium endivia* extracts: Prevention of UVB-induced erythema, pyrimidine dimer formation and IL-6 expression. *Skin Pharmacol. Physiol.* 17: 42–48, 2004
- [47] FDA guidance for industry: SUPAC-SS nonsterile semisolid dosage forms. Scale-up and postapproval changes: Chemistry, manufacturing, and controls; in vitro release testing and in vivo bioequivalence documentation, 1997
- [48] S. F'guyer, F. Afaq und H. Mukhtar. Photochemoprevention of skin cancer by botanical agents. *Photodermatol. Photoimmunol. Photomed.* 19: 56–72, 2003
- [49] H. Fiedler. *Lexikon der Hilfsstoffe für Pharmazie, Kosmetik und angrenzende Gebiete*. Editio Cantor Verlag, Aulendorf, 1996
- [50] FIP. Biopharmaceutical characterisation of herbal medicinal products. *Pharm. Ind.* 63: 1005–1010, 2001
- [51] D. Flick und G. Gifford. Comparison of in vitro cell cytotoxicity assays for tumor necrosis factor. *J. Immunol. Methods* 68: 167–175, 1984

- [52] J. Fuchs. Potentials and limitations of the natural antioxidants RRR- α -tocopherol, L-ascorbic acid and β -carotene in cutaneous photoprotection. *Free Radical Biol. Med.* 25: 848–873, 1998
- [53] J. Fuchs und L. Packer. Photooxidative stress in the skin. In H. Sies, Hg., *Oxidative Stress: Oxidants and Antioxidants*, S. 559–583. Academic Press, New York, 1991
- [54] L. Fukumoto und G. Mazza. Assessing antioxidant and prooxidant activities of phenolic compounds. *J. Agric. Food Chem.* 48: 3597–3604, 2000
- [55] F. Gaedcke und B. Steinhoff. *Herbal medicinal products. Scientific and regulatory basis for development, quality assurance and marketing authorization*. medpharm Scientific Publishers, Stuttgart, 2003
- [56] G. Galati, O. Sabzevari, J. Wilson und P. O'Brian. Prooxidant activity and cellular effects of the phenoxyl radicals of dietary flavonoids and other polyphenolics. *Toxicology* 177: 91–104, 2002
- [57] H. Gens-Barlag, E. Klette, C. Springob, P. Finkel, T. Rudolph, H. Gonzenbach, P. Schneider, D. Kockott, U. Heinrich, H. Tronnier, R. Bernklau, W. Johncock, R. Langner, H. Driller und H. Westenfelder. In vitro testing to assess the UVA protection performance of sun care products. *Int. J. Cosmet. Sci.* 23: 3–14, 2001
- [58] M. Getie, T. Gebre-Mariam, R. Rietz und R. Neubert. Evaluation of the release profiles of flavonoids from topical formulations of the crude extract of the leaves of *Dodonea viscosa* (Sapindaceae). *Pharmazie* 57: 320–322, 2002
- [59] G. Giovanelli und A. Paradiso. Stability of dried and intermediate moisture tomato pulp during storage. *J. Agric. Food Chem.* 50: 7277–7281, 2002
- [60] T. Gogoleva, J. Ademola, R. Wester, P. Magee und H. Maibach. Relative contributions of human skin layers to partitioning of chemicals with varying lipophilicity. In R. Bronaugh und H. Maibach, Hg., *Percutaneous absorption. Drugs – Cosmetics – Mechanisms – Methodology*, S. 451–461. Marcel Dekker, New York, Basel, 1999
- [61] E. Gonzalez und S. Gonzalez. Drug photosensitivity, idiopathic photodermatoses, and sunscreens. *J. Am. Acad. Dermatol.* 35: 871–885, 1996
- [62] B. Habermann. Protofagopyrin or fagopyrin, what is genuine? *Arch. Pharm. Pharm. Med. Chem.* 333, Suppl. 2: 13, 2000
- [63] I. Hadshiew, F. Stäb, S. Untiedt, K. Bohnsack, F. Rippke und E. Hölzle. Effects of topically applied antioxidants in experimentally provoked polymorphous light eruption. *Dermatology* 195: 362–368, 1997
- [64] H. Hagels. *Analytische, pharmazeutische, phytochemische sowie inter- und intraindividuelle Untersuchungen zu Fagopyrum-Arten*. Dissertation, Institut für Pharmazie, Freie Universität Berlin, 1996

- [65] H. Hagels, C. Lapke, H. Schilcher und E. Riedel. Comparison of the distribution of free amino acids and phenolic compounds in *Fagopyrum esculentum* Moench. *Pharm. Pharmacol. Lett.* 8: 181–183, 1998
- [66] Monographie Fagopyrum und Fagopyrum-esculentum-Kraut, 1990
- [67] A. Hagerman und L. Butler. Assay of condensed tannins or flavonoid oligomers and related flavonoids in plants. In L. Packer, Hg., *Methods Enzymol., Oxygen radicals in biological systems, part D*, Bd. 234, S. 429–437. Academic Press, New York, 1994
- [68] J. Harborne und C. Williams. Advances in flavonoid research since 1992. *Phytochemistry* 55: 481–504, 2000
- [69] C. Heijnen, G. Haenen, R. Oostveen, E. Stalpers und A. Bast. Protection of flavonoids against lipid peroxidation: The structure activity relationship revisited. *Free Rad. Res.* 36: 575–581, 2002
- [70] Herbal Medicinal Products Working Party. Points to consider on good agricultural and collection practice for starting materials of herbal origin, 2001
- [71] B. Herzog, S. Mongiat, C. Deshayes, M. Neuhaus, K. Sommer und A. Mantler. In vivo and in vitro assessment of UVA protection by sunscreen formulations containing either butyl methoxy dibenzoyl methane, methylene bis-benzotriazolyl tetramethylbutylphenol, or microfine ZnO. *Int. J. Cosmet. Sci.* 24: 170–185, 2002
- [72] S. Heuschkel. Dissertation, FB Pharmazie, Martin-Luther-Universität Halle-Wittenberg, in Vorbereitung
- [73] J. Hild. Zur Analytik von Ultraviolett-Filtern für kosmetische Mittel. *Dt. Lebensmittel Rundschau* 89: 7–10, 1993
- [74] HMPWP. Points to consider on the biopharmaceutical characterisation of herbal medicinal products, 2003
- [75] W. Hodnick, B. Kalyanaraman, C. Pritsos und R. Pardini. The production of hydroxyl and semiquinone free radicals during the autoxidation of redox active flavonoids. *Basic Life Sci.* 49: 149–152, 1988
- [76] ICH Topic Q2B. Note for guidance on validation of analytical procedures: methodology (CPMP/ICH/281/95), 1997
- [77] ICH Topic Q3C. Note for guidance on impurities: Residual solvents (CPMP/ICH/283/95), 1998
- [78] N. Ihme, H. Kiesewetter, F. Jung, K. Hoffmann, A. Birk, A. Müller und K. Grütznert. Leg oedema protection from a buckwheat herb tea in patients with chronic venous insufficiency: A single-centre, randomised, double-blind, placebo-controlled clinical trial. *Eur. J. Clin. Pharmacol.* 50: 443–447, 1996

- [79] K. Jahn. *Moderne galenische Zubereitungen zur dermalen Anwendung von Ciclosporin A und Mycophenolatmofetil*. Dissertation, Fachbereich Pharmazie, Martin-Luther-Universität Halle-Wittenberg, 2002
- [80] A. Joussen, K. Rohrschneider, J. Reichling, B. Kirchhof und F. Kruse. Treatment of corneal neovascularization with dietary isoflavonoids and flavonoids. *Exp. Eye Res.* 71: 483–487, 2000
- [81] S. Katiyar, F. Afaq, A. Perez und H. Mukhtar. Green tea polyphenol (-)-epigallocatechin-3-gallate treatment of human skin inhibits ultraviolet radiation-induced oxidative stress. *Carcinogenesis* 22: 287–297, 2001
- [82] S. Katiyar, N. Ahmad und H. Mukhtar. Green tea and skin. *Arch. Dermatol.* 136: 989–994, 2000
- [83] S. Katiyar und N. Korman. Protective effects of silymarin against photocarcinogenesis in a mouse skin model. *J. Nat. Canc. Inst.* 89: 556–566, 1997
- [84] S. Kempe. Diplomarbeit, Fachbereich Pharmazie, Martin-Luther-Universität Halle-Wittenberg, in Vorbereitung
- [85] M. Kessler, G. Ubeaud und L. Jung. Anti- and pro-oxidant activity of rutin and quercetin derivatives. *J. Pharm. Pharmacol.* 55: 131–142, 2003
- [86] M. Kessler, G. Ubeaud, T. Walter, F. Sturm und L. Jung. Free radical scavenging and skin penetration of troxerutin and vitamin derivatives. *J. Dermatol. Treatment* 13: 133–141, 2002
- [87] S. Kim, M. Lim, I. Chun und Y. Won. Effects of flavonoids of *Ginkgo biloba* on proliferation of human skin fibroblasts. *Skin Pharmacol.* 10: 200–205, 1997
- [88] G. Kindl. *Licht und Haut: Bräunung, Lichtschutz, Pflege. Ein Leitfaden für die Beratung in der Praxis*. Govi, Eschborn, 1998
- [89] U. Kindl. Vitamin E, Wirkstoff oder Placebo? *Pharm. Ztg., Suppl. Dermopharmazie* 141 (03/97): 4–7, 1997
- [90] W. Kleppmann. *Taschenbuch Versuchsplanung. Produkte und Prozesse optimieren*. Hanser, München, 1998
- [91] U. Koetter und C. Theurer. Occurrence of fagopyrin, a naphthodianthrone from fagopyrum species, in the dried leaves of buckwheat and its transition into different preparations. *Phytomedicine Suppl.* 1: 225, 1996
- [92] I. Koleva, T. van Beek, J. Linssen, A. de Groot und L. Evstatieva. Screening of plant extracts for antioxidant activity: A comparative study on three testing methods. *Phytochem. Anal.* 13: 8–17, 2002
- [93] A. Kootstra. Protection from UV-B-induced DNA-damage by flavonoids. *Plant Mol. Biol.* 26: 771–774, 1994

- [94] V. Kostyuk, A. Potapovich, E. Vladykovskaya, L. Korkina und I. Afanas'ev. Influence of metal ions on flavonoid protection against asbestos-induced cell injury. *Arch. Biochem. Biophys.* 385: 129–137, 2001
- [95] D. Köszegi, B. Nothhelfer und R. Leimbeck. Der HET-CAM-Test (Hühner-Ei-Test-Chorioallantoismembran). *Euro Cosmetics* 6: 29–33, 1999
- [96] M. Kreilgaard. Influence of microemulsions on cutaneous drug delivery. *Adv. Drug Delivery Reviews* 54 Suppl. 1: S77–S98, 2002
- [97] E. Kurul und S. Hekimoglu. Skin permeation of two different benzophenone derivatives from various vehicles. *Int. J. Cosmet. Sci.* 23: 211–218, 2001
- [98] J. Labuda, M. Bučová, L. Heilerová, S. Šilhár und I. Štěpánek. Evaluation of the redox properties and anti/pro-oxidant effects of selected flavonoids by means of a DNA-based electrochemical biosensor. *Anal. Bioanal. Chem.* 376: 168–173, 2003
- [99] D. Laval-Martin. Spectrophotometric method of controlled pheophytinization for the determination of both chlorophylls and pheophytins in plant extracts. *Anal. Biochem.* 149: 121–129, 1985
- [100] B. Li und D. Birt. In vivo and in vitro percutaneous absorption of cancer preventive flavonoid apigenin in different vehicles in mouse skin. *Pharmaceut. Res.* 13: 1710–1715, 1996
- [101] H. Lim und J. Epstein. Photosensitivity diseases. *J. Am. Acad. Dermatol.* 36: 84–90, 1997
- [102] J. Lin, M. Selim, C. Shea, J. Grichnik, M. Omar, N. Monteiro-Riviere und S. Pinnell. UV photoprotection by combination topical antioxidants vitamin C and vitamin E. *J. Am. Acad. Dermatol.* 48: 866–874, 2003
- [103] B. Lippold. *Biopharmazie. Eine Einführung zu den wichtigsten Arzneiformen.* Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 1984
- [104] H. Maier, G. Schauburger, K. Brunnhofer und H. Hönigsmann. Change of ultraviolet absorbance of sunscreens by exposure to solar-simulated radiation. *J. Invest. Dermatol.* 117: 256–262, 2001
- [105] D. Makris und J. Rossiter. Heat-induced, metal-catalyzed oxidative degradation of quercetin and rutin (quercetin-3-O-rhamnosylglucoside) in aqueous model systems. *J. Agric. Food Chem.* 48: 3830–3838, 2000
- [106] D. Makris und J. Rossiter. Quercetin and rutin (quercetin-3-o-rhamnoglucoside) thermal degradation in aqueous media under alkaline conditions. In J. Buttriss und M. Saltmarsh, Hg., *Functional foods 99 – Claims and evidence*, S. 216–238. Royal Society of Chemistry Press, London, 2000

- [107] D. Malenčić, O. Gašić, M. Popović und P. Boža. Screening for antioxidant properties of *salvia reflexa* hornem. *Phytother. Res.* 14: 546–548, 2000
- [108] Christian Mendl. *Untersuchungen zur Lichtschutzwirkung von pflanzlichen Polyphenolextrakten*. Diplomarbeit, TU Dresden, Institut für Lebensmittelchemie, 1999
- [109] L. Mensor, F. Menezes, G. Leitao, A. Reis, T. Dos Santos, C. Coube und S. Leitao. Screening of brazilian plant extracts for antioxidant activity by the use of DPPH free radical method. *Phytother. Res.* 15: 127–130, 2001
- [110] I. Merfort, J. Heilmann, U. Hagedorn-Leweke und B. Lippold. In vivo skin penetration studies of camomile flavones. *Pharmazie* 49: 509–511, 1994
- [111] A. Mirossay, H. Onderkova, L. Mirossay, M. Sarissky und J. Mojzis. The effect of quercetin on light-induced cytotoxicity of hypericin. *Physiol. Res.* 50: 635–637, 2001
- [112] Y. Miura, I. Tomita, T. Watanabe, T. Hirayama und S. Fukui. Active oxygen generation by flavonoids. *Biol. Pharm. Bull.* 21: 93–96, 1998
- [113] M. Monici, N. Mulinacci, P. Baglioni und F. Vincieri. Flavone photoreactivity: UV-induced reactions in organic solvents and micellar systems. *J. Photochem. Photobiol. B: Biol.* 20: 167–172, 1993
- [114] I. Morel, G. Lescoat, P. Cogrel, O. Sergent, N. Padeloup, P. Brissot, P. Cillard und J. Cillard. Antioxidant and iron-chelating activities of the flavonoids catechin, quercetin and diosmetin on iron-loaded rat hepatocyte cultures. *Biochem. Pharmacol.* 45: 13–19, 1993
- [115] A. Müller und G. Schiebel-Schlosser, Hg. *Buchweizen. Botanik-Inhaltsstoff-Analytik-Pharmakologie, Toxikologie, Klinik*. Wiss. Verl.-Ges., Stuttgart, 1998
- [116] O. Müller, S. Gruner, T. Grune und W. Siems. Bildung des zytotoxischen Lipidperoxidationsproduktes 4-Hydroxynonenal durch UV-B-Bestrahlung im Zellmodell. *Z. Dermatol.* 182: 176–178, 1996
- [117] G. Murphy. Diseases associated with photosensitivity. *J. Photochem. Photobiol. B: Biol.* 64: 93–98, 2001
- [118] G. Murphy. An update on photoprotection. *Photodermatol. Photoimmunol. Photomed.* 18: 1–4, 2002
- [119] R. Neubert, C. Bendas, W. Wohlrab, B. Gienau und W. Fürst. A multilayer membrane system for modelling drug penetration into skin. *Int. J. Pharm.* 75: 89–94, 1991
- [120] R. Neubert und W. Wohlrab. In vitro methods for the biopharmaceutical evaluation of topical formulations. *Acta Pharm. Technol.* 36: 197–206, 1990

- [121] N. Neumann, E. Hölzle, P. Lehmann, M. Rosenbruch, A. Klaućic und G. Plewig. Photo hen's egg test: a model for phototoxicity. *Br. J. Dermatol.* 136: 326–330, 1997
- [122] N. Neumann, E. Hölzle, M. Wallerand, S. Vierbaum, T. Ruzicka und P. Lehmann. The photoprotective effect of ascorbic acid, acetylsalicylic acid, and indomethacin evaluated by the photo hen's egg test. *Photodermatol. Photoimmunol. Photomed.* 15: 166–170, 1999
- [123] Q. Nguyen, M. Metche und E. Urion. Les produits intermédiaires dans l'autoxydation de la quercétine. *C. R. Acad. Sc. Hebd. Seances Acad. Sci. D* 260: 7047–7049, 1965
- [124] A. Nickel. *Untersuchungen zum zytotoxischen und zytoprotektiven Potential ausgewählter Radikalfänger an humanen Keratinozyten*. Dissertation, Fachbereich Pharmazie, Martin-Luther-Universität Halle-Wittenberg, 2001
- [125] S. Niesel. *Untersuchungen zum Freisetzungsverhalten und zur Stabilität ausgewählter wertbestimmender Pflanzeninhaltsstoffe unter besonderer Berücksichtigung moderner phytochemischer Analysenverfahren*. Dissertation, Institut für Pharmazie, Freie Universität Berlin, 1992
- [126] L. Norlén, I. Nicander, B. Rozell, S. Ollmar und B. Forslind. Inter- and intra-individual differences in human stratum corneum lipid content related to physical parameters of skin barrier function in vivo. *J. Invest. Dermatol.* 112: 72–77, 1999
- [127] H. Öhman und A. Vahlquist. In vivo studies concerning a pH gradient in human stratum corneum and upper epidermis. *Acta Derm. Venereol.* 74: 375–379, 1994
- [128] M. Ohnishi, H. Morishita, H. Iwahashi, S. Toda, Y. Shirataki, M. Kimura und R. Kido. Inhibitory effects of chlorogenic acids on linoleic acid peroxidation and haemolysis. *Phytochemistry* 36: 579–583, 1994
- [129] M. Ozkur, M. Bozkurt, B. Balabanli, A. Aricioglu, N. Ilter, M. Güreer und H. Inalöz. The effects of EGb 761 on lipid peroxide levels and superoxide dismutase activity in sunburn. *Photodermatol. Photoimmunol. Photomed.* 18: 117–120, 2002
- [130] Produktinformation Pelemol BIP. Firmenbroschüre Phoenix Chemical Inc.
- [131] E. Pelle, N. Muizzuddin, T. Mammone, K. Marenus und D. Maes. Protection against endogenous and UVB-induced oxidative damage in stratum corneum lipids by an antioxidant-containing cosmetic formulation. *Photodermatol. Photoimmunol. Photomed.* 15: 115–119, 1999
- [132] A. Petersen, R. Gniadecki, J. Vicanova, T. Thorn und H. Wulf. Hydrogen peroxide is responsible for UVA-induced DNA damage measured by alkaline comet assay in HaCaT keratinocytes. *J. Photochem. Photobiol. B: Biol.* 59: 123–131, 2000

- [133] Monographieentwurf Buckwheat herb. *Pharmeuropa* 15: 686–688, 2003
- [134] P. Pietta. Flavonoids as antioxidants. *J. Nat. Prod.* 63: 1035–1042, 2000
- [135] S. Pinnell. Cutaneous photodamage, oxidative stress, and topical antioxidant protection. *J. Am. Acad. Dermatol.* 48: 1–19, 2003
- [136] Produktinformation Plantacare 2000 UP. Firmenbroschüre Cognis
- [137] H. Podhaisky, C. Huschka und W. Wohlrab. In vitro models for optimizing topical therapy. *Pharmazie* 54: 871–874, 1999
- [138] H. Podhaisky, S. Riemschneider und W. Wohlrab. UV light and oxidative damage of the skin. *Pharmazie* 57: 30–33, 2002
- [139] M. Price und L. Butler. Rapid visual estimation and spectrophotometric determination of tannin content of sorghum grain. *J. Agr. Food Chem.* 25: 1268–1273, 1977
- [140] P. Pugliese. The skin's antioxidant systems. *Dermatol. Nurs.* 10: 401–416, 1998
- [141] A. Radschuweit, H.-H. Rüttinger und P. Nuhn. Capillary zone electrophoresis with electrochemical detection – a simple and effective method to analyze oxygen-consuming and peroxide-forming processes. *J. Chromatogr. A* 937: 127–134, 2001
- [142] A. Radschuweit, H.-H. Rüttinger, P. Nuhn, W. Wohlrab und C. Huschka. UV-induced formation of hydrogen peroxide based on the photochemistry of ketoprofen. *Photochem. Photobiol.* 73: 119–127, 2001
- [143] G. Rhie, M. Shin, J. Seo, W. Choi, K. Cho, K. Kim, K. Park, H. Eun und J. Chung. Aging- and photoaging-dependent changes of enzymic and nonenzymic antioxidants in the epidermis and dermis of human skin in vivo. *J. Invest. Dermatol.* 117: 1212–1217, 2001
- [144] C. Rice-Evans und N. Miller. Antioxidant activities of flavonoids as bioactive components of food. *Biochem. Soc. T.* 24: 790–795, 1996
- [145] C. Rice-Evans, N. Miller und G. Paganga. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Rad. Biol. Med.* 20: 933–956, 1996
- [146] T. Rode. *Stabilität und Penetrationsfähigkeit von pflanzlichen Stoffen in topischen Formulierungen.* Dissertation, Pharmazeutisches Institut, Universität Kiel, 2001
- [147] G. Rücker, M. Neugebauer und G. Willems. *Instrumentelle pharmazeutische Analytik: Lehrbuch zu spektroskopischen, chromatographischen und elektrochemischen Analysenmethoden.* Wiss. Verl.-Ges., Stuttgart, 1988

- [148] A. Saija, M. Scalese, M. Lanza, D. Marzullo, F. Bonina und F. Castelli. Flavonoids as antioxidant agents: Importance of their interaction with biomembranes. *Free Rad. Biol. Med.* 19: 481–486, 1995
- [149] A. Saija, A. Tomaino, R. Lo Cascio, D. Trombetta, A. Proteggente, A. De Pasquale, N. Uccella und F. Bonina. Ferulic acid and caffeic acid as potential protective agents against photooxidative skin damage. *J. Sci. Food. Agr.* 79: 476–480, 1999
- [150] A. Saija, A. Tomaino, D. Trombetta, A. De Pasquale, N. Uccella, T. Barbuzzi, D. Paolino und F. Bonina. In vitro and in vivo evaluation of caffeic and ferulic acids as topical photoprotective agents. *Int. J. Pharm.* 199: 39–47, 2000
- [151] D. Samel, A. Donella-Deana und P. de Witte. The effect of purified extract of *Fagopyrum esculentum* (buckwheat) on protein kinases involved in signal transduction pathways. *Planta Med.* 62: 106–110, 1996
- [152] K. Scharffetter, P. Brenneisen, J. Wenk, G. Herrmann, W. Ma, L. Kuhr, M. Meeuwes und M. Wlaschek. Photoaging of the skin from phenotype to mechanisms. *Exp. Gerontol.* 35: 307–316, 2000
- [153] C. Schempp, E. Schöpf und J. Simon. Durch Pflanzen ausgelöste toxische und allergische Dermatitis (Phyto dermatitis). *Hautarzt* 53: 93–97, 2002
- [154] W. Schwack und T. Rudolph. Photochemistry of dibenzoyl methane UVA filters. Part 1. *J. Photochem. Photobiol. B: Photobiol.* 28: 229–234, 1995
- [155] F. Silva, F. Borges, C. Guimarães, J. Lima, C. Matos und S. Reis. Phenolic acids and derivatives: Studies on the relationship among structure, radical scavenging activity and physicochemical parameters. *J. Agric. Food Chem.* 48: 2122–2126, 2000
- [156] V. Singleton, R. Orthofer und R. Lamuela-Raventós. Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. In L. Packer, Hg., *Methods Enzymol., Oxidants and Antioxidants, Part A*, Bd. 299, S. 152–178. Academic Press, New York, 1999
- [157] C. Soler-Rivas, J. Espin und H. Wichers. An easy and fast test to compare total free radical scavenger capacity of foodstuff. *Phytochem. Anal.* 11: 330–338, 2000
- [158] H. Spielmann, M. Liebsch, S. Kalweit, F. Moldenhauer, T. Wirnsberger, H. Holzhütter, B. Schneider, S. Glaser, I. Gerner, W. Pape, R. Kreiling, K. Krauser, H. Miltenburger, W. Steiling, N. Luepke, N. Müller, H. Kreuzer, P. Mürmann, J. Spengler, E. Bertram-Neis, B. Siegemund und F. Wiebel. Results of a validation study in germany on two in vitro alternatives to the draize eye irritation test, the HET-CAM test and the 3T3 NRU cytotoxicity test. *ATLA* 24: 741–858, 1996

- [159] E. Straface, P. Giacomoni und W. Malorni. Cultured cells as a model system for the study of UV-induced cytotoxicity. *J. Photochem. Photobiol. B: Biology* 63: 52–60, 2001
- [160] Y. Surh, H. Na, J. Lee und Y. Keum. Molecular mechanisms underlying anti-tumor promoting activities of heat-processed *Panax ginseng* C. A. Meyer. *J. Korean Med. Sci.* 16 (Suppl.): S38–41, 2001
- [161] U. Takahama. O₂⁻-dependent and -independent photooxidation of quercetin in the presence and absence of riboflavin and effects of ascorbate on the photooxidation. *Photochem. Photobiol.* 42: 89–91, 1985
- [162] C. Theurer, K. Gruetzner, S. Freeman und U. Koetter. In vitro phototoxicity of hypericin, fagopyrin rich, and fagopyrin free buckwheat herb extracts. *Pharm. Pharmacol. Lett.* 7: 113–115, 1997
- [163] C. Thomas, R. MacGill, G. Miller und R. Pardini. Photoactivation of hypericin generates singlet oxygen in mitochondria and inhibits succinoxidase. *Photochem. Photobiol.* 55: 47–53, 1992
- [164] C. Tournaire, S. Croux und M. Maurette. Antioxidant activity of flavonoids: efficiency of singlet oxygen quenching. *J. Photochem. Photobiol. B: Biol.* 19: 205–215, 1993
- [165] F. Trautinger. Mechanisms of photodamage of the skin and its functional consequences for skin ageing. *Clin. Dermatol.* 26: 573–577, 2001
- [166] Uvinul grades and z-COTE. Technische Information, BASF AG, Ludwigshafen, 2002
- [167] C. Valenta, E. Nowack und A. Bernkop-Schnürch. Deoxycholate-hydrogels: Novel drug carrier systems for topical use. *Int. J. Pharm.* 185: 103–111, 1999
- [168] S. van Acker, G. Plemper van Balen, D. van Den Berg, A. Bast und W. van der Vijgh. Influence of iron chelation on the antioxidant activity of flavonoids. *Biochem. Pharmacol.* 56: 935–943, 1998
- [169] S. van Acker, D. van Den Berg, M. Tromp, D. Griffioen, W. van Bennekom, W. van der Vijgh und A. Bast. Structural aspects of antioxidant activity of flavonoids. *Free Rad. Biol. Med.* 20: 331–342, 1996
- [170] B. Vennat, A. Arvouet-Grand und A. Pourrat. Skin healing preparations: Compared in vitro diffusion of the active ingredients. *Drug Dev. Ind. Pharm.* 24: 253–260, 1998
- [171] D. Vessey. The cutaneous antioxidant system. In J. Fuchs und L. Packer, Hg., *Oxidative Stress in Dermatology*, S. 81–103. Marcel Dekker, Inc., New York, Basel, Hong Kong, 1993

- [172] A. von Gadow, E. Joubert und C. Hansmann. Comparison of the antioxidant activity of aspalathin with that of other plant phenols of rooibos tea (*Aspalathus linearis*), alpha-tocopherol, BHT and BHA. *J. Agric. Food Chem.* 45: 632–638, 1997
- [173] K. Wilhelm, S. Biel und C. Siegers. Role of flavonoids in controlling the phototoxicity of hypericum perforatum extracts. *Phytomedicine* 8: 306–309, 2001
- [174] K Wilhelm, B. Bottjer und C Siegers. Quantitative assessment of primary skin irritants in vitro in a cytotoxicity model: comparison with in vivo human irritation tests. *Br. J. Dermatol.* 145: 709–715, 2001
- [175] M. Wlaschek, I. Tantcheva-Poor, L. Naderi, W. Ma, L. Schneider, Z. Razi-Wolf, J. Schüller und K. Scharffetter-Kochanek. Solar UV irradiation and dermal photoaging. *J. Photochem. Photobiol. B: Biol.* 63: 41–51, 2001
- [176] J. Wohrab. *Der Einfluß von L-Arginin auf die Regulation der epidermalen Arginase*. Shaker Verlag, Aachen, 2001. Habilitationsschrift, Martin-Luther-Universität Halle-Wittenberg, Medizinische Fakultät
- [177] J. Wojcicki, B. Barcew-Wiszniewska, L. Samochowiec und L. Rozewicka. Extractum fagopyri reduces atherosclerosis in high-fat diet fed rabbits. *Pharmazie* 50: 560–562, 1995
- [178] J. Wojcicki, B. Samochowiec, B. Gonet, S. Juzwiak, E. Dabrowska-Zamojcin, M. Katdonska und S. Tustanowski. Effect of buckwheat extract on free radical generation in rabbits administered high-fat diet. *Phytother. Res.* 9: 323–326, 1995
- [179] H. Wokalek. Die Haut. In R. Niedner und J. Ziegenmeyer, Hg., *Dermatika. Therapeutischer Einsatz, Pharmakologie und Pharmazie*, Kap. 1, S. 1–28. Wissenschaftliche Verlagsgesellschaft, Stuttgart, 1992
- [180] T. Yamaguchi, H. Takamura, T. Matoba und J. Terao. HPLC-method for evaluation of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl. *Biosci. Biotechnol. Biochem.* 62: 1201–1204, 1998
- [181] Y. Yamamoto. Role of active oxygen species and antioxidants in photoaging. *J. Dermatol. Sci.* 27 Suppl. 1: S1–S4, 2001