

Bibliography

- [1] S. John, *Strong localization of photons in certain disordered dielectric lattices*, Phys. Rev. Lett. **58**, 23 (1987)
- [2] E. Yablonovitch, *Inhibited spontaneous emission in solid-state physics and electronics*, Phys. Rev. Lett. **58**, 20 (1987)
- [3] J. D. Joannopoulos, R. D. Meade and J. N. Winn, *Photonic crystals, molding the flow of light*, Princeton Academic Press, Princeton, NJ (1995)
- [4] A. Blanco, E. Chomski, S. Grabtchak, M. Ibisate, S. John, S. W. Leonard, C. Lopez, F. Meseguer, H. Miguez, J. P. Mondia, G. A. Ozinß, O. Toader and H. M. van Driel, *Large-scale synthesis of a silicon photonic crystal with a complete three-dimensional bandgap near 1.5 micrometres*, Nature **405**, 437 (2000)
- [5] J. E. G. J. Wijnhoven, L. Bechger and W. L. Vos, *Fabrication and characterization of large macroporous photonic crystals in titania*, Chem. Mater. **13**, 4486 (2001)
- [6] S. Noda, K. Tomoda, N. Yamamoto and A. Chutinan, *Full three-dimensional photonic bandgap crystals at near-infrared wavelengths*, Science **289**, 604 (2000)
- [7] S. Y. Lin, J. G. Fleming, R. Lin, M. M. Sigalas, R. Biswas and K. M. Ho, *Complete three-dimensional photonic bandgap in a simple cubic structure*, J. Opt. Soc. Am. B **18**, 32 (2001)
- [8] J. Schilling, F. Müller, S. Matthias, R. B. Wehrspohn, U. Gösele and K. Busch, *Three-dimensional photonic crystals based on macroporous silicon with modulated pore diameter*, Appl. Phys. Lett. **78**, 1180 (2001)
- [9] A. Birner, R. B. Wehrspohn, U. Gösele and K. Busch, *Silicon-based photonic crystals*, Adv. Mater. **13**, 377 (2001)
- [10] R. D. Meade, A. Devenyi, J. D. Joannopoulos, O. L. Alerhand, D. A. Smith and K. Kash, *Novel applications of photonic band gap materials: Low-loss bends and high Q cavities*, J. Appl. Phys. **75**, 4753 (1994)
- [11] T. F. Krauss, R. M. De La Rue and S. Brand, *Two-dimensional photonic-bandgap structures operating at near-infrared wavelengths*, Nature **383**, 699 (1996)
- [12] S. G. Johnson, S. Fan, P. R. Villeneuve, J. D. Joannopoulos and L. A. Kolodziejski, *Guided modes in photonic crystal slabs*, Phys. Rev. B **60**, 5751 (1999)
- [13] P. R. Villeneuve, S. Fan, S. G. Johnson and J. D. Joannopoulos, *Three-dimensional photon confinement in photonic crystals of low-dimensional periodicity*, IEE Proc. Optoelectron. **145**, 384 (1998)
- [14] C. Weisbuch, H. Benisty, S. Olivier, M. Rattier, C. J. M. Smith and T. F. Krauss, *Advances in photonic crystals*, Phys. Stat. Sol. **221**, 93 (2000)
- [15] O. Painter, J. Vučković and A. Scherer, *Defect modes of a two-dimensional photonic crystal in an optically thin dielectric slab*, J. Opt. Soc. Am. B **16**, 275 (1999)

- [16] S. Mahnkopf, M. Kamp, A. Forchel and R. März, *Tunable distributed feedback laser with photonic crystal mirrors*, Appl. Phys. Lett. **82**, 2942 (2003)
- [17] R. B. Wehrspohn, S. L. Schweizer, J. Schilling, T. Geppert, C. Jamois, R. Glathhaar, P. Hahn, A. Feisst and A. Lambrecht, *Application of photonic crystals for gaz detection and sensing*, in *Photonic crystals: Advances in design, fabrication and characterization*, ed. by K. Busch, S. Lölkes, R. B. Wehrspohn and H. Föll, Wiley, 238 (2004)
- [18] M. Lončar, A. Scherer and Y. Qiu, *Photonic crystal laser sources for chemical detection*, Appl. Phys. Lett. **82**, 4648 (2003)
- [19] L. Wu, M. Mazilu, T. Karle and T. F. Krauss, *Superprism phenomena in planar photonic crystals*, IEEE J. Quantum Electron. **38**, 915 (2002)
- [20] K. B. Chung and S. W. Hong, *Wavelength demultiplexers based on the superprism phenomena in photonic crystals*, Appl. Phys. Lett. **81**, 1549 (2002)
- [21] D. Taillaert, W. Bogaerts, P. Bienstman, T. F. Krauss, P. Van Daele, I. Moerman, S. Verstuyft, K. De Mesel and R. Baets, *An out-of-plane grating coupler for efficient butt-coupling between compact planar waveguides and single-mode fibers*, IEEE J. Quantum Electron. **38**, 949 (2002)
- [22] S. Noda, A. Chutinan and M. Imada, *Trapping and emission of photons by a single defect in a photonic bandgap structure*, Nature **407**, 608 (2000)
- [23] M. Megens, J. Wijnhoven, A. Lagendijk and W. L. Vos, *Fluorescence lifetimes and linewidths of dye in photonic crystals*, Phys. Rev. A **59**, 4727 (1999)
- [24] K. Busch and S. John, *Photonic band gap formation in certain self-organizing systems*, Phys. Rev. E **58**, 3896 (1998)
- [25] F. Genereux, S. W. Leonard, H. M. van Driel, A. Birner and U. Gösele, *Large birefringence in two-dimensional silicon photonic crystals*, Phys. Rev. B **63**, 161101 (2001)
- [26] H. Kosaka, T. Kawashima, A. Tomita, M. Notomi, T. Tamamura, T. Sato and S. Kawakami, *Superprism phenomena in photonic crystals*, Phys. Rev. B **58**, 10096 (1998)
- [27] W. Park and C. J. Summers, *Extraordinary refraction and dispersion in two-dimensional photonic-crystal slabs*, Opt. Lett. **27**, 1397 (2002)
- [28] C. Luo, S. G. Johnson, J. D. Joannopoulos and J. B. Pendry, *All-angle negative refraction without negative effective index*, Phys. Rev. B **65**, 201104 (2002)
- [29] M. Notomi, *Theory of light propagation in strongly modulated photonic crystals: Refractionlike behavior in the vicinity of the photonic band gap*, Phys. Rev. B **62**, 10696 (2000)
- [30] see, e.g., the special issue on PBG materials in IEEE J. Quantum Electron. **38**, 724-963 (2002)
- [31] K. C. Kao and G. A. Hockham, *Dielectric-fiber surface waveguides for optical frequencies*, Proc. IEE **113**, 1151 (1966)
- [32] F. P. Kapron, D. B. Keck and R. D. Maurer, *Radiation losses in glass optical waveguides*, Appl. Phys. Lett. **17**, 423 (1970)
- [33] N. Uchida, *Development and future prospect of optical fiber technologies*, IEICE Trans. Electron. **E85-C**, 868 (2002)

- [34] J. F. Brennan, *Dispersion compensating gratings for the C-band*, Photonics Spectra, 159 (June 2001)
- [35] H. Izadpanah, C. Lin, J. Gimlett, H. Johnson, W. Way and P. Kaiser, *Dispersion-compensation for upgrading interoffice networks built with 1310nm optimized SMFs using an equalizer fiber, EDFAs and 13130/1550nm WDM*, Tech. Digest Opt. Fiber Commun. Conf., San Jose, USA, PD15, 371 (1992)
- [36] C. C. Chang, H. P. Sardesai and A. M. Weiner, *Dispersion-free fiber transmission for femtosecond pulses by use of a dispersion-compensating fiber and a programmable pulse shaper*, Opt. Lett. **23**, 283 (1998)
- [37] S. Kawanishi, H. Takara, T. Morioka, O. Kamatani, K. Takiguchi, T. Kitoh, and M. Saruwatari, *Single-channel 400Gbit/s time-division-multiplexed transmission of 0.98ps pulses over 40 km employing dispersion slope compensation*, Electron. Lett. **32**, 916 (1996)
- [38] L. Dong, M. J. Cole, A. D. Ellis, M. Durkin, M. Ibsen, V. Gusmeroli and R. I. Laming, Tech. Digest of the Opt. Fiber Commun. Conf., Washington D.C., USA, 391 (1997)
- [39] A. Othonos, *Fiber Bragg gratings*, Rev. Sci. Instrum. **68**, 4309 (1997)
- [40] V. A. Semenov, A. V. Belov, E. M. Dianov, A. A. Abramov, M. M. Bubnov, S. L. Semjonov, A. G. Shchebunjaev, V. F. Khopin, A. N. Guryanov and N. N. Vechkanov, *Broadband dispersion-compensating fiber for high-bit-rate transmission network use*, Appl. Optics **34**, 5331 (1995)
- [41] T. Sugihara, K. Ishida, K. Shimomura, K. Shimizu and Y. Kobayashi, *Adaptive dispersion compensation for 40 Gbit/s RZ transmission by using Bragg gratings*, IEICE Trans. Electron. **E84-C**, 527 (2001)
- [42] M. Agio and L. C. Andreani, *Complete photonic band gap in a two-dimensional chessboard lattice*, Phys. Rev. B **61**, 15519 (2000)
- [43] A. Birner, *Optische Wellenleiter und Mikroresonatoren in zweidimensionalen photinischen Kristallen aus makroporösem Silizium*, PhD thesis, University of Halle (2000)
- [44] D. Cassagne, C. Jouanin and D. Bertho, *Photonic band gaps in a two-dimensional graphite structure*, Phys. Rev. B **52**, R2217 (1995)
- [45] J.-Y. Ye, V. Mizeikis, Y. Xu, S. Matsuo and H. Misawa, *Fabrication and optical characteristics of silicon-based two-dimensional photonic crystals with honeycomb lattice*, Opt. Commun. **211**, 205 (2002)
- [46] R. D. Meade, O. Alerhand and J. D. Joannopoulos, *Handbook of photonic band gap materials*, available on request
- [47] S. G. Johnson and J. D. Joannopoulos, *Block-iterative frequency-domain methods for Maxwell's equations in a planewave basis*, Opt. Express **8**, 173 (2001)
- [48] A. Yariv, Y. Xu, R. K. Lee and A. Scherer, *Coupled-resonator optical waveguide: a proposal and analysis*, Opt. Lett. **24**, 711 (1999)
- [49] S. Olivier, C. Smith, M. Rattier, H. Benisty, C. Weisbuch, T. Krauss, R. Houdré and U. Oesterle, *Miniband transmission in a photonic crystal coupled-resonator optical waveguide*, Opt. Lett. **26**, 1019 (2001)
- [50] T. J. Karle, D. H. Brown, R. Wilson, M. Steer and T. F. Krauss, *Planar photonic crystal coupled cavity waveguides*, IEEE J. Selec. Top. Quantum Electron. **8**, 909 (2002)

- [51] M. Lončar, T. Doll, J. Vučković and A. Scherer, *Design and Fabrication of Silicon Photonic Crystal Optical Waveguides*, IEEE J. Lightwave Technol. **18**, 1402 (2000)
- [52] S. G. Johnson, P. Villeneuve, S. Fan and J. D. Joannopoulos, *Linear waveguides in photonic-crystal slabs*, Phys. Rev. B **62**, 8212 (2000)
- [53] M. Notomi, A. Shinya, K. Yamada, J. Takahashi, C. Takahashi and I. Yokohama, *Structural tuning of guiding modes of line-defect waveguides of silicon-on-insulator photonic crystal slabs*, IEEE J. Quantum Electron. **38**, 736 (2002)
- [54] C. J. M. Smith, H. Benisty, S. Olivier, M. Rattier, C. Weisbuch, T. F. Krauss, R. M. De La Rue, R. Houdré and U. Oesterle, *Low-loss channel waveguides with two-dimensional photonic crystal boundaries*, Appl. Phys. Lett. **77**, 2813 (2000)
- [55] P. Lalanne, *Electromagnetic analysis of photonic crystal waveguides operating above the light cone*, IEEE J. Quantum Electron. **38**, 800 (2002)
- [56] C. Jamois, R. B. Wehrspohn, C. Hermann, O. Hess, L.C. Andreani and U. Gösele, *Silicon-Based Two-Dimensional Photonic Crystal Waveguides*, Photonics and Nanostructures: Fundamentals and Applications **1**, 1 (2003)
- [57] W. T. Lau and S. Fan, *Creating large bandwidth line defects by embedding dielectric waveguides into photonic crystal slabs*, Appl. Phys. Lett. **81**, 3915 (2002)
- [58] K. Hosomi and T. Katsuyama, *A dispersion compensator using coupled defects in a photonic crystal*, IEEE J. Quantum Electron. **38**, 825 (2002)
- [59] A. Martínez, A. García, P. Sanchis and J. Martí, *Group velocity and dispersion model of coupled-cavity waveguides in photonic crystals*, J. Opt. Soc. Am. A **20**, 147 (2003)
- [60] T. Karle, Y. J. Chai, C. N. Morgan, I. H. White and T. F. Krauss, *Observation of pulse compression in photonic crystal coupled cavity waveguides*, IEEE J. Lightwave Technol. **22**, 514 (2004)
- [61] R. März, S. Burger, S. Golka, A. Forschel, C. Hermann, C. Jamois, D. Michaelis and K. Wandel, *Planar high index-contrast photonic crystals for telecom applications*, in *Photonic crystals: Advances in design, fabrication and characterization*, ed. by K. Busch, S. Lölkes, R. B. Wehrspohn and H. Föll, Wiley, 308 (2004)
- [62] T. Baba, A. Motegi, T. Iwai, N. Fukaya, Y. Watanabe and A. Sakai, *Light propagation characteristics of straight single-line-defect waveguides in photonic crystals fabricated into a silicon-on-insulator substrate*, IEEE J. Quantum Electron. **38**, 743 (2002)
- [63] A. Talneau, L. Le Gouezigou and N. Bouadma, *Quantitative measurement of low propagation losses at 1.55 μm on planar photonic crystal waveguides*, Opt. Lett. **26**, 1259 (2001)
- [64] C. Weisbuch, H. Benisty, S. Olivier, M. Rattier, C. J. M. Smith and T. F. Krauss, *3D control of light in waveguide-based two-dimensional photonic crystals*, IEICE Trans. Commun. **E84-B**, 1286 (2001)
- [65] W. Bogaerts, V. Wiaux, D. Taillaert, S. Beckx, B. Luyssaert, P. Bienstman and R. Baets, *Fabrication of Photonic Crystals in Silicon-on- Insulator Using 248-nm Deep UV Lithography*, IEEE J. Selec. Top. Quantum Electron. **8**, 928 (2002)
- [66] W. Bogaerts, P. Bienstman and R. Baets, *Scattering at sidewall roughness in photonic crystal slabs*, Opt. Lett. **28**, 689 (2003)

- [67] C. Jamois, R. B. Wehrspohn, J. Schilling, F. Müller, R. Hillebrand, and W. Hergert, *Silicon-based photonic crystal slabs: Two concepts*, IEEE J. Quantum Electron. **38**, 805 (2002)
- [68] L. C. Andreani and M. Agio, *Photonic bands and gap maps in a photonic crystal slab*, IEEE J. Quantum Electron. **38**, 891 (2002)
- [69] M. Qiu, *Effective index method for heterostructure-slab-waveguide-based two-dimensional photonic crystals*, Appl. Phys. Lett. **81**, 1163 (2002)
- [70] M. Qiu, *Band gap effects in asymmetric photonic crystal slabs*, Phys. Rev. B **66**, 033103 (2002)
- [71] O. Hess, C. Hermann and A. Klaedtke, *Finite-Difference Time-Domain simulations of photonic crystal defect structures*, Phys. Stat. Sol. (a) **197**, 605 (2003)
- [72] M. Galli, M. Agio, L.C. Andreani, L. Atzeni1, D. Bajoni, G. Guizzetti, L. Businaro, E. Di Fabrizio, F. Romanato and A. Passaseo, *Optical properties and photonic bands of GaAs photonic crystal waveguides with tilted square lattice*, Eur. Phys. J. B **27**, 79 (2002)
- [73] T. Ochiai and K. Sakoda, *Nearly free-photon approximation for two-dimensional photonic crystal slabs*, Phys. Rev. B **63**, 125107 (2001)
- [74] H. Benisty, D. Labilloy, C. Weisbuch, C. J. M. Smith, T. F. Krauss, D. Cassagne, A. Béraud and C. Jouanin, *Radiation losses of waveguide-based two-dimensional photonic crystals: Positive role of the substrate*, Appl. Phys. Lett. **76**, 532 (2000)
- [75] E. Chow, S. Y. Lin et al., , Nature **407**, 983 (2000)
- [76] H. Benisty, S. Olivier, C. Weisbuch, M. Agio, M. Kafesaki, C. M. Soukoulis, M. Qiu, M. Swillo, A. Karlsson, B. Jaskorzynska, A. Talneau, J. Moosburger, M. Kamp, A. Forschel, R. Ferrini, R. Houtré and U. Oesterle, *Models and measurements for the transmission of submicron-width waveguide bends defined in two-dimensional photonic crystals*, IEEE J. Quantum Electron. **38**, 770 (2002)
- [77] C. T. Chan, Q. L. Yu and K. M. Ho, *Order-N spectral method for electromagnetic waves*, Phys. Rev. B **51**, 16635 (1995)
- [78] L. C. Andreani, *Photonic bands and radiation losses in photonic crystal waveguides*, Phys. Stat. Sol. (b) **234**, 139 (2002)
- [79] C. Hermann, C. Jamois, R. B. Wehrspohn, O. Hess and U. Gösele, *Cladding modes in silicon-on-insulator-based photonic crystal slabs*, submitted to Opt. Lett. (2004)
- [80] S. I. Bozhevolnyi, V. S. Volkov, J. Arentoft, A. Boltasseva, T. Søndergaard and M. Kristensen, *Direct mapping of light propagation in photonic crystal waveguides*, Opt. Commun. **212**, 51 (2002)
- [81] L. C. Andreani and M. Agio, *Intrinsic diffraction losses in photonic crystal waveguides with line defects*, Appl. Phys. Lett. **82**, 2011 (2003)
- [82] M. Lončar, D. Nedeljković, T. P. Pearsall, J. Vučković, A. Scherer, S. Kuchinsky and D. C. Allan, *Experimental and theoretical confirmation of Bloch-mode light propagation in planar photonic crystal waveguides*, Appl. Phys. Lett. **80**, 1689 (2002)
- [83] M. Lončar, J. Vučković and A. Scherer, *Methods for controlling positions of guided modes of photonic-crystal waveguides*, J. Opt. Soc. Am. B **18**, 1362 (2001)
- [84] R. März, *Integrated optics, design and modeling*, Artech House, Boston-London, (1995)

- [85] T. D. Happ, M. Kamp and A. Forschel, *Photonic crystal tapers for ultracompact mode conversion*, Opt. Lett. **26**, 1102 (2001)
- [86] D. W. Prather, J. Murakowski, S. Shi, S. Venkataraman, A. Sharkawy, C. Chen and D. Pustai, *High-efficiency coupling structure for a single-line-defect photonic-crystal waveguide*, Opt. Lett. **27**, 1601 (2002)
- [87] E. Miyai, M. Okano, M. Mochizuki and S. Noda, *Analysis of coupling between two-dimensional photonic crystal waveguide and external waveguide*, Appl. Phys. Lett. **81**, 3729 (2002)
- [88] N. Moll and G.-L. Bona, *Comparison of three-dimensional photonic crystal slab waveguides with two-dimensional photonic crystal waveguides: Efficient butt coupling into these photonic crystal waveguides*, J. Appl. Phys. **93**, 4986 (2003)
- [89] S. G. Johnson, P. Bienstman, M. A. Skorobogatiy, M. Ibanescu, E. Lidorikis and J. D. Joannopoulos, *Adiabatic theorem and continuous coupled-mode theory for efficient taper transitions in photonic crystals*, Phys. Rev. E **66**, 066608 (2002)
- [90] S. W. Leonard, J. P. Mondia, H. M. van Driel, O. Toader, S. John, K. Busch, A. Birner, U. Gösele and V. Lehmann, *Tunable two-dimensional photonic crystals using liquid-crystal infiltration*, Phys. Rev. B **61**, R2389 (2000)
- [91] G. Mertens, T. Röder, H. Matthias, H. Marsmann, H.-S. R. Kitzerow, S. L. Schweizer, C. Jamois, R. B. Wehrspohn and M. Neubert, *Two- and three-dimensional photonic crystals made of macroporous silicon and liquid crystals*, Appl. Phys. Lett. **83**, 3036 (2003)
- [92] Y. Luo, I. Szafraniak, V. Nagarjan, R. B. Wehrspohn, M. Steinhart, J. H. Wendorff, N. D. Zakharov, R. Ramesh and M. Alexe, *Ferroelectric switching of nanotubes composed of lead zirconate titanate and barium titanate*, Appl. Phys. Lett. **83**, 440 (2003)
- [93] S. W. Leonard, H. Van Driel, J. Schilling and R. B. Wehrspohn, *Ultrafast band-edge tuning of a two-dimensional silicon photonic crystal via free-carrier injection*, Phys. Rev. B **66**, 161102 (2002)
- [94] Y.-K. Ha, J.-E. Kim, H. Y. Park, C.-S. Kee and H. Lim, *Tunable three-dimensional photonic crystals using semiconductors with varying free-carrier densities*, Phys. Rev. B **66**, 075109 (2002)
- [95] S. W. Leonard, PhD thesis, University of Toronto, Dept. of Physics (2001)
- [96] C. Jamois, T. Geppert and R. B. Wehrspohn, *Design of a new taper for light coupling between a ridge waveguide and a photonic crystal waveguide*, Mat. Res. Soc. Symp. Proc. **797**, W6.7.1 (2004)
- [97] M. Köhler, *Etching in Microsystem Technology*, Wiley, (1999)
- [98] W. Whyte, *Cleanroom Design*, Wiley, (1999)
- [99] V. N. Astratov, I. S. Culshaw, R. M. Stevenson, D. M. Whittaker, M. S. Skolnick, T. F. Krauss and R. M. De La Rue, *Resonant coupling of near-infrared radiation to photonic band structure waveguides*, IEEE J. Lightwave Technol. **17**, 2050 (1999)
- [100] D. M. Manos and D. L. Flamm, *Plasma Etching: an Introduction*, Academic Press, Inc., (1989)
- [101] S. H. Jeong, S.-J. Choi, H.-S. Cha, S.-Y. Yoon, S.-M. Jung, S.-S. Choi and J.-H. Lee, *Dry-etching characteristics of attenuated phase-shifting masks using Cl₂/CF₄/O₂/He plasmas*, Jpn. J. Appl. Phys. **41**, 5419 (2002)

- [102] H. Nakata, K. Nishioka, and H. Abe, *Plasma etching characteristics of chromium film and its novell etching mode*, J. Vac. Sci. Technol. **17**, 1351 (1980)
- [103] information given by Oxford Plasma Technologies
- [104] A. P. Milenin, C. Jamois, M. Reiche and R. B. Wehrspohn, *Sub-micron patterning of Cr using Cl_2/O_2 plasma etching*, submitted to J. Vac. Sci. Technol. (2004)
- [105] M. Schaepkens and G. S. Oehrlein, *A review of SiO_2 etching in inductively coupled fluorocarbon plasmas*, J. Electrochem. Soc. **148**, C211 (2001)
- [106] J-H. Min, S-W. Hwang et al., *Redeposition of etch products on sidewalls during SiO_2 etching in a fluorocarbon plasma. I. Effect of particle emission from the bottom surface in a CF_4 plasma*, J. Vac. Sci. Technol. A **20**, 1574 (2002)