

## 6 Literatur

- Akhtar, A., Zink, D., Becker, P.B.: Chromodomains are protein-RNA interaction modules. *Nature* 407 (2000): 405-409.
- Albertini, A.M., Hofer, M., Calos, M.P., Miller, J.H.: On the formation of spontaneous deletions: the importance of short sequence homologies in the generation of large deletions. *Cell* 29 (1982): 319-328.
- Allshire, R.C., Javerzat, J.P., Redhead, N.J., Cranston, G.: Position effect variegation at fission yeast centromeres. *Cell* 76 (1994): 157-169.
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., Lipman, D.J.: Basic local alignment search tool. *J. Mol. Biol.* 215 (1990): 403-410.
- Amedeo, P., Habu, Y., Afsar, K., Scheid, O.M., Paszkowski, J.: Disruption of the plant gene *MOM* releases transcriptional silencing of methylated genes. *Nature* 405 (2000): 203-206.
- Arabidopsis* Genom Initiative: Analysis of the Genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* 408 (2000): 796-815.
- Assaad, F.F., Signer, E.R.: Somatic and germinal recombination of a direct repeat in *Arabidopsis*. *Genetics* 132 (1992): 553-566.
- Assaad, F.F., Tucker, K.L., Singer, E.R.: Epigenetic repeat-induced gene silencing (RIGS) in *Arabidopsis*. *Plant. Mol. Biol.* 22 (1993): 1067-1085.
- Ayoub, N., Noma, K., Isaac, S., Kahan, T., Grewal, S.I., Cohen, A.: A novel jmjC domain protein modulates heterochromatization in fission yeast. *Mol. Cell Biol.* 23 (2003): 4356-4370.
- Bannister, A.J., Zegerman, P., Partridge, J.F., Miska, E.A., Thomas, J.O., Allshire, R.C., Kouzarides, T.: Selective recognition of methylated lysine 9 on histone H3 by the HP1 chromo domain. *Nature* 410 (2001): 120-124.
- Bartee, L., Malagnac, F., Bender, J.: *Arabidopsis cmt3* chromomethylase mutations block non-CG methylation and silencing of an endogenous gene. *Genes Dev.* 15 (2001): 1753-1758.
- Baumbusch, L.O., Thorstensen, T., Krauss, V., Fischer, A., Naumann, K., Assalkhou, R., Schulz, I., Reuter, G., Aalen, R.B.: The *Arabidopsis thaliana* genome contains at least 29 active genes encoding SET domain proteins that can be assigned to four evolutionarily conserved classes. *Nucl. Acids Res.* 29 (2001): 4319-4333.

- Bechtold, N., Ellis, J., Pelletier, G.: In planta *Agrobacterium*-mediated gene transfer by infiltration of adult *Arabidopsis thaliana* plants. C. R. Acad. Sci. Paris, Life Sciences 316 (1993): 1194-1199.
- Becker, D., Kemper, E., Schell, J., Masterson, R.: New plant binary vectors with selectable markers located proximal to the left T-DNA border. Plant Mol. Biol. 20 (1992): 1195-1197.
- Bell, C.J., Ecker, J.R.: Assignment of 30 microsatellite loci to the linkage map of *Arabidopsis*. Genomics 19 (1994): 137-144.
- Bernstein, E., Caudy, A.A., Hammond, S.M., Hannon, G.J.: Role for a bidentate ribonuclease in the initiation step of RNA interference. Nature 409 (2001): 363-366.
- Bestor, T., Laudano, A., Mattaliano, R., Ingram, V.: Cloning and sequencing of a cDNA encoding DNA methyltransferase of mouse cells. The carboxyl-terminal domain of the mammalian enzymes is related to bacterial restriction methyltransferases. J. Mol. Biol. 203 (1988): 971-983.
- Bhattacharya, S.K., Ramchandani, S., Cervoni, N., Szyf, M.: A mammalian protein with specific demethylase activity for mCpG DNA. Nature 397 (1999): 579-583.
- Bi, X., Liu, L.F.: DNA rearrangement mediated by inverted repeats. Proc. Natl. Acad. Sci. USA 93 (1996): 819-823.
- Boudreault, A.A., Cronier, D., Selleck, W., Lacoste, N., Utley, R.T., Allard, S., Savard, J., Lane, W.S., Tan, S., Cote, J.: Yeast enhancer of polycomb defines global Esa1-dependent acetylation of chromatin. Genes Dev. 17 (2003): 1415-1428.
- Brandstädter, J., Rossbach, C. Theres, K.: The pattern of histone H4 expression in the tomato shoot apex changes during development. Planta, 192 (1994): 69-74.
- Braunstein, M., Rose, A.B., Holmes, S.G., Allis, C.D., Broach, J.R.: Transcriptional silencing in yeast is associated with reduced nucleosome acetylation. Genes Dev. 7 (1993): 592-604.
- Brink, R.A.: Paramutation. Annu. Rev. Genet. 7 (1973): 129-152.
- Cao, X., Jacobson, S.E.: Role of the *Arabidopsis* DRM methyltransferases in de novo DNA methylation and gene silencing. Curr. Biol. 12 (2002 a): 1138-1144.
- Cao, X., Jacobson, S.E.: Locus-specific control of asymmetric and CpNpG methylation by the *DRM* and *CMT3* methyltransferase genes. Proc. Natl. Acad. Sci. USA 99 (2002 b): 16491-16498.
- Cao, X., Springer, N.M., Muszynski, M.G., Phillips, R.L., Kaepler, S., Jacobson, S.E.: Conserved plant genes with similarity to mammalian de novo DNA methyltransferases. Proc. Natl. Acad. Sci. USA 97 (2000): 4979-4984.

- Catcheside, D.G.: A position effect in *Oenothera*. J. Genet. 38 (1938): 345-352.
- Catcheside, D.G.: A position effect in *Oenothera*. J. Genet. 48 (1949): 31-42.
- Chen, C., Chen, Z.: Isolation and characterization of two pathogen- and salicylic acid-induced genes encoding WRKY DNA-binding proteins from tobacco. Plant Mol. Biol. 42 (2000): 387-396.
- Chen, Z.J., Pikaard, C.S.: Epigenetic silencing of RNA polymerase I transcription: a role for DNA methylation and histon modification in nucleolar dominance. Genes Dev. 11 (1997): 2124-2136.
- Clough, S.J., Bent, A.F.: Floral dip: a simplified method for *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. Plant J. 16 (1998): 735-743.
- Culbertson, M.R.: RNA surveillance: unforeseen consequences for gene expression, inherited genetic disorders and cancer. Trends Genet. 15 (1999): 74-80.
- Davies, G.J., Sheikh, M.A., Ratcliffe, O.J., Coupland, G., Furner, I.J.: Genetics of homology-dependent gene silencing in *Arabidopsis*: a role for methylation. Plant J. 12 (1997): 791-804.
- De Buck, S., Jacobs, A., Van Montagu, M., Depicker, A.: The DNA sequences of T-DNA junctions suggest that complex T-DNA loci are formed by a recombination process resembling T-DNA integration. Plant J. 20 (1999): 295-304.
- De Neve, M., De Buck, S., Jacobs, A., Van Montagu, M., Depicker, A.: T-DNA integration patterns in co-transformed plant cells suggest that T-DNA repeats originate from co-integration of separate T-DNAs. Plant J. 11 (1997): 15-29.
- Dehio, C. and Schell, J.: Identification of plant genetic loci involved in a posttranscriptional mechanism for meiotically reversible transgene silencing. Proc. Natl. Acad. Sci. USA 91 (1994): 5538-5542.
- Depicker, A., Montagu, M.V.: Post-transcriptional gene silencing in plants. Curr. Opin. Cell. Biol. 9 (1997): 373-382.
- Deroles, S.C., Gardner, R.C.: Expression and inheritance of kanamycin resistance in a large number of transgenic petunias generated by *Agrobacterium*-mediated transformation. Plant Mol. Biol. 11 (1988): 355-364.
- Dickey, L.F., Nguyen, T.T., Allen, G.C., Thompson, W.F.: Light modulation of ferredoxin mRNA abundance requires an open reading frame. Plant Cell 6 (1994): 1171-1176.
- Domeier, M.E., Morse, D.P., Knight, S.W., Portereiko, M., Bass, B.L., Mango, S.E.: A link between RNA interference and nonsense-mediated decay in *Caenorhabditis elegans*. Science 289 (2000): 1928-1931.

- Dorer, D.R., Henikoff, S.: Expansions of transgene repeats cause heterochromatin formation and gene silencing in *Drosophila*. *Cell* 77 (1994): 993-1002.
- Eissenberg, J.C., James, T.C., Foster-Hartnett, D.M., Hartnett, T., Ngan, V., Elgin, S.C.R.: Mutation in a heterochromatin-specific chromosomal protein is associated with suppression of position-effect variegation in *Drosophila melanogaster*. *Proc. Natl. Acad. Sci. USA* 87 (1990): 9923-9927.
- Ekwall, K., Olsson, T., Turner, B.M., Cranston, G., Allshire, R.C.: Transient inhibition of histone deacetylation alters the structural and functional imprint at fission yeast centromeres. *Cell* 91 (1997): 1021-1032.
- Eulgem, T., Rushton, P.J., Robatzek, S., Somssich, I.E.: The WRKY superfamily of plant transcription factors. *Trends Plant Sci.* 5 (2000): 199-206.
- Fagard, M., Boutet, S., Morel, J.B., Bellini, C., Vaucheret, H.: AGO1, QDE-2, and RDE-1 are related proteins required for post-transcriptional gene silencing in plants, quelling in fungi, and RNA interference in animals. *Proc. Natl. Acad. Sci. USA* 97 (2000): 11650-11654.
- Fagard, M., Vaucheret, H.: Systemic silencing signal(s). *Plant Mol. Biol.* 43 (2000): 285-293.
- Finnegan, E.J., Dennis, E.S.: Isolation and identification by sequence homology of a putative cytosine methyltransferase from *Arabidopsis thaliana*. *Nucl. Acids Res.* 21 (1993): 2383-2388.
- Finnegan, E.J., Genger, R.K., Peacock, W.J., Dennis, E.S.: DNA methylation in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 49 (1998): 223-247.
- Finnegan, E.J., Kovac, K.A.: Plant DNA methyltransferases. *Plant Mol. Biol.* 43 (2000): 189-201.
- Finnegan, E.J., Peacock, W.J., Dennis, E.S.: Reduced DNA methylation in *Arabidopsis thaliana* results in abnormal plant development. *Proc. Natl. Acad. Sci. USA* 93 (1996): 8449-8454.
- Flavell, R.B.: Inactivation of gene expression in plants as a consequence of specific sequence duplication. *Proc. Natl. Acad. Sci. USA* 91 (1994): 3490-3496.
- Furner, I.J., Sheikh, M.A., Collett, C.E.: Gene silencing and homology-dependent gene silencing in *Arabidopsis*: genetic modifiers and DNA methylation. *Genetics* 149 (1998): 651-662.
- Gaudin, V., Libault, M., Pouteau, S., Juul, T., Zhao, G., Lefebvre, D., Grandjean, O.: Mutations in LIKE HETEROCHROMATIN PROTEIN 1 affect flowering time and plant architecture in *Arabidopsis*. *Development* 128 (2001): 4847-4858.

- Goodrich, J., Puangsomlee, P., Martin, M., Long, D., Meyerowitz, E.M., Coupland, G.: A Polycomb-group gene regulates homeotic gene expression in *Arabidopsis*. *Nature* 386 (1997): 44-51.
- Gottschling, D.E., Aparicio, O.M., Billington, B.L., Zakian, V.A.: Position effect at *S. cerevisiae* telomeres: reversible repression of *Pol II* transcription. *Cell* 63 (1990): 751-762.
- Goyon, C., Nogueira, T.I., Faugeron, G.: Perpetuation of cytosine methylation in *Ascobolus immersus* implies a novel type of maintenance methylase. *J. Mol. Biol.* 240 (1994): 42-51.
- Grigliatti, T.: Position-effect variegation - an assay for nonhistone chromosomal proteins and chromatin assembly and modifying factors. *Methods Cell Biol.* 35 (1991): 587-627.
- Grunstein, M.: Yeast heterochromatin: regulation of its assembly and inheritance by histones. *Cell* 93 (1998): 325-328.
- Hamilton, A.J., Baulcombe, D.C.: A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science* 286 (1999): 950-951.
- Haseloff, J., Siemering, K.R., Prasher, D.C., Hodge, S.: Removal of a cryptic intron and subcellular localization of green fluorescent protein are required to mark transgenic *Arabidopsis* plants brightly. *Proc. Natl. Acad. Sci. USA* 94 (1997): 2122-2127.
- Heberle-Bors, E., Charvat, B., Thompson, D., Schernthaner, J.P., Barta, A., Matzke A.J.M., Matzke, M.A.: Genetic analysis of T-DNA insertions into the tobacco genome. *Plant Cell Rep.* 7 (1988): 571-574.
- Hecht, A., Laroche, T., Strahl-Bolsinger, S., Gasser, S.M., Grunstein, M.: Histone H3 and H4 N-termini interact with SIR3 and SIR4 proteins: a molecular model for the formation of heterochromatin in yeast. *Cell* 80 (1995): 583-592.
- Henikoff, S., Comai, L.: A DNA methyltransferase homolog with a chromodomain exists in multiple polymorphic forms in *Arabidopsis*. *Genetics* 149 (1998): 307-318.
- Hentze, M.W., Kulozik, A.E.: A perfect message: RNA surveillance and nonsense-mediated decay. *Cell* 96 (1999): 307-310.
- Hobbs, S.L., Kpodar, P., DeLong, C.M.: The effect of T-DNA copy number, position and methylation on reporter gene expression in tobacco transformants. *Plant Mol. Biol.* 15 (1990): 851-864.
- Höfgen, R. and Willmitzer, L.: Storage of competent cells for *Agrobacterium* transformation. *Nucleic Acids Res.* 20 (1988): 9877.

- Holmes, D.S., Quigley, M.: A rapid boiling method for the preparation of bacterial plasmids. *Anal. Biochem.* 114 (1981): 193-197.
- Ilgenfritz, H., Bouyer, D., Schnittger, A., Mathur, J., Kirik, V., Schwab, B., Chua, N.H., Jurgens, G., Hulskamp, M.: The *Arabidopsis* STICHEL gene is a regulator of trichome branch number and encodes a novel protein. *Plant Physiol.* 131 (2003): 643-655.
- Ishii, K., Laemmli, U.K.: Structural and dynamic functions establish chromatin domains. *Mol. Cell* 11 (2003): 237-248.
- Isshiki, M., Yamamoto, Y., Satoh, H., Shimamoto, K.: Nonsense-mediated decay of mutant *waxy* mRNA in rice. *Plant Physiol.* 125 (2001): 1388-1395.
- Jackson, J.P., Lindroth, A.M., Cao, X., Jacobsen, S.E.: Control of CpNpG DNA methylation by the KRYPTONITE histone H3 methyltransferase. *Nature* 416 (2002): 556-560.
- Jacobsen, S.E., Meyerowitz, E.M.: Hypermethylated *superman* epigenetic alleles in *Arabidopsis*. *Science* 277 (1997): 1100-1103.
- Jeddeloh, J.A., Stokes, T.L., Richards, E.J.: Maintenance of genomic methylation requires a SWI2/SNF2-like protein. *Nature Genet.* 22 (1999): 94-96.
- Jofuku, K.D., Schipper, R.D., Goldberg, R.B.: A frameshift mutation prevents Kunitz trypsin inhibitor mRNA accumulation in soybean embryos. *Plant Cell* 1 (1989): 427-435.
- Johnson, C.S., Kolevski, B., Smyth, D.R.: TRANSPARENT TESTA GLABRA 2, a trichome and seed coat development gene of *Arabidopsis*, encodes a WRKY transcription factor. *Plant Cell* 14 (2002): 1359-1375.
- Jones, J.D.G., Gilbert, D.E., Grady, K.L., Jorgensen, R.A.: T-DNA structure and gene expression in *Petunia* plants transformed by *Agrobacterium tumefaciens* C58 derivatives. *Mol. Gen. Genet.* 204 (1987): 478-485.
- Jones, L., Hamilton, A.J., Voinnet, O., Thomas, C.L., Maule, A.J., Baulcombe, D.C.: RNA-DNA interactions and DNA methylation in post-transcriptional gene silencing. *Plant Cell* 11 (1999): 2291-2301.
- Jones, P.A.: Altering gene expression with 5-azacytidine. *Cell* 40 (1985): 485-486.
- Jorgensen, R., Snyder, C., Jones, J.D.G.: T-DNA is organized predominantly in inverted repeat structures in plants transformed with *Agrobacterium tumefaciens* C58 derivatives. *Mol. Gen. Genet.* 207 (1987): 471-477.
- Kakutani, T., Jeddeloh, J.A., Richards, E.J.: Characterization of an *Arabidopsis thaliana* DNA hypomethylation mutant. *Nucl. Acids Res.* 23 (1995): 130-137.

- Kaya, H., Shibahara, K.I., Taoka, K.I., Iwabuchi, M., Stillman, B., Araki, T.: FASCIATA genes for chromatin assembly factor-1 in *Arabidopsis* maintain the cellular organization of apical meristems. *Cell* 104 (2001): 131-142.
- Kilby, N.J., Leyser, H.M.O., Furner, I.J.: Promotor methylation and progressive transgene inactivation in *Arabidopsis*. *Plant Mol. Biol.* 20 (1992): 103-112.
- Kingston, R.E., Bunker, C.A., Imbalzano, A.N.: Repression and activation by multiprotein complexes that alter chromatin structure. *Genes Dev.* 10 (1996): 905-920.
- Koncz, C., Schell, J.: The promotor of TL-DNA gene 5 controls the tissue-specific expression of chimeric genes carried by a novel type of *Agrobacterium* binary vector. *Mol. Gen. Genet.* 204 (1986): 383-396.
- Krizkova, L., Hrouda, M.: Direct repeats of T-DNA integrated in tobacco chromosome: characterization of junction regions. *Plant J.* 16 (1998): 673-680.
- Kumpatla, S.P., Teng, W., Buchholz, W.G., Hall, T.C.: Epigenetic transcriptional silencing and 5-Azacytidine-mediated reactivation of a complex transgene in Rice. *Plant Physiol.* 115 (1997): 361-373.
- Kuo, M.H., Brownell, J.E., Sobel, R.E., Ranalli, T.A., Cook, R.G., Edmondson, D.G., Roth, S.Y., Allis, C.D.: Transcription-linked acetylation by Gcn5p of histones H3 and H4 at specific lysines. *Nature* 383 (1996): 269-272.
- Lachner, M., O'Carroll, D., Rea, S., Mechtler, K., Jenuwein, T.: Methylation of histone H3 lysine 9 creates a binding site for HP1 proteins. *Nature* 410 (2001): 116-120.
- Laible, G., Wolf, A., Dorn, R., Reuter, G., Nislow, C., Lebersorger, A., Popkin, D., Pillus, L., Jenuwein, T.: Mammalian homologues of the Polycomb-group gene Enhancer of zeste mediate gene silencing in *Drosophila* heterochromatin and at *S. cerevisiae* telomeres. *EMBO J.* 16 (1997): 3219-3232.
- Leach, D.R.: Long DNA palindromes, cruciform structures, genetic instability and secondary structure repair. *Bioessays* 16 (1994): 893-900.
- Lee, D.Y., Hayes, J.J., Pruss, D., Wolffe, A.P.: 1993. A positive role for histone acetylation in transcription factor access to nucleosomal DNA. *Cell* 72 (1993): 73–84.
- Leyser, H.M.O., Furner, I.J.: Characterisation of three shoot apical meristem mutants of *Arabidopsis thaliana*. *Development* 119 (1992): 397-403.
- Lindroth, A.M., Cao, X., Jackson, J.P., Zilberman, D., McCallum, C.M., Henikoff, S., Jacobsen, S.E.: Requirement of CHROMOMETHYLASE 3 for maintenance of CpXpG methylation. *Science* 292 (2001): 2077-2080.

- Linn, F., Heidmann, I., Saedler, H., Meyer, P.: Epigenetic changes in the expression of the maize *A1* gene in *Petunia hybrida*: Role of numbers of integrated gene copies and state of methylation. Mol. Gen. Genet. 222 (1990): 329-336.
- Lipardi, C., Wei, Q., Paterson, B.M.: RNAi as random degradative PCR: siRNA primers convert mRNA into dsRNAs that are degraded to generate new siRNAs. Cell 107 (2001): 297-307.
- Mallory, A.C., Mlotshwa, S., Bowman, L.H., Vance, V.B.: The capacity of transgenic tobacco to send a systemic RNA silencing signal depends on the nature of the inducing transgene locus. Plant J. 35 (2003): 82-92.
- Mandel, M., Higa, A.: Calcium-dependent bacteriophage DNA infection. J. Mol. Biol. 53 (1970): 159-162.
- Maquat, L.E.: When cells stop making sense: effects of nonsense codons on RNA metabolism in vertebrate cells. RNA 1 (1995): 453-465.
- Martienssen, R.: Transposons, DNA methylation and gene control. Trends Genet. 14 (1998): 263-264.
- Matzke, A.J., Matzke, M.A.: Position effects and epigenetic silencing of plant transgenes. Curr. Opin. Plant Biol. 1 (1998): 142-148.
- Matzke, A.J., Neuhuber, F., Park, Y.D., Ambros, P.F., Matzke, M.A.: Homology-dependent gene silencing in transgenic plants: epistatic silencing loci contain multiple copies of methylated transgenes. Mol. Gen. Genet. 244 (1994): 219-229.
- Matzke, M.A., Matzke, A.J.: Homology-dependent gene silencing in transgenic plants: what does it really tell us? Trends Genet. 11 (1995): 1-3.
- Matzke, M.A., Matzke, A.J., Kooter, J.M.: RNA: guiding gene silencing. Science 293 (2001): 1080-1083.
- Matzke, M.A., Primig, M., Trnovsky, J., Matzke, A.J.: Reversible methylation and inactivation of marker genes in sequentially transformed tobacco plants. EMBO J. 8 (1989): 643-649.
- Meyer, P., Saedler, H.: Homology-dependent gene silencing in plants. Annu. Rev. Plant Physiol. Plant Mol. Biol. 47 (1996): 23-48.
- Meyer, P., Niedenhof, I., Ten Lohuis, M.: Evidence for cytosine methylation of symmetrical sequences in transgenic *Petunia hybrida*. EMBO J. 13 (1994): 2084-2088.
- Meyer, P.: Transcriptional transgene silencing and chromatin components. Plant Mol. Biol. 43 (2000): 221-234.

- Mittelsten Scheid, O., Paszkowski, J., Potrykus, I.: Reversible inactivation of a transgene in *Arabidopsis thaliana*. Mol. Gen. Genet. 228 (1991): 104-112.
- Mittelsten Scheid, O., Jakovleva, L., Afsar, K., Maluszynska, Y., Paszkowski, J.: A change of ploidy can modify epigenetic silencing. Proc. Nat. Acad. Sci. USA 93 (1996): 7114-7119.
- Mittelsten Scheid, O., Afsar, K., Paszkowski, J.: Release of epigenetic gene silencing by *trans*-acting mutations in *Arabidopsis*. Proc. Nat. Acad. Sci. USA 95 (1998): 632-637.
- Mittelsten Scheid, O., Paszkowski, J.: Transcriptional gene silencing mutants. Plant Mol. Biol. 43 (2000): 235-241.
- Morel, J.B., Mourrain, P., Beclin, C., Vaucheret, H.: DNA methylation and chromatin structure affect transcriptional and post-transcriptional transgene silencing in *Arabidopsis*. Curr. Biol. 10 (2000): 1591-1594.
- Muller, H.J.: Types of visible variations induced by X-rays in *Drosophila*. J. Genet. 22 (1930): 299-334.
- Murashige, T., Skoog, F.: A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant 15 (1962): 473-497.
- Nesi, N., Debeaujon, I., Jond, C., Pelletier, G., Caboche, M., Lepiniec, L.: The *TT8* gene encodes a basic helix-loop-helix domain protein required for expression of *DFR* and *BAN* genes in *Arabidopsis* siliques. Plant Cell 12 (2000): 1863-1878.
- Paro, R.: Mechanisms of heritable gene repression during development of *Drosophila*. Curr. Opin. Cell. Biol. 5 (1993): 999-1005.
- Pidoux, A.L., Richardson, W., Allshire, R.C.: Sim4: a novel fission yeast kinetochore protein required for centromeric silencing and chromosome segregation. J. Cell Biol. 161 (2003): 295-307.
- Ramsahoye, B.H., Biniszkiewicz, D., Lyco, F., Clark, V., Bird, A.P., Jaenisch, R.: Non-CpG methylation is prevalent in embryonic stem cells and may be mediated by DNA methyltransferase 3a. Proc. Nat. Acad. Sci. USA 97 (2000): 5237-5242.
- Rea, S., Eisenhaber, F., O'Carroll, D., Strahl, B.D., Sun, Z.W., Schmid, M., Opravil, S., Mechteder, K., Ponting, C.P., Allis, C.D., Jenuwein, T.: Regulation of chromatin structure by site-specific histone H3 methyltransferases. Nature 406 (2000): 593-599.
- Reuter, G., Spierer, P.: Position-effect variegation and chromatin proteins. BioEssays 14 (1992): 605-612.

- Richards, E.J., Elgin, S.C.: Epigenetic codes for heterochromatin formation and silencing: rounding up the usual suspects. *Cell* 108 (2002): 489-500.
- Riechmann, J.L., Heard, J., Martin, G., Reuber, L., Jiang, C., Keddie, J., Adam, L., Pineda, O., Ratcliffe, O.J., Samaha, R.R., Creelman, R., Pilgrim, M., Broun, P., Zhang, J.Z., Ghandehari, D., Sherman, B.K., Yu, G.: *Arabidopsis* transcription factors: genome-wide comparative analysis among eukaryotes. *Science* 290 (2000): 2105-2110.
- Ronemus, M.J., Galbiati, M., Ticknor, C., Chen, J., Dellaporta, S.L.: Demethylation-induced developmental pleiotropy in *Arabidopsis*. *Science* 273 (1996): 654-657.
- Rushton, P.J., Macdonald, H., Huttly, A.K., Lazarus, C.M., Hooley, R.: Members of a new family of DNA-binding proteins bind to a conserved cis-element in the promoters of *alpha-Amy2* genes. *Plant Mol. Biol.* 29 (1995): 691-702.
- Rushton, P.J., Somssich, I.E.: Transcriptional control of plant genes responsive to pathogens. *Curr. Opin. Plant Biol.* 1 (1998): 311-315.
- Rushton, P.J., Torres, J.T., Parniske, M., Wernert, P., Hahlbrock, K., Somssich, I.E.: Interaction of elicitor-induced DNA-binding proteins with elicitor response elements in the promoters of parsley PR1 genes. *EMBO J.* 15 (1996): 5690-5700.
- SanMiguel, P., Tikhonov, A., Jin, Y.K., Motchoulskaia, N., Zakharov, D., Melake-Berhan, A., Springer, P.S., Edwards, K.J., Lee, M., Avramova, Z., Bennetzen, J.L.: Nested retrotransposons in the intergenic regions of the maize genome. *Science* 274 (1996): 765-768.
- Santi, D.V., Garrett, C.E., Barr, P.J.: On the mechanism of inhibition of DNA-cytosine methyl transferases by cytosine analogs. *Cell* 2 (1983): 9-10.
- Schmidt, R., Willmitzer, L.: High efficiency *Agrobacterium tumefaciens*-mediated transformation of *Arabidopsis thaliana* leaf and cotyledon explants. *Plant Cell Rep.* 7 (1988): 583-586.
- Schotta, G., Ebert, A., Krauss, V., Fischer, A., Hoffmann, J., Rea, S., Jenuwein, T., Dorn, R., Reuter, G.: Central role of *Drosophila* SU(VAR)3-9 in histone H3-K9 methylation and heterochromatic gene silencing. *EMBO J.* 21 (2002): 1121-1131.
- Schuber, D.: Transgen-Silencing in *Arabidopsis thaliana* und *Nicotiana tabacum*: Ursachen und Mechanismen. Dissertation (2002). Universität zu Köln.
- Schultz, J.: Variegation in *Drosophila* and the inert chromosome regions. *Proc. Natl. Acad. Sci. USA* 22 (1936): 27-33.

- Selker, E.U., Fritz, D.Y., Singer, M.J.: Dense nonsymmetrical DNA methylation resulting from repeat-induced point mutation in *Neurospora*. *Science* 262 (1993): 1724-1728.
- Sijen, T., Fleenor, J., Simmer, F., Thijssen, K.L., Parrish, S., Timmons, L., Plasterk, R.H., Fire, A.: On the role of RNA amplification in dsRNA-triggered gene silencing. *Cell* 107 (2001): 465-76.
- Springer, N.M., Napoli, C.A., Selinger, D.A., Pandey, R., Cone, K.C., Chandler, V.L., Kaeppeler, H.F., Kaeppeler, S.M.: Comparative analysis of SET domain proteins in Maize and *Arabidopsis* reveals multiple duplications preceding the divergence of monocots and dicots. *Plant Physiol.* 132 (2003): 907-925.
- Spofford, J.B.: Position-effect variegation in *Drosophila*. *Genetics and Biology of Drosophila*, Academic Press, London (1976): 955-1019.
- Steimer, A., Amedeo, P., Afsar, K., Fransz, P., Scheid, O.M., Paszkowski, J.: Endogenous targets of transcriptional gene silencing in *Arabidopsis*. *Plant Cell* 12 (2000): 1165-1178.
- Stam, M., Mol, J.N.M., Kooter, J.M.: The silence of genes in transgenic plants. *Ann. Bot.* 79 (1997): 3-12.
- Takeda, S., Tadele, Z., Hofmann, I., Scheel, D., Angelis, K.J., Shibahara, K., Kaya, H., Araki, T., Aline V. Probst, A.V., Mittelsten Scheid, O., Paszkowski, J.: BRU1, a novel nuclear factor essential for genetic and epigenetic inheritance and meristem function in *Arabidopsis*. *Genes Dev.* 18 (2004): 782-793.
- Tartof, K.D.: Position effect variegation in yeast. *Bioessays* 16 (1994): 713-714.
- Tikhonov, A.P., SanMiguel, P.J., Nakajima, Y., Gorenstein, N.M., Bennetzen, J.L., Avramova, Z.: Colinearity and its exceptions in orthologous adh regions of maize and sorghum. *Proc. Natl. Acad. Sci. USA* 96 (1999): 7409-7414.
- Töpfer, R., Matzeit, V., Gronenborn, B., Schell, J., Steinbiss, H.H.: A set of plant expression vectors for transcriptional and translational fusions. *Nucleic Acids Res.* 15 (1987): 5890.
- Topping, J.F., Wie, W., Lindsey, K.: Functional tagging of regulatory elements in the plant genome. *Development* 112 (1991): 1009-1019.
- Tsay, Y.-F., Frank, M.J., Page, T., Dean, C., and Crawford, N.M.: Identification of a mobile endogenous transposon in *Arabidopsis thaliana*. *Science* 260 (1993): 342-344.
- Tschiersch, B., Hofmann, A., Krauss, V., Dorn, R., Korge, G., Reuter, G.: The protein encoded by the *Drosophila* position-effect variegation suppressor gene *Su(var)3-9*

- combines domains of antagonistic regulators of homeotic gene complexes. EMBO J. 13 (1994): 3822-3831.
- Turner, B.M., Birley, A.J., Lavender, J.: Histone H4 isoforms acetylated at specific lysine residues define individual chromosomes and chromatin domains in *Drosophila* polytene nuclei. Cell 69 (1992): 375-384.
- Vaucheret, H. and Fagard, M.: Transcriptional gene silencing in plants: targets, inducers and regulators. Trends Genet. 17 (2001): 29-35.
- Voinnet, O., Baulcombe, D.C.: Systemic signalling in gene silencing. Nature 389 (1997): 553.
- Vongs, A., Kakutani, T., Martienssen, R.A., Richards, E.J.: *Arabidopsis thaliana* DNA methylation mutants. Science 260 (1993): 1926-1928.
- Wang, Z., Yang, P., Fan, B. and Chen, Z. An oligo selection procedure for identification of sequence-specific DNA-binding activities associated with the plant defence response. Plant J. 16 (1998): 515-522.
- Winston, F., Carlson, M.: Yeast SNF/SWI transcriptional activators and the SPT/SIN chromatin connection. Trends Genet. 8 (1992): 387-391.
- Woodcock, D.M., Crowther, P.J., Doherty, J., Jefferson, S., DeCruz, E., Noyer-Weidner, M., Smith, S.S., Michael, M.Z., Graham, M.W.: Quantitative evaluation of *Escherichia coli* host strains for tolerance to cytosine methylation in plasmid and phage recombinants. Nucleic Acids Res. 17 (1989): 3469-3478.
- Wustmann, G., Szidonya, J., Taubert, H., Reuter, G.: The genetics of position-effect variegation modifying loci in *Drosophila melanogaster*. Mol. Gen. Genet. 217 (1989): 520-527.
- Xiang, C., Han, P., Lutzinger, I., WANG, K., Oliver, D.J.: A mini binary vector series for plant transformation. Plant Mol. Biol. 40 (1999): 711-717.
- Ye, F., Signer E.R.: RIGS (repeat-induced gene silencing) in *Arabidopsis* is transcriptional and alters chromatin configuration. Proc. Nat. Acad. Sci. USA 93 (1996): 10881-10886.
- Yoshida, M., Kijima, M., Akita, M., Beppu, T.: Potent and specific inhibition of mammalian histone deacetylase both in vivo and in vitro by trichostatin A. J. Biol. Chem. 265 (1990) 17174-17179.
- Zilberman, D., Cao, X., Jacobson, S.E.: ARGONAUTE4 control of locus-specific siRNA accumulation and DNA and histon methylation. Science 299 (2003): 716-719.