

## 7 Literaturverzeichnis

**Abergel C**, Abousalham A, Chenivresse S, Riviere M, Moustacas-Gardies A-M, Verger R (2001) Crystallization and preliminary crystallographic study of a recombinant phospholipase D from cowpea (*Vigna unguiculata* L. Walp). *Acta Cryst.* D57, 320-322

**Abousalham A**, Riviere M, Teissere M, Verger R (1993) Improved purification and biochemical characterization of phospholipase D from cabbage. *Biochim. Biophys. Acta* 1158, 1-7

**Abousalham A**, Teissere M, Gardies AM, Verger R, Noat G (1995) Phospholipase D from soybean (*Glycine max.* L.) suspension-cultured cells: Purification, structural and enzymatic properties. *Plant Cell Physiol.* 36, 989-996

**Achterberg V**, Fricke H, Gercken G (1986) Conversion of radiolabelled ethanolamine plasmalogen into the dimethylethanolamine and choline analogue via transphosphatidylolation by phospholipase D from cabbage. *Chem. Phys. Lipids* 41, 349-353

**Allgyer TT**, Wells MA (1979) Phospholipase D from savoy cabbage: Purification and preliminary kinetic characterization. *Biochemistry* 18, 5348-5353

**Almquist KC**, Paliyath G (2000) Cloning and sequencing of a full-length cDNA coding for phospholipase D alpha (Accession Number 201661) from *Lycopersicon esculentum* Mill. *Plant Physiol.* 122, 292

**Aurich I**, Dürschmidt P, Schierhorn A, Ulbrich-Hofmann R (2002) Production of octadecylphospho-L-serine by phospholipase D. *Biotechnol. Letters* 24, 585-590

**Bendtsen JD**, Nielsen H, von Heijne G, Brunak S (2004) Improved prediction of signal peptides – SignalP 3.0. *J. Mol. Biol.* 340, 783-795

**Bezakova L**, Oblozinsky M, Proksova A, Weissova K, Psenak M (2000) Phospholipase D activity of poppy seedlings, *Papaver somniferum* L. *Chem. Phys. Lipids* 107, 22

**Blum H**, Beier H, Gross J (1987) Improved silver staining of plant proteins, RNA and DNA in polyacrylamid gels. *Electrophoresis* 8, 93-99

**Brachwitz H**, Oelke M, Bergmann J, Langen P (1997) Alkylphospho-L-serine analogs: Synthesis of cytostatically active alkylphosphono derivatives. *Bioorg. Med. Chem. Lett.* 7, 1739-1742

**Bradford MM** (1976) A rapid and a sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72, 248-254

**Brauer D**, Nungesser E, Maxwell RJ, Schubert C, Tu SI (1990) Evidence for and subcellular localization of a Ca-stimulated phospholipase D from maize roots. *Plant Physiol.* 92, 672-678

**Brinkmann U**, Mattes RE, Buckel P (1989) High-level expression of recombinant genes in *Escherichia coli* is dependent on the availability of the dnaY gene product. *Gene* 85, 109-114

**Brown HA**, Gutowski S, Moomaw CR, Slaughter C, Sternweis PC (1993) ADP-ribosylation factor, a small GTP-dependent regulatory protein, stimulates phospholipase D activity. *Cell* 75, 1137-1144

**Bruzik K**, Tsai MD (1982) Phospholipids chiral at phosphorus. 1. Stereochemistry of transphosphatidylolation catalyzed by phospholipase D. *J. Am. Chem. Soc.* 104, 863-865

**Bruzik K**, Tsai MD (1984) Phospholipids chiral at phosphorus. Synthesis of chiral phosphatidylcholine and stereochemistry of phospholipase D. *Biochemistry* 23, 1656-1661

**Cha YY**, Lee KW, Kim JC, Han TJ, Lee WS, Cho SH (1997) Nucleotide sequence of a cDNA encoding phospholipase D (accession no.U96438) from *Pimpinella brachycarpa*. *Plant Physiol.* 114, 1135

- Chain P**, Lamerdin J, Larimer F, Regala W, Land M, Hauser L, Hooper A, Klotz M, Norton J, Sayavedra-Soto L, Arciero D, Hommes N, Whittaker M, Arp D (2003) Complete genome sequence of the ammonia-oxidizing bacterium and obligate chemolithoautotroph *Nitrosomonas europaea*. *J. Bacteriol.* 185, 2759-2773
- Colley WC**, Sung TC, Roll R, Jenco J, Hammond SM, Altshuller Y, Sagi, DB, Morris AJ, Frohman MA (1997) Phospholipase D2, a distinct phospholipase D isoform with novel regulatory properties that provokes cytoskeletal reorganization. *Curr. Biology* 7, 191-201
- Colley WC**, Altschuller YM, Sue-Ling CK, Copeland NG, Gilbert DJ, Jenkins NA, Branch KD, Tsirka SE, Bollag RJ, Bollag WB, Frohman MA (1997) Cloning and expression analysis of murine phospholipase D1. *Biochem. J.* 326, 745-753
- Contardi A**, Ercoli A (1932) Über die enzymatische Spaltung der Lecithine und Lysocithine. *Biochem. Z.* 261, 275
- Coussens I**, Parker PJ, Rhee L, Yang-Feng TL, Chen E, Waterfield MD, Francke U, Ullrich A (1986) Multiple, distinct forms of bovine and human protein kinase C suggest diversity in cellular signaling pathways. *Science* 233, 859-866
- Crosby JA**, Redina O, Frohman M (2001) *Drosophila melanogaster* homolog of phospholipase D (PLD) gene. Direct submission *NCBI GenBank*, accession number AAK00727
- Cullis PR**, Hope MJ, Tilcock CPS (1986) Lipid polymorphism and the roles of lipids in membranes. *Chem. Phys. Lipids* 40, 127-144
- D'Arrigo P**, de Ferra L, Piergianni V, Ricci A, Scarcelli D, Servi S (1994) Phospholipase D from *Streptomyces* catalyzes the transfer of secondary alcohols. *J. Chem. Soc. Chem. Commun.* 14, 1709-1710
- D'Arrigo P**, Piergianni V, Scarcelli D, Servi S (1995) A spectrophotometric assay for phospholipase D. *Anal. Chim. Acta* 304, 249-254
- Davidson FM**, Long C (1958) The structure of the naturally occurring phosphoglycerides. *Biochem. J.* 69, 458-466
- Dawson RMC**, Hemington N (1967) Some properties of purified phospholipase D and especially the effect of amphipathic substances. *Biochem. J.* 102, 76-86
- Dawson RMC** (1967) The formation of phosphatidylglycerol and other phospholipids by the transferase activity of phospholipase D. *Biochem J.* 102, 205-210
- Dyer JH**, Zheng L, Wang X (1995) Cloning and nucleotide sequence of a cDNA (Accession No. U36381) encoding phospholipase D from *Arabidopsis*. *Plant Physiol.* 109, 1497
- El Maarouf H**, Zuily-Fodil Y, Gareil M, d'Arcy-Lameta A, Pham-Thi AT (1999) Enzymatic activity and gene expression under water stress of phospholipase D in two cultivars of *Vigna unguiculata* L. Walp. differing in drought tolerance. *Plant Mol. Biol.* 39, 1257-1265
- El Maarouf H**, Carriere F, Riviere M, Abousalham A (2000) Functional expression in insect cells, one-step purification and characterization of a recombinant phospholipase D from cowpea (*Vigna unguiculata* L. Walp). *Protein Eng.* 13, 811-817
- Essen LO**, Perisic O, Cheung R, Katan M, Williams RL (1996) Crystal structure of a mammalian phosphoinositide-specific phospholipase C delta. *Nature* 380, 595-602
- Exton JH** (1997) Phospholipase D: enzymology, mechanisms of regulation, and function. *Physiol. Reviews* 77, 303-320
- Exton JH** (1999) Regulation of Phospholipase D. *Biochim. Biophys. Acta* 1439, 121-133
- Exton JH** (2002) Phospholipase D – Structure, Regulation and Function. *Rev. Physiol. Biochem. Pharmacol.* 144, 1-94

- Exton JH** (2004) Lipases and phospholipases in drug development. Ed. G. Müller und S. Petry, *Wiley-VCH Verlag*, 55-78
- Fahey RC**, Hunt JS, Windham GC (1977) On the cysteine and cystine content of proteins. Differences between intracellular and extracellular proteins. *J. Mol. Evol.* 10, 155-160
- Fan L**, Zheng S, Wang X (1997) Antisense suppression of phospholipase D $\alpha$  retards abscisic acid- and ethylene-promoted senescence of postharvest arabidopsis leaves. *Plant Cell* 9, 2183-2196
- Fan L**, Zheng S, Cui D, Wang X (1999) Subcellular distribution and tissue expression of phospholipase D $\alpha$ , D $\beta$ , and D $\gamma$  in *Arabidopsis*. *Plant Physiol.* 119, 1371-1378
- Fitch WM**, Margoliash E (1987) Construction of phylogenetic trees. *Science* 11, 279-284
- Frank W**, Munnik T, Kerkmann K, Salamini F, Bartels D (2000) Water deficit triggers phospholipase D activity in the resurrection plant *Craterostigma plantagineum*. *Plant Cell* 12, 111-124
- Frohman MA**, Morris AJ (1999) Phospholipase D structure and regulation. *Chem. Phys. of Lipids* 98, 127-140
- Frohman MA**, Sung TC, Morris (1999) Mammalian phospholipase D structure and regulation. *Biochim. Biophys. Acta* 1439, 175-186
- Gardiner JC**, Harper JDI, Weerakoon ND, Collings DA, Ritchie S, Gilroy S, Cyr RJ, Marc J (2001) A 90-kD phospholipase D from tobacco binds to microtubules and the plasma membrane. *Plant Cell* 13, 2143-2158
- Gilson MK**, Straatsma TP, McCammon JA, Ripoll DR, Faerman CH, Axelsen PH, Silman I, Sussman JL (1994) Open "back door" in a molecular dynamics simulation of acetylcholinesterase. *Science* 263, 1276-1278
- Gookin TE**, Hunter DA, Reid MS (2003) No significant change in phospholipase D expression during opening and senescence of *Mirabilis jalapa* calyces. Direct submission *NCBI GenBank*, accession number AAP03643
- Gottlin EB**, Rudolph AE, Zhao Y, Matthews HR, Dixon JE (1998) Catalytic mechanism of the phospholipase D superfamily proceeds via a covalent phosphohistidine intermediate. *Proc. Natl. Acad. Sci. USA* 95, 9202-9207
- Gunstone FD** (1996) Fatty acid and lipid chemistry. *Chapman & Hall*
- Guzman LM**, Belin D, Carson MJ, Beckwith J (1995) Tight regulation, modulation, and high-level expression by vectors containing the arabinose P<sub>BAD</sub> promoter. *J. Bacteriol.* 177, 4121-4130
- Hammond SM**, Altshuller YM, Sung TC, Rudge SA, Rose K, Engebrecht J, Morris AJ, Frohman MA (1995) Human ADP-ribosylation factor-activated phosphatidylcholine-specific phospholipase D defines a new and highly conserved gene family. *J. Biol. Chem.* 270, 29640-29643
- Hammond SM**, Jenco JM, Cadwallader K, Cook S, Frohman MA, Morris AJ (1997) Characterization of phospholipase D1. Activation on the purified enzyme by phosphatidylinositol 4,5-bisphosphate, ARF and Rho family G-proteins and protein kinase C- $\alpha$ . *J. Biol. Chem.* 272, 3860-3868
- Hanahan DJ**, Chaikoff IL (1947) A new phospholipide-splitting enzyme specific for the ester linkage between the nitrogenous base and the phosphoric acid grouping. *J. Biol. Chem.* 169, 699-705
- Hanke W**, Hanke R (1997) Methoden der Membranphysiologie. *Spektrum Akademischer Verlag*, 16
- Harel M**, Schalk I, Ehret-Sabatier L, Bouet F, Goeldner M, Hirth C, Axelsen PH, Silman I, Sussman JL (1993) Quaternary ligand binding to aromatic residues in the active-site gorge of acetylcholinesterase. *Proc. Natl. Acad. Sci. USA* 90, 9031-9035
- Hatanaka T**, Negishi T, Kubota-Akizawa M, Hagishita T (2002) Study on thermostability of phospholipase D from *Streptomyces sp.* *Biochim. Biophys. Acta* 1598, 156-164
- Hatanaka T**, Negishi T, Kubota-Akizawa M, Hagishita T (2002) Purification, characterization and sequencing of phospholipase D from *Streptomyces septatus* TH-2. *Enz. Microb. Technol.* 31, 233-241

- Heldt** HW (1999) Pflanzenbiochemie. *Spektrum Akademischer Verlag* 2.Auflage, 365-367
- Heller** M, Arad R (1970) Properties of the phospholipase D from peanut seeds. *Biochim. Biophys. Acta* 210, 276-286
- Heller** M, Mozes N, Peri (Abramovitz) I, Maes E (1974) Phospholipase D from peanut seeds IV. Final purification and some properties of the enzyme. *Biochim. Biophys. Acta* 369, 397-410
- Heller** M (1978) Phospholipase D. *Adv. Lipid Res.* 16, 267-326
- Hirche** F, Koch MHJ, König S, Wadewitz T, Ulbrich-Hofmann R (1997) The influence of organic solvents on phospholipid transformations by phospholipase D in emulsion systems. *Enz. Microb. Technol.* 20, 453-461
- Hirche** F (1997) Phospholipase D-katalysierte Phospholipidtransformationen- Studien zum Einfluß von Reaktionsmedium, Substratpolymorphismus und Enzymquelle. Dissertation, Martin-Luther-Universität Halle-Wittenberg, Halle (Saale)
- Hirche** F, Ulbrich-Hofmann R (1999) The interfacial pressure is an important parameter for the rate of phospholipase D catalyzed reactions in emulsion systems. *Biochim. Biophys. Acta* 1436, 383-389
- Hirche** F, Ulbrich-Hofmann R (2000) The interdependence of solvent, acceptor alcohol and enzyme source in transphosphatidylolation by phospholipase D. *Biocatal. Biotransf.* 18, 343-353
- Hodgkin** MN, Masson MR, Powner D, Saqib KM, Ponting CP, Wakelam MJO (2000) Phospholipase D regulation and localization is dependent upon a phosphatidylinositol 4,5-bisphosphate specific PH domain. *Curr. Biol.* 10, 43-46
- Holbrook** PG, Pannell LK, Daly JW (1991) Phospholipase D-catalyzed hydrolysis of phosphatidylcholine occurs with P-O bond cleavage. *Biochim. Biophys. Acta* 1084, 155-158
- Hofmann** K, Bucher P, Falquet L, Bairoch A (1999) The PROSITE database, its status in 1999. *Nucleic Acids Res.* 27, 215-219
- Hong** S, Horiuchi H, Ohta A (2003) Molecular cloning of a phospholipase D gene from *Aspergillus nidulans* and characterization of its deletion mutants. *FEMS Microbiol. Letters* 224, 231-237
- Honigberg** SM, Conicella C, Esposito RE (1992) Commitment to meiosis in *Saccharomyces cerevisiae*: Involvement of the SPO14 gene. *Genetics* 130, 703-716
- Hwang** I-S, Park S-J, Roh T-Y, Choi M-U, Kim H-J (2001) Investigation of sulfhydryl groups in cabbage phospholipase D by combination of derivatization methods and matrix-assisted laser desorption/ionisation time-of-flight mass spectrometry. *Rapid Comm. Mass Spectro.* 15, 110-115
- Iwasaki** Y, Nakano H, Yamane T (1994) Phospholipase D from *Streptomyces antibioticus*: cloning, sequencing, expression, and relationship to other phospholipases. *Appl. Microbiol. Biotechnol.* 42, 290-299
- Iwasaki** Y, Horiike S, Matsushima K, Yamane T (1999) Location of the catalytic nucleophile of phospholipase D of *Streptomyces antibioticus* in the C-terminal half domain. *Eur. J. Biochem.* 264, 577-581
- Jäger** EJ, Neumann S, Ohmann E (2003) Botanik. *Spektrum Akademischer Verlag* 5.Auflage, 165-332
- Janney** PA, Lamb J, Allen PG, Matsudaira PT (1992) Phosphoinositide-binding peptides derived from the sequences of gelsolin and villin. *J. Biol. Chem.* 267, 11818-11823
- Jiang** RT, Shyy YJ, Tsai MD (1984) Phospholipids chiral at phosphorus. Absolute configuration of chiral thiophospholipids and stereospecificity of phospholipase D. *Biochemistry* 23, 1661-1667
- Juneja** LR, Hibi N, Inagaki N, Yamane T, Shimizu S (1987) Comparative study on conversion of phosphatidylcholine to phosphatidylglycerol by cabbage phospholipase D in micelle and emulsion systems. *Enz. Microb. Technol.* 9, 350-354

- Kane** JF (1995) Effects of rare codon clusters on high level expression of heterologous proteins in *Escherichia coli*. *Curr. Opin. Biotechnol.* 6, 494-500
- Kanoh** H, Nakashima S, Zhao Y, Sugiyama Y, Kitajima Y, Nozawa Y (1998) Molecular cloning of a gene encoding phospholipase D from the pathogenic and dimorphic fungus, *Candida albicans*. *Biochim. Biophys. Acta* 1398, 359-364
- Katagiri** T, Takahashi S, Shinozaki K (2001) Involvement of a novel *Arabidopsis* phospholipase D, AtPLD $\delta$ , in dehydration-inducible accumulation of phosphatidic acid in stress signalling. *Plant J.* 26, 595-605
- Katinka** MD, Duprat S, Cornillot E, Metenier G, Thomarat F, Prensier G, Barbe V, Peyretailade E, Brottier P, Wincker P, Delbac F, El Alaoui H, Peyret P, Saurin W, Gouy M, Weissenbach J, Vivares CP (2001) Genome sequence and gene compaction of the eukaryote parasite *Encephalitozoon cuniculi*. *Nature* 414, 450-453
- Kent** C (1995) Eukaryotic phospholipid biosynthesis. *Annu. Rev. Biochem.* 64, 315-343
- Kim** DU, Roh TY, Lee J, Noh JY, Jang YJ, Hoe KL, Yoo HS, Choi MU (1999) Molecular cloning and functional expression of a phospholipase D from cabbage (*Brassica oleracea* var. *capitata*). *Biochim. Biophys. Acta* 1437, 409-414
- Klaus** JR, Baldassare JJ, Raben DM (2000) *Cricetulus griseus* (Chinese hamster) phospholipase D (PLD) gene. Direct submission *NCBI GenBank*, accession number T18530
- Knopf** JL, Lee MH, Sultzmam LA, Kriz RW, Loomis CR, Hewick RM, Bell RM (1986) Cloning and expression of multiple protein kinase C cDNAs. *Cell* 46, 491-502
- Koonin** EV (1996) A duplicated catalytic motif in a new superfamily of phosphohydrolases and phospholipid synthases that includes poxvirus envelope proteins. *TIBS* 21, 242-243
- Kovatchev** S, Eibl H (1978) The preparation of phospholipids by phospholipase D. *Adv. Exp. Med. Biol.* 101, 5221-5226
- Krauss** G (1997) Biochemie der Regulation und Signaltransduktion. *Wiley-VCH Verlag*, 315
- Kufner** G, Schlegel H (1979) Die Michaelis-Menten-Gleichung als Eichfunktion bei der Remissionsmessung nach Dünnschichtchromatographie. *J. Chromatogr.* 169, 141-152
- Kurland** C, Gallant J (1996) Errors of heterologous protein expression. *Curr. Opin. Biotechnol.* 7, 489-493
- Laemmli** UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680-685
- Lambrecht** R, Ulbrich-Hofmann R (1992) A facile purification procedure of phospholipase D from cabbage and its characterization. *Biol. Chem. Hoppe-Seyler* 373, 81-88
- Laxalt** AM, Riet B, Verdonk JC, Parigi L, Tameling WIL, Vossen J, Haring M, Musgrave A, Munnik T (2001) Characterization of five tomato phospholipase D cDNAs: rapid and specific expression of LePLD $\beta$ 1 on elicitation with xylanase. *Plant J.* 26, 237-247
- Lee** MH (1989) Phospholipase D of rice brain. I. Purification and characterization. *Plant Sci.* 59, 25-33
- Lee** MH (1989) Phospholipase D of rice brain. II. The effects of the enzyme inhibitors and activators on the germination and growth of root and seedling of rice. *Plant Sci.* 59, 35-43
- Lein** W, Saalbach G (1997) Characterization of tobacco phospholipase D. Direct submission *NCBI GenBank*, accession number CAB06620
- Lein** W, Saalbach G (2001) Cloning and direct G-protein regulation of phospholipase D from tobacco. *Biochim. Biophys. Acta* 1530, 172-183
- Leiros** I, Secundo F, Zambonelli C, Servi S, Hough E (2000) The first crystal structure of a phospholipase D. *Structure* 8, 655-667

**Leiros I**, McSweeney S, Hough E (2004) The reaction mechanism of phospholipase D from *Streptomyces sp.* strain PMF. Snapshots along the reaction pathway reveal a pentacoordinate reaction intermediate and an unexpected final product. *J. Mol. Biol.* 339, 805-820

**Lerchner A** (2001) Identifizierung zweier Isoenzyme der Phospholipase D aus Schlafmohn (*Papaver somniferum* L.). Diplomarbeit, Martin-Luther-Universität Halle-Wittenberg, Halle (Saale)

**Lerchner A**, Schäffner I, Weissova K, Ulbrich-Hofmann R (2001, aktualisiert 2004) Identification of two isoenzymes of phospholipase D from opium poppy. Direct submission *NCBI GenBank*, accession number AF 451979, AF 451980, AF 451981, AF 451982

**Lin X**, Kaul S, Rounsley SD, Shea TP, Benito MI, Town CD, Fujii CY, Mason TM, Bowman CL, Barnstead ME, Feldblyum TV, Buell CR, Ketchum KA, Lee JJ, Ronning CM, Koo HL, Moffat KS, Cronin LA, Shen M, Pai G, Van Aken S, Umayam L, Tallon LJ, Gill JE, Adams MD, Carrera AJ, Creasy TH, Goodman HM, Somerville CR, Copenhaver GP, Preuss D, Nierman WC, White O, Eisen JA, Salzberg SL, Fraser CM, Venter JC (1999) Sequence and analysis of chromosome 2 of the plant *Arabidopsis thaliana*. *Nature* 402, 761-768

**Liu MY**, Gutowski S, Sternweis PC (2001) The C terminus of mammalian phospholipase D is required for catalytic activity. *J. Biol. Chem.* 276, 5556-5562

**Liscovitch M**, Czarny M, Fiucci G, Tang X (2000) Phospholipase D: Molecular and cell biology of a novel gene family. *Biochem. Soc.* 345, 401-415

**Lopez I**, Arnold RS, Lambeth JD (1998) Cloning and initial characterization of a human phospholipase D2 (hPLD2). *J. Biol. Chem.* 273, 12846-12852

**Mayer KFX**, Schueller C, Wambutt R, Murphy G, Volckaert G, Pohl T, Duesterhoeft A, Stiekema W, Entian KD, Terryn N, Harris B, Ansoerge W, Brandt P, Grivell LA, Rieger M, Weichselgartner M, de Simone V, Obermaier B, Mache R, Mueller M, Kreis M, Delseny M, Puigdomenech P, Watson M, Schmidtheini T, Reichert B, Portetelle D, Perez-Alonso M, Boutry M, Bancroft I, Vos P, Hoheisel J, Zimmermann W, Wedler H, Ridley P, Langham SA, McCullagh B, Bilham L, Robben J, Van der Schueren J, Grymonprez B, Chuang YJ, Vandenbussche F, Braeken M, Weltjens I, Voet M, Bastiaens I, Aert R, Defoor E, Weitzenegger T, Bothe G, Ramsperger U, Hilbert H, Braun M, Holzer E, Brandt A, Peters S, van Staveren M, Dirkse W, Mooijman P, Klein Lankhorst R, Rose M, Hauf J, Koetter P, Berneiser S, Hempel S, Feldpausch M, Lamberth S, Van den Daele H, De Keyser A, Buysschaert C, Gielen J, Villarreal R, De Clercq R, Van Montagu M, Rogers J, Cronin A, Quail MA, Bray-Allen S, Clark L, Doggett J, Hall S, Kay M, Lennard N, McLay K, Mayes R, Pettett A, Rajandream MA, Lyne M, Benes V, Rechmann S, Borkova D, Bloecker H, Scharfe M, Grimm M, Loehnert TH, Dose S, de Haan M, Maarse AC, Schaefer M, Mueller-Auer S, Gabel C, Fuchs M, Fartmann B, Grandrath K, Dauner D, Herzl A, Neumann S, Argiriou A, Vitale D, Liguori R, Piravandi E, Massenet O, Quigley F, Clabaud G, Muendlein A, Felber R, Schnabl S, Hiller R, Schmidt W, Lecharny A, Aubourg S, Chefedor F, Cooke R, Berger C, Monfort A, Casacuberta E, Gibbons T, Weber N, Vandenbol M, BARGUES M, Terol J, Torres A, Perez-Perez A, Purnelle B, Bent E, Johnson S, Tacon D, Jesse T, Heijnen L, Schwarz S, Scholler P, Heber S, Francs P, Bielke C, Frishman D, Haase D, Lemcke K, Mewes HW, Stocker S, Zaccaria P, Bevan M, Wilson RK, de la Bastide M, Habermann K, Parnell L, Dedhia N, Gnoj L, Schutz K, Huang E, Spiegel L, Sekhon M, Murray J, Sheet P, Cordes M, Abu-Threideh J, Stoneking T, Kalicki J, Graves T, Harmon G, Edwards J, Latreille P, Courtney L, Cloud J, Abbott A, Scott K, Johnson D, Minx P, Bentley D, Fulton B, Miller N, Greco T, Kemp K, Kramer J, Fulton L, Mardis E, Dante M, Pepin K, Hillier LW, Nelson J, Spieth J, Ryan E, Andrews S, Geisel C, Layman D, Du H, Ali J, Berghoff A, Jones K, Drone K, Cotton M, Joshu C, Antonoiu B, Zidanic M, Strong C, Sun H, Lamar B, Yordan C, Ma P, Zhong J, Preston R, Vil D, Shekher M, Matero A, Shah R, Swaby IK, O'Shaughnessy A, Rodriguez M, Hoffman J, Till S, Granat S, Shohdy N, Hasegawa A, Hameed A, Lodhi M, Johnson A, Chen E, Marra MA, Martienssen R, McCombie WR (1999) Sequence and analysis of chromosome 4 of the plant *Arabidopsis thaliana*. *Nature* 402, 769-777

**McGee JD**, Roe JL, Sweat TA, Wang X, Guikema JA, Leach JE (2003) Rice phospholipase d isoforms show differential cellular location and gene induction. *Plant Cell Physiol.* 44, 1013-1026

**McHugh JL**, Wessler HG, Benjamin RC, Chapman KD (2002) Molecular identification of a cotton phospholipase D beta isoform 1b. Direct submission *NCBI GenBank*, accession number AAN05431

**McHugh JL**, Wessler HG, Benjamin RC, Chapman KD (2002) Molecular identification of a cotton phospholipase D delta isoform 1b. Direct submission *NCBI GenBank*, accession number AAN05432

- McHugh** JL, Wessler HG, Benjamin RC, Chapman KD (2002) Molecular identification of a cotton phospholipase D delta isoform 1a. Direct submission *NCBI GenBank*, accession number AAN05433
- Moffatt** BA, Studier FW (1987) T7 lysozyme inhibits transcription by T7 RNA polymerase. *Cell* 49, 221-227
- Moon** MW, Kim HK, Lee JK, Oh TK (2003) Purification, characterization, and cloning phospholipase D from *Streptomyces* sp. P821. Direct submission *NCBI GenBank*, accession number AAN41662
- Mori** K, Hagishita T, Iwabuchi M, Hatanaka T (2002) Purification, characterization, cloning and sequencing of Phospholipase D from *Streptomyces halstedii* subsp. *Scabies* K6. Direct submission *NCBI GenBank*, accession number BAB92022
- Morioka** S, Ueki J, Komari T (1997) Characterization of two distinctive genomic clones (Accession Nos. AB001919 and AB001920) for phospholipase D from rice (PGR97-076). *Plant Physiol.* 114, 396
- Morris** AJ, Engebrecht J, Frohman MA (1996) Structure and regulation of phospholipase D. *TIPS* 17, 182-185
- Mount** DW (2001) Bioinformatics: Sequence and genome analysis. *Cold Spring Harbor Laboratory Press*, 386-387
- Munnik** T, Irvine RF, Musgrave A (1998) Phospholipid signalling in plants. *Biochim. Biophys. Acta* 1389, 222-272
- Nakajima** J, Nakashima T, Shima Y, Fukuda H, Yamane T (1994) A facile transphosphatidylation reaction using a culture supernatant of actinomycetes directly as a phospholipase D catalyst with a chelating agent. *Biotechnol. Bioeng.* 44, 1193-1198
- Nakashima** S, Matsuda Y, Akao Y, Yoshimura S, Sakai H, Hayakawa K, Andoh M, Nozawa Y (1997) Molecular cloning and chromosome mapping of rat phospholipase D genes, pld1a, pld1b and pld2. *Cytogenet. Cell Genet.* 79, 109-113
- Nakashima** S, Hisamoto N, Banno Y, Matsumoto K, Nozawa Y (2000) Molecular cloning of phospholipase D from *C. elegans*. Direct submission *NCBI GenBank*, accession number BAA97571
- Nalefski** EA, Falke JJ (1996) The C2 domain calcium-binding motif: Structural and functional diversity. *Protein Sci.* 5, 2375-2390
- Novotna** Z, Kas J, Daussant J, Sajdok J, Valentova O (1999) Purification and characterization of rape seed phospholipase D. *Plant Physiol. Biochem.* 37, 531-537
- Novotna** Z, Valentova O, Martinec J, Feltl T, Nokhrina (2000) Study of phospholipases D and C in maturing and germinating seeds of *Brassica napus*. *Biochem. Soc. Trans.* 28, 817-818
- Oblozinsky** M, Schoeps R, Ulbrich-Hofmann R, Bezakova L (2003) Two uncommon phospholipase D isoenzymes from poppy seedlings (*Papaver somniferum* L.). *Biochim. Biophys. Acta* 1631, 153-159
- Ogino** C, Negi Y, Matsumiya T, Nakaoka K, Kondo A, Kuroda S, Tokuyama S, Kikkawa U, Yamane T, Fukuda H (1999) Purification, characterization, and sequence determination of phospholipase D secreted by *Streptovercillium cinnamoneum*. *J. Biochem.* 125, 263-269
- Ogino** C, Izumi M, Shimizu N (2003) Investigation of catalytic function of phospholipase D enzyme by site directed mutagenesis. *11<sup>th</sup> European congress on biotechnology in Basel*, P329
- Ono** Y, Kurokawa T, Fujii T, Kawahara K, Igarashi K, Kikkawa U, Ogita K, Nishizuka Y (1986a) Two types of complementary DNAs of rat brain protein kinase C. *FEBS Lett.* 206, 347-352
- Ono** Y, Kurokawa T, Kawahara K, Nishimura O, Marumoto R, Igarashi K, Sugino Y, Kikkawa U, Ogita K, Nishizuka Y (1986b) Cloning of rat brain protein kinase C complementary DNA. *FEBS Lett.* 203, 111-115
- Pannenberg** I, Mansfeld J, Ulbrich-Hofmann (1998) Identification of two isoenzymes (accession nos. AF090444 and AF090445) of phospholipase D from cabbage (*Brassica oleracea* var. *capitata*). *Plant Physiol.* 118, 1102

- Pappan K**, Qin W, Dyer JH, Zheng L, Wang X (1997 a) Molecular cloning and functional analysis of polyphosphoinositide-dependent phospholipase D, PLD  $\beta$ , from *Arabidopsis*. *J. Biol. Chem.* 272, 7055-7061
- Pappan K**, Wang X (1999) Plant phospholipase D $\alpha$  is an acidic phospholipase active at near-physiological Ca<sup>2+</sup> concentrations. *Arch. Biochem. Biophys.* 368, 347-353
- Parker PJ**, Coussens L, Totty N, Rhee L, Young S, Chen E, Stabel S, Waterfield MD, Ullrich A (1986) The complete primary structure of protein kinase C – the major phorbol ester receptor. *Science* 233, 853-859
- Parkhill J**, Wren BW, Thomson NR, Titball RW, Holden MTG, Prentice MB, Sebahia M, James KD, Churcher C, Mungall KL, Baker S, Basham D, Bentley SD, Brooks K, Cerdeno-Tarraga AM, Chillingworth T, Cronin A, Davies RM, Davis P, Dougan G, Feltwell T, Hamlin N, Holroyd S, Jagels K, Leather S, Karlyshev AV, Moule S, Oyston PCF, Quail M, Rutherford K, Simmonds M, Skelton J, Stevens K, Whitehead S, Barrell BG (2001) Genome sequence of *Yersinia pestis*, the causative agent of plague. *Nature* 413, 523-527
- Ponting CP**, Kerr ID (1996) A novel family of phospholipase D homologues that includes phospholipid synthases and putative endonucleases: Identification of duplicated repeats and potential active site residues. *Protein Sci.* 5, 914-922
- Prentice MB**, James KD, Parkhill J, Baker SG, Stevens K, Simmonds MN, Mungall KL, Churcher C, Oyston PC, Titball RW, Wren BW, Wain J, Pickard D, Hien TT, Farrar JJ, Dougan G (2001) *Yersinia pestis* pFra shows biovar-specific differences and recent common ancestry with a *Salmonella enterica* serovar Typhi plasmid. *J. Bacteriol.* 183, 2586-2594
- Qin C**, Wang X (2002) The *Arabidopsis* phospholipase D family. Characterization of a Calcium-independent and phosphatidylcholine-selective PLD $\zeta$ 1 with distinct regulatory domains. *Plant Physiol.* 128, 1057-1068
- Qin W**, Pappan K, Wang X (1997) Molecular heterogeneity of phospholipase D (PLD): cloning of PLD-gamma and regulation of plant PLD-gamma, -beta, and -alpha by polyphosphoinositides and calcium. *J. Biol. Chem.* 272, 28267-28273
- Qin W**, Dyer JH, Zheng L, Wang X (1999) Isolation and nucleotide sequence of the fourth phospholipase D (accession no. AF138281), PLD-gamma 2, from *Arabidopsis thaliana*. *Plant Physiol.* 120, 635
- Raetz CRH** (1987) Phospholipids chiral at phosphorus. Steric course of the reactions catalyzed by phosphatidylserine synthase from *Escherichia coli* and yeast. *Biochem. J.* 26, 4022-4027
- Read TD**, Salzberg SL, Pop M, Shumway M, Umayam L, Jiang L, Holtzapple E, Busch JD, Smith KL, Schupp JM, Solomon D, Keim P, Fraser CM (2002) Comparative genome sequencing for discovery of novel polymorphisms in *Bacillus anthracis*. *Science* 296, 2028-2033
- Redina OE**, Frohman MA (1998) Organization and alternative splicing of the murine phospholipase D2 gene. *Biochem. J.* 331, 845-851
- Ritchie S**, Gilroy S (1998) Abscisic acid signal transduction in the barley aleurone is mediated by phospholipase D activity. *Proc. Natl. Acad. Sci. USA* 95, 2697-2702
- Rose K**, Rudge SA, Frohman MA, Morris AJ, Engebrecht J (1995) Phospholipase D signaling is essential for meiosis. *Proc. Natl. Acad. Sci. U.S.A.* 92, 12151-12155
- Rosenberg AH**, Lade BN, Chui DS, Lin SW, Dunn JJ, Studier FW (1987) Vectors for selective expression of cloned DNAs by T7 RNA Polymerase. *Gene* 56, 125-135
- Rost B** (1996) PHD: predicting one-dimensional protein structure by profile based neural networks. *Methods in Enzymology* 266, 525-539
- Ryu SB**, Wang X (1995) Expression of phospholipase D during castor bean leaf senescence. *Plant Physiol.* 108, 713-719
- Salanoubat M**, Lemcke K, Rieger M, Ansoerge W, Unseld M, Fartmann B, Valle G, Bloecker H, Perez-Alonso M, Obermaier B, Delseny M, Boutry M, Grivell LA, Mache R, Puigdomenech P, De Simone V, Choisine N, Artiguenave F, Robert C, Brottier P, Wincker P, Cattolico L, Weissenbach J, Saurin W, Quetier F, Schaefer M,



- Mueller-Auer S, Gabel C, Fuchs M, Benes V, Wurmbach E, Drzonek H, Erfle H, Jordan N, Bangert S, Wiedelmann R, Kranz H, Voss H, Holland R, Brandt P, Vezzi A, D'Angelo M, Pallavicini A, Toppo S, Simionati B, Conrad A, Hornischer K, Kauer G, Loehnert TH, Nordsiek G, Reichelt J, Scharfe M, Schoen O, Bargues M, Terol J, Climent J, Navarro P, Collado C, Perez A, Ottenwaelder B, Duchemin D, Cooke R, Laudie M, Berger-Llauro C, Purnelle B, Masuy D, de Haan M, Maarse AC, Alcaraz JP, Cottet A, Casacuberta E, Monfort A, Argiriou A, Flores M, Liguori R, Vitale D, Mannhaupt G, Haase D, Schoof H, Rudd S, Zaccaria P, Mewes HW, Mayer KFX, Kaul S, Town CD, Koo HL, Tallon LJ, Jenkins J, Rooney T, Rizzo M, Walts A, Utterback T, Fujii CY, Shea TP, Creasy TH, Haas B, Maiti R, Wu D, Peterson J, Van Aken S, Pai G, Militscher J, Sellers P, Gill JE, Feldblyum TV, Preuss D, Lin X, Nierman WC, Salzberg SL, White O, Venter JC, Fraser CM, Kaneko T, Nakamura Y, Sato S, Kato T, Asamizu E, Sasamoto S, Kimura T, Idesawa K, Kawashima K, Kishida Y, Kiyokawa C, Kohara M, Matsumoto M, Matsuno A, Nakayama S, Nakazaki N, Shinpo S, Takeuchi C, Wada T, Watanabe A, Yamada M, Yasuda M, Tabata S (2000) Sequence and analysis of chromosome 3 of the plant *Arabidopsis*. *Nature* 408, 820-822
- Samama** AM, Pearce RS (1993) Aging of cucumber and onion seeds: Phospholipase D, lipoxygenase activity and changes in phospholipids content. *J. Exp. Bot.* 44, 1253-1265
- Sambrook** J, Russell DW (2001) Molecular cloning: a laboratory manual. *Cold Spring Harbor Laboratory Press*
- Sanger** F, Nicklen S, Coulson AR (1977) DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* 74, 5463-5467
- Schäffner** I (2001) Identifizierung und rekombinante Herstellung von Phospholipase D Isoenzymen aus Weißkohl (*Brassica oleracea* var. capitata). Dissertation, Martin-Luther-Universität Halle-Wittenberg, Halle(Saale)
- Schäffner** I, Rücknagel K-P, Mansfeld J, Ulbrich-Hofmann R (2002) Genomic structure, cloning and expression of two phospholipase D isoenzymes from white cabbage. *Eur. J. Lipid Sci. Technol.* 104, 79-87
- Schein** CH, Noteborn MHM (1988) Formation of soluble recombinant proteins in *Escherichia coli* is favored by lower growth temperature. *Bio/Technology* 3, 151-154
- Schöps** R, Schierhorn A, Schäffner I, Mansfeld J, Ulbrich-Hofmann R (2002) Identification of phospholipase D from cabbage as N-terminally acetylated PLD2. *J. Protein Chem.* 21, 407-411
- Sciorra** VA, Rudge SA, Prestwich GD, Frohman MA, Engebrecht J, Morris AJ (1999) Identification of a phosphoinositide binding motif that mediates activation of mammalian and yeast phospholipase D isoenzymes. *Embo J.* 20, 5911-5921
- Scott** DL, White SP, Otwinowski Z, Yuan W, Gelb MH, Sigler PB (1990) Interfacial catalysis: The mechanism of phospholipase A<sub>2</sub>. *Science* 250, 1541-1546
- Seidel** HM, Pompliano DL, Knowles JR (1992) Phosphonate biosynthesis: molecular cloning of the gene for phosphoenolpyruvate mutase from *Tetrahymena pyriformis* and overexpression of the gene product in *Escherichia coli*. *Biochemistry* 31, 2598-2608
- Servi** S (1999) Phospholipases as synthetic catalysts. *Topics Curr. Chem.* 200, 127-158
- Shao** X, Davletov BA, Sutton RB, Südhof TC, Rizo J (1996) Bipartite Ca<sup>2+</sup>-binding motif in C2 domains of synaptotagmin and protein kinase C. *Science* 273, 248-251
- Simoes** I, Mueller E, Otto A, Bur D, Faro C, Pires E (2003) Plant aspartic proteinase cardosin A interacts with phospholipase D alpha via an exposed KGE sequence. Direct submission *NCBI GenBank*, accession number CAE47482
- Singer** SJ, Nicolson GL (1972) The fluid mosaic model of the structure of cell membranes. *Science* 175, 720-731
- Smith** PK, Krohn RI, Hermanson GT, Mallia AK, Gartner FH, Provenzano MD, Fujimoto EK, Goeke NM, Olson BJ, Klenk DC (1985) Measurement of protein using bicinchoninic acid. *Anal. Biochem.* 79, 76-85

- Stanacev** NZ, Stuhne-Sekalec L (1970) On the mechanism of enzymatic phosphatidylation. Biosynthesis of cardiolipin catalyzed by phospholipase D. *Biochim. Biophys. Acta* 210, 350-352
- Steed** PM, Clark KL, Boyar WC, Lasala DJ (1998) Characterization of human PLD2 and the analysis of PLD isoform splice variants. *FASEB Journal* 12, 1309-1317
- Stover** CK, Pham XQT, Erwin AL, Mizoguchi SD, Warren P, Hickey MJ, Brinkman FSL, Hufnagle WO, Kowalik DJ, Lagrou M, Garber RL, Goltry L, Tolentino E, Westbrook-Wadman S, Yuan Y, Brody LL, Coulter SN, Folger KR, Kas A, Larbig K, Lim RM, Smith KA, Spencer DH, Wong GKS, Wu Z, Paulsen IT (2000) Complete genome sequence of *Pseudomonas aeruginosa* PA01, an opportunistic pathogen. *Nature* 406, 959-964
- Strausberg** RL, Feingold EA, Grouse LH, Derge JG, Klausner RD, Collins FS, Wagner L, Shenmen CM, Schuler GD, Altschul SF, Zeeberg B, Buetow KH, Schaefer CF, Bhat NK, Hopkins RF, Jordan H, Moore T, Max SI, Wang J, Hsieh F, Diatchenko L, Marusina K, Farmer AA, Rubin GM, Hong L, Stapleton M, Soares MB, Bonaldo MF, Casavant TL, Scheetz TE, Brownstein MJ, Usdin TB, Toshiyuki S, Carninci P, Prange C, Raha SS, Loquellano NA, Peters GJ, Abramson RD, Mullahy SJ, Bosak SA, McEwan PJ, McKernan KJ, Malek JA, Gunaratne PH, Richards S, Worley KC, Hale S, Garcia AM, Gay LJ, Hulyk SW, Villalon DK, Muzny DM, Sodergren EJ, Lu X, Gibbs RA, Fahey J, Helton E, Ketteman M, Madan A, Rodrigues S, Sanchez A, Whiting M, Madan A, Young AC, Shevchenko Y, Bouffard GG, Blakesley RW, Touchman JW, Green ED, Dickson MC, Rodriguez AC, Grimwood J, Schmutz J, Myers RM, Butterfield YSN, Krzywinski MI, Skalska U, Smailus DE, Schnerch A, Schein JE, Jones SJM, Marra MA (2002) Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences. *Proc. Natl. Acad. Sci. U.S.A.* 99, 16899-16903
- Streit** WR, Schmitz RA, Perret X, Staehelin C, Deakin WJ, Raasch C, Liesegang H, Broughton WJ (2004) An evolutionary hot spot: the pNGR234b replicon of *Rhizobium* sp. strain NGR234. *J. Bacteriol.* 186, 535-542
- Stuckey** JA, Dixon JA (1999) Crystal structure of a phospholipase D family member. *Nature* 398, 278-284
- Studier** FW, Mofatt BA (1986) Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *J. Mol. Biol.* 189, 113-130
- Studier** FW, Rosenberg AH, Dunn JJ, Dubendorff JW (1990) Use of T7 RNA polymerase to direct expression of cloned genes. *Meth. Enzymol.* 185, 60-89
- Studier** FW (1991) Use of bacteriophage T7 lysozyme to improve an inducible T7 expression system. *J. Mol. Biol.* 219, 37-44
- Sung** TC, Roper RL, Zhang Y, Rudge SA, Temel R, Hammond SM, Morris AJ, Moss B, Engebrecht J, Frohman MA (1997) Mutagenesis of phospholipase D defines a superfamily including a trans-Golgi viral protein required for poxvirus pathogenicity. *EMBO J.* 16, 4519-4530
- Sung** TC, Zhang Y, Morris AJ, Frohman MA (1999) Structural analysis of human phospholipase D1. *J. Biol. Chem.* 274, 3659-3666
- Sutton** RB, Davletov BA, Berghuis AM, Südhof TC, Sprang SR (1995) Structure of the first C2 domain of synaptotagmin I. A novel Ca<sup>2+</sup>/phospholipid-binding fold. *Cell* 80, 929-938
- Takami** M, Hidaka N, Suzuki Y (1994) Phospholipase D-catalyzed synthesis of phosphatidyl aromatic compounds. *Biosci. Biotech. Biochem.* 58, 2140-2144
- Testet-Lamant** V, Archaimbault B, Durand J, Rigaud M (1992) Enzymatic synthesis of structural analogs of PAF-acether by phospholipase D-catalyzed transphosphatidylation. *Biochim. Biophys. Acta* 1123, 347-350
- Theologis** A, Ecker JR, Palm CJ, Federspiel NA, Kaul S, White O, Alonso J, Altafi H, Araujo R, Bowman CL, Brooks SY, Buehler E, Chan A, Chao Q, Chen H, Cheuk RF, Chin CW, Chung MK, Conn L, Conway AB, Conway AR, Creasy TH, Dewar K, Dunn P, Etgu P, Feldblyum TV, Feng JD, Fong B, Fujii CY, Gill JE, Goldsmith AD, Haas B, Hansen NF, Hughes B, Huizar L, Hunter JL, Jenkins J, Johnson-Hopson C, Khan S, Khaykin E, Kim CJ, Koo HL, Kremenetskaia I, Kurtz DB, Kwan A, Lam B, Langin-Hooper S, Lee A, Lee JM, Lenz CA, Li JH, Li YP, Lin X, Liu SX, Liu ZA, Luros JS, Maiti R, Marziali A, Militscher J, Miranda M, Nguyen M, Nierman WC, Osborne BI, Pai G, Peterson J, Pham PK, Rizzo M, Rooney T, Rowley D, Sakano H, Salzberg SL, Schwartz JR, Shinn P, Southwick AM, Sun H, Tallon LJ, Tambunga G, Toriumi MJ, Town CD,

Utterback T, Van Aken S, Vaysberg M, Vysotskaia VS, Walker M, Wu D, Yu G, Fraser CM, Venter JC, Davis RW (2000) Sequence and analysis of chromosome 1 of the plant *Arabidopsis thaliana*. *Nature* 408, 816-820

**Thompson JE** (1988) Senescence and aging in plants. Ed. L.D. Nooden und A.C. Leopold, *Academic Press*, 52-84

**Thompson JD**, Higgins DG, Gibson TJ (1994) Clustal W: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acid Res.* 22, 4673-4680

**Touchstone JC**, Levin SS, Dobbins MF, Beers PC (1983) Analysis of saturated and unsaturated phospholipids in biological fluids. *J. Liquid Chromatogr.* 6, 179-192

**Ueki J**, Morioka S, Komari T, Kumashiro T (1995) Purification and characterization of phospholipase D from rice (*Oryza sativa* L.) and cloning of cDNA for PLD from rice and maize (*Zea mays* L.). *Plant Cell Physiol.* 36, 903-914

**Ulbrich-Hofmann R** (2000) Enzymes in Lipid Modification. Ed. U. Bornscheuer, *Wiley-VCH Verlag*, 219-262

**Ulbrich-Hofmann R** (2003) Enzyme-catalyzed transphosphatidylation. *Eur. J. Lipid Sci. Technol.* 105, 305-307

**Virto C**, Svensson I, Adlercreutz P (2000) Hydrolytic and transphosphatidylation activities of phospholipase D from savoy cabbage towards lysophosphatidylcholine. *Chem. Phys. Lipids* 106, 41-51

**Voisine R**, Vezina LP, Willemot C (1993) Modification of phospholipids catabolism in microsomal membranes of gamma-irradiated cauliflower (*Brassica oleracea* L.). *Plant Physiol.* 102, 213-218

**Waksman M**, Eli Y, Liscovitch M, Gerst JE (1996) Identification and characterization of a gene encoding phospholipase D activity in yeast. *J. Biol. Chem.* 271, 2361-2364

**Wang C**, Wang X (2001) A novel phospholipase D of *Arabidopsis* that is activated by oleic acid and associated with the plasma membrane. *Plant Physiol.* 127, 1102-1112

**Wang W**, Malcolm BA (1999) Two-stage PCR protocol allowing introduction of multiple mutations, deletions and insertions using QuikChange Site-Directed Mutagenesis. *BioTechniques* 26, 680-682

**Wang X**, Dyer JH, Zheng L (1993) Purification and immunological analysis of phospholipase D from castor bean endosperm. *Arch. Biochem. Biophys.* 306, 486-494

**Wang X**, Xu L, Zheng L (1994) Cloning and expression of phosphatidylcholine-hydrolyzing phospholipase D from *Ricinus communis* L. *J. Biol. Chem.* 269, 20312-20317

**Wang X** (2000) Multiple forms of phospholipase D in plants: the gene family, catalytic and regulatory properties, and the cellular functions. *Prog. Lipid Res.* 39, 109-149

**Wang X** (2001) Plant phospholipases. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 52, 211-231

**Whitaker BD**, Smith DL, Green KC (2001) Cloning, characterization and functional expression of a phospholipase D<sub>a</sub> cDNA from tomato fruit. *Physiol. Plantarum* 112, 87-94

**Willemot C** (1983) Rapid degradation of polar lipids in frost damaged winter wheat crown and root tissue. *Phytochem.* 22, 861-863

**Witt W**, Yelenosky G, Mayer RT (1987) Purification of phospholipase D from citrus callus tissue. *Arch. Biochem. Biophys.* 259, 164-170

**Xie Z**, Ho WT, Exton JH (2000) Conserved amino acids at the C-terminus of rat phospholipase D1 are essential for enzymatic activity. *Eur. J. Biochem.* 267, 7138-7146

**Xu G**, Guo BZ, Holbrook CC, Lynch RE (2001) Identification and partial sequence of a PLD-like gene encoding for phospholipase D in peanut. *Hua Sheng Xue Bao* 30, 1-10

- Xu** GY, McDonagh T, Yu HA, Nalefski EA, Clark JD, Cumming DA (1998) Solution structure and membrane interactions of the C2 domain of cytosolic phospholipase A2. *J. Mol. Biol.* 280, 485-500
- Xu** L, Zheng S, Zheng L, Wang X (1997) Promotor analysis and expression of a phospholipase D gene from castor bean. *Plant Physiol.* 115, 387-395
- Yamada** K, Lim J, Dale JM, Chen H, Shinn P, Palm CJ, Southwick AM, Wu HC, Kim CJ, Nguyen M, Pham PK, Cheuk RF, Karlin-Newmann G, Liu SX, Lam B, Sakano H, Wu T, Yu G, Miranda M, Quach HL, Tripp M, Chang CH, Lee JM, Toriumi MJ, Chan MM, Tang CC, Onodera CS, Deng JM, Akiyama K, Ansari Y, Arakawa T, Banh J, Banno F, Bowser L, Brooks SY, Carninci P, Chao Q, Choy N, Enju A, Goldsmith AD, Gurjal M, Hansen NF, Hayashizaki Y, Johnson-Hopson C, Hsuan VW, Iida K, Karnes M, Khan S, Koesema E, Ishida J, Jiang PX, Jones T, Kawai J, Kamiya A, Meyers C, Nakajima M, Narusaka M, Seki M, Sakurai T, Satou M, Tamse R, Vaysberg M, Wallender EK, Wong C, Yamamura Y, Yuan S, Shinozaki K, Davis RW, Theologis A, Ecker JR (2003) Empirical analysis of transcriptional activity in the *Arabidopsis* genome. *Science* 302, 842-846
- Yang** SF, Freer S, Benson AA (1967) Transphosphatidylation by phospholipase D. *J. Biol. Chem.* 242, 477-484
- Yoshimura** S, Nakashima S, Ohguchi K, Sakai H, Shinoda J, Sakai N, Nozawa Y (1996) Differential mRNA expression of phospholipase D (PLD) isozymes during cAMP-induced differentiation in C6 glioma cells. *Biochem. Biophys. Res. Commun.* 225, 494-499
- Young** SA, Wang X, Leach JE (1996) Changes in the plasma membrane distribution of rice phospholipase D during resistant interactions with *Xanthomonas oryzae* pv. *oryzae*. *Plant Cell* 8, 1079-1090
- Yu** FX, Sun HQ, Janmey PA, Yin HL (1992) Identification of a polyphosphoinositide-binding sequence in an actin monomer-binding domain of gelsolin. *J. Biol. Chem.* 267, 14616-14621
- Zheng** L, Krishnamoorthi R, Zolkiewski M, Wang X (2000) Distinct Ca<sup>2+</sup> binding properties of novel C2 domains of plant phospholipase D  $\alpha$  and  $\beta$ . *J. Biol. Chem.* 275, 19700-19706
- Zheng** L, Shan J, Krishnamoorthi R, Wang X (2002) Activation of plant phospholipase D $\beta$  by phosphatidylinositol 4,5-bisphosphate: characterization of binding site and mode of action. *Biochemistry* 41, 4546-4553