

**Literaturverzeichnis**

- Allikmets R, Gerrard B, Hutchinson A, Dean M (1996).** Characterization of the human ABC superfamily: isolation and mapping of 21 new genes using the expressed sequence tags database. *Hum Mol Genet.* 5(10):1649-55.
- Almquist KC, Loe DW, Hipfner DR, Mackie JE, Cole SP, Deeley RG (1995).** Characterization of the M(r) 190,000 multidrug resistance protein (MRP) in drug-selected and transfected human tumor cell. *Cancer Res.* 55(1):102-10
- Ambudkar, S.V., Dey, S., Hrycyna, C.A., Ramachandra, M., Pastan, I., Gottesman, M.M. (1999).** Biochemical, cellular, and pharmacological aspects of the multidrug transporter. *Ann. Rev. Pharmacol. Toxicol.* 39:361-398.
- Bai J, Lai L, Yeo HC, Goh BC, Tan TM (2004).** Multidrug resistance protein 4 (MRP4/ABCC4) mediates efflux of bimanone-glutathione. *The International Journal of Biochemistry & Cell Biology.* Volume 36, Issue 2 , 247-257
- Bakos E, Hegedus T, Hollo Z, Welker E, Tusnady GE, Zaman GJ, Flens MJ, Varadi A, Sarkadi B (1996).** Membrane topology and glycosylation of the human multidrug resistance-associated protein. *J Biol Chem.* 271(21):12322-12326.
- Bakos E, Evers R, Szakacs G, Tusnady GE, Welker E, Szabo K, de Haas M, van Deemter L, Borst P, Varadi A, Sarkadi B (1998).** Functional multidrug resistance protein (MRP1) lacking the N-terminal transmembrane domain. *J Biol Chem.* 273(48):32167-75
- Bakos E, Evers R, Calenda G, Tusnady GE, Szakacs G, Varadi A, Sarkadi B (2000).** Characterization of the amino-terminal regions in the human multidrug resistance protein (MRP1). *J Cell Sci.* 113 Pt 24:4451-4461.
- Ballatori, N, Rebbeor, JF (1998).** Roles of MRP2 and oatp1 in hepatocellular export of reduced glutathione. *Semin. Liver Dis.* 18, 377-387, Review
- Belinsky MG, Bain LJ, Balsara BB, Testa JR , Kruh GD (1998).** Characterization of MOAT-C and MOAT-D, new members of the MRP/cMOAT subfamily of transporter proteins. *J. Natl. Cancer Inst.* 90, 1735-1741.
- Belinsky MG, Chen ZS, Shchavaleva I, Zeng H, Kruh GD (2002).** Characterization of the drug resistance and transport properties of multidrug resistance protein 6 (MRP6, ABCC6). *Cancer Res.* 62(21):6172-7.

- Bera TK, Iavarone C, Kumar V, Lee S, Lee B, Pastan I (2002).** MRP9, an unusual truncated member of the ABC transporter superfamily, is highly expressed in breast cancer. *Proc Natl Acad Sci U S A.* 99(10):6997-7002.
- Borst P, Evers R, Kool M, Wijnholds J (1999).** The multidrug resistance protein family. *Biochim. Biophys. Acta.* 1461:347-357.
- Borst P, Evers R, Kool M, Wijnholds J (2000).** A family of drug transporters: the multidrug resistance-associated proteins. *J. Natl. Cancer Inst.* 92, 1295-1302, Review.
- Brechot JM, Hurbain I, Fajac A, Daty N, Bernaudin JF (1998).** Different pattern of MRP localization in ciliated and basal cells from human bronchial epithelium. *J Histochem Cytochem.* 46(4):513-517.
- Büchler M, König J, Brom M, Kartenbeck J, Spring H, Horie T, Keppler D (1996).** cDNA cloning of the hepatocyte canalicular isoform of the multidrug resistance protein, cMrp, reveals a novel conjugate export pump deficient in hyperbilirubinemic mutant rats. *J Biol Chem* 271: 15091-15098.
- Carmichael J, DeGraff WG, Gazdar AF, Minna JD, Mitchell JB (1987).** Evaluation of a tetrazolium-based semiautomated colorimetric assay: assessment of chemosensitivity testing. *Cancer Res.* 47(4):936-42.
- Childs S and Ling V (1994).** The MDR superfamily of genes and its biological implications. *Important Adv Oncol.* 21-36.
- Clark JM(1988).** Pulmonary limits of oxygen tolerance in man. *Exp Lung Res.*;14 Suppl:897-910.
- Cole SP, Bhardwaj G, Gerlach JH, Mackie JE, Grant CE, Almquist KC, Stewart AJ, Kurz EU, Duncan AM, Deeley RG. (1992).** Overexpression of a transporter gene in a multidrug-resistant human lung cancer cell line. *Science.* 258, 1650–1654.
- Cole SP, Deeley RG(1998).** Multidrug resistance mediated by the ATP-binding cassette transporter protein MRP. *Bioessays.* 20(11):931-40
- Cornwell MM, Pastan I, Gottesman MM (1987).** Certain calcium channel blockers bind specifically to multidrug-resistant human KB carcinoma membrane vesicles and inhibit drug binding to P-glycoprotein. *J Biol Chem.* 262(5):2166-70.

- Courtois A, Payen L, Lagadic D, Guillouzo A, Fardel O (1999).** Evidence for a multidrug resistance-associated protein 1 (MRP1)-related transport system in cultured rat liver biliary epithelial cells. *Life Sci.* 64(9):763-74.
- Crapo JD, Barry BE, Gehr P, Bachofen M, Weibel ER (1982).** Cell number and cell characteristics of the normal human lung. *Am Rev Respir Dis.* 126(2):332-7.
- Cui Y, Konig J, Buchholz JK, Spring H, Leier I, Keppler D (1999).** Drug resistance and ATP-dependent conjugate transport mediated by the apical multidrug resistance protein, MRP2, permanently expressed in human and canine cells. *Mol Pharmacol.* 55(5):929-37.
- Dahl AR, Bond JA, Petridou-Fischer J, Sabourin PJ, Whaley SJ (1988).** Effects of the respiratory tract on inhaled materials. *Toxicol Appl Pharmacol.* 93(3):484-92.
- Dano K (1973).** Active outward transport of daunomycin in resistant Ehrlich ascites tumor cells. *Biochim Biophys Acta.* 25;323(3):466-83
- Dean M and Allikmets R (1995).** Evolution of ATP-binding cassette transporter genes. *Curr Opin Genet Dev.* 5:779-785.
- Dean M, Hamon Y, and Chimini G (2001).** The human ATP-binding cassette (ABC) transporter superfamily. *J Lipid Res.* 42:1007-1017 Review.
- Dobbs LG, Pian MS, Maglio M, Dumars S, Allen L (1997).** Maintenance of the differentiated type II cell phenotype by culture with an apical air surface. *Am J Physiol.* 273:L347-354.
- Efferth, T. (2001).** The human ATP-binding cassette transporter genes: from the bench to the bedside. *Curr. Mol. Med.* 1, 45-65.
- Ehrmann M, Ehrle R, Hofmann E, Boos W, Schlosser A (1998).** The ABC maltose transporter. *Mol Microbiol.* 29(3):685-94
- Evers R, Zaman GJ, van Deemter L, Jansen H, Calafat J, Oomen LC, Oude Elferink RP, Borst P, Schinkel AH (1996).** Basolateral localization and export activity of the human multidrug resistance-associated protein in polarized pig kidney cells. *J Clin Invest.* 97(5):1211-1218.
- Fath MJ, Kolter R (1993).** ABC transporters: bacterial exporters. *Microbiol Rev.* 57(4):995-1017. Review.

- Fernandes DJ, Danks MK, Beck WT. (1990).** Decreased nuclear matrix DNA topoisomerase II in human leukemia cells resistant to VM-26 and m-AMSA. *Biochemistry.* 29, 4235-4416.
- Flens MJ, Zaman GJ, van der Valk P, Izquierdo MA, Schroeijers AB, Scheffer GL, van der Groep P, de Haas M, Meijer CJ, Scheper RJ. (1996).** Tissue distribution of the multidrug resistance protein. *Am J Pathol.* 148, 1237–1247.
- Gekeler V, Ise W, Sanders KH, Ulrich WR, Beck J (1995).** The leukotriene LTD4 receptor antagonist MK571 specifically modulates MRP associated multidrug resistance. *Biochem Biophys Res Commun.* 208(1):345-52.
- George JAS, Harkema JR, Hyde DM, Plopper CG (1993).** Cell populations and structure/function relationship of cells in the airway. In: Gardner DE, Crapo JD, McClellan RO (Eds): *Toxicology of the lung.* Raven Press, New York, S. 81-110.
- Gerlier D, Thomasset N (1986).** Use of MTT colorimetric assay to measure cell activation. *J Immunol Methods.* 94(1-2):57-63.
- Gottesman M M and Pastan I (1993).** Biochemistry of multidrug resistance mediated by the multidrug transporter. *Annu Rev Biochem.* 62:385-427. Review.
- Gottesman MM (2002).** Mechanisms of cancer drug resistance. *Annu. Rev. Med.* 53:615-627.
- Haimeur A, Conseil G, Deeley RG, Cole SPC (2004).** The MRP-Related and BCRP/ABCG2 multidrug resistance proteins: biology, substrate specificity and regulation. *Current Drug Metabolism.* 5:21-53 Review.
- Higgins CF (1992).** ABC transporters: from microorganisms to man. *Annu Rev Cell Biol.* 8:67-113.
- Hipfner DR, Almquist KC, Leslie EM, Gerlach JH, Grant CE, Deeley RG, Cole SP (1997).** Membrane topology of the multidrug resistance protein (MRP). A study of glycosylation-site mutants reveals an extracytosolic NH<sub>2</sub> terminus. *J Biol Chem.* 272(38):23623-23630.
- Hipfner DR, Deeley RG, Cole SPC (1999).** Structural, mechanistic a clinical aspects of MRP1. *Biochim Biophys Acta.* 1461:276-359.

- Hirohashi T, Suzuki H, Sugiyama Y (1999).** Characterization of the transport properties of cloned rat multidrug resistance-associated protein 3 (MRP3). *J Biol Chem.* 274:15181-15185.
- Hirrlinger J, König J, Dringen R (2002).** Expression of mRNAs of multidrug resistance proteins (Mrps) in cultured rat astrocytes, oligodendrocytes, microglial cells and neurones. *Neurochem.* 82:716-719.
- Hopper E, Belinsky MG, Zeng H, Tosolini A, Testa J R , Kruh G D (2001).** Analysis of the structure and expression pattern of MRP7 (ABCC10), a new member of the MRP subfamily. *Cancer Lett.* 162:181-191.
- Ishikawa T (1992).** The ATP-dependent glutathione S-conjugate export pump. *Trends Biochem Sci.* 17:463–8.
- Jain L, Chen XJ, Ramosevac S, Brown LA, Eaton DC (2001).** Expression of highly selective sodium channels in alveolar type II cells is determined by culture conditions. *Am J Physiol Lung Cell Mol Physiol.* 280(4):L646-658.
- Jedlitschky G, Burchell B, Keppler D (2000).** The multidrug resistance protein 5 functions as an ATP-dependent export pump for cyclic nucleotides. *J Biol Chem.* 275(39):30069-74.
- Jenner P and Marsden CD (1986).** The actions of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in animals as a model of Parkinson's disease. *J Neural Transm. Suppl,* 20, 11-39.
- Jiang X, Ingbar DH, O'Grady SM (2001).** Adrenergic regulation of ion transport across adult alveolar epithelial cells: effects on Cl<sup>-</sup> channel activation and transport function in cultures with an apical air interface. *J Membr Biol.* 181(3):195-204.
- Johnson LG, Dickman KG, Moore KL, Mandel LJ, Boucher RC (1993).** Enhanced Na<sup>+</sup> transport in an air-liquid interface culture system. *Am J Physiol.* 264:L560-565.
- Kanai Y, Endou H (2003).** Functional properties of multispecific amino acid transporters and their implications to transporter-mediated toxicity. *J Toxicol Sci.* 28(1):1-17. Review.
- Kartenbeck J, Leuschner U, Mayer R and Keppler D (1996).** Absence of the canalicular isoform of the MRP gene-encoded conjugate export pump from the hepatocytes in Dubin-Johnson syndrome. *Hepatology,* 23, 1061-1066.

- Keppler D, König J (1997).** Hepatic canalicular membrane 5: Expression and localization of the conjugate export pump encoded by the MRP2 ( cMRP / cMOAT ) gene in liver *FASEB J.* 11, 509-516.
- Keppler D, König J (2000).** Hepatic secretion of conjugated drugs and endogenous substances. *Semin. Liver Dis.* 20, 265-272.
- Kiuchi Y, Suzuki H, Hirohashi T, Tyson CA and Sugiyama Y (1998).** cDNA cloning and inducible expression of human multidrug resistance associated protein 3 (MRP3). *FEBS Lett.*, 433, 149-152.
- Klein I, Sarkadi B, Varadi A (1999).** An inventory of the human ABC proteins. *Biochem. Biophys. Acta.* 1461:237-262.
- Knox P, Uphill PF, Fry JR, Benford J, Balls M (1986).** The FRAME multicentre project on in vitro cytotoxicology. *Food Chem Toxicol.* 24(6-7):457-63.
- Kohsa K, Yamada H, Sugihara H (1996).** Influence of air exposure treatment on alveolar type II epithelial cells cultured on extracellular matrix. *ell Struct Funct.* 21(1):81-89.
- Konno T, Ebihara T, Hisaeda K, Uchiumi T, Nakamura T, Shirakusa T, Kuwano M, Wada M (2003).** Identification of domains participating in the substrate specificity and subcellular localization of the multidrug resistance proteins MRP1 and MRP2. *J Biol Chem*, 278, 22908-22917.
- Kool M, de Haas M, Scheffer G L, Scheper R J, van Eijk M J T, Juijn J A, Baas F, Borst P (1997).** Analysis of expression of cMOAT (MRP2), MRP3, MRP4 and MRP5, homologues of the multidrug resistance-associated protein gene (MRP1), in human cancer cell lines. *Cancer Res.* 57:3537-3547.
- Kool M, van der Linden M, de Haas M, Baas F and Borst P (1999a).** Expression of human MRP6, a homologue of the multidrug resistance protein gene MRP1, in tissues and cancer cells. *Cancer Res.* 59:175-182.
- Kool M, van der Linden M, de Haas M, Scheffer GL, de Vree JM, Smith AJ, Jansen G, Peters GJ, Ponne N, Scheper RJ, Elferink RP, Baas F and Borst P (1999b).** MRP3, an organic anion transporter able to transport anti-cancer drugs. *Proc. Natl. Acad. Sci. USA*, 96, 6914-6919.
- Krishnamachary N, Center MS (1993).** The MRP gene associated with a non-P-glycoprotein multidrug resistance encodes a 190-kDa membrane bound glycoprotein. *Cancer Res.* 15;53(16):3658-61

- Kruh GD and Belinsky MG (2003).** The MRP family of drug efflux pumps. *Oncogene* (2003) 22, 7537–7552.
- Kuo MT, Bao J, Furuichi M, Yamane Y, Gomi A, Savaraj N, Masuzawa T, Ishikawa T (1998).** Frequent coexpression of MRP/GS-X pump and gamma-glutamylcysteine synthetase mRNA in drug-resistant cells, untreated tumor cells, and normal mouse tissues. *Biochem Pharmacol.* 55(5):605-15
- Lai L, Tan TM (2002).** Role of glutathione in the multidrug resistance protein 4 (MRP4/ABCC4)-mediated efflux of cAMP and resistance to purine analogues. *Biochem J.* 361(Pt 3):497-503.
- Lampidis TJ, Munck JN, Krishan A, Tapiero H (1985).** Reversal of resistance to rhodamine 123 in adriamycin-resistant Friend leukemia cells. *Cancer Res.* 45(6):2626-31.
- Lechner JF and La Veck MA(1985).** A serum free method for culturing normal human bronchial epithelial cells at clonal density. *J Tissue CULT Methods.* 9(2) 43-48.
- Lee k, Belinski M G, Bell D W, Testa J R, Kruh G D (1998).** Isolation of MOAT-B, a widely expressed multidrug resistance-associated protein/canalicular multispecific organic anion transporter-related transporter. *Cancer Res.* 58:2741-2747.
- Lee K, Klein-Szanto AJ, Kruh GD (2000).** Analysis of the MRP4 drug resistance profile in transfected NIH3T3 cells. *J. Natl. Cancer Inst.,* 92, 1934-1940.
- Lehmann T, Kohler C, Weidauer E, Taeye C, Foth H (2001).** Expression of MRP1 and related transporters in human lung cells in culture. *Toxicology.* 167(1):59-72.
- Leier I, Jedlitschky G, Buchholz U, Cole SP, Deeley RG, Keppler D (1994).** The MRP gene encodes an ATP-dependent export pump for leukotriene C4 and structurally related conjugates. *J Biol Chem.* 269(45):27807-10
- Leslie EM, Deeley RG, Cole SP (2001).** Toxicological relevance of the multidrug resistance protein 1, MRP1 (ABCC1) and related transporters. *Toxicology.* 167(1):3-23. Review
- Ling V, Thompson LH (1974).** Reduced permeability in CHO cells as a mechanism of resistance to colchicine. *J Cell Physiol.* 83(1):103-16
- Litman, T., Druley, T. E., Stein, W. D., Bates, S. E. (2001).** From MDR to MXR: new understandings of multidrug resistance systems, their properties and clinical significance. *Cell. Mol. Life Sci.* 58, 931-959.

- Loe DW, Deeley, RG , Cole, SP (1998).** Characterization of vincristin transport by the (M)R 190,000 multidrug resistance protein (MRP): evidence for cotransport with reduced glutathione. *Cancer Res.* 58:5130-5136.
- Martin WJ (1993).** Mechanisms of drug-induced lung disease. *J Lab Clin Med.* 121(2):195-6.
- McAlear C, Breen M A, White N L, Matthews N (1999).** pABC11 (also known as MOAT-C and MRP5), a member of the ABC family of proteins, has anion transporter activity but does not confer multidrug resistance when overexpressed in human embryonic kidney 293 cells. *J. Biol. Chem.* 274:23541-23548.
- Miller DS, Nobmann SN, Gutmann H, Toeroek M, Drewe J, Fricker G (2000).** Xenobiotic transport across isolated brain microvessels studied by confocal microscopy. *Mol Pharmacol.* 58(6):1357-67.
- Mitani A, Nakahara T, Sakamoto K, Ishii K (2003).** Expression of multidrug resistance protein 4 and 5 in the porcine coronary and pulmonary arteries. *Eur J Pharmacol.* 466:223-224.
- Moll R (1993).** Cytokeratins as markers of differentiation. Expression profiles in epithelia and epithelial tumors *Veröff Pathol.*;142:1-197.
- Moller JV and Sheikh MI (1983).** Renal organic anion transport system: pharmacological, physiological, and biochemical aspects. *Pharmacol Rev* 34:315-358
- Mossman BT (1983).** In vitro approaches for determining mechanisms of toxicity and carcinogenicity by asbestos in the gastrointestinal and respiratory tracts. *Environ Health Perspect.* 53:155-61. Review.
- Mottino AD, Hoffman T, Jennes L and Vore M. (2000).** Expression and localization of multidrug resistant protein mrp2 in rat small intestine. *J Pharmacol Exp Ther.* 293(3):717-723.
- Muller M, Meijer C, Zaman GJ, Borst P, Scheper RJ, Mulder NH, de Vries EG, Jansen PL (1994).** Overexpression of the gene encoding the multidrug resistance-associated protein results in increased ATP-dependent glutathione S-conjugate transport. *Proc Natl Acad Sci U S A.* 91(26):13033-7
- Muller M, Yong M, Peng XH, Petre B, Arora S, Ambudkar SV (2002).** Evidence for the role of glycosylation in accessibility of the extracellular domains of human MRP1 (ABCC1). *Biochemistry.* 41(31):10123-10132.



- Nare B, Prichard RK, Georges E (1994).** Characterization of rhodamine 123 binding to P-glycoprotein in human multidrug-resistant cells. *Mol Pharmacol.* 45(6):1145-52.
- Neyfakh AA (1988).** Use of fluorescent dyes as molecular probes for the study of multidrug resistance. *Exp Cell Res.* 174(1):168-76.
- Nies AT, König J, Cui Y, Brom M, Spring H, Keppler D (2002a).** Structural requirements for the apical sorting of human multidrug resistance protein 2 (ABCC2). *Eur J Biochem.*, 269, 1866-1876.
- Nies AT, Spring H, Thon WF, Keppler D and Jedlitschky G (2002b).** Immunolocalization of multidrug resistance protein 5 in the human genitourinary system. *J. Urol.*, 167, 2271-2275.
- Paulusma C C, Bosma P J, Zaman G J R, Bakker C T M, Otter M, Scheffer G L, Scheper R J, Borst P and Oude Elferink R P J (1996).** Congenital Jaundice In rats with a mutation in a multidrug resistance-associated protein gene. *Acience* 271:1126-1128.
- Paulusma CC, Kool M, Bosma PJ, Scheffer GL, ter Borg F, Scheper RJ, Tytgat GN, Borst P, Baas F, Oude Elferink RP (1997).** A mutation in the human canalicular multispecific organic anion transporter gene causes the Dubin-Johnson syndrome. *Hepatology.* 25(6):1539-42.
- Pei QL, Kobayashi Y, Tanaka Y, Taguchi Y, Higuchi K, Kaito M, Ma N, Semba R, Kamisako T, Adachi Y (2002).** Increased expression of multidrug resistance-associated protein 1 (mrp1) in hepatocyte basolateral membrane and renal tubular epithelia after bile duct ligation in rats. *Hepatology Res.* 22(1):58-64.
- Plopper CG (1993).** Pulmonary bronchiolar epithelial cytotoxicity:microanatomical considerations. In: Gram TE (Ed): *Metabolic activation and toxicity of chemical agents to lung tissue and cells.* Pergamon Press, new York, Oxford, Seoul, Tokyo, S. 1-24.
- Prime-Chapman HM, Fearn RA, Cooper AE, Moore V, Hirst BH (2004).** Differential MRP1-6 isoform expression and function in human intestinal epithelial Caco-2 cells. *J Pharmacol Exp Ther.* Published as DOI:10.1124/jpet. 104.068775.
- Pritchard JB and Miller DS (1993).** Mechanisms mediating renal secretion of organic anions and cations. *Physiol Rev* 73:765-796
- Qian YM, Song WC, Cui H, Cole SP, Deeley RG (2001).** Glutathione stimulates sulfated estrogen transport by multidrug resistance protein 1. *J Biol Chem.* 276(9):6404-11.

- Reid G, Wielinga P, Zelcer N, De Haas M, Van Deemter L, Wijnholds J, Balzarini J, Borst P (2003).** Characterization of the transport of nucleoside analog drugs by the human multidrug resistance proteins MRP4 and MRP5. *Mol Pharmacol.*63(5):1094-103.
- Roelofsen H, Müller M, Jansen PLM (1997a).** Regulation of organic anion transport in the liver. *Yale J. Biol. Med.* 70:435-445.
- Roelofsen H, Vos TA, Schippers IJ, Kuipers F, Koning H, Moshage H, Jansen PL, Muller M (1997b).** Increased levels of the multidrug resistance protein in lateral membranes of proliferating hepatocyte-derived cells. *Gastroent.* 112:511-521.
- Rost D, Mahner S, Sugiyama Y and Stremmel W (2002).** Expression and localization of the multidrug resistance-associated protein 3 in rat small and large intestine. *Am J Physiol. Gastrointest Liver Physiol.*, 282, G720-6.
- Roum JH, Aledia AS, Carungcong LA, Kim KJ, Borok Z (2001).** Extracellular glutathione inhibits oxygen-induced permeability changes in alveolar epithelial monolayers. *Appl Physiol.* 91(2):748-54.
- Rychlik B, Pulaski L, Sokal A, Soszynski M, Bartosz G (2000).** Transport of organic anions by multidrug resistance-associated protein in the erythrocyte. *Acta Biochim Pol.* 47(3):763-72. Review.
- Schaub TP, Kartenbeck J, König J, Vogel O, Witzgall R, Kriz W and Keppler D (1997).** Expression of the conjugate export pump encoded by the *mrp2* gene in the apical membrane of kidney proximal tubules. *J Am Soc Nephrol.* 8: 1213-1221.
- Scheffer GL, Kool M, Heijn M, de Haas M, Pijnenborg AC, Wijnholds J, van Helvoort A, de Jong MC, Hooijberg JH, Mol CA, van der Linden M, de Vree JM, van der Valk P, Elferink RP, Borst P, Scheper RJ (2000).** Specific detection of multidrug resistance proteins MRP1, MRP2, MRP3, MRP5, and MDR3 P-glycoprotein with a panel of monoclonal antibodies. *Cancer Res.* 60(18):5269-5277.
- Scheffer GL, Pijnenborg AC, Smit EF, Muller M, Postma DS, Timens W, van der Valk P, de Vries EG, Scheper RJ (2002).** Multidrug resistance related molecules in human and murine lung. *J Clin Pathol.* 55(5):332-339.
- Scheffer GL, Kool M, de Haas M, de Vree JM, Pijnenborg AC, Bosman DK, Elferink RP, van der Valk P, Borst P, Scheper RJ (2002).** Tissue distribution and induction of human multidrug resistant protein 3. *Lab Invest.* 82, 193-201.

- Scheutz J D, Connelly M C, Sun D, Paibir S G, Flynn P M, Srinivas R V, kumar A and Fridland A (1999).** MRP4: A previously unidentified factor in resistance to nucleoside-based antiviral drugs. *Nat Med.* 5:1048-1051.
- Sekine T, Cha SH, Endou H (2000).** The multispecific organic anion transporter (OAT) family. *Pflugers Arch.* 440(3):337-50. Review.
- Sharma R, Awasthi YC, Yang Y, Sharma A, Singhal SS, Awasthi S (2003).** Energy dependent transport of xenobiotics and its relevance to multidrug resistance. *Curr Cancer Drug Targets.* 3(2):89-107.
- Slovak ML, Ho JP, Bhardwaj G, Kurz EU, Deeley RG, Cole SP (1993).** Localization of a novel multidrug resistance-associated gene in the HT1080/DR4 and H69AR human tumor cell lines. *Cancer Res.* 53(14):3221-5.
- Stehfest E, Torky A W, Glahn F and Foth H (2002).** MRP expression and modulation of/by Glutathione in human Lung cells. *Toxicology Letters* Vol. 135. Suppl. 1, 273 p. 141
- Stehfest E, Torky A.W. Foth H (2003).** Expression of MRP in Human Lung Cells and Functional Activity after amodulation of Glutathione. *Naunyn-Schmiedeberg's Arch Pharmacol* 367. Suppl, 609 R156
- St-Pierre MV, Serrano MA, Macias RI, Dubs U, Hoechli M, Lauper U, Meier PJ, Marin JJ. (2000).** Expression of members of the multidrug resistance protein family in human term placenta. *Am J Physiol. Regul Integr. Comp Physiol.* 279, R1495-503.
- Stride BD, Valdimarsson G, Gerlach JH, Wilson GM, Cole SP, Deeley RG (1996).** Structure and expression of the messenger RNA encoding the murine multidrug resistance protein, an ATP-binding cassette transporter. *Mol Pharmacol.* 49(6):962-71.
- Suzuki T, Nishio K, Sasaki H, Kurokawa H, Saito-Ohara F, Ikeuchi T, Tanabe S, Terada M and Saijo N (1997).** cDNA cloning of a short type of multidrug resistance protein homologue, SMRP, from a human cancer cell line. *Biochem Biophys Res Commun.* 238:790-794.
- Suzuki T, Sasaki H, Kuh HJ, Agui M, Tatsumi Y, Tanabe S, Terada M, Saijo N, Nishio K (2000).** Detailed structural analysis on both human MRP5 and mouse mrp5 transcripts. *Gene.* 242:167-173.

- Takeda M, Tojo A, Sekine T, Hosoyamada M, Kanai Y, Endou H (1999).** Role of organic anion transporter 1 (OAT1) in cephaloridine (CER)-induced nephrotoxicity. *Kidney Int.* 56, 2128-2136.
- Tammur J, Prades C, Arnould I, Rzhetsky A, Hutchinson A, Adachi M, Schuetz JD, Swoboda KJ, Ptacek LJ, Rosier M, Dean M, Allikmets R (2001).** Two new genes from the human ATP-binding cassette transporter superfamily, ABCC11 and ABCC12, tandemly duplicated on chromosome 16q12. *Gene.* 273(1):89-96.
- Taniguchi K, Wada M, Kohno K, Nakamura T, Kawabe T, Kawakami M, Kagotani K, Okumura K, Akiyama S, Kuwano M (1996).** A human canalicular multispecific organic anion transporter (cMOAT) gene is overexpressed in cisplatin-resistant human cancer cell lines with decreased drug accumulation. *Cancer Res.* 56(18):4124-9.
- Toh, S., Wada, M., Uchiumi, T., Inokuchi, A., Makino, Y., Horie, Y., Adachi, Y., Sakisaka, S., Kuwano, M. (1999).** Genomic structure of the canalicular multispecific organic anion transporter gene (MRP2/cMOAT) and mutations in the ATP-binding-cassette region in Dubin-Johnson syndrome. *Am. J. Hum. Genet.* 64, 739-746.
- Tsuji, H., König, J., Rost, D., Stöckel, B., Leuschner, U., Keppler, D. (1999).** Exon-intron organization of the human multidrug-resistance protein 2 (MRP2) gene mutated in Dubin- Johnson syndrome. *Gastroenterol.* 117, 653-660.
- Tsuruo T, Iida H, Tsukagoshi S, Sakurai Y (1981).** Overcoming of vincristine resistance in P388 leukemia in vivo and in vitro through enhanced cytotoxicity of vincristine and vinblastine by verapamil. *Cancer Res.* 41(5):1967-72.
- Twentyman PR, Rhodes T, Rayner S (1994).** A comparison of rhodamine 123 accumulation and efflux in cells with P-glycoprotein-mediated and MRP-associated multidrug resistance phenotypes. *Eur J Cancer.*;30A(9):1360-9.
- Uchiumi T, Hinoshita E, Haga S, Nakamura T, Tanaka T, Toh S, Furukawa M, Kawabe T, Wada M, Kagotani K, Okumura K, Kohno K, Akiyama S, Kuwano M (1998).** Isolation of a novel human canalicular multispecific organic anion transporter, cMOAT2/MRP3, and its expression in cisplatin-resistant cancer cells with decreased ATP-dependent drug transport. *Biochem Biophys Res Commun.* 252, 103-110.
- Ullrich KJ (1997).** Renal transporters for organic anions and organic cations. Structural requirements for substrates. *J Membr Biol* 158:95-107
- Van Aubel RA, Masereeuw R, Russel FG (2000).** Molecular pharmacology of renal organic anion transporters. *Am J Physiol Renal Physiol.* 279(2):F216-32. Review.

- Van Aubel RA, Smeets PH, Peters JG, Bindels RJ, Russel FG (2002).** The MRP4/ABCC4 gene encodes a novel apical organic anion transporter in human kidney proximal tubules: putative efflux pump for urinary cAMP and cGMP. *J. Am Soc Nephrol.* 13, 595-603.
- Van Luyn MJ, Muller M, Renes J, Meijer C, Scheper RJ, Nienhuis EF, Mulder NH, Jansen PL, De Vries EG (1998).** Transport of glutathione conjugates into secretory vesicles is mediated by the multidrug-resistance protein 1. *Int J Cancer.* 76(1):55-62.
- Vellonen KS, Honkakoski P, Urtti A (2004).** Substrates and inhibitors of efflux proteins interfere with the MTT assay in cells and may lead to underestimation of drug toxicity. *Eur J Pharm Sci.* 23(2):181-8.
- Versantvoort CH, Rhodes T, Twentyman PR (1996).** Acceleration of MRP-associated efflux of rhodamine 123 by genistein and related compounds. *Br J Cancer.* 74(12):1949-54
- Wielinga PR, van der Heijden I, Reid G, Beijnen JH, Wijnholds J, Borst P (2003).** Characterization of the MRP4- and MRP5-mediated transport of cyclic nucleotides from intact cells. *J Biol Chem.* 278(20):17664-71..
- Wijnholds J, deLange EC, Scheffer GL, van den Berg DJ, Mol CA, van der Valk M, Schinkel AH, Scheper RJ, Breimer DD, Borst P (2000a).** Multidrug resistance protein 1 protects the choroid plexus epithelium and contributes to the blood-cerebrospinal fluid barrier. *J Clin Invest.* 105(3):279-285.
- Wijnholds J, Mol CA, van Deemter L, de Haas M, Scheffer GL, Baas F, Beijnen JH, Scheper RJ, Hatse S, De Clercq E, Balzarini J, Borst P (2000b).** Multidrug-resistance protein 5 is a multispecific organic anion transporter able to transport nucleotide analogs. *Proc Natl Acad Sci U S A.* 97:7476-7481.
- Wright SR, Boag AH, Valdimarsson G, Hipfner DR, Campling BG, Cole SP, Deeley RG (1998).** Immunohistochemical detection of multidrug resistance protein in human lung cancer and normal lung. *Clin Cancer Res.* 4(9):2279-2289.
- Yabuuchi H, Shimizu H, Takayanagi S, Ishikawa T (2001).** Multiple splicing variants of two new human ATP-binding cassette transporters, ABCC11 and ABCC12. *Biochem Biophys Res Commun.* 288(4):933-9.
- Young, J., Holland, I. B. (1999).** ABC transporters: bacterial exporters – revisited five years on. *Biochim. Biophys. Acta* 1461, 177-200.
- Zimniak P (1993).** Dubin-Johnson and Rotor syndromes: molecular basis and pathogenesis. *Semin. Liver. Dis.* 13, 248-260.