

6 Literature

- Alcorta, D. A., Xiong, Y., Phelps, D., Hannon, G., Beach, D. and Barrett, J. C. (1996). "Involvement of the cyclin-dependent kinase inhibitor p16 (INK4a) in replicative senescence of normal human fibroblasts." *Proc Natl Acad Sci U S A* 93(24): 13742-7.
- Ammanamanchi, S. and Brattain, M. G. (2004). "Restoration of transforming growth factor-beta signaling through receptor RI induction by histone deacetylase activity inhibition in breast cancer cells." *J Biol Chem* 279(31): 32620-5.
- Bachman, K. E., Park, B. H., Rhee, I., Rajagopalan, H., Herman, J. G., Baylin, S. B., Kinzler, K. W. and Vogelstein, B. (2003). "Histone modifications and silencing prior to DNA methylation of a tumor suppressor gene." *Cancer Cell* 3(1): 89-95.
- Boyer, T. G. and Maquat, L. E. (1990). "Minimal sequence and factor requirements for the initiation of transcription from an atypical, TATATAA box-containing housekeeping promoter." *J Biol Chem* 265(33): 20524-32.
- Bradford, M. M. (1976). "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding." *Anal Biochem* 72: 248-54.
- Brandeis, M., Frank, D., Keshet, I., Siegfried, Z., Mendelsohn, M., Nemes, A., Temper, V., Razin, A. and Cedar, H. (1994). "Sp1 elements protect a CpG island from de novo methylation." *Nature* 371(6496): 435-8.
- Brenner, A. J., Stampfer, M. R. and Aldaz, C. M. (1998). "Increased p16 expression with first senescence arrest in human mammary epithelial cells and extended growth capacity with p16 inactivation." *Oncogene* 17(2): 199-205.
- Butcher, D. T., Mancini-DiNardo, D. N., Archer, T. K. and Rodenhiser, D. I. (2004). "DNA binding sites for putative methylation boundaries in the unmethylated region of the BRCA1 promoter." *Int J Cancer* 111(5): 669-78.
- Chang, H. C., Liu, L. T. and Hung, W. C. (2004). "Involvement of histone deacetylation in ras-induced down-regulation of the metastasis suppressor RECK." *Cell Signal* 16(6): 675-9.
- Chang, Y. C., Illenye, S. and Heintz, N. H. (2001). "Cooperation of E2F-p130 and Sp1-pRb complexes in repression of the Chinese hamster dhfr gene." *Mol Cell Biol* 21(4): 1121-31.
- Chang, Y. S., Wang, L., Suh, Y. A., Mao, L., Karpen, S. J., Khuri, F. R., Hong, W. K. and Lee, H. Y. (2004). "Mechanisms underlying lack of insulin-like growth factor-binding protein-3 expression in non-small-cell lung cancer." *Oncogene* 23(39): 6569-80.
- Clark, S. J., Harrison, J., Paul, C. L. and Frommer, M. (1994). "High sensitivity mapping of methylated cytosines." *Nucleic Acids Res* 22(15): 2990-7.
- Crawford, Y. G., Gauthier, M. L., Joubel, A., Mantei, K., Kozakiewicz, K., Afshari, C. A. and Tlsty, T. D. (2004). "Histologically normal human mammary epithelia with silenced p16(INK4a) overexpress COX-2, promoting a premalignant program." *Cancer Cell* 5(3): 263-73.
- Czermin, B., Schotta, G., Hulsmann, B. B., Brehm, A., Becker, P. B., Reuter, G. and Imhof, A. (2001). "Physical and functional association of SU(VAR)3-9 and HDAC1 in *Drosophila*." *EMBO Rep* 2(10): 915-9.

- Dai, S. M., Chen, H. H., Chang, C., Riggs, A. D. and Flanagan, S. D. (2000). "Ligation-mediated PCR for quantitative in vivo footprinting." *Nat Biotechnol* 18(10): 1108-11.
- Dallol, A., Agathangelou, A., Fenton, S. L., Ahmed-Choudhury, J., Hesson, L., Vos, M. D., Clark, G. J., Downward, J., Maher, E. R. and Latif, F. (2004). "RASSF1A interacts with microtubule-associated proteins and modulates microtubule dynamics." *Cancer Res* 64(12): 4112-6.
- Dammann, R., Li, C., Yoon, J. H., Chin, P. L., Bates, S. and Pfeifer, G. P. (2000). "Epigenetic inactivation of a RAS association domain family protein from the lung tumour suppressor locus 3p21.3." *Nat Genet* 25(3): 315-9.
- Dammann, R. and Pfeifer, G. P. (1997). "Lack of gene- and strand-specific DNA repair in RNA polymerase III-transcribed human tRNA genes." *Mol Cell Biol* 17(1): 219-29.
- Dammann, R., Schagdarsurengin, U., Strunnikova, M., Rastetter, M., Seidel, C., Liu, L., Tommasi, S. and Pfeifer, G. P. (2003). "Epigenetic inactivation of the Ras-association domain family 1 (RASSF1A) gene and its function in human carcinogenesis." *Histol Histopathol* 18(2): 665-77.
- Dammann, R., Yang, G. and Pfeifer, G. P. (2001). "Hypermethylation of the cpG island of Ras association domain family 1A (RASSF1A), a putative tumor suppressor gene from the 3p21.3 locus, occurs in a large percentage of human breast cancers." *Cancer Res* 61(7): 3105-9.
- Doetzlhofer, A., Rotheneder, H., Lagger, G., Koranda, M., Kurtev, V., Brosch, G., Wintersberger, E. and Seiser, C. (1999). "Histone deacetylase 1 can repress transcription by binding to Sp1." *Mol Cell Biol* 19(8): 5504-11.
- Dominguez, G., Silva, J., Garcia, J. M., Silva, J. M., Rodriguez, R., Munoz, C., Chacon, I., Sanchez, R., Carballido, J., Colas, A., Espana, P. and Bonilla, F. (2003). "Prevalence of aberrant methylation of p14ARF over p16INK4a in some human primary tumors." *Mutat Res* 530(1-2): 9-17.
- Drayton, S. and Peters, G. (2002). "Immortalisation and transformation revisited." *Curr Opin Genet Dev* 12(1): 98-104.
- Dulaimi, E., Hillinck, J., Ibanez de Caceres, I., Al-Saleem, T. and Cairns, P. (2004). "Tumor suppressor gene promoter hypermethylation in serum of breast cancer patients." *Clin Cancer Res* 10(18 Pt 1): 6189-93.
- Dynan, W. S. and Tjian, R. (1983). "Isolation of transcription factors that discriminate between different promoters recognized by RNA polymerase II." *Cell* 32(3): 669-80.
- Ehrenhofer-Murray, A. E. (2004). "Chromatin dynamics at DNA replication, transcription and repair." *Eur J Biochem* 271(12): 2335-49.
- Espada, J., Ballestar, E., Fraga, M. F., Villar-Garea, A., Juarranz, A., Stockert, J. C., Robertson, K. D., Fuks, F. and Esteller, M. (2004). "Human DNA methyltransferase 1 is required for maintenance of the histone H3 modification pattern." *J Biol Chem* 279(35): 37175-84.
- Esteller, M., Corn, P. G., Baylin, S. B. and Herman, J. G. (2001). "A gene hypermethylation profile of human cancer." *Cancer Res* 61(8): 3225-9.
- Esteller, M. and Herman, J. G. (2002). "Cancer as an epigenetic disease: DNA methylation and chromatin alterations in human tumours." *J Pathol* 196(1): 1-7.

- Fahrner, J. A., Eguchi, S., Herman, J. G. and Baylin, S. B. (2002). "Dependence of histone modifications and gene expression on DNA hypermethylation in cancer." *Cancer Res* 62(24): 7213-8.
- Fatemi, M., Hermann, A., Gowher, H. and Jeltsch, A. (2002). "Dnmt3a and Dnmt1 functionally cooperate during de novo methylation of DNA." *Eur J Biochem* 269(20): 4981-4.
- Fatemi, M., Hermann, A., Pradhan, S. and Jeltsch, A. (2001). "The activity of the murine DNA methyltransferase Dnmt1 is controlled by interaction of the catalytic domain with the N-terminal part of the enzyme leading to an allosteric activation of the enzyme after binding to methylated DNA." *J Mol Biol* 309(5): 1189-99.
- Fenton, S. L., Dallol, A., Agathangelou, A., Hesson, L., Ahmed-Choudhury, J., Baksh, S., Sardet, C., Dammann, R., Minna, J. D., Downward, J., Maher, E. R. and Latif, F. (2004). "Identification of the E1A-regulated transcription factor p120 E4F as an interacting partner of the RASSF1A candidate tumor suppressor gene." *Cancer Res* 64(1): 102-7.
- Figuroa, R., Lindenmaier, H., Hergenhausen, M., Nielsen, K. V. and Boukamp, P. (2000). "Telomere erosion varies during in vitro aging of normal human fibroblasts from young and adult donors." *Cancer Res* 60(11): 2770-4.
- Foster, S. A., Wong, D. J., Barrett, M. T. and Galloway, D. A. (1998). "Inactivation of p16 in human mammary epithelial cells by CpG island methylation." *Mol Cell Biol* 18(4): 1793-801.
- Frank, D., Keshet, I., Shani, M., Levine, A., Razin, A. and Cedar, H. (1991). "Demethylation of CpG islands in embryonic cells." *Nature* 351(6323): 239-41.
- Fu, M., Wang, C., Li, Z., Sakamaki, T. and Pestell, R. G. (2004). "Minireview: Cyclin D1: normal and abnormal functions." *Endocrinology* 145(12): 5439-47.
- Fujita, N., Watanabe, S., Ichimura, T., Ohkuma, Y., Chiba, T., Saya, H. and Nakao, M. (2003). "MCAF mediates MBD1-dependent transcriptional repression." *Mol Cell Biol* 23(8): 2834-43.
- Fuks, F., Burgers, W. A., Brehm, A., Hughes-Davies, L. and Kouzarides, T. (2000). "DNA methyltransferase Dnmt1 associates with histone deacetylase activity." *Nat Genet* 24(1): 88-91.
- Fuks, F., Hurd, P. J., Deplus, R. and Kouzarides, T. (2003). "The DNA methyltransferases associate with HP1 and the SUV39H1 histone methyltransferase." *Nucleic Acids Res* 31(9): 2305-12.
- Fuks, F., Hurd, P. J., Wolf, D., Nan, X., Bird, A. P. and Kouzarides, T. (2003). "The methyl-CpG-binding protein MeCP2 links DNA methylation to histone methylation." *J Biol Chem* 278(6): 4035-40.
- Gartel, A. L., Ye, X., Goufman, E., Shianov, P., Hay, N., Najmabadi, F. and Tyner, A. L. (2001). "Myc represses the p21(WAF1/CIP1) promoter and interacts with Sp1/Sp3." *Proc Natl Acad Sci U S A* 98(8): 4510-5.
- Gazzoli, I. and Kolodner, R. D. (2003). "Regulation of the human MSH6 gene by the Sp1 transcription factor and alteration of promoter activity and expression by polymorphisms." *Mol Cell Biol* 23(22): 7992-8007.
- Graff, J. R., Herman, J. G., Myohanen, S., Baylin, S. B. and Vertino, P. M. (1997). "Mapping patterns of CpG island methylation in normal and neoplastic cells implicates both upstream and downstream regions in de novo methylation." *J Biol Chem* 272(35): 22322-9.

- Hagen, G., Muller, S., Beato, M. and Suske, G. (1992). "Cloning by recognition site screening of two novel GT box binding proteins: a family of Sp1 related genes." *Nucleic Acids Res* 20(21): 5519-25.
- Hagen, G., Muller, S., Beato, M. and Suske, G. (1994). "Sp1-mediated transcriptional activation is repressed by Sp3." *Embo J* 13(16): 3843-51.
- Harrington, M. A., Jones, P. A., Imagawa, M. and Karin, M. (1988). "Cytosine methylation does not affect binding of transcription factor Sp1." *Proc Natl Acad Sci U S A* 85(7): 2066-70.
- Heard, E., Rougeulle, C., Arnaud, D., Avner, P., Allis, C. D. and Spector, D. L. (2001). "Methylation of histone H3 at Lys-9 is an early mark on the X chromosome during X inactivation." *Cell* 107(6): 727-38.
- Herbert, B. S., Wright, W. E. and Shay, J. W. (2002). "p16(INK4a) inactivation is not required to immortalize human mammary epithelial cells." *Oncogene* 21(51): 7897-900.
- Herman, J. G. and Baylin, S. B. (2003). "Gene silencing in cancer in association with promoter hypermethylation." *N Engl J Med* 349(21): 2042-54.
- Herman, J. G., Graff, J. R., Myohanen, S., Nelkin, B. D. and Baylin, S. B. (1996). "Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands." *Proc Natl Acad Sci U S A* 93(18): 9821-6.
- Hermann, A., Goyal, R. and Jeltsch, A. (2004). "The Dnmt1 DNA-(cytosine-C5)-methyltransferase methylates DNA processively with high preference for hemimethylated target sites." *J Biol Chem* 279(46): 48350-9.
- Herrmann, M. and Corbett_Research (2002). "An explanation of the comparative quantification technique used in the Rotor-Gene analysis software." *Corbett Research*: 1-4.
- Holler, M., Westin, G., Jiricny, J. and Schaffner, W. (1988). "Sp1 transcription factor binds DNA and activates transcription even when the binding site is CpG methylated." *Genes Dev* 2(9): 1127-35.
- Holst, C. R., Nuovo, G. J., Esteller, M., Chew, K., Baylin, S. B., Herman, J. G. and Tlsty, T. D. (2003). "Methylation of p16(INK4a) promoters occurs in vivo in histologically normal human mammary epithelia." *Cancer Res* 63(7): 1596-601.
- Hou, M., Wang, X., Popov, N., Zhang, A., Zhao, X., Zhou, R., Zetterberg, A., Bjorkholm, M., Henriksson, M., Gruber, A. and Xu, D. (2002). "The histone deacetylase inhibitor trichostatin A derepresses the telomerase reverse transcriptase (hTERT) gene in human cells." *Exp Cell Res* 274(1): 25-34.
- Issa, J. P. (1999). "Aging, DNA methylation and cancer." *Crit Rev Oncol Hematol* 32(1): 31-43.
- Jackson, J. P., Johnson, L., Jasencakova, Z., Zhang, X., PerezBurgos, L., Singh, P. B., Cheng, X., Schubert, I., Jenuwein, T. and Jacobsen, S. E. (2004). "Dimethylation of histone H3 lysine 9 is a critical mark for DNA methylation and gene silencing in *Arabidopsis thaliana*." *Chromosoma* 112(6): 308-15.
- Jaenisch, R. and Bird, A. (2003). "Epigenetic regulation of gene expression: how the genome integrates intrinsic and environmental signals." *Nat Genet* 33 Suppl: 245-54.
- Jenuwein, T. and Allis, C. D. (2001). "Translating the histone code." *Science* 293(5532): 1074-80.

- Johnson, L., Cao, X. and Jacobsen, S. (2002). "Interplay between two epigenetic marks. DNA methylation and histone H3 lysine 9 methylation." *Curr Biol* 12(16): 1360-7.
- Jones, P. A. and Laird, P. W. (1999). "Cancer epigenetics comes of age." *Nat Genet* 21(2): 163-7.
- Jones, P. L., Veenstra, G. J., Wade, P. A., Vermaak, D., Kass, S. U., Landsberger, N., Strouboulis, J. and Wolffe, A. P. (1998). "Methylated DNA and MeCP2 recruit histone deacetylase to repress transcription." *Nat Genet* 19(2): 187-91.
- Karlseder, J., Rotheneder, H. and Wintersberger, E. (1996). "Interaction of Sp1 with the growth- and cell cycle-regulated transcription factor E2F." *Mol Cell Biol* 16(4): 1659-67.
- Kaufmann, J. and Smale, S. T. (1994). "Direct recognition of initiator elements by a component of the transcription factor IID complex." *Genes Dev* 8(7): 821-9.
- Kavurma, M. M. and Khachigian, L. M. (2004). "Vascular smooth muscle cell-specific regulation of cyclin-dependent kinase inhibitor p21(WAF1/Cip1) transcription by Sp1 is mediated via distinct cis-acting positive and negative regulatory elements in the proximal p21(WAF1/Cip1) promoter." *J Cell Biochem* 93(5): 904-16.
- Khokhlatchev, A., Rabizadeh, S., Xavier, R., Nedwidek, M., Chen, T., Zhang, X. F., Seed, B. and Avruch, J. (2002). "Identification of a novel Ras-regulated proapoptotic pathway." *Curr Biol* 12(4): 253-65.
- Kimura, H. and Shiota, K. (2003). "Methyl-CpG-binding protein, MeCP2, is a target molecule for maintenance DNA methyltransferase, Dnmt1." *J Biol Chem* 278(7): 4806-12.
- Kondo, Y., Shen, L. and Issa, J. P. (2003). "Critical role of histone methylation in tumor suppressor gene silencing in colorectal cancer." *Mol Cell Biol* 23(1): 206-15.
- Kudo, S. (1998). "Methyl-CpG-binding protein MeCP2 represses Sp1-activated transcription of the human leukosialin gene when the promoter is methylated." *Mol Cell Biol* 18(9): 5492-9.
- Lagger, G., Doetzlhofer, A., Schuettengruber, B., Haidweger, E., Simboeck, E., Tischler, J., Chiocca, S., Suske, G., Rotheneder, H., Wintersberger, E. and Seiser, C. (2003). "The tumor suppressor p53 and histone deacetylase 1 are antagonistic regulators of the cyclin-dependent kinase inhibitor p21/WAF1/CIP1 gene." *Mol Cell Biol* 23(8): 2669-79.
- Laird, P. W. (1999). DNA Methylation. Development: Genetics, Epigenetics and Environmental Regulation. D. C. V.E.A. Russo, L. Edgar, R. Jaenisch, F. Salamini, Ed.: 395-405.
- Latchman, D. S. (1995). "The DNA mobility-shift assay." *Methods in molecular and cellular biology*. 5: 137-144.
- Lehnertz, B., Ueda, Y., Derijck, A. A., Braunschweig, U., Perez-Burgos, L., Kubicek, S., Chen, T., Li, E., Jenuwein, T. and Peters, A. H. (2003). "Suv39h-mediated histone H3 lysine 9 methylation directs DNA methylation to major satellite repeats at pericentric heterochromatin." *Curr Biol* 13(14): 1192-200.
- Lewis, A., Mitsuya, K., Umlauf, D., Smith, P., Dean, W., Walter, J., Higgins, M., Feil, R. and Reik, W. (2004). "Imprinting on distal chromosome 7 in the placenta involves repressive histone methylation independent of DNA methylation." *Nat Genet* 36(12): 1291-5.

- Lewis, C. M., Cler, L. R., Bu, D. W., Zochbauer-Muller, S., Milchgrub, S., Naftalis, E. Z., Leitch, A. M., Minna, J. D. and Euhus, D. M. (2005). "Promoter hypermethylation in benign breast epithelium in relation to predicted breast cancer risk." *Clin Cancer Res* 11(1): 166-72.
- Li, J., Wang, F., Protopopov, A., Malyukova, A., Kashuba, V., Minna, J. D., Lerman, M. I., Klein, G. and Zabarovsky, E. (2004). "Inactivation of RASSF1C during in vivo tumor growth identifies it as a tumor suppressor gene." *Oncogene* 23(35): 5941-9.
- Litt, M. D., Simpson, M., Gaszner, M., Allis, C. D. and Felsenfeld, G. (2001). "Correlation between histone lysine methylation and developmental changes at the chicken beta-globin locus." *Science* 293(5539): 2453-5.
- Liu, L., Tommasi, S., Lee, D. H., Dammann, R. and Pfeifer, G. P. (2003). "Control of microtubule stability by the RASSF1A tumor suppressor." *Oncogene* 22(50): 8125-36.
- Loo, D. T., Fuquay, J. I., Rawson, C. L. and Barnes, D. W. (1987). "Extended culture of mouse embryo cells without senescence: inhibition by serum." *Science* 236(4798): 200-2.
- Macleod, D., Charlton, J., Mullins, J. and Bird, A. P. (1994). "Sp1 sites in the mouse *aprt* gene promoter are required to prevent methylation of the CpG island." *Genes Dev* 8(19): 2282-92.
- Maehara, K., Uekawa, N. and Isobe, K. (2002). "Effects of histone acetylation on transcriptional regulation of manganese superoxide dismutase gene." *Biochem Biophys Res Commun* 295(1): 187-92.
- Mancini, D. N., Singh, S. M., Archer, T. K. and Rodenhiser, D. I. (1999). "Site-specific DNA methylation in the neurofibromatosis (NF1) promoter interferes with binding of CREB and SP1 transcription factors." *Oncogene* 18(28): 4108-19.
- Marin, M., Karis, A., Visser, P., Grosveld, F. and Philipsen, S. (1997). "Transcription factor Sp1 is essential for early embryonic development but dispensable for cell growth and differentiation." *Cell* 89(4): 619-28.
- Martin, A. M., Pouchnik, D. J., Walker, J. L. and Wyrick, J. J. (2004). "Redundant roles for histone H3 N-terminal lysine residues in subtelomeric gene repression in *Saccharomyces cerevisiae*." *Genetics* 167(3): 1123-32.
- Mathon, N. F., Malcolm, D. S., Harrisingh, M. C., Cheng, L. and Lloyd, A. C. (2001). "Lack of replicative senescence in normal rodent glia." *Science* 291(5505): 872-5.
- Matsuo, K., Silke, J., Georgiev, O., Marti, P., Giovannini, N. and Rungger, D. (1998). "An embryonic demethylation mechanism involving binding of transcription factors to replicating DNA." *Embo J* 17(5): 1446-53.
- Matsushita, K., Hagihara, M. and Sugiura, Y. (1998). "Participation of oligomerization through C-terminal D domain region of Sp1 in DNA binding." *Biol Pharm Bull* 21(10): 1094-7.
- Maxam, A. M. and Gilbert, W. (1977). "A new method for sequencing DNA." *Proc Natl Acad Sci U S A* 74(2): 560-4.
- Meeker, A. K., Hicks, J. L., Gabrielson, E., Strauss, W. M., De Marzo, A. M. and Argani, P. (2004). "Telomere shortening occurs in subsets of normal breast epithelium as well as in situ and invasive carcinoma." *Am J Pathol* 164(3): 925-35.

- Mermoud, J. E., Popova, B., Peters, A. H., Jenuwein, T. and Brockdorff, N. (2002). "Histone H3 lysine 9 methylation occurs rapidly at the onset of random X chromosome inactivation." *Curr Biol* 12(3): 247-51.
- Millar, D. S., Paul, C. L., Molloy, P. L. and Clark, S. J. (2000). "A distinct sequence (ATAAA)_n separates methylated and unmethylated domains at the 5'-end of the GSTP1 CpG island." *J Biol Chem* 275(32): 24893-9.
- Milutinovic, S., Brown, S. E., Zhuang, Q. and Szyf, M. (2004). "DNA methyltransferase 1 knock down induces gene expression by a mechanism independent of DNA methylation and histone deacetylation." *J Biol Chem* 279(27): 27915-27.
- Muller, H. M., Widschwendter, A., Fiegl, H., Ivarsson, L., Goebel, G., Perkmann, E., Marth, C. and Widschwendter, M. (2003). "DNA methylation in serum of breast cancer patients: an independent prognostic marker." *Cancer Res* 63(22): 7641-5.
- Mummaneni, P., Yates, P., Simpson, J., Rose, J. and Turker, M. S. (1998). "The primary function of a redundant Sp1 binding site in the mouse *aprt* gene promoter is to block epigenetic gene inactivation." *Nucleic Acids Res* 26(22): 5163-9.
- Mutskov, V. and Felsenfeld, G. (2004). "Silencing of transgene transcription precedes methylation of promoter DNA and histone H3 lysine 9." *Embo J* 23(1): 138-49.
- Ng, H. H., Zhang, Y., Hendrich, B., Johnson, C. A., Turner, B. M., Erdjument-Bromage, H., Tempst, P., Reinberg, D. and Bird, A. (1999). "MBD2 is a transcriptional repressor belonging to the MeCP1 histone deacetylase complex." *Nat Genet* 23(1): 58-61.
- Nguyen, C. T., Weisenberger, D. J., Velicescu, M., Gonzales, F. A., Lin, J. C., Liang, G. and Jones, P. A. (2002). "Histone H3-lysine 9 methylation is associated with aberrant gene silencing in cancer cells and is rapidly reversed by 5-aza-2'-deoxycytidine." *Cancer Res* 62(22): 6456-61.
- Nielsen, S. J., Schneider, R., Bauer, U. M., Bannister, A. J., Morrison, A., O'Carroll, D., Firestein, R., Cleary, M., Jenuwein, T., Herrera, R. E. and Kouzarides, T. (2001). "Rb targets histone H3 methylation and HP1 to promoters." *Nature* 412(6846): 561-5.
- Olsen, C. L., Gardie, B., Yaswen, P. and Stampfer, M. R. (2002). "Raf-1-induced growth arrest in human mammary epithelial cells is p16-independent and is overcome in immortal cells during conversion." *Oncogene* 21(41): 6328-39.
- Ortiz-Vega, S., Khokhlatchev, A., Nedwidek, M., Zhang, X. F., Dammann, R., Pfeifer, G. P. and Avruch, J. (2002). "The putative tumor suppressor RASSF1A homodimerizes and heterodimerizes with the Ras-GTP binding protein Nore1." *Oncogene* 21(9): 1381-90.
- Osley, M. A. (2004). "H2B ubiquitylation: the end is in sight." *Biochim Biophys Acta* 1677(1-3): 74-8.
- Peters, A. H., Mermoud, J. E., O'Carroll, D., Pagani, M., Schweizer, D., Brockdorff, N. and Jenuwein, T. (2002). "Histone H3 lysine 9 methylation is an epigenetic imprint of facultative heterochromatin." *Nat Genet* 30(1): 77-80.
- Philipsen, S. and Suske, G. (1999). "A tale of three fingers: the family of mammalian Sp/XKLF transcription factors." *Nucleic Acids Res* 27(15): 2991-3000.
- Pugh, B. F. and Tjian, R. (1990). "Mechanism of transcriptional activation by Sp1: evidence for coactivators." *Cell* 61(7): 1187-97.

- Qu, G. Z. and Ehrlich, M. (1999). "Demethylation and expression of methylated plasmid DNA stably transfected into HeLa cells." *Nucleic Acids Res* 27(11): 2332-8.
- Rabizadeh, S., Xavier, R. J., Ishiguro, K., Bernabeortiz, J., Lopez-Illasaca, M., Khokhlatchev, A., Mollahan, P., Pfeifer, G. P., Avruch, J. and Seed, B. (2004). "The scaffold protein CNK1 interacts with the tumor suppressor RASSF1A and augments RASSF1A-induced cell death." *J Biol Chem* 279(28): 29247-54.
- Ramirez, R. D., Morales, C. P., Herbert, B. S., Rohde, J. M., Passons, C., Shay, J. W. and Wright, W. E. (2001). "Putative telomere-independent mechanisms of replicative aging reflect inadequate growth conditions." *Genes Dev* 15(4): 398-403.
- Reuben, M. and Lin, R. (2002). "Germline X chromosomes exhibit contrasting patterns of histone H3 methylation in *Caenorhabditis elegans*." *Dev Biol* 245(1): 71-82.
- Rhee, I., Bachman, K. E., Park, B. H., Jair, K. W., Yen, R. W., Schuebel, K. E., Cui, H., Feinberg, A. P., Lengauer, C., Kinzler, K. W., Baylin, S. B. and Vogelstein, B. (2002). "DNMT1 and DNMT3b cooperate to silence genes in human cancer cells." *Nature* 416(6880): 552-6.
- Robertson, K. D. (2002). "DNA methylation and chromatin - unraveling the tangled web." *Oncogene* 21(35): 5361-79.
- Robertson, K. D., Ait-Si-Ali, S., Yokochi, T., Wade, P. A., Jones, P. L. and Wolffe, A. P. (2000). "DNMT1 forms a complex with Rb, E2F1 and HDAC1 and represses transcription from E2F-responsive promoters." *Nat Genet* 25(3): 338-42.
- Romanov, S. R., Kozakiewicz, B. K., Holst, C. R., Stampfer, M. R., Haupt, L. M. and Tlsty, T. D. (2001). "Normal human mammary epithelial cells spontaneously escape senescence and acquire genomic changes." *Nature* 409(6820): 633-7.
- Rong, R., Jin, W., Zhang, J., Sheikh, M. S. and Huang, Y. (2004). "Tumor suppressor RASSF1A is a microtubule-binding protein that stabilizes microtubules and induces G2/M arrest." *Oncogene* 23(50): 8216-30.
- Rougeulle, C., Chaumeil, J., Sarma, K., Allis, C. D., Reinberg, D., Avner, P. and Heard, E. (2004). "Differential histone H3 Lys-9 and Lys-27 methylation profiles on the X chromosome." *Mol Cell Biol* 24(12): 5475-84.
- Rountree, M. R., Bachman, K. E. and Baylin, S. B. (2000). "DNMT1 binds HDAC2 and a new co-repressor, DMAP1, to form a complex at replication foci." *Nat Genet* 25(3): 269-77.
- Rountree, M. R., Bachman, K. E., Herman, J. G. and Baylin, S. B. (2001). "DNA methylation, chromatin inheritance, and cancer." *Oncogene* 20(24): 3156-65.
- Sambrook, J., Fritsch, E. F. and T., M. (1989). *Molecular cloning. A laboratory manual*, Cold Spring Harbor, New York, Cold Spring Harbor Laboratory Press.
- Samson, S. L. and Wong, N. C. (2002). "Role of Sp1 in insulin regulation of gene expression." *J Mol Endocrinol* 29(3): 265-79.
- Sandhu, C., Donovan, J., Bhattacharya, N., Stampfer, M., Worland, P. and Slingerland, J. (2000). "Reduction of Cdc25A contributes to cyclin E1-Cdk2 inhibition at senescence in human mammary epithelial cells." *Oncogene* 19(47): 5314-23.
- Santoro, R., Li, J. and Grummt, I. (2002). "The nucleolar remodeling complex NoRC mediates heterochromatin formation and silencing of ribosomal gene transcription." *Nat Genet* 32(3): 393-6.

- Sarraf, S. A. and Stancheva, I. (2004). "Methyl-CpG binding protein MBD1 couples histone H3 methylation at lysine 9 by SETDB1 to DNA replication and chromatin assembly." *Mol Cell* 15(4): 595-605.
- Schneeberger, C., Speiser, P., Kury, F. and Zeillinger, R. (1995). "Quantitative detection of reverse transcriptase-PCR products by means of a novel and sensitive DNA stain." *PCR Methods Appl* 4(4): 234-8.
- Seguin, C. and Hamer, D. H. (1987). "Regulation in vitro of metallothionein gene binding factors." *Science* 235(4794): 1383-7.
- Sherr, C. J. (1996). "Cancer cell cycles." *Science* 274(5293): 1672-7.
- Shiloh, Y. and Kastan, M. B. (2001). "ATM: genome stability, neuronal development, and cancer cross paths." *Adv Cancer Res* 83: 209-54.
- Shivakumar, L., Minna, J., Sakamaki, T., Pestell, R. and White, M. A. (2002). "The RASSF1A tumor suppressor blocks cell cycle progression and inhibits cyclin D1 accumulation." *Mol Cell Biol* 22(12): 4309-18.
- Song, J. Z., Stirzaker, C., Harrison, J., Melki, J. R. and Clark, S. J. (2002). "Hypermethylation trigger of the glutathione-S-transferase gene (GSTP1) in prostate cancer cells." *Oncogene* 21(7): 1048-61.
- Song, M. S., Song, S. J., Ayad, N. G., Chang, J. S., Lee, J. H., Hong, H. K., Lee, H., Choi, N., Kim, J., Kim, H., Kim, J. W., Choi, E. J., Kirschner, M. W. and Lim, D. S. (2004). "The tumour suppressor RASSF1A regulates mitosis by inhibiting the APC-Cdc20 complex." *Nat Cell Biol* 6(2): 129-37.
- Stampfer, M. R. and Yaswen, P. (2003). "Human epithelial cell immortalization as a step in carcinogenesis." *Cancer Lett* 194(2): 199-208.
- Stirzaker, C., Song, J. Z., Davidson, B. and Clark, S. J. (2004). "Transcriptional gene silencing promotes DNA hypermethylation through a sequential change in chromatin modifications in cancer cells." *Cancer Res* 64(11): 3871-7.
- Su, R. C., Brown, K. E., Saaber, S., Fisher, A. G., Merkerschlager, M. and Smale, S. T. (2004). "Dynamic assembly of silent chromatin during thymocyte maturation." *Nat Genet* 36(5): 502-6.
- Suske, G. (1999). "The Sp-family of transcription factors." *Gene* 238(2): 291-300.
- Suzuki, M., Yamada, T., Kihara-Negishi, F., Sakurai, T. and Oikawa, T. (2003). "Direct association between PU.1 and MeCP2 that recruits mSin3A-HDAC complex for PU.1-mediated transcriptional repression." *Oncogene* 22(54): 8688-98.
- Suzuki, T., Kimura, A., Nagai, R. and Horikoshi, M. (2000). "Regulation of interaction of the acetyltransferase region of p300 and the DNA-binding domain of Sp1 on and through DNA binding." *Genes Cells* 5(1): 29-41.
- Tamaru, H. and Selker, E. U. (2001). "A histone H3 methyltransferase controls DNA methylation in *Neurospora crassa*." *Nature* 414(6861): 277-83.
- Tanese, N., Saluja, D., Vassallo, M. F., Chen, J. L. and Admon, A. (1996). "Molecular cloning and analysis of two subunits of the human TFIID complex: hTAFII130 and hTAFII100." *Proc Natl Acad Sci U S A* 93(24): 13611-6.
- Tang, D. G., Tokumoto, Y. M., Apperly, J. A., Lloyd, A. C. and Raff, M. C. (2001). "Lack of replicative senescence in cultured rat oligodendrocyte precursor cells." *Science* 291(5505): 868-71.
- Tatematsu, K. I., Yamazaki, T. and Ishikawa, F. (2000). "MBD2-MBD3 complex binds to hemi-methylated DNA and forms a complex containing DNMT1 at the replication foci in late S phase." *Genes Cells* 5(8): 677-88.

- Tlsty, T. D., Romanov, S. R., Kozakiewicz, B. K., Holst, C. R., Haupt, L. M. and Crawford, Y. G. (2001). "Loss of chromosomal integrity in human mammary epithelial cells subsequent to escape from senescence." *J Mammary Gland Biol Neoplasia* 6(2): 235-43.
- Tomatsu, S., Orii, K. O., Bi, Y., Gutierrez, M. A., Nishioka, T., Yamaguchi, S., Kondo, N., Orii, T., Noguchi, A. and Sly, W. S. (2004). "General implications for CpG hot spot mutations: methylation patterns of the human iduronate-2-sulfatase gene locus." *Hum Mutat* 23(6): 590-8.
- Tommasi, S., Dammann, R., Zhang, Z., Wang, Y., Liu, L., Tsark, W. M., Wilczynski, S. P., Li, J., You, M. and Pfeifer, G. P. (2005). "Tumor susceptibility of RASSF1a knockout mice." *Cancer Res* 65(1): 92-8.
- Tommasi, S. and Pfeifer, G. P. (1995). "In vivo structure of the human cdc2 promoter: release of a p130-E2F-4 complex from sequences immediately upstream of the transcription initiation site coincides with induction of cdc2 expression." *Mol Cell Biol* 15(12): 6901-13.
- Torigoe, T., Izumi, H., Wakasugi, T., Niina, I., Igarashi, T., Yoshida, T., Shibuya, I., Chijiwa, K., Matsuo, K. I., Itoh, H. and Kohno, K. (2004). "DNA topoisomerase II poison TAS-103 transactivates GC-box-dependent transcription via acetylation of Sp1." *J Biol Chem*.
- Turner, J. and Crossley, M. (1999). "Mammalian Kruppel-like transcription factors: more than just a pretty finger." *Trends Biochem Sci* 24(6): 236-40.
- Vos, M. D., Ellis, C. A., Bell, A., Birrer, M. J. and Clark, G. J. (2000). "Ras uses the novel tumor suppressor RASSF1 as an effector to mediate apoptosis." *J Biol Chem* 275(46): 35669-72.
- Vos, M. D., Martinez, A., Elam, C., Dallol, A., Taylor, B. J., Latif, F. and Clark, G. J. (2004). "A role for the RASSF1A tumor suppressor in the regulation of tubulin polymerization and genomic stability." *Cancer Res* 64(12): 4244-50.
- Wang, T. C., Cardiff, R. D., Zukerberg, L., Lees, E., Arnold, A. and Schmidt, E. V. (1994). "Mammary hyperplasia and carcinoma in MMTV-cyclin D1 transgenic mice." *Nature* 369(6482): 669-71.
- Won, J., Yim, J. and Kim, T. K. (2002). "Sp1 and Sp3 recruit histone deacetylase to repress transcription of human telomerase reverse transcriptase (hTERT) promoter in normal human somatic cells." *J Biol Chem* 277(41): 38230-8.
- Wu, J., Issa, J. P., Herman, J., Bassett, D. E., Jr., Nelkin, B. D. and Baylin, S. B. (1993). "Expression of an exogenous eukaryotic DNA methyltransferase gene induces transformation of NIH 3T3 cells." *Proc Natl Acad Sci U S A* 90(19): 8891-5.
- Xiong, Z. and Laird, P. W. (1997). "COBRA: a sensitive and quantitative DNA methylation assay." *Nucleic Acids Res* 25(12): 2532-4.
- Yan, P. S., Shi, H., Rahmatpanah, F., Hsiao, T. H., Hsiao, A. H., Leu, Y. W., Liu, J. C. and Huang, T. H. (2003). "Differential distribution of DNA methylation within the RASSF1A CpG island in breast cancer." *Cancer Res* 63(19): 6178-86.
- Yaswen, P. and Stampfer, M. R. (2002). "Molecular changes accompanying senescence and immortalization of cultured human mammary epithelial cells." *Int J Biochem Cell Biol* 34(11): 1382-94.
- Yokota, T., Matsuzaki, Y., Miyazawa, K., Zindy, F., Roussel, M. F. and Sakai, T. (2004). "Histone deacetylase inhibitors activate INK4d gene through Sp1 site in its promoter." *Oncogene* 23(31): 5340-9.

- Zhang, Y. and Dufau, M. L. (2002). "Silencing of transcription of the human luteinizing hormone receptor gene by histone deacetylase-mSin3A complex." *J Biol Chem* 277(36): 33431-8.
- Zhu, W. G., Srinivasan, K., Dai, Z., Duan, W., Druhan, L. J., Ding, H., Yee, L., Villalona-Calero, M. A., Plass, C. and Otterson, G. A. (2003). "Methylation of adjacent CpG sites affects Sp1/Sp3 binding and activity in the p21(Cip1) promoter." *Mol Cell Biol* 23(12): 4056-65.
- Zipper, H., Brunner, H., Bernhagen, J. and Vitzthum, F. (2004). "Investigations on DNA intercalation and surface binding by SYBR Green I, its structure determination and methodological implications." *Nucleic Acids Res* 32(12): e103.