

Literaturverzeichnis

- [1] ABID, M. ; XUERE, C. ; BERTRAND, J.: Modeling of the 3D hydrodynamics of 2-blade-impellers in stirred tanks filled with a highly viscous fluid. In: *Can. J. Chem. Eng.* 72 (1994), S. 184–193
- [2] ANDREWS, M. J. ; O'ROURKE, P. J.: The multiphase particle-in-cell (MP-PIC) method for dense particulate flows. In: *Int. J. Multiphase Flow* 22 (1996), S. 379–402
- [3] ANGST, R. ; KRAUME, M.: CFD-Berechnungen der Fest/flüssig-Strömung in Rührbehältern: Einflüsse von Gitter und Modell. In: *GVC Fachausschuss-sitzung CFD*. Berlin, D, 2003
- [4] ARMENANTE, P. M. ; CHOU, C. C. ; HEMRAJANI, R. R.: Comparison of experimental and numerical fluid velocity distribution profiles in an unbaffled mixing vessel provided with a pitched-blade turbine. In: *ICHEME Symp. Series* 136 (1994), S. 349–356
- [5] AYAZI SHAMLOU, P. ; KOUTSAKOS, E.: Solids suspensions and distribution in liquids under turbulent agitation. In: *Chem. Eng. Sci.* 44 (1989), S. 529–542
- [6] BAKKER, A.: *Hydrodynamics of stirred gas-liquid dispersions*, Delft University of Technology, NL, Diss., 1992
- [7] BAKKER, A. ; FASANO, J. B.: Time dependent, turbulent mixing and chemical reaction in stirred tanks. In: *AIChE Symp. Series* 90 (1994), Nr. 299, S. 71–77
- [8] BAKKER, A. ; FASANO, J. B. ; MYERS, K. J.: Effects of flow pattern on the solids distribution in a stirred tank. In: *ICHEME Symp. Series* 136 (1994), S. 1–8
- [9] BAKKER, A. ; LAROCHE, R. D. ; WANG, M. H. ; CALABRESE, R. V.: Sliding Mesh Simulation of Laminar Flow in Stirred Tanks. In: *Trans. IChemE Part A* 75 (1997), S. 42–44
- [10] BAKKER, A. ; MYERS, K. J. ; WARD, R. W. ; LEE, C. K.: The Laminar and Turbulent Flow Pattern of a Pitched Blade Turbine. In: *Trans. IChemE Part A* 74 (1996), S. 485–491

- [11] BAKKER, R.: *Micromixing in Chemical Reactors*, Delft University of Technology, NL, Diss., 1996
- [12] BALDI, G. ; CONTI, R. ; ALARIA, E.: Complete suspension of particles in mechanically agitated vessels. In: *Chem. Eng. Sci.* 33 (1978), S. 21–25
- [13] BANKS, W. H. H.: The laminar boundary layer on a rotating sphere. In: *Acta Mech.* 24 (1976), S. 273–287
- [14] BARRESI, A. ; BALDI, G.: Solid dispersion in an agitated vessel. In: *Chem. Eng. Sci.* 42 (1987), S. 2949–2956
- [15] BARRUE, H. ; XUEREBO, C. ; PITIOT, P. ; FALK, L. ; BERTRAND, J.: Comparison of Experimental and Computational Particle Trajectories in a Stirred Vessel. In: *Chem. Eng. Technol.* 22 (1999), S. 511–521
- [16] BARTELS, C. ; BREUER, M. ; WECHSLER, K. ; DURST, F.: Computational fluid dynamics applications on parallel-vector computers: computations of stirred vessel flows. In: *Computers & Fluids* 31 (2002), S. 69–97
- [17] BASSET, A. B.: On the motion of a sphere in a viscous liquid. In: *Phil. Trans. R. Soc. Lond.* A179 (1888), S. 43–63
- [18] BASSET, A. B.: *A Treatise on Hydrodynamics, Vol. 2.* London : Deighton Bell, 1888
- [19] BEITZ, W. (Hrsg.) ; GROTE, K.-H. (Hrsg.): *Dubbel — Taschenbuch für den Maschinenbau.* 19. Auflage. Berlin : Springer-Verlag, 1997
- [20] BERLEMONT, A. ; ACHIM, P.: Influence of the isotropization of particle motion due to collisions on the fluid turbulence anisotropy in a turbulent pipe flow. In: *Proc. 4th Int. Conf. on Multiphase Flow – ICMF’01 – 354.* New Orleans (La.), USA, 2001
- [21] BERLEMONT, A. ; CHANG, Z. ; GOUESBET, G.: Particle Lagrangian Tracking with Hydrodynamic interactions and collisions. In: *Flow, Turbulence and Combustion* 60 (1998), S. 1–18
- [22] BERLEMONT, A. ; CHANG, Z. ; GOUESBET, G.: Simulation of particle collisions in a two phase pipe flow by using multiple particles Lagrangian tracking. In: *Proc. 3rd Int. Conf. on Multiphase Flow – ICMF’98.* Lyon, F, 1998
- [23] BERLEMONT, A. ; DESJONQUÈRES, P. ; GOUESBET, G.: Particle Lagrangian simulation in turbulent flows. In: *Int. J. Multiphase Flow* 16 (1990), S. 19–34
- [24] BIRD, R. B. ; STEWART, W. E. ; LIGHTFOOT, E. N.: *Transport Phenomena.* New York : J. Wiley & Sons, 1960
- [25] BOHNET, M. ; NIESMAK, G.: Distribution of solids in stirred suspensions. In: *Ger. Chem. Eng.* 3 (1980), S. 57–65

- [26] BOLOUR-FROUSHAN, A. H.: *Prediction of single-phase turbulent flow in agitated mixing vessels*, University of London, GB, Ph.D. Thesis, 1986
- [27] BOURNE, J. R. ; SHARMA, R. N.: Homogeneous particle suspension in propeller-agitated flat bottomed tanks. In: *Chem. Engng. J.* 8 (1974), S. 243–250
- [28] BOUSSINESQ, M. J.: Sur la résistance qu'oppose un liquide indéfini en repos, sans pesanteur, au mouvement varié d'une sphère solide qu'il mouille sur toute sa surface, quand les vitesses restent bien continues et assez faibles pour que leurs carrés et produits soient négligeables. In: *C. R. Acad. Sci. Paris* 100 (1885), S. 935–937
- [29] BOUSSINESQ, M. J.: *Theorie Analytique de la Chaleur, Vol. 2*. Paris : L'École Polytechnique, 1903
- [30] BRADSHAW, P. (Hrsg.): *Turbulence - Springer Topics in Applied Physics*. Bd. 12. New York : Springer-Verlag, 1978
- [31] BRAUER, H.: *Grundlagen der Einphasen- und Mehrphasenströmungen*. Aarau : Verlag Sauerländer, 1971
- [32] BRAUER, H. ; THIELE, H.: Bewegung von Partikelschwärmen. In: *Chem.-Ing.-Tech.* 45 (1973), S. 909–912
- [33] BRODKEY, R. S.: *Turbulence in Mixing Operations*. New York : Academic Press, 1975
- [34] BRONSTEIN, I. N. ; SEMENDJAJEW, K. A.: *Taschenbuch der Mathematik*. 23. Auflage. Thun : Verlag Harri Deutsch, 1987
- [35] BRUCATO, A. ; CIOFALO, M. ; GRISAFI, F. ; MICALÈ, G.: Complete numerical simulation of flow fields in baffled stirred vessels: The inner-outer approach. In: *ICHEME Symp. Series* 136 (1994), S. 155–162
- [36] BRUCATO, A. ; CIOFALO, M. ; GRISAFI, F. ; MICALÈ, G.: Numerical prediction of flow fields in baffled stirred vessels: A comparison of alternative modelling approaches. In: *Chem. Eng. Sci.* 53 (1998), S. 3653–3684
- [37] BRUCATO, A. ; CIOFALO, M. ; GRISAFI, F. ; RIZZUTI, L.: Computer simulation of turbulent fluid flow in baffled and unbaffled tanks stirred by radial impellers. In: *Proc. Int. Conf. Computer Applications to Batch Processes*. Cengio, I, 1990, S. 69–86
- [38] BUNDESINSTITUT FÜR RISIKOBEWERTUNG (BfR). *Chemikalieninformationssystem zu verbraucherrelevanten Stoffen (CIVS)*. <http://www.bgvv.de>
- [39] CALABRESE, R. V. ; MIDDLEMAN, S.: The dispersion of discrete particles in a turbulent fluid field. In: *AIChE J.* 25 (1979), S. 1025–1035

- [40] CHANG, E. J. ; MAXEY, M. R.: Accelerated motion of rigid spheres in unsteady flow at low to moderate Reynolds numbers. Part I: Oscillatory motion. In: *J. Fluid Mech.* 277 (1994), S. 347–379
- [41] CHANG, E. J. ; MAXEY, M. R.: Accelerated motion of rigid spheres in unsteady flow at low to moderate Reynolds numbers. Part I: Accelerated motion. In: *J. Fluid Mech.* 303 (1995), S. 133–153
- [42] CHEN, M. ; KONTOMARIS, K. ; MCCLAUGHLIN, J. B.: Direct Numerical Simulation of Droplet Collisions in a Turbulent Channel Flow. Part I: collision algorithm. In: *Int. J. Multiphase Flow* 24 (1998), S. 1079–1103
- [43] CHEN, M. ; KONTOMARIS, K. ; MCCLAUGHLIN, J. B.: Direct Numerical Simulation of Droplet Collisions in a Turbulent Channel Flow. Part II: collision rates. In: *Int. J. Multiphase Flow* 24 (1998), S. 1105–1138
- [44] CHEN, X. Q. ; PEREIRA, J. C. F.: Efficient computation of particle dispersion in turbulent flows with a stochastic-probabilistic model. In: *Int. J. Heat Mass Transfer* 40 (1997), S. 1727–1741
- [45] CHUNG, J. N. ; TROUTT, T. R.: Simulation of particle dispersion in an axisymmetric jet. In: *J. Fluid Mech.* 186 (1988), S. 199–222
- [46] CLIFT, R. C. ; GAUVIN, W. H.: The motion of particles in turbulent gas streams. In: *Proc. Chemeca '70*, 1970, S. 14–28
- [47] CLIFT, R. C. ; GRACE, J. R. ; WEBER, M. E.: *Bubbles, Drops and Particles*. New York : Academic Press, 1978
- [48] CONDON, E. U. ; ODISHAW, H.: *Handbook of Physics*. New York : McGraw-Hill, 1958
- [49] COSTES, J. ; COUDERC, J. P.: Study by laser doppler anemometry of the turbulent flow induced by a rushton turbine in a stirred tank – Influence of the size of the units I: Mean flow and turbulence. In: *Chem. Eng. Sci.* 43 (1988), S. 2751–2764
- [50] COSTES, J. ; COUDERC, J. P.: Study by laser doppler anemometry of the turbulent flow induced by a rushton turbine in a stirred tank–Influence of the size of the units II: Spectral analysis and scales of turbulence. In: *Chem. Eng. Sci.* 43(10) (1988), S. 2765–2772
- [51] CROWE, C. T.: On the relative importance of particle-particle collisions in gas-particle flows. In: *Proc. Conf. on Gas Borne Particles — Paper C78/81*, 1981, S. 135–137
- [52] CROWE, C. T.: REVIEW — Numerical Models for dilute Gas-Particle Flows. In: *Trans. ASME - J. Fluids Engng.* 104 (1982), S. 297–303

- [53] CROWE, C. T.: The State-Of-The-Art in the Development of numerical Models for Dispersed Phase Flows. In: *Proc. Int. Conf. on Multiphase Flow*. Tsukuba, Japan, 1991, S. 49–60
- [54] CROWE, C. T. ; SHARMA, M. P. ; STOCK, D. E.: The particle-source-in-cell (PSI-cell) method for gas-droplet flows. In: *Trans. ASME - J. Fluids Engng.* 99 (1977), S. 325–332
- [55] CROWE, C. T. ; SOMMERFELD, M. ; TSUJI, Y.: *Multiphase Flows with Droplets and Particles*. Boca Raton : CRC Press, 1998
- [56] CSANADY, G. T.: Turbulent Diffusion of Heavy Particles in the Atmosphere. In: *J. Atmospheric Sci.* 20 (1963), S. 201–208
- [57] CUTTER, L. A.: Flow and turbulence in a stirred tank. In: *AIChE J.* 12 (1966), S. 35–45
- [58] DANCKWERTS, P. V.: The definition and measurement of some characteristics of mixtures. In: *Appl. Sci. Res.* 3 (1953), S. 279–296
- [59] DANDY, D. S. ; DWYER, H. A.: A sphere in shear flow at finite Reynolds Number: effect of shear on particle lift, drag, and heat transfer. In: *J. Fluid Mech.* 216 (1990), S. 381–410
- [60] DASKOPOULOS, P. ; HARRIS, C. K.: Three dimensional CFD simulations of turbulent flow in baffled stirred tanks: An assessment of the current position. In: *ICChemE Symp. Series* 140 (1996), S. 1–13
- [61] DECKER, S.: *Numerische Berechnungen und experimentelle Untersuchungen der Partikeldispersion in turbulenten Scherströmungen*, Lehrstuhl für Strömungsmechanik, Universität Erlangen-Nürnberg, D, Diplomarbeit, 1993
- [62] DECKER, S. ; SOMMERFELD, M.: Calculation of Particle Suspension in Agitated Vessels with the Euler-Lagrange Approach. In: *ICChemE Symp. Series* 140 (1996), S. 71–82
- [63] DECKER, S. ; SOMMERFELD, M.: Numerische Berechnung der Konzentrationsverteilung in zweiphasigen Rührwerkströmungen mit dem Euler-Lagrange-Verfahren. In: *Chem. Techn.* 51 (1999), S. 245–248
- [64] DECKER, S. ; SOMMERFELD, M.: Numerical calculations of two-phase flows in agitated vessels using the Euler/Lagrange approach. In: *Proc. ASME FEDSM'00 - 11154*. Boston (Mass.), USA, 2000
- [65] DEEN, N.: *An Experimental and Computational Study of Fluid Dynamics in Gas-Liquid Chemical Reactors*, Aalborg University, Esbjerg, DK, Ph.D. Thesis, 2001

- [66] DEEN, N. G. ; SOLBERG, T. ; HJERTAGER, H.: Flow generated by an aerated Rushton impeller: Two-phase PIV experiments and numerical simulations. In: *Can. J. Chem. Eng.* 80 (2002), S. 638–652
- [67] DEMIRDŽIĆ, I. ; PERIĆ, M.: Finite volume method for prediction of fluid flow in arbitrarily shaped domains with moving boundaries. In: *Int. J. Num. Methods Fluids* 10 (1990), S. 771–790
- [68] DENNIS, S. C. R. ; SINGH, S. N. ; INGHAM, D. B.: The steady flow due to a rotating sphere at low and moderate Reynolds number. In: *J. Fluid Mech.* 101 (1980), S. 257–279
- [69] DERKSEN, J. J.: Simulation of solid particle dispersion in agitated tanks. In: *Proc. 11th European Conf. on Mixing*. Bamberg, D, 2003, S. 121–128
- [70] DERKSEN, J. J. ; VAN DEN AKKER, H. E. A.: Large Eddy Simulations on the Flow Driven by a Rushton Turbine. In: *AIChE J.* 45 (1999), S. 209–221
- [71] DESJONQUÈRES, P.: *Modélisation Lagrangienne du comportement de particules discrètes en écoulement turbulent*, Université de Rouen, F, Thèse de 3^{ème} cycle, 1987
- [72] DI FELICE, R.: The voidage function for fluid-particle interaction systems. In: *Int. J. Multiphase Flow* 20 (1994), S. 153–159
- [73] DOMELEVO, K. ; SAINSAULIEU, L.: A numerical method for the computation of the dispersion of a cloud of particles by a turbulent gas flow field. In: *J. Computat. Physics* 133 (1997), S. 256 – 278
- [74] DONG, L. ; JOHANSEN, S. T. ; ENGH, T. A.: Flow induced by an impeller in an unbaffled tank – Part I: Experimental. In: *Chem. Eng. Sci.* 49 (1994), S. 549–560
- [75] DONG, L. ; JOHANSEN, S. T. ; ENGH, T. A.: Flow induced by an impeller in an unbaffled tank – Part II: Numerical modelling. In: *Chem. Eng. Sci.* 49 (1994), S. 3511–3518
- [76] DRYDEN, H. L.: A Review of the Statistical Theory of Turbulence. In: *Quart. Appl. Math.* 1 (1943), S. 7–42
- [77] DURBIN, P. A.: A random flight model of inhomogeneous turbulent dispersion. In: *Phys. Fluids* 23 (1980), S. 2151–2153
- [78] DURST, F. ; MELLING, A. ; WHITELAW, J. H.: *Theorie und Praxis der Laser-Doppler Anemometrie*. Karlsruhe : G. Braun, 1987
- [79] DURST, F. ; MILOJEVIĆ, D. ; SCHÖNUNG, B.: Eulerian and Lagrangian predictions of particulate two-phase flows – A numerical study. In: *Appl. Math. Modelling* 8 (1984), S. 101–115

- [80] EATON, J. K. ; FESSLER, J. R.: Preferential concentration of particles by turbulence. In: *Int. J. Multiphase Flow* 20 (1994), S. 169–209
- [81] EGGELS, J. G. M.: Direct and Large-Eddy Simulations of Turbulent Fluid Flow Using the Lattice-Boltzmann Scheme. In: *Int. J. Heat Fluid Flow* 16 (1996), S. 307–323
- [82] EILERS, H.: Die Viskosität von Emulsionen hochviskoser Stoffe als Funktion der Konzentration. In: *Kolloid-Zeitschrift* 97 (1941), S. 3313–321
- [83] EINENKEL, W. D.: *Beschreibung der fluiddynamischen Vorgänge beim Suspensieren im Rührwerk*, TU München, D, Diss., 1979
- [84] ELGHOBASHI, S.: On predicting particle-laden turbulent flows. In: *Appl. Sci. Res.* 52 (1994), S. 309–329
- [85] ELGHOBASHI, S. ; ABOU-ARAB, T. W.: A two-equation turbulence model for two-phase flows. In: *Phys. Fluids* 26 (1983), S. 931–938
- [86] ELGHOBASHI, S. ; ABOU-ARAB, T. W. ; RIZK, M. ; MOSTAFA, A.: Prediction of the Particle-Laden Jet with a Two-Equation Turbulence Model. In: *Int. J. Multiphase Flow* 10 (1984), S. 697–710
- [87] ELGHOBASHI, S. ; TRUESDELL, G. C.: On the two-way interaction between homogeneous turbulence and dispersed solid particles – Part I: Turbulence Modification. In: *Phys. Fluids A* 5 (1993), S. 1790–1801
- [88] ERGUN, S.: Fluid flow through packed columns. In: *Chem. Eng. Progress* 48 (1952), S. 89–94
- [89] ERTEM-MÜLLER, S.: *Numerical efficiency of implicit and explicit methods with multigrid for Large Eddy Simulations in complex geometries*, TU Darmstadt, D, Diss., 2003
- [90] ERTEM-MÜLLER, S. ; SCHÄFER, M.: DNS and LES of the turbulent flow in a Rushton turbine. In: *GVC Fachausschusssitzung CFD*. Berlin, D, 2003
- [91] FERZIGER, J. H.: Large Eddy Simulation. In: HUSSAINI, M. Y. (Hrsg.) ; GATSKI, T. (Hrsg.): *Simulation and Modeling of Turbulent Flows*. Cambridge, New York : Cambridge University Press, 1995
- [92] FERZIGER, J. H. ; PERIĆ, M.: *Computational Methods for Fluid Dynamics*. Berlin : Springer-Verlag, 2002
- [93] FOKEMA, M. D. ; KRESTA, S. M. ; WOOD, P. E.: Importance of Using the Correct Impeller Boundary Conditions for CFD Simulations of Stirred Tanks. In: *Can. J. Chem. Eng.* 72 (1994), S. 177–183

- [94] FORTES, A. F. ; JOSEPH, D. D. ; LUNDGREN, T. S.: Nonlinear mechanics of fluidization of beds of spherical particles. In: *J. Fluid Mech.* 177 (1987), S. 467–483
- [95] FRANK, T.: *Numerische Berechnung der feststoffbeladenen Gasströmung im horizontalen Kanal unter Berücksichtigung von Wandrauigkeiten*, Bergakademie Freiberg, D, Diss., 1992
- [96] FRANK, T.: *Parallele Algorithmen für die numerische Simulation dreidimensionaler, disperser Mehrphasenströmungen und deren Anwendung in der Verfahrenstechnik*. Aachen : Shaker-Verlag, 2002. – Habilitationsschrift, TU Chemnitz, D
- [97] FRANK, T. ; SCHADE, K. P. ; PETRAK, D.: Numerical simulation and experimental investigation of a gas-solid two-phase flow in a horizontal channel. In: *Int. J. Multiphase Flow* 19 (1993), S. 187–198
- [98] FRENKIEL, F. N.: On the Kinematics of Turbulence. In: *J. Aero. Sci.* (1948), S. 57–64
- [99] FRIBERG, P. C.: *Three-dimensional modelling and simulations of gas-liquid flow processes in bioreactors*, Norwegian University of Science and Technology, Porsgrunn, N, Diss., 1998
- [100] FROHN, A.: *Einführung in die kinetische Gastheorie*. Wiesbaden : Aula-Verlag, 1988
- [101] FULLER, D. D.: Coefficients of friction. In: GRAY, D. E. (Hrsg.): *American Institute of Physics Handbook*. 3rd Edition. New York : McGraw-Hill, 1972
- [102] GEISLER, R.: *Fluiddynamik und Leistungseintrag in turbulent gerührten Suspensionen*, TU München, D, Diss., 1991
- [103] GIDASPOW, D.: *Multiphase Flow and Fluidization - Continuum and Kinetic Theory Description*. Boston : Academic Press, 1994
- [104] GODFREY, J. C. ; ZHU, Z. M.: Measurement of particle-liquid profiles in agitated tanks. In: *AIChE Symp. Series* 90 (1994), Nr. 299, S. 181–185
- [105] GORE, R. A. ; CROWE, C. T.: Effect of particle size on modulating turbulent intensity. In: *Int. J. Multiphase Flow* 15 (1989), S. 279–285
- [106] GOSMAN, A. D. ; LEKAKOU, C. ; POLITIS, S. ; ISSA, R. I. ; LOONEY, M. K.: Multidimensional Modeling of Turbulent Two-Phase Flows in Stirred Vessels. In: *AIChE J.* 38 (1992), S. 1946–1956
- [107] GRANT, G. ; TABAKOFF, W.: Erosion prediction in turbomachinery resulting from environmental solid particles. In: *J. Aircraft* 12 (1975), S. 471–478

- [108] GÜNKEL, A. A. ; WEBER, M. E.: Flow phenomena in stirred tanks – Part I: The impeller stream. In: *AIChE J.* 21 (1975), S. 931–949
- [109] HACKBUSCH, W.: *Multigrid Methods and Applications*. Berlin : Springer-Verlag, 1985
- [110] HALL, C. D.: The Simulation of Particle Motion in the Atmosphere by a Numerical Random-Walk Model. In: *Quart. J. R. Met. Soc.* 101 (1975), S. 235–244
- [111] HANJALIĆ, K. ; LAUNDER, B. E. ; SCHIESTEL, R.: *Multiple-Time-Scale Concepts in Turbulent Transport Modeling*. Von Kármán Institute for Fluid Mechanics, Rhode Saint Genèse, B, 1980 (Lecture Series No. 1980-3)
- [112] HAPPEL, J. ; BRENNER, H.: *Low Reynolds Number Hydrodynamics*. Leiden : Noordhoff Intl. Pub., 1973
- [113] HAPPEL, J. ; PFEFFER, R.: The motion of two spheres following each other in a viscous fluid. In: *AIChE J.* 6 (1960), S. 129–133
- [114] HARNBY, N. ; EDWARDS, M. F. ; NIENOW, A. W.: *Mixing in the Process Industries*. London : Butterworths, 1985
- [115] HARVEY, A. D. ; LEE, C. K. ; ROGERS, S. E.: Steady-State Modeling and Experimental Measurement of a Baffled Pitched-Blade Impeller Stirred Tank. In: *AIChE J.* 41 (1995), S. 2177–2186
- [116] HARVEY, A. D. ; ROGERS, S. E.: Steady and Unsteady Computation of Impeller-Stirred Reactors. In: *AIChE J.* 42 (1996), S. 2701–2712
- [117] HARVEY, A. D. ; WOOD, S. P. ; LANG, D. E.: Experimental and Computational Study of Multiple Impeller Flows. In: *Chem. Eng. Sci.* 52 (1997), S. 1479–1492
- [118] HARVEY, P. S. ; GREAVES, M.: Turbulent flow in an agitated vessel – Part I: A predictive model. In: *Trans. IChemE Part A* 60 (1982), S. 195–200
- [119] HARVEY, P. S. ; GREAVES, M.: Turbulent flow in an agitated vessel – Part II: Numerical solution and model predictions. In: *Trans. IChemE Part A* 60 (1982), S. 201–210
- [120] HENTRICH, P. (Hrsg.): *EKATO - Handbuch der Rührtechnik*. Schopfheim : Ekato Rühr- und Mischtechnik GmbH, 2000
- [121] HERNDL, G.: Suspendieren. In: *Fortschr. Verfahrenstechn.* 20 (1982), S. 137–162
- [122] HETSRONI, G.: *Handbook of Multiphase Systems*. Washington : Hemisphere Publishing Corporation, 1982

- [123] HETSRONI, G.: Particles-Turbulence Interaction. In: *Int. J. Multiphase Flow* 15 (1989), S. 735–746
- [124] HINZE, J. O.: *Turbulence*. New York : McGraw Hill, 1975
- [125] HIRAOKA, S. ; YAMADA, I. ; ARAGAKI, T. ; NISHIKI, H. ; SATO, A. ; TAKAGI, T.: Numerical analysis of three dimensional velocity profile of highly viscous Newtonian fluid in an agitated vessels with paddle impeller. In: *J. Chem. Eng. Japan* 21 (1988), S. 79–86
- [126] HJELMFELT, A. T. ; MOCKROS, L. F.: Motion of discrete particles in a turbulent fluid. In: *Appl. Sci. Res.* 16 (1966), S. 149–161
- [127] HOCKEY, R. M.: *Turbulence Newtonian and Non-Newtonian Flows in a Stirred Reactor*, University of London, GB, Ph.D. Thesis, 1990
- [128] HÖFKEN, M.: *Moderne experimentelle Methoden für die Untersuchung von Strömungen in Rührbehältern und für Rührwerksoptimierungen*, Universität Erlangen-Nürnberg, D, Diss., 1994
- [129] HOWARTH, L.: Note on the Boundary Layer on a Rotating Sphere. In: *Phil. Mag.* 42 (1951), S. 1308–1315
- [130] HUBER, N.: *Zur Phasenverteilung von Gas-Feststoff-Strömungen in Rohren*, Universität Erlangen-Nürnberg, D, Diss., 1997
- [131] HUBER, N. ; SOMMERFELD, M.: Numerical calculation of dilute-phase pneumatic conveying in complex pipe systems. In: *Proc. ASME FEDSM'97 - 3694*. Vancouver (B.C.), CAN, 1997
- [132] HUBER, N. ; SOMMERFELD, M.: Modelling and numerical calculation of dilute-phase pneumatic conveying in pipe systems. In: *Powder Technology* 99 (1998), S. 90–101
- [133] HUTCHINGS, B. J. ; WEETMAN, R. J. ; PATEL, B. R.: Computation of flow fields in mixing tanks with experimental verification. In: *Proc. ASME Annual Meeting '89 - TN-481*. San Francisco (CA), USA, 1989
- [134] IGNATJEW, M.: *Hydrodynamische Modellierung von Suspendierprozessen in Rührmaschinen*, Universität Paderborn, D, Diss., 1994
- [135] INVENT COMPUTING GMBH: *Benutzerhandbuch zu FASTEST*. Erlangen, 2000
- [136] ISSA, R. I.: Solution of the implicitly discretised fluid flow equations by operator-splitting. In: *J. Computat. Physics* 62 (1985), S. 40–65
- [137] ISSA, R. I.: Numerical modelling of flows in stirred mixing vessels. In: SOMMERFELD, M. (Hrsg.): *Proc. 7th Workshop on Two-Phase Flow Predictions*. Erlangen, D, 1994

- [138] ISSA, R. I.: Numerical modelling of two-phase flow in mixing vessels. In: PAPAIOU, K. D. (Hrsg.): *Computational Fluid Dynamics, ECCOMAS 98, Vol. 2*. John Wiley & Sons, 1998, S. 622–629
- [139] ISSA, R. I. ; GOSMAN, A. D.: The computation of three-dimensional turbulent two-phase flows in mixer vessels. In: *Proc. 2nd Int. Conf. Num. Methods Lam. and Turb. Flows*. Venice, I, 1981
- [140] JAWORSKI, Z. ; ZAKRZEWSKA, B.: Modelling of the turbulent wall jet generated by a pitched blade turbine impeller - The effect of turbulence model. In: *Trans. IChemE Part A* 80 (2002), S. 846–854
- [141] JENNE, M. ; REUSS, M.: A critical assessment on the use of $k-\varepsilon$ turbulence models for simulation of the turbulent liquid flow induced by a Rushton-turbine in baffled stirred-tank reactors. In: *Chem. Eng. Sci.* 54 (1999), S. 3921–3941
- [142] JISCHA, M. F.: *Konvektiver Impuls-, Wärme- und Stoffaustausch*. Braunschweig : Vieweg Verlag, 1982
- [143] JONES, W. ; LAUNDER, B. E.: The Prediction of Laminarization with a Two-Equation Model of Turbulence. In: *Int. J. Heat Mass Transfer* 15 (1972), S. 301–314
- [144] KAMINOYAMA, M. ; SAITO, R. ; KAMIWANO, M.: Numerical analysis of three-dimensional flow of a pseudoplastic liquid in a stirred vessel with a turbine impeller. In: *Int. Chem. Engineering* 30 (1990), S. 720–728
- [145] KAMINOYAMA, M. ; SAITO, R. ; KAMIWANO, M.: Numerical analysis of mixing processing for high-viscosity pseudoplastic liquids in mixers with various plate-type impellers. In: *Int. Chem. Engineering* 33 (1993), S. 506–515
- [146] KASKAS, A. A.: *Schwarmgeschwindigkeit in Mehrkornsuspensionen am Beispiel der Sedimentation*, TU Berlin, D, Diss., 1970
- [147] KHOSLA, P. K. ; RUBIN, S. G.: A Diagonally-Dominant Second-Order Accurate Implicit Scheme. In: *Computers & Fluids* 2 (1974), S. 207–209
- [148] KIM, J. ; ELGHOBASCHI, S. ; SIRIGNANO, W. A.: Three dimensional flow over two spheres placed side by side. In: *J. Fluid Mech.* 246 (1993), S. 465–488
- [149] KIM, J. ; ELGHOBASCHI, S. ; SIRIGNANO, W. A.: On the equation for spherical-particle motion: effect of Reynolds and acceleration numbers. In: *J. Fluid Mech.* 367 (1998), S. 221–253
- [150] KIM, J. ; MANNING, F. S.: Turbulence energy and intensity spectra in a baffled, stirred vessel. In: *AIChE J.* 10 (1964), S. 747–751
- [151] KIPKE, K.: Anwendung strömungstechnischer Interferenzwirkung auf die Entwicklung des Interferenzstromrührers Intermig. In: *Verfahrenstechn.* 11 (1977), S. 518–524

- [152] KIPKE, K.: Auslegung von Industrie-Rührwerken. In: *Chem.-Ing.-Tech.* 57 (1985), S. 813–823
- [153] KITRON, A. ; ELPERIN, T. ; TAMIR, A.: Monte Carlo analysis of wall erosion and direct contact heat transfer by impinging two-phase jets. In: *J. Thermophysics and Heat Transfer* 3 (1989), S. 112–122
- [154] KITRON, A. ; ELPERIN, T. ; TAMIR, A.: Monte Carlo simulation of gas-solids suspension flows in impinging stream reactors. In: *Int. J. Multiphase Flow* 16 (1990), S. 1–17
- [155] KNEULE, F.: *Rühren - Praxis der Verfahrenstechnik, Band 1.* Frankfurt : DECHEMA, 1986
- [156] KOHNEN, C.: *Experimentelle und numerische Untersuchungen der Fluidströmung gerührter Suspensionen,* TU Braunschweig, D, Diss., 2000
- [157] KOHNEN, G.: *Über den Einfluß der Phasenwechselwirkungen bei turbulenten Zweiphasenströmungen und deren numerische Erfassung in der Euler-Lagrange Betrachtungsweise,* Universität Halle-Wittenberg, D, Diss., 1997
- [158] KOHNEN, G. ; RÜGER, M. ; SOMMERFELD, M.: Convergence behaviour for numerical calculations by the Euler/Lagrange method for strongly coupled phases. In: *Numerical Methods in Multiphase Flows* — ASME FED Vol. 185, 1994, S. 191–202
- [159] KOLAR, V. ; FILIP, P. ; CUREV, A. G.: The Swirling Radial Jet. In: *Appl. Sci. Res.* 39 (1982), S. 329–335
- [160] KOLMOGOROV, A. N.: Die lokale Struktur der Turbulenz in einer inkompressiblen zähen Flüssigkeit bei sehr großen Reynoldszahlen. In: KOLMOGOROV, A. N. (Hrsg.) ; LIMBERG, H. (Hrsg.) ; GOERING, H. (Hrsg.): *Sammelband zur statistischen Theorie der Turbulenz.* Berlin : Akademie-Verlag, 1958
- [161] KRAUME, M. ; ZEHNER, P.: Konzept zur Maßstabsübertragung beim Suspensieren im Rührbehälter. In: *Chem.-Ing.-Tech.* 67 (1995), S. 280–288
- [162] KRESTA, S. M.: *Characterization, Measurement and Prediction of the Turbulent Flow in Stirred Tanks,* McMaster University, Hamilton (Ontario), CAN, Ph.D. Thesis, 1993
- [163] KRESTA, S. M. ; WOOD, P. E.: Prediction of the three-dimensional turbulent flow in stirred tanks. In: *AIChE J.* 37 (1991), S. 448–460
- [164] KRESTA, S. M. ; WOOD, P. E.: The flow field produced by a pitched blade turbine: Characterization of the turbulence and estimation of the dissipation rate. In: *Chem. Eng. Sci.* 48 (1993), S. 1761–1774
- [165] LAMB, H.: *Hydrodynamics.* New York : Dover, 1945

- [166] LANE, G. L. ; SCHWARZ, M. P. ; EVANS, G. M.: Predicting gas-liquid flow in a mechanically stirred tank. In: *Appl. Math. Modelling* 26 (2002), S. 223–235
- [167] LAUFHÜTTE, H. D.: *Turbulenzparameter in gerührten Fluiden*, TU München, D, Diss., 1986
- [168] LAUNDER, B. E. ; SHARMA, B. I.: Application of the Energy Dissipation Model of Turbulence to Calculation of Flow Near a Spinning Disc. In: *Letters on Heat and Mass Transfer* 15 (1974), S. 301–314
- [169] LAUNDER, B. E. ; SPALDING, D. B.: The Numerical Computation of Turbulent Flows. In: *Comp. Meth. Appl. Mech. Eng.* 3 (1974), S. 269–289
- [170] LEE, K. C. ; NG, K. ; YIANNESKIS, M. ; LANGE, M. ; SANATIAN, R.: Sliding mesh predictions of the flows around Rushton impellers. In: *ICChemE Symp. Series* 140 (1996), S. 47–58
- [171] LEE, K. C. ; YIANNESKIS, M.: The Extent of Periodicity of the Flow in Vessels Stirred by Rushton Impellers. In: *AIChE Symp. Series* 90 (1994), Nr. 299, S. 5–18
- [172] LEE, K. C. ; YIANNESKIS, M.: Turbulence Properties of the Impeller Stream of a Rushton Turbine. In: *AIChE J.* 44 (1998), S. 13–24
- [173] LEE, S. L. ; DURST, F.: On the motion of particles in turbulent duct flows. In: *Int. J. Multiphase Flow* 8 (1982), S. 125–146
- [174] LEGG, B. J.: Turbulent dispersion from an elevated line source – Markov chain simulations of concentration and flux profiles. In: *Quart. J. R. Met. Soc.* 109 (1983), S. 645–660
- [175] LEGG, B. J. ; RAUPACH, M. R.: Markov-chain simulation of particle dispersion in inhomogeneous flows – The mean drift velocity induced by a gradient in Eulerian velocity variance. In: *Bound.-Layer Met.* 24 (1982), S. 3–13
- [176] LIANG, L. ; MICHAELIDES, E. E.: The magnitude of basset forces in unsteady multiphase flow computations. In: *Trans. ASME - J. Fluids Engng.* 114 (1992), S. 417–419
- [177] LIEPE, F. ; MEUSEL, W. ; MÖCKEL, H. O. ; PLATZER, B. ; WEISSGÄRBER, H.: *Verfahrenstechnische Berechnungsmethoden Teil 4 - Stoffvereinigen in fluiden Phasen*. Weinheim : VCH-Verlagsgesellschaft, 1988
- [178] LIEPE, F. ; SPERLING, R. *priv. Mitteilung*. 1995
- [179] LIEPE, F. ; SPERLING, R. ; JEMBERE, S.: *Rührwerke, Theoretische Grundlagen, Auslegung und Bewertung*. Köthen : Eigenverlag FH Anhalt, 1998
- [180] LOHR, B.: *Untersuchung turbulenter Strömungsfelder in einem Rührreaktor technischer Größe*, TU München, D, Diss., 1975

- [181] LOONEY, M. K. ; GOSMAN, A. D. ; ISSA, R. I. ; POLITIS, S.: Modelling of the turbulent flow of solid-liquid suspensions in stirred vessels. In: *5th Int. Conf. Math. Modelling*. Berkeley (CA), USA, 1985
- [182] LOTH, E.: Numerical approaches for motion of dispersed particles, droplets and bubbles. In: *Prog. Energy Combust. Sci.* 26 (2000), S. 161–223
- [183] LUMLEY, J. L.: Two-phase and non-Newtonian flows. In: BRADSHAW, P. (Hrsg.): *Turbulence - Springer Topics in Applied Physics* Bd. 12. New York : Springer-Verlag, 1978, S. 289–324
- [184] LUN, C. K. K. ; BENT, A. A.: Numerical simulation of inelastic frictional spheres in simple shear flow. In: *J. Fluid Mech.* 258 (1994), S. 335–353
- [185] LUN, C. K. K. ; LIU, H. S.: Numerical simulation of dilute turbulent gas-solid flows in horizontal channels. In: *Int. J. Multiphase Flow* 23 (1997), S. 575–605
- [186] LUN, C. K. K. ; SAVAGE, S. B. ; JEFFREY, D. J. ; CHEPURNIY, N.: Kinetic theories for granular flow: inelastic particles in Couette flow and slightly inelastic particles in a general flowfield. In: *J. Fluid Mech.* 140 (1984), S. 223–256
- [187] LUO, J. Y. ; GOSMAN, A. D. ; ISSA, R. I.: Prediction of impeller induced flows in mixing vessels using multiple frames of reference. In: *IChemE Symp. Series* 136 (1994), S. 549–556
- [188] LUO, J. Y. ; GOSMAN, A. D. ; ISSA, R. I. ; MIDDLETON, J. C. ; FITZGERALD, M. K.: Full flow field computation of mixing in baffled stirred vessels. In: *Trans. IChemE Part A* 71 (1993), S. 342–344
- [189] MACINNES, J. M. ; BRACCO, F. V.: Stochastic particle dispersion modelling and the tracer-particle limit. In: *Phys. Fluids A* 4 (1992), S. 2809–2824
- [190] MAEDA, M. ; HISHIDA, K. ; FURUTANI, T.: Optical measurements of local gas and particle velocity in an upward flowing dilute gas-solids suspension. In: *Proc. Polyphase Flow and Transport Technology (Century 2-ETC)*. San Francisco, USA, 1980, S. 211–216
- [191] MAGNAUDET, J. J. M.: The forces acting on bubbles and rigid particles. In: *Proc. ASME FEDSM'97 - 3522*. Vancouver (B.C.), CAN, 1997
- [192] MAHMOUDI, S. M. S.: *Velocity and Mixing Characteristics of Stirred Vessels with two Impellers*, King's College, London, GB, Ph.D. Thesis, 1993
- [193] MATSUMOTO, S. ; SAITO, S.: Monte Carlo Simulation of horizontal pneumatic conveying based on the rough wall model. In: *J. Chem. Eng. Japan* 3 (1970), S. 223–230

- [194] MATSUMOTO, S. ; SAITO, S.: On the mechanism of suspension of particle in horizontal pneumatic conveying: Monte Carlo Simulation based on the irregular bouncing model. In: *J. Chem. Eng. Japan* 3 (1970), S. 83–92
- [195] MAXEY, M. R. ; RILEY, J. J.: Equation of motion for a small rigid sphere in a non-uniform flow. In: *Phys. Fluids* 26 (1983), S. 883–889
- [196] MCLAUGHLIN, J. B.: Inertial migration of a small sphere in linear shear flows. In: *J. Fluid Mech.* 224 (1991), S. 261–274
- [197] MEI, R.: An approximate expression for the shear lift force on a spherical particle at finite Reynolds number. In: *Int. J. Multiphase Flow* 18 (1992), S. 145–147
- [198] MEI, R. ; ADRIAN, R. J.: Flow past a sphere with an oscillation in the free-stream velocity and unsteady drag at finite Reynolds number. In: *J. Fluid Mech.* 237 (1992), S. 323–341
- [199] MEI, R. ; LAWRENCE, C. J. ; ADRIAN, R. J.: Unsteady drag on a sphere at finite Reynolds number with small fluctuations in the free-stream velocity. In: *J. Fluid Mech.* 233 (1991), S. 613–631
- [200] MICALÉ, G. ; MONTANTE, G. ; GRISAFI, F. ; BRUCATO, A. ; GODFREY, J.: CFD simulation of particle distribution in stirred vessels. In: *Chem. Eng. Res. Des.* 78 (2000), S. 435–444
- [201] MIDDLETON, J. C. ; PIERCE, F. ; LYNCH, P. M.: Computations of flow fields and complex reaction yield in turbulent stirred reactors, and comparison with experimental data. In: *ICHEME Symp. Series* 87 (1984), S. 239–247
- [202] MIDDLETON, J. C. ; PIERCE, F. ; LYNCH, P. M.: Computations of flow fields and complex reaction yield in turbulent stirred reactors, and comparison with experimental data. In: *Chem. Eng. Res. Des.* 64 (1986), S. 18–22
- [203] MILOJEVIĆ, D.: Lagrangian Stochastic-Deterministic (LSD) Predictions of Particle Dispersion in Turbulence. In: *Part. Part. Syst. Charact.* 7 (1990), S. 181–190
- [204] MONTANTE, G. ; LEE, K. C. ; BRUCATO, A. ; YIANNESKIS, M.: Numerical simulations of the dependency of flow pattern on impeller clearance in stirred vessels. In: *Chem. Eng. Sci.* 56 (2001), S. 3751–3770
- [205] MONTANTE, G. ; MAGELLI, F.: CDF simulations of solid particles distribution in a vessel agitated with a pitched blade turbine and validation with experimental data. In: SOMMERFELD, M. (Hrsg.): *Proc. 10th Workshop on Two-Phase Flow Predictions*. Merseburg, D, 2002, S. 265–274
- [206] MONTANTE, G. ; MICALÉ, G. ; BRUCATO, A. ; MAGELLI, F.: CFD simulation of particle distribution in a multiple-impeller high-aspect-ratio stirred vessel. In: *Proc. 10th European Conf. on Mixing*. Delft, NL, 2000, S. 125–132

- [207] MONTANTE, G. ; MICALE, G. ; MAGELLI, F. ; BRUCATO, A.: Experiments and CFD predictions of solid particle distribution in a vessel agitated with four pitched blade turbines. In: *Chem. Eng. Res. Des.* 79 (2001), S. 1005–1010
- [208] MORSI, S. A. ; ALEXANDER, A. J.: An investigation of particle trajectories in two-phase flow systems. In: *J. Fluid Mech.* 55 (1972), S. 193–208
- [209] MORUD, K. E. ; HJERTAGER, B. H.: LDA measurements and CFD modelling of gas-liquid flow in a stirred vessel. In: *Chem. Eng. Sci.* 51 (1996), S. 233–249
- [210] MUJUMDAR, A. S. ; HUANG, B. ; WOLF, D. ; WEBER, M. E. ; DOUGLAS, W. J. M.: Turbulence parameters in a stirred tank. In: *Can. J. Chem. Eng.* 48 (1970), S. 475–483
- [211] MURTHY, J. Y. ; MATHUR, S. R. ; CHOUDHURY, D.: CFD simulation of flows in stirred tank reactors using a sliding mesh technique. In: *ICHEME Symp. Series* 136 (1994), S. 341–348
- [212] MUSIL, L. ; VLK, J.: Suspending solid particles in an agitated conical-bottom tank. In: *Chem. Eng. Sci.* 33 (1978), S. 1123–1131
- [213] NAGATA, S.: *Mixing: Principles and Applications*. New York : J. Wiley & Sons, 1975
- [214] NASSAR, A. F. ; ZIVKOVIC, G. ; GENENGER, B. ; DURST, F.: PDA measurements and numerical simulation of turbulent two-phase flow in stirred vessels. In: SOMMERFELD, M. (Hrsg.): *Bubbly Flows: Analysis, Modelling and Calculation*. Berlin : Springer-Verlag, 2004, S. 337–352
- [215] NEESSE, T. ; SCHUBERT, H. ; LIEPE, F. ; MÖCKEL, H. O.: Turbulenzmessungen in der Mehrphasenströmung fest-flüssig eines Rührapparates. In: *Chem. Techn.* 29 (1977), S. 544–548
- [216] NG, K. ; FENTIMAN, N. J. ; LEE, K. C. ; YIANNESKIS, M.: Assessment of sliding mesh CFD predictions and LDA measurements of the flow in a tank stirred by a Rushton impeller. In: *Trans. IChemE Part A* 76 (1998), S. 737–747
- [217] NIESMAK, G.: *Feststoffverteilung und Leistungsbedarf gerührter Suspensionen*, TU Braunschweig, D, Diss., 1982
- [218] NOURI, J. M.: *Single and two phase flows in ducts and stirred reactors*, University of London, GB, Ph.D. Thesis, 1988
- [219] NOURI, J. M. ; WHITELAW, J. H.: Effect of size and confinement on the flow characteristics in stirred reactors. In: *Proc. 5th Int. Symp. on App. Laser Tech. Fluid Mech.* - 23.2. Lisbon, PT, 1990
- [220] NOURI, J. M. ; WHITELAW, J. H.: Flow characteristics of stirred reactors with Newtonian and Non-Newtonian fluids. In: *AIChE J.* 36 (1990), S. 627–629

- [221] NOURI, J. M. ; WHITELAW, J. H.: Particle velocity characteristics of dilute to moderately dense suspension flows in stirred reactors. In: *Int. J. Multiphase Flow* 18 (1992), S. 21–33
- [222] NOURI, J. M. ; WHITELAW, J. H. ; YIANNESKIS, M.: Particle motion and turbulence in dense two-phase flows. In: *Int. J. Multiphase Flow* 13 (1987), S. 729–739
- [223] ODAR, F.: Verification of the proposed equation for calculating of the forces on a sphere accelerating in a viscous fluid. In: *J. Fluid Mech.* 25 (1966), S. 591–592
- [224] ODAR, F. ; HAMILTON, W. S.: Forces on a Sphere Accelerating in a Viscous Fluid. In: *J. Fluid Mech.* 18 (1964), S. 302–314
- [225] OESTERLÉ, B. ; BUI DINH, T.: Experiments on the lift of a spinning sphere in a range of intermediate Reynolds numbers. In: *Exp. Fluids* 25 (1998), S. 16–22
- [226] OESTERLÉ, B. ; BUI DINH, T. ; VIAL, J.: Measurements of lift and torque on a rotating sphere at intermediate Reynolds numbers. In: *Mech. Res. Commun.* 18 (1991), S. 145–150
- [227] OESTERLÉ, B. ; PETITJEAN, A.: Simulation of particle-to-particle interactions in gas-solid flows. In: *Int. J. Multiphase Flow* 19 (1993), S. 199–211
- [228] OLDSHUE, J. Y.: *Fluid Mixing Technology*. New York : McGraw Hill, 1983
- [229] ORMANCEY, A. ; MARTINON, J.: Prediction of Particle Dispersion in Turbulent Flows. In: *Phys. Chem. Hydrodynamics* 5 (1984), S. 229–244
- [230] O’ROURKE, P. J.: *Collective drop effects on vaporizing liquid sprays*, Princeton University (N.J.), USA, Ph.D. Thesis, 1981
- [231] OSEEN, C. W.: Über die Stokessche Formel und über eine verwandte Aufgabe in der Hydrodynamik. In: *Arkiv för matematik, astr. och fysik* Bd. 6 (1910)
- [232] OSEEN, C. W.: Über den Gültigkeitsbereich der Stokessche Widerstandsformel. In: *Arkiv för matematik, astr. och fysik* Bd. 9 (1913)
- [233] OSEEN, C. W.: *Hydrodynamik*. Leipzig : Akademische Verlagsgesellschaft, 1927
- [234] OSEEN, C. W.: Neuere Methoden und Ergebnisse in der Hydrodynamic. In: *Arkiv för matematik, astr. och fysik* Bd. 23 (1927)
- [235] PATANKAR, S. V.: *Numerical Heat Transfer and Fluid Flow*. Hemisphere Publishing Corporation, 1980

- [236] PATANKAR, S. V. ; SPALDING, D. B.: A calculation procedure for heat, mass and momentum transfer in three-dimensional parabolic flows. In: *Int. J. Heat Mass Transfer* 15 (1972), S. 1787–1806
- [237] PERIĆ, M.: *A Finite Volume Method for the Prediction of Three-Dimensional Fluid Flow in Complex Ducts*, Imperial College, University of London, GB, Ph.D. Thesis, 1985
- [238] PERICLEOUS, K. A. ; PATEL, M. K.: The modelling of tangential and axial agitators in chemical reactors. In: *Phys. Chem. Hydrodynamics* 8 (1987), S. 105–123
- [239] PERICLEOUS, K. A. ; PATEL, M. K.: The source-sink approach in the modelling of stirred reactors. In: *Phys. Chem. Hydrodynamics* 9 (1987), S. 279–297
- [240] PERNG, C. Y. ; MURTHY, J. Y.: A moving deforming mesh technique for simulation of flow in mixing tanks. In: *AIChE Symp. Series* 89 (1993), Nr. 293, S. 37–41
- [241] PERNG, C. Y. ; MURTHY, J. Y.: A sliding-mesh technique for simulation of flow in mixing tanks. In: *Proc. ASME Winter Annual Meeting - 93-WA/HT-33*. New Orleans (La.), USA, 1993
- [242] PLACEK, J. ; TAVLARIDES, L. L.: Turbulent flow in stirred tanks – Part I: Turbulent flow in the turbine impeller region. In: *AIChE J.* 31 (1985), S. 1113–1120
- [243] PLACEK, J. ; TAVLARIDES, L. L. ; SMITH, G. W. ; FOŘT, I.: Turbulent flow in stirred tanks – Part II: A two-scale model of turbulence. In: *AIChE J.* 32 (1986), S. 1771–1786
- [244] POIRIER, M. R. ; POWELL, M. R. ; GLADKI, H. ; RODWELL, P. O.: Suspending Zeolite Particles in Tanks. In: *Proc. ASME/JSME FEDSM'99*. San Francisco (CA), USA, 1999
- [245] POLITIS, S.: *Prediction of two-phase solid-liquid turbulent flow in stirred vessels*, University of London, GB, Ph.D. Thesis, 1989
- [246] PRESS, W. H. ; FLANNERY, B. P. ; TEUKOLSKY, S. A. ; VETTERLING, W. T.: *Numerical recipes: The art of scientific computing*. Cambridge, New York : Cambridge University Press, 1986
- [247] PUTNAM, A.: Integrable form of droplet drag coefficient. In: *Am. Rocket Soc. J.* 31 (1961), S. 1467–1468
- [248] RAMACHANDRAN, R. S. ; WANG, T. Y. ; KLEINSTREUER, C. ; CHINAG, H.: Laminar Flow Past Three Closely Spaced Monodispersed Spheres or Nonevaporating Drops. In: *AIAA J.* 29 (1991), S. 43–51

- [249] RANADE, V. V. ; BOURNE, J. R.: Reactive mixing in agitated tanks. In: *Chem. Eng. Commun.* 99 (1991), S. 33–53
- [250] RANADE, V. V. ; BOURNE, J. R. ; JOSHI, J. B.: Fluid mechanics and blending in agitated tanks. In: *Chem. Eng. Sci.* 46 (1991), S. 1883–1893
- [251] RANADE, V. V. ; DESHPANDE, V. R.: Gas-liquid flow in stirred vessels: Trailing vortices and gas accumulation behind impeller blades. In: *Chem. Eng. Sci.* 54 (1999), S. 2305–2315
- [252] RANADE, V. V. ; DOMMETI, S. M. S.: Computational Snapshot of Flow Generated by Axial Impellers in Baffled Stirred Vessels. In: *Trans. IChemE Part A* 74 (1996), S. 476–484
- [253] RANADE, V. V. ; JOSHI, J. B.: Flow generated by pitched blade turbines – Part I: Measurements using laser Doppler anemometer. In: *Chem. Eng. Commun.* 81 (1989), S. 197–224
- [254] RANADE, V. V. ; JOSHI, J. B.: Flow generated by a disc turbine – Part I: Experimental. In: *Trans. IChemE Part A* 68 (1990), S. 19–33
- [255] RANADE, V. V. ; JOSHI, J. B.: Flow generated by a disc turbine – Part II: Mathematical modelling and comparison with experimental data. In: *Trans. IChemE Part A* 68 (1990), S. 34–50
- [256] RANADE, V. V. ; JOSHI, J. B. ; MARATHE, A. G.: Flow generated by pitched blade turbines – Part II: Simulation using k- ϵ model. In: *Chem. Eng. Commun.* 81 (1989), S. 225–248
- [257] RANADE, V. V. ; PERRARD, M. ; SAUZE, N. L. ; XUEREBO, C. ; BERTRAND, J.: PIV measurements and CFD simulations with snapshot approach. In: *Trans. IChemE Part A* 79 (2001), S. 3–12
- [258] RANADE, V. V. ; VAN DEN AKKER, H. E. A.: A computational snapshot of gas-liquid flow in baffled stirred reactors. In: *Chem. Eng. Sci.* 49 (1994), S. 5175–5192
- [259] RAO, M. A. ; BRODKEY, R. S.: Continuous flow stirred tank turbulence parameters in the impeller stream. In: *Chem. Eng. Sci.* 27 (1972), S. 137–156
- [260] REEKS, M. W.: On the dispersion of small particles suspended in an isotropic turbulent fluid. In: *J. Fluid Mech.* 83 (1977), S. 529–546
- [261] REEKS, M. W. ; MCKEE, S.: The dispersive effects of Basset history forces on particle motion in a turbulent flow. In: *Phys. Fluids* 27 (1984), S. 1573–1582
- [262] REVSTEDT, J. ; FUCHS, L. ; TRÄGÄRDT, C.: Large eddy simulations of the turbulent flow in a stirred reactor. In: *Chem. Eng. Sci.* 54 (1998), S. 4041–4053

- [263] REYNOLDS, O.: On the Dynamical Theory of Incompressible Viscous Fluids. In: *Phil. Trans. R. Soc. Lond.* A186 (1895), S. 123–164
- [264] RHIE, C. M. ; CHOW, W. L.: A numerical study of the turbulent flow past an airfoil with trailing edge separation. In: *AIAA J.* 21 (1983), S. 1525–1532
- [265] RICHARDSON, J. F. ; ZAKI, W. N.: Sedimentation and Fluidization: Part I. In: *Trans. IChemE Part A* 32 (1954), S. 35–53
- [266] RILEY, J. J.: *Computer Simulation of Turbulent Dispersion*, The Johns Hopkins University, Baltimore (Md.), USA, Ph.D. Thesis, 1971
- [267] RIVERO, M. ; FABRE, J. Magnaudet J.: Quelques résultats nouveaux concernant les forces exercées sur une inclusion sphérique par un écoulement accéléré. In: *C. R. Acad. Sci. Paris Série II* 312 (1991), S. 1499–1506
- [268] RIZK, M. A. ; ELGHOBASHI, S. E.: A two-equation turbulence model for dispersed dilute confined two-phase flows. In: *Int. J. Multiphase Flow* 15 (1989), S. 119–133
- [269] ROSENFELD, M. ; KWAK, D.: Time-Dependent Solutions of Viscous Incompressible Flows in Moving Coordinates. In: *Int. J. Num. Methods Fluids* 13 (1991), S. 1311–1328
- [270] ROTHER, H.: *Inbetriebnahme eines LDA-Rührversuchsstandes und Messungen von Geschwindigkeiten*, Fachbereich Ingenieurwissenschaften, Universität Halle-Wittenberg, D, Diplomarbeit, 2000
- [271] ROTTA, J. C.: *Turbulente Strömungen*. Stuttgart : Teubner Verlag, 1972
- [272] RUBINOW, S. I. ; KELLER, J. B.: The transverse force on a spinning sphere moving in a viscous fluid. In: *J. Fluid Mech.* 11 (1961), S. 447–459
- [273] RUTHERFORD, K. ; LEE, K. C. ; MAHMOUDI, S. M. S. ; YIANNESKIS, M.: Hydrodynamic characteristics of dual rushton impeller stirred vessels. In: *AIChE J.* 42 (1996), S. 332–346
- [274] RUTHERFORD, K. ; MAHMOUDI, S. M. S. ; LEE, K. C. ; YIANNESKIS, M.: The influence of rushton impeller blade and disk thickness on the mixing characteristics of stirred vessels. In: *Trans. IChemE Part A* 74 (1996), S. 369–378
- [275] SAFFMAN, P. G.: The lift on a small sphere in a slow shear flow. In: *J. Fluid Mech.* 22 (1965), S. 385–400
- [276] SAFFMAN, P. G.: Corrigendum to "The lift on a small sphere in a slow shear flow". In: *J. Fluid Mech.* 31 (1968), S. 624

- [277] SAWATZKI, O.: *Über den Einfluß der Rotation und der Wandstöße auf die Flugbahnen kugeligter Teilchen im Luftstrom*, Universität Karlsruhe, D, Diss., 1961
- [278] SAWATZKI, O.: Strömungsfeld um eine rotierende Kugel. In: *Acta Mech.* 9 (1970), S. 159–214
- [279] SAWFORD, B. L.: Lagrangian statistical simulation of concentration mean and fluctuation fields. In: *J. Climate and Appl. Meteorology* 24 (1985), S. 1152–1166
- [280] SCHÄFER, J.: *Rohrfluß granularer Materie: Theorie und Simulation*, Universität Duisburg, D, Diss., 1996
- [281] SCHÄFER, M.: *Charakterisierung, Auslegung und Verbesserung des Makro- und Mikromischens in gerührten Behältern*, Universität Erlangen-Nürnberg, D, Diss., 2001
- [282] SCHÄFER, M. ; PERIĆ, M. *Numerische Strömungsmechanik*. Vorlesungsskript, Lehrstuhl für Strömungsmechanik, Universität Erlangen-Nürnberg, D. 1997
- [283] SCHÄFER, M. ; YIANNESKIS, M. ; WÄCHTER, P. ; DURST, F.: Trailing Vortices around a 45° Pitched-Blade Impeller. In: *AIChE J.* 44 (1998), S. 1233–1245
- [284] SCHILLER, L. ; NAUMANN, A.: Über die grundlegenden Berechnungen bei der Schwerkraftaufbereitung. In: *Ver. Deut. Ing.* 77 (1933), S. 318–320
- [285] SCHUBERT, H. ; HEIDENREICH, E. ; LIEPE, F. ; NEESSE, T.: *Mechanische Verfahrenstechnik 1*. Leipzig : VEB Deutscher Verlag für Grundstoffindustrie, 1977
- [286] SHAW, J. A.: Succeed at solids suspension. In: *Chem. Eng. Progress* 88 (1992), S. 34–41
- [287] SHUEN, J. S. ; SOLOMON, A. S. P. ; ZHANG, Q.-F. ; FAETH, G. M.: *A Theoretical and Experimental Study of Turbulent Particle-Laden Jets*. Contractor Report 168293: NASA, 1983
- [288] SIJERČIĆ, M.: *Matematičko modeliranje kompleksnih turbulentnih transportnih procesa*. Beograd : Jugoslovensko društvo termičara / Institut za nuklearne nauke (Vinča), 1998
- [289] SMOLUCHOWSKI, M.: On the mutual action of spheres which move in a viscous liquid. In: *Bull. Acad. Sci. Cracovie A1* (1911), S. 28–39
- [290] SNYDER, W. H. ; LUMLEY, J. L.: Some measurements of particle velocity autocorrelation functions in a turbulent flow. In: *J. Fluid Mech.* 48 (1971), S. 41–71

- [291] SOMMERFELD, M.: Numerical simulation of the particle dispersion in turbulent flows including particle lift forces and different particle/wall collision models. In: *Numerical Methods for Multiphase Flows* — ASME FED Vol. 91, 1990, S. 11–18
- [292] SOMMERFELD, M.: Modelling of particle-wall collisions in confined gas-particle flows. In: *Int. J. Multiphase Flow* 18 (1992), S. 905–926
- [293] SOMMERFELD, M.: The importance of inter-particle collisions in horizontal gas-solid channel flows. In: *Gas-Particle Flows* — ASME FED Vol. 228, 1995, S. 335–345
- [294] SOMMERFELD, M.: *Modellierung und numerische Berechnung von partikel-beladenen turbulenten Strömungen mit Hilfe des Euler/Lagrange-Verfahrens*, Universität Erlangen-Nürnberg, D, Habil., 1996
- [295] SOMMERFELD, M.: A stochastic approach to model inter-particle collisions in the frame of the Euler/Lagrange approach. In: *ERCRAFTAC Bulletin* 36 (1998), S. 34–37
- [296] SOMMERFELD, M.: Inter-particle collisions in turbulent flows: A stochastic Lagrangian model. In: *Proc. 1st Int. Symp. on Turbulence and Shear Flow Phenomena*. Santa Barbara (CA), USA, 1999, S. 265–270
- [297] SOMMERFELD, M.: *Theoretical and experimental modelling of particulate flow: Overview and fundamentals*. Von Kármán Institute for Fluid Mechanics, Rhode Saint Genèse, B, 2000 (Lecture Series No. 2000-6)
- [298] SOMMERFELD, M.: Analyse der Wandkollision von nicht-sphärischen Feststoffpartikeln. In: *Chem.-Ing.-Tech.* 73 (2001), S. 1573–1578
- [299] SOMMERFELD, M.: Validation of a stochastic Lagrangian modelling approach for inter-particle collisions in homogeneous isotropic turbulence. In: *Int. J. Multiphase Flow* 27 (2001), S. 1829–1858
- [300] SOMMERFELD, M.: Bewegung fester Partikel in Gasen und Flüssigkeiten. In: *VDI-Wärmeatlas*. 9. Auflage. Berlin : Springer-Verlag, 2002. – Kap. Lca
- [301] SOMMERFELD, M.: Analysis of collision effects for turbulent gas-particle flows in a horizontal channel: Part I. Particle transport. In: *Int. J. Multiphase Flow* 29 (2003), S. 675–699
- [302] SOMMERFELD, M. ; DECKER, S.: State of the Art and Future Trends in CFD Simulation of Stirred Vessel Hydrodynamics. In: *Chem. Eng. Technol.* 27 (2004), S. 215–224
- [303] SOMMERFELD, M. ; HUBER, N.: Experimental analysis and modelling of partile-wall collisions. In: *Int. J. Multiphase Flow* 25 (1999), S. 1457–1489

- [304] SOMMERFELD, M. ; KOHNEN, G. ; RÜGER, M.: Some open questions and inconsistencies of Lagrangian particle dispersion models. In: *Proc. 9th Symp. on Turbulent Shear Flows - 15-1*. Kyoto, Japan, 1993
- [305] SOMMERFELD, M. ; KUSSIN, J.: Analysis of collision effects for turbulent gas-particle flows in a horizontal channel: Part II. Integral properties and validation. In: *Int. J. Multiphase Flow* 29 (2003), S. 701–718
- [306] SOMMERFELD, M. ; ZIVKOVIC, G.: Recent advances in the numerical simulation of pneumatic conveying through pipe systems. In: HIRSCH, C. (Hrsg.): *Computational Methods in Applied Sciences*, 1992. – First European Computational Fluid Dynamics Conf., Brussels, B, S. 201–212
- [307] SQUIRES, K. D. ; EATON, J. K.: On the modelling of particle-laden turbulent flows. In: SOMMERFELD, M. (Hrsg.): *Proc. 6th workshop on Two-phase flow predictions, Erlangen*, 1992, S. 220–229
- [308] STAUDINGER, G. ; MOSER, F.: 100 proz. Suspension von Feststoffen im Rührgefäß. In: *Chem.-Ing.-Tech.* 48 (1976), S. 1071
- [309] STOKES, G. G.: On the effect of internal friction of fluids on the motion of pendulums. In: *Trans. Camb. Phil. Soc.* 9 (1851), S. 8–106
- [310] STONE, H. L.: Iterative Solution of Implicit Approximations of Multi-Dimensional Partial Differential Equations. In: *SIAM J. Num. Anal.* 5 (1968), S. 530–558
- [311] STOOT, C. M. ; CALABRESE, R. V.: Mean Velocity Field Relative to a Rushton Turbine Blade. In: *AIChE J.* 41 (1995), S. 1–11
- [312] STORM, R.: *Wahrscheinlichkeitsrechnung, mathematische Statistik und statistische Qualitätskontrolle*. Leipzig : VEB Fachbuchverlag, 1986
- [313] STURESSON, C. ; RASMUSON, A.: Complete suspension of solid particles in stirred vessels. In: *ICHEME Symp. Series* 136 (1994), S. 357–364
- [314] SVENKA, P.: *Das Strömungsfeld in einem Rührbehälter technischer Größe für verfahrenstechnische Vorgänge und chemische Reaktionen*, TU München, D, Diss., 1981
- [315] TABOR, G. ; GOSMAN, A. G. ; ISSA, R. I.: Numerical simulation of the flow in a mixing vessel. In: *ICHEME Symp. Series* 140 (1996), S. 25–34
- [316] TAKEDA, H. ; NARASAKI, K. ; KITAJIMA, H. ; SUDO, S. ; ONOFUSA, M. ; IGUCHI, S.: Numerical simulation of mixing flows in agitated vessels with impellers and baffles. In: *Computers & Fluids* 22 (1993), S. 223–228
- [317] TANAKA, T. ; KIRIBAYASHI, K. ; TSUJI, Y.: Monte-Carlo simulation of gas-solid flow in vertical pipe or channel. In: *Proc. Int. Conf. on Multiphase Flow '91*. Tsukuba, Japan, 1991, S. 439–442

- [318] TANAKA, T. ; TSUJI, Y.: Numerical simulation of gas-solid two-phase flow in a vertical pipe: On the effect of inter-particle collision. In: *Gas-Solid Flows* — ASME FED Vol. 121, 1991, S. 123–128
- [319] TATTERSON, G. B. ; BRODKEY, R. ; CALABRESE, R. V.: Move Mixing Technology into the 21st Century. In: *Chem. Eng. Progress* 6 (1991), S. 45–48
- [320] TAYLOR, G. I.: Diffusion by continuous movements. In: *Proc. Lond. Math. Soc.* 20 (1921), S. 196–211
- [321] TCHEN, C. M.: *Mean and correlation problems connected with the motion of small particles suspended in a turbulent fluid*, University Delft, NL, Diss., 1947
- [322] TENNEKES, H. ; LUMLEY, J. L.: *A First Course in Turbulence*. Cambridge (MA) : MIT Press, 1976
- [323] THOMAE, H.: Das turbulente Strömungsfeld in einem Rührkessel. In: *Chem.-Ing.-Tech.* 42 (1970), S. 317–322
- [324] TOROBIN, L. B. ; GAUVIN, W. H.: Fundamental aspects of solid-gas flow. In: *Can. J. Chem. Eng.* 37 (1959), S. 129–176
- [325] TSUJI, Y. ; MORIKAWA, Y.: LDV measurements of an air-solid two-phase flow in a horizontal pipe. In: *J. Fluid Mech.* 120 (1982), S. 385–409
- [326] TSUJI, Y. ; MORIKAWA, Y. ; MIZUNO, O.: Experimental measurement of the Magnus force on a rotating sphere at low Reynolds Numbers. In: *Trans. ASME - J. Fluids Engng.* 107 (1985), S. 484–488
- [327] TSUJI, Y. ; MORIKAWA, Y. ; SHIOMI, H.: LDV measurements of an air-solid two-phase flow in a vertical pipe. In: *J. Fluid Mech.* 139 (1984), S. 417–434
- [328] TSUJI, Y. ; MORIKAWA, Y. ; TANAKA, T. ; NAKATSUKASA, N. ; NAKATANI, M.: Numerical simulation of gas-solid two-phase flow in a two-dimensional horizontal channel. In: *Int. J. Multiphase Flow* 13 (1987), S. 671–684
- [329] TSUJI, Y. ; MORIKAWA, Y. ; TERESHIMA, K.: Fluid-dynamic interaction between two spheres. In: *Int. J. Multiphase Flow* 8 (1982), S. 71–82
- [330] TSUJI, Y. ; OSHIMA, T. ; MORIKAWA, Y.: Numerical Simulation of Pneumatic Conveying in a Horizontal Pipe. In: *KONA* 3 (1985), S. 38–51
- [331] TSUJI, Y. ; SHEN, N. Y. ; MORIKAWA, Y.: Numerical simulation of gas-solid flows – Part I: Particle-to-wall collision. In: *Technology Reports of the Osaka University* 39 (1975), S. 233–241
- [332] TSUJI, Y. ; SHEN, N. Y. ; MORIKAWA, Y.: Lagrangian simulation of dilute gas-solid flows in a horizontal pipe. In: *Adv. Powder Technol.* 2 (1991), S. 63–81

- [333] UHL, V. W. ; GRAY, J. B.: *Mixing - Theory and Practice*. New York : Academic Press, 1966
- [334] VAN'T RIET, K. ; BRUIJN, W. ; SMITH, J. M.: Real and Pseudo-Turbulence in the Discharge Stream From a Rushton Turbine. In: *Chem. Eng. Sci.* 31 (1976), S. 407–412
- [335] VAN'T RIET, K. ; SMITH, J. M.: The Trailing Vortex System Produced by Rushton Turbine Agitators. In: *Chem. Eng. Sci.* 30 (1975), S. 1093–1105
- [336] VANYO, J. P.: *Rotating fluids in engineering and science*. Stoneham : Butterworth-Heinemann, 1993
- [337] VON KÁRMÁN, T. ; HOWARTH, L.: On the statistical theory of isotropic turbulence. In: *Proc. Roy. Soc. London A*164 (1938), S. 192–215
- [338] VON SMOLUCHOWSKI, M.: Versuch einer mathematischen Theorie der Koagulationskinetik kolloidaler Lösungen. In: *Z. Phys. Chem.* 92 (1917), S. 129–168
- [339] WÄCHTER, P.: *Entwicklung von Rührelementen für ein- und mehrphasige Rühraufgaben*, Universität Erlangen-Nürnberg, D, Diss., 1999
- [340] WALKLATE, P. J.: A random-walk model for dispersion of heavy particles in turbulent air flow. In: *Bound.-Layer Met.* 39 (1987), S. 175–190
- [341] WANG, M. C. ; UHLENBECK, G. E.: On the theory of Brownian motion. In: *Rev. Mod. Phys.* 17 (1945), S. 323–341
- [342] WASSEN, E.: *Entwicklung paralleler Algorithmen zur numerischen Simulation von Gas-Partikel-Strömungen unter Berücksichtigung von Partikel-Partikel-Kollisionen*, TU Chemnitz, D, Diss., 1998
- [343] WECHSLER, K. ; BREUER, M. ; DURST, F.: Steady and Unsteady Computations of Turbulent Flows Induced by a 4/45° Pitched-Blade Impeller. In: *Trans. ASME - J. Fluids Engng.* 121 (1999), S. 318–329
- [344] WEDLER, G.: *Lehrbuch der Physikalischen Chemie*. Weinheim : VCH-Verlagsgesellschaft, 1987
- [345] WELLS, M. R. ; STOCK, D. E.: The effects of crossing trajectories on the dispersion of particles in a turbulent flow. In: *J. Fluid Mech.* 136 (1983), S. 31–62
- [346] WEN, C. Y. ; YU, Y. H.: A generalized method for predicting the minimum fluidization velocity. In: *AIChE J.* 12 (1966), S. 610–612
- [347] WU, H. ; PATTERSON, G. K.: Laser-Doppler Measurements of Turbulent-Flow Parameters in a Stirred Mixer. In: *Chem. Eng. Sci.* 44 (1989), S. 2207–2221

- [348] XU, Y. ; MCGRATH, G.: CFD Predictions of Stirred Tank Flows. In: *Trans. IChemE Part A* 74 (1996), S. 471–475
- [349] YEOH, S. L. ; PAPADAKIS, G. ; LEE, K. C. ; YIANNESKIS, M.: Large Eddy Simulation of Turbulent Flow in a Rushton Impeller Stirred Reactor with Sliding-Deforming Mesh Methodology. In: *Chem. Eng. Technol.* 27 (2004), S. 257–263
- [350] YIANNESKIS, M. ; POPIOLEK, Z. ; WHITELAW, J. H.: An Experimental Study of the Steady and Unsteady Flow Characteristics of Stirred Reactors. In: *J. Fluid Mech.* 175 (1987), S. 537–555
- [351] YIANNESKIS, M. ; WHITELAW, J. H.: On the Structure of the Trailing Vortices Around Rushton Turbine Blades. In: *Trans. IChemE Part A* 71 (1993), S. 543–550
- [352] YONEMURA, S. ; TANAKA, T. ; TSUJI, Y.: Cluster formation in gas-solid flow predicted by the DSMC method. In: *Gas-Solid Flows — ASME FED Vol. 166*, 1993, S. 303–309
- [353] YOON, H. S. ; SHARP, K. V. ; HILL, D. F. ; ADRIAN, R. J. ; BALACHANDAR, S. ; HA, M. Y. ; KAR, K.: Integrated experimental and computational approach to simulation of flow in a stirred tank. In: *Chem. Eng. Sci.* 56 (2001), S. 6635–6649
- [354] YUDINE, M. I.: Physical considerations on heavy particle diffusion. In: *Adv. Geophys.* 6 (1959), S. 185–191
- [355] ZHOU, G. ; KRESTA, S. M.: Correlation of Mean Drop Size and Minimum Drop Size with the Turbulence Energy Dissipation and the Flow in an Agitated Tank. In: *Chem. Eng. Sci.* 53 (1998), S. 2063–2079
- [356] ZHOU, Q. ; LESCHZINER, M. A.: A Lagrangian particle dispersion model based on a time-correlated stochastic approach. In: *Gas-Solid Flows — ASME FED Vol. 121*, 1991, S. 255–260
- [357] ZHOU, Q. ; LESCHZINER, M. A.: A time-correlated stochastic model for particle dispersion in anisotropic turbulence. In: *Proc. 8th Turbulent Shear Flow Symp. - 10-3*. Munich, D, 1991, S. 255–260
- [358] ZISSELMAR, R.: *Experimentelle Untersuchungen zum Turbulenzverhalten der Suspensionsrohrströmung*, Universität Erlangen-Nürnberg, D, Diss., 1978
- [359] ZISSELMAR, R. ; MOLERUS, O.: Investigations of solid-liquid pipe flow with regard to turbulent modifications. In: *Chem. Engng. J.* 18 (1979), S. 233–239
- [360] ZLOKARNIK, M.: *Rührtechnik*. Berlin : Springer-Verlag, 1999
- [361] ZWIETERING, T. N.: Suspending of solid particles in liquid by agitators. In: *Chem. Eng. Sci.* 8 (1958), S. 244–253