

---

## 6 Literaturverzeichnis

- Ainsworth C., J. Parker, V. Buchanan-Wollaston (1998): Sex determination in plants. *Curr Top Dev Biol* 38, 167–223.
- Alghanim, H. J., J. R. Almirall (2003): Development of microsatellite markers in *Cannabis sativa* for DNA typing and genetic relatedness analyses. *Anal Bioanal Chem* 376, 1225-1233.
- Atanassov, I., C. Delichère, D. A. Filatov, D. Charlesworth, I. Negrutiu, F. Monéger (2001): Analysis and Evolution of Two Functional Y-Linked Loci in a Plant Sex Chromosome System. *Molecular Biology and Evolution* 18, 2162-2168.
- Ayling, L. J., D. K. Griffin (2002): The evolution of sex chromosomes. *Cytogenet Genome Res* 99, 125–140.
- Bócsa, I. und M. Karus, 1997: *Der Hanfanbau: Botanik, Sorten, Anbau und Ernte*. 1. Auflage, C. F. Müller Verlag Heidelberg.
- Breslavetz, L., 1928: Polyploide Mitosen bei *Cannabis sativa* L.. I. *Ber. dtsch. bot. Ges.*, 644-649.
- Breslavetz, L. (1932): Polyploide Mitosen bei *Cannabis sativa* L. II. *Planta* 17, 644-649.
- Charlesworth, B. (1991): The evolution of sex chromosomes. *Science* 251, 1030–1033.
- Charlesworth, D. (2002): Plant sex determination and sex chromosomes. *Heredity* 88, 94-101.
- Clark, M. S., J. S. Parker (1993): Repeated DNA and heterochromatin structure in *Rumex acetosa*. *Heredity* 70, 527-536.
- Coen, E. S., E. M., Meyerowitz (1991): The war of the whorls: Genetic interactions controlling flower development. *Nature* 353, 31-37.

- Colombo, L., J. Franken, E. Koetje, J. van Went, H. J. M. Dons, G. C. Angenent, A. J. van Tunen (1995): The Petunia MADS Box Gene FBPI7 Determines Ovule Identity. *The Plant Cell* 7, 1859-1868.
- Costich, D. E., T. R. Meagher, E. J. Yurkow (1991): A rapid means of sex determination in *Silene latifolia* by use of flow cytometry. *Plant Molecular Biology Reporter* 9, 359-370.
- Cottage, A., A. P. Yang, H. Maunder, R. C. de Lacy, N. A. Ramsay (2001): Identification of DNA sequences flanking T-DNA insertions by PCR-walking. *Plant Molecular Biology Reporter* 19, 321-327.
- Dedryver, F., M. F. Jubier, J. Thouvenin, H. Goyeau (1996): Molecular markers linked to the leaf rust resistance gene *Lr24* in different wheat cultivars. *Genome* 39, 830-835.
- De Jong, W., A. Forsyth, D. Leister, C. Gebhardt, D. C. Baulcombe (1997): A potato hypersensitive resistance gene against potato virus X maps to a resistance gene cluster on chromosome 5. *Theor Appl Genet* 95, 246-252.
- Delichere C., J. Veuskens, M. Hernould, N. Barbacar, A. Mouras, I. Negrutiu, F. Moneger (1999): *SLY1*, the first active gene cloned from a plant Y chromosome, encodes a WD-repeat protein. *EMBO J* 18, 4169-4179.
- Dellaporta, S. L., A. Calderon-Urrea (1993): Sex determination in flowering plants. *Plant Cell* 5, 1241-1251.
- de Meijer, E. P. M. (1999): Cannabis germplasm resources. p. 133-151. In P. Ranalli (ed.) *Advances in hemp research*. The Haworth Press, New York.
- Devic, M., S. Albert, M. Delseny, T. J. Roscoe (1997): Efficient PCR walking on plant genomic DNA. *Plant Physiol Biochem* 35, 331-339.

- Di Stilio, V. S., R. V. Kesseli, D. L. Mulcahy (1998): A Pseudoautosomal Random Amplified Polymorphic DNA Marker for the Sex Chromosomes of *Silene dioica*. *Genetics* 149, 2057-2062.
- Dierks, W., W. von Sengbusch (1967): Studium der Vererbung des Geschlechts und des Wuchstyps beim Hanf. *Der Züchter* 37, 12-15.
- Dietmaier W., A. Hartmann, S. Wallinger, E. Heinmoller, T. Kerner, E. Endl, K. W. Jauch, F. Hofstadter, J. Ruschoff (1999): Multiple mutation analyses in single tumor cells with improved whole genome amplification. *Am J Pathol* 154, 83-95.
- Dolezel, J., W. Göhde (1995): Sex determination in dioecious plants *Melandrium album* and *M. rubrum* using high-resolution flow cytometry. *Cytometry* 19, 103-106.
- El-Ghany, M. E. A. (2001): Molekulargenetische Diversität einer monözischen und einer diözischen Hanfsorte und Analyse des Fasergehaltes von verschiedenen Hanfformen (*Cannabis sativa* L.). Dissertation, Martin-Luther-Universität Halle-Wittenberg.
- Ellis, N., P. Yen, K. Neiswanger, L. J. Shapiro, P. N. Goodfellow (1990): Evolution of the pseudoautosomal boundary in Old World monkeys and great apes. *Cell* 63, 977-986.
- Faeti, V., G. Mandolino, P. Ranalli (1996): Genetic diversity of *Cannabis sativa* germplasm based on RAPD markers. *Plant Breeding* 115, 367-370.
- Farbos, I., J. Veuskens, B. Vyskot, M. Oliveira, S. Hinnisdaels, A. Aghmir, A. Mouras, I. Negrutiu (1999): Sexual dimorphism in white campion: deletion on the Y chromosome results in a floral asexual phenotype. *Genetics* 151, 1187-1196.
- Flachowsky, H. (2003): Erstellung einer genetischen Karte an Hanf (*Cannabis sativa* L.) mit molekularen Markern. Dissertation, Martin-Luther-Universität Halle-Wittenberg.
- Flachowsky, H., E. Schumann, W. E. Weber, A. Peil (2001): Application of AFLP for the detection of sex-specific markers in hemp. *Plant Breeding* 120, 305-309.

- 
- Gigliano, G. S. (1999): Preliminary Data on the usefulness of internal transcribed spacer I (ITS1) sequence in *Cannabis sativa* L. identification. *J Forensic Sci* 44, 475-477.
- Gill, G. P., C. F. Harvey, R. C. Gardner, L. G. Fraser (1998): Development of sex-linked PCR markers for gender identification in Actinidia. *Theor Appl Genet* 97, 439–445.
- Gottlob-McHugh S. G., M. Levesque, K. MacKenzie, M. Olson, O. Yarosh, D. A. Johnson (1990): Organization of the 5S rRNA genes in the soybean *Glycine max* (L.) Merrill and conservation of the 5S rDNA repeat structure in higher plants. *Genome* 33, 486-494.
- Grant, S., A. Houben, B. Vyskot, J. Siroky, and W. H. Pan (1994): Genetics of sex determination in flowering plants. *Dev Genet* 15, 214-230.
- Graves, J. A. (1995): The origin and function of the mammalian Y chromosome and Y-borne genes – an evolving understanding. *Bioessays* 17, 311–320.
- Graves, J. A. (1998): Evolution of the mammalian Y chromosome and sex-determining genes. *J Exp Zool* 28, 472–481.
- Graves, J. A., M. J. Wakefield, R. Toder (1998): The origin and evolution of the pseudoautosomal regions of human sex chromosomes. *Hum Mol Genet* 7, 1991-1996.
- Guerra, M. (2000): Patterns of heterochromatin distribution in plant chromosomes. *Genetics and Molecular Biology* 23, 1029-1041.
- Guttman, D. S., D. Charlesworth (1998): An X-linked gene with a degenerate Y-linked homologue in a dioecious plant. *Nature* 393, 263-266.
- Hassold, T. J., S. L. Sherman, D. Pettay, D. C. Page, P. A. Jacobs (1991): XY chromosome nondisjunction in man is associated with diminished recombination in the pseudoautosomal region. *Am J hum Genet* 49, 253–260.

- 
- Herich, R. (1961): Geschlechtsausprägung und Größe der Zellkerne sowie Polkörner bei monözischem Hanf verschiedener Formen. *Der Züchter* 31, 48-51.
- Hirata, K. (1929): Cytological basis of the sex determination in *Cannabis sativa* L. *Japanese Journal of Genetics* 4, 198-201.
- Hoffmann, W. (1947): Die Vererbung der Geschlechtsformen des Hanfes (*Cannabis sativa* L.) I. *Der Züchter* 17/18, 257-277.
- Hoffmann, W., A. Mudra, W. Plarre (1970): Lehrbuch der Züchtung Landwirtschaftlicher Kulturpflanzen, Band 2, Spezieller Teil, Paul Parey Verlag, Berlin/Hamburg, 415-430.
- Irish, E. E. (1999): Maize sex determination. In C. Ainsworth (ed), *Sex Determination in Plants*, Oxford, UK: BIOS Scientific Publishers, pp. 183-188.
- Jagdish, V., J. Robertson and A. Gibbs (1996): RAPD analysis distinguishes *Cannabis sativa* samples from different sources. *Forensic Sci Int* 79, 113-121.
- Jamsari, A., I. Nitz, S. M. Reamon-Büttner, C. Jung (2004): BAC-derived diagnostic markers for sex determination in asparagus. *Theor Appl Genet* 108, 1140–1146.
- Jiang, C., K. C. Sink (1996): RAPD and SCAR markers linked to the sex expression locus M in asparagus. *Euphytica* 94, 329-333.
- Kaneko, T., H. Kotani, Y. Nakamura, S. Sato, E. Asamizu, N. Miyajima, S. Tabata (1998): Structural analysis of *Arabidopsis thaliana* chromosome 5. V. Sequence features of the regions of 1,381,565 bp covered by twenty one physically assigned P1 and TAC clones. *DNA Res* 5, 131-45.
- Karlov, G. I., T. V. Danilova, C. Horlemann, G. Weber (2003): Molecular cytogenetics in hop (*Humulus lupulus* L.) and identification of sex chromosomes by DAPI-banding. *Euphytica* 132, 185–190.

- Kejnovsky, E., J. Vrana, S. Matsunaga, P. Soucek, J. Siroky, J. Dolezel, B. Vyskot (2001): Localization of Male-Specifically Expressed MROS Genes of *Silene latifolia* by PCR on Flow-Sorted Sex Chromosomes and Autosomes. *Genetics* 158, 1269–1277.
- Khrustaleva L. I., C. Kirk (2001): Localization of single-copy T-DNA insertion in transgenic shallots (*Allium cepa*) by using ultra-sensitive FISH with tyramide signal amplification. *Plant J* 25, 699-707.
- Kipling, D., E. C. Salido, L. J. Shapiro, H. J. Cooke (1996): High frequency de novo alterations in the long-range genomic structure of the mouse pseudoautosomal region. *Nature Genet* 13, 78–80.
- Kobayashi, S., N. Goto-Yamamoto, H. Hirochika (2004): Retrotransposon-induced mutations in grape skin color. *Science* 304 (5673), 982.
- Kojoma, M., O. Iida, Y. Makino, S. Sekita, M. Satake (2002): DNA Fingerprinting of *Cannabis sativa* Using Inter-Simple Sequence Repeat (ISSR) Amplification. *Planta med* 68, 60-63.
- Kozlova S. V., N. A. Mazurok, A. V. Vershinin, S. M. Zakian (2003): Various organizations of the complex repeats in vole sex chromosome heterochromatin. *Chromosome Res* 11, 759–769.
- Krabel, D., B. Vornam, S. Herzog (1998): PCR-based random amplification of genomic DNA from single pollen grains of trees. *Angewandte Botanik* 72, 10-13.
- Lahn B. T., D. C. Page (1999): Four evolutionary strata on the human X chromosome. *Science* 286, 964-967.
- Lardon, A., S. Georgiev, A. Aghmir, G. Le Merrer, I. Negrutiu (1999): Sexual dimorphism in white campion: complex control of carpel number is revealed by Y chromosome deletions. *Genetics* 151, 1173-1185.

- Lebel-Hardenack, S., E. Hauser, T. F. Law, J. Schmid, S. R. Grant (2002): Mapping of sex determination loci on the white campion (*Silene latifolia*) Y chromosome using amplified fragment length polymorphism. *Genetics* 160, 717-725.
- Lee, J. H., K. Arumuganathan, Y. Yen, S. Kaepler, H. Kaepler, P. S. Baezinger (1997): Root tip cell cycle synchronisation and metaphase-chromosome isolation suitable for flow sorting in common wheat (*Triticum aestivum* L.). *Genome* 40, 633–638.
- Leitch, A. R., T. Schwarzacher, D. Jackson, I. J. Leitch (1994): *In situ*-Hybridisierung. Spektrum Verlag Heidelberg, Berlin, Oxford.
- Lengerova, M., E. Kejnovsky, R. Hobza, J. Macas, S. R. Grant, B. Vyskot (2004): Multicolor FISH mapping of the dioecious model plant, *Silene latifolia*. *Theor Appl Genet* 108, 1193–1199.
- Linacre, A., J. Thorpe (1998): Detection and identification of *Cannabis* by DNA. *Forensic Sci Int* 91, 71-76.
- Lorbeer, G., (1934): Die Zytologie des Lebermooses mit besonderer Berücksichtigung allgemeiner Chromosomenfragen. *Jahrb Wiss Bot* 80, 567-817.
- Mandolino, G., A. Carboni, S. Forapani, V. Faeti, P. Ranalli (1999): Identification of DNA markers linked to the male sex in dioecious hemp (*Cannabis sativa* L.). *Theor Appl Genet* 98, 86–92.
- Mandolino, G., A. Carboni, M. Bagatta, V. M. C. Moliterni, P. Ranalli (2002): Occurrence and frequency of putatively Y chromosome linked DNA markers in *Cannabis sativa* L. *Euphytica* 26, 211-218.
- Matsunaga, S., S. Kawano, H. Takano, H. Uchida, A. Sakai (1996): Isolation and developmental expression of male reproductive organ-specific genes in a dioecious campion, *Melandrium album* (*Silene latifolia*). *Plant J* 10, 679-689.

- Matsunaga, S., K. Schutze, I. S. Donnison, S. R. Grant, T. Kuroiwa, S. Kawano (1999): Technical advance: single pollen typing combined with laser-mediated manipulation. *Plant J* 20(3), 371-378.
- Meksem, K., D. Leister, J. Peleman, M. Zabeau, S. F. C. Gebhardt (1995): A high-resolution map of the vicinity of the R1 locus on chromosome V of potato based on RFLP and AFLP markers. *Mol Gen Genet* 249, 74-81.
- Moliterni V., L. Cattivelli, P. Ranalli, G. Mandolino (2004): The sexual differentiation of *Cannabis sativa* L.: A morphological and molecular study. *Euphytica* 140, 95-106.
- Moore, R. C., O. Kozyreva, S. Lebel-Hardenack, J. Siroky, R. Hobza, B. Vyskot, S. R. Grant (2003): Genetic and Functional Analysis of *DD44*, a sex-linked gene from the dioecious plant *Silene latifolia*, provides clues to early events in sex chromosome Evolution. *Genetics* 163, 321-334.
- Mulcahy D. L., N. F. Weeden, R. Kesseli, S. B. Carroll (1992): DNA probes for the Y-chromosome of *Silene latifolia*, a dioecious angiosperm. *Sex Plant Reprod* 5, 86-88.
- Muller, H. J. (1964): The relation of recombination to mutational advance. *Mutat Res* 1, 2-9.
- Nakao, S., S. Matsunaga, A. Sakai, T. Kuroiwa, S. Kawano (2002): RAPD isolation of a Y chromosome-specific ORF in a dioecious plant, *Silene latifolia*. *Genome* 45, 413-420.
- Naseer Aziz, A., J. E. A. Seabrook, G. C.C. Tai (1999): Amplification of RAPD markers from single pollen grains of diploid ( $2N=2X=24$ ) potato. *Amer J Potato Res* 74, 179-182.
- Negi, M. S., M. Devic, M. Delseny, M. Lakshmikumaran (2000): Identification of AFLP fragments linked to seed coat colour in *Brassica juncea* and conversion to a SCAR marker for rapid selection. *Theor Appl Genet* 101, 146-152.



- Negrutiu, I., B. Vyskot, N. Barbacar, S. Georgiev, F. Moneger (2001): Dioecious plants. A key to the early events of sex chromosome evolution. *Plant Physiol* 127, 1418- 1424.
- Nöthiger, R. N., M. Steinmann-Zwicky (1987): In W. Hennig (ed), Results and problems in cell differentiation, structure and function of eukaryotic chromosomes, Vol 14. Springer Verlag, Heidelberg, 271–300.
- Obara, M., S. Matsunaga, S. Nakao, S. Kawano (2002): A plant Y chromosome-STS marker encoding a degenerate retrotransposon. *Genes Genet Syst* 77, 393-398.
- Okada, S., M. Fujisawa, T. Sone, S. Nakayama, R. Nishiyama, M. Takenaka, S. Yamaoka, M. Sakaida, K. Kono, M. Takahama, K. T. Yamato, H. Fukuzawa, A. Brennicke, K. Ohyama (2000): Construction of male and female PAC genomic libraries suitable for identification of Y-chromosome-specific clones from the liverwort, *Marchantia polymorpha*. *Plant J* 24, 421-428.
- Okada, S., T. Sone, M. Fujisawa, S. Nakayama, M. Takenaka, K. Ishikazi, K. Kono, Y. Shimizu-Ueda, K. T. Yamato, H. Fukuzawa, A. Brennicke, K. Ohyama (2001): The Y chromosome in the liverwort *Marchantia polymorpha* has accumulated unique repeated sequences harboring a ring finger protein gene. *Proc Natl Acad Sci USA* 98, 9454-9459.
- Ortega, D., M. Raynal, M. Laudie, C. Llauro, R. Cooke, M. Devic, S. Genestier, G. Picard, P. Abad, P. Contard, C. Sarrobert, L. Nussaume, N. Bechtold, C. Horlow, G. Pelletier, M. Delseny (2002): Flanking sequence tags in *Arabidopsis thaliana* T-DNA insertion lines: a pilot study. *Comptes Rendus E Biologies* 325, 773-780.
- Paran, I., R. W. Michelmore (1993): Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. *Theor Appl Genet* 85, 985-993.
- Parasnis, A. S., V. S. Gupta, S. A. Tamhankar, P. K. Ranjekar (2000): A highly reliable sex diagnostic PCR assay for mass screening of papaya seedlings. *Molecular Breeding* 6, 337–344.

- 
- Parrish, T. L., H. P. Koelewijn, P. J. van Dijk (2004): Identification of a male-specific AFLP marker in a functionally dioecious fig, *Ficus fulva* Reinw. ex Bl. (*Moraceae*). *Sex Plant Reprod* 17, 17–22.
- Peil, A., H. Flachowsky, E. Schumann, W. E. Weber (2003): Sex-linked AFLP markers indicate a pseudo autosomal region in hemp (*Cannabis sativa* L.). *Theor Appl Genet* 107, 102–109.
- Petersen, G., B. Johansen, O. Seberg (1996): PCR and sequencing from a single pollen grain. *Plant Mol Biol* 31, 189–191.
- Polley, A., E. Seigner, M. W. Ganal (1997): Identification of sex in hop (*Humulus lupulus*) using molecular markers. *Genome* 40, 357–361.
- Pritham, E. J., Y. Hi Zhang, C. Feschotte, R. V. Kesseli (2003): An Ac-like transposable element family with transcriptionally active Y-linked copies in the white campion, *Silene latifolia*. *Genetics* 165, 799–807.
- Ranalli, P. (editor) (1999): *Advances in hemp research*. Food Products Press, Binghamton, New York.
- Reamon-Büttner, S. M., C. Jung (2000): AFLP-derived STS markers for the identification of sex in *Asparagus officinalis* L. *Theor Appl Genet* 100, 432–438.
- Reamon-Büttner, S. M., T. Schmidt, C. Jung (1999): AFLP's represent highly repetitive sequences in *Asparagus officinalis* L. *Chromosome Res.* 7, 297–304.
- Renner, S. S., R. E. Ricklefs (1995): Dioecy and its correlations in the flowering plants. *Am J Bot* 82, 596–606.
- Rice, W. R. (1987): Genetic Hitchhiking and the Evolution of Reduced Genetic Activity of the Y Sex Chromosome. *Genetics* 116, 161–167.

- Riedel, M. (2000): Zytologische und molekularbiologische Untersuchungen beim Hanf. Diplomarbeit, Martin-Luther-Universität Halle-Wittenberg.
- Rode, J., K. In-Chol, B. Saal, H. Flachowsky, U. Kriese, W. E. Weber (2005): Sex-linked SSR markers in hemp. *Plant Breeding* 124, 167-170.
- Ruiz Rejon, C., M. Jamilena, M. G. Ramos, J. S. Parker, M. R. Rejon (1994): Cytogenetic and molecular analysis of the multiple sex chromosome system of *Rumex acetosa*. *Heredity* 72, 209-215.
- Sakamoto, K., K. Shimomura, H. Komeda, S. Satoh (1995): A male associated DNA sequence in a dioecious plant, *Cannabis sativa* L. *Plant Cell Physiol* 36, 1549–1554.
- Sakamoto, K., Y. Akiyama, K. Fukui, H. Kamada, A. S. Satoh (1998): Characterization, genome size and morphology of sex chromosomes in hemp (*Cannabis sativa* L.). *Cytologia* 63, 459-464.
- Sakamoto, K., N. Ohmido, K. Fukui, H. Kamada, S. Satoh (2000): Site-specific accumulation of a LINE-like retrotransposon in a sex chromosome of the dioecious plant *Cannabis sativa*. *Plant Mol Biol* 44, 723-732.
- Sardesai, N., A. Kumar, K. Rajyashri, S. Nair, M. Mohan (2002): Identification and mapping of an AFLP marker linked to *Gm7*, a gall midge resistance gene and its conversion to a SCAR marker for its utility in marker aided selection in rice. *Theor App Genet* 105, 691-698.
- Schrader, O., H. Budahn, R. Ahne (2000): Detection of 5S and 25S rRNA genes in *Sinapis alba*, *Raphanus sativus* and *Brassica napus* by double fluorescence in situ hybridization. *Theor App Genet* 100, 665–669.
- Schultes, R. E., W. M. Klein, T. Plowman, T. E. Lockwood (1974): *Cannabis*: An example of taxonomic neglect. *Bot Mus Leaflet* 23, 337-367.

- 
- Schwarzacher, T., P. Heslop-Harrison (2000): Practical in situ hybridization. BIOS Scientific Publishers Ltd Oxford.
- Sengbusch, R.von (1943): Die Geschlechtsvererbung bei Hanf und die Züchtung eines monözischen Hanfes. *Der Züchter* 15, 49-62.
- Shephard, H. L., J. S. Parker, P. Darby, C. C. Ainsworth (2000): Sexual development and sex chromosomes in hop. *New Phytol* 148, 397–411.
- Shibata, F., M. Hizume, Y. Kuroki (2000): Differentiation and the polymorphic nature of the Y chromosomes revealed by repetitive sequences in the dioecious plant, *Rumex acetosa*. *Chromosome Res.* 8, 229-236.
- Shirota, O., A. Watanabe, M. Yamazaki, K. Saito, K. Shibano, S. Sekita, M. Satake (1998): Random amplified polymorphic DNA and restriction fragment length polymorphism analyses of *Cannabis sativa*. *Natural Medicines* 52, 160-166.
- Siebert, P. D., A. Chenchick, D. E. Kellogg, K. A. Lukyanov, S. A. Lukyanov (1995): An improved PCR method for walking in uncloned genomic DNA. *Nucleic Acids Res* 23, 1087–1088.
- Siniscalco Gigliano, G. (1999): Preliminary data on the usefulness of internal transcribed spacer I (ITS1) sequence in *Cannabis sativa* L. *J Forensic Sci* 44, 467-469.
- Small, E., A. Cronquist (1976): A practical and natural taxonomy for *Cannabis*. *Taxon* 25, 405-435.
- Southern, E. M. (1975): Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol* 98, 503-517.
- Stackelberg von, M., S. Lindemann, M. Menke, S. Riesselmann, H. J. Jacobsen (2003): Identification of AFLP and STS markers closely linked to the *def* locus in pea. *Theor Appl Genet* 106, 1293–1299.

- Stearn, W. T. (1970): The *Cannabis* plant: Botanical considerations. Joyce CRB & Curry SH (ed) The botany & chem of *Cannabis*. Churchill, London :1-10.
- Stehlik, I., F. R. Blattner (2004): Sex-specific SCAR markers in the dioecious plant *Rumex nivalis* (*Polygonaceae*) and implications for the evolution of sex chromosomes. *Theor Appl Genet* 108, 238–242.
- Storey, W. B. (1953): Genetics of papaya. *J Hered* 44, 70–78.
- Tanurdzig, M., J. A. Banks (2004): Sex-Determining Mechanisms in Land Plants. *Plant Cell* 16, 61-71.
- Theissen, G. (2001): Development of floral organ identity: Stories from the MADS house. *Curr Opin Plant Biol* 4, 75–85.
- Törjék, O., N. Bucherna, E. Kiss, H. Homoki, Z. Finta-Korpelová, I. Bócsa, I. Nagy, L. E. Heszky (2002 a): Novel male-specific molecular markers (MADC5, MAD6) in hemp. *Euphytica* 127, 209-218.
- Törjék, O., E. Kiss, N. Bucherna, H. Homoki, Z. Finta-Korpelová, I. Bócsa, I. Nagy, L. E. Heszky (2002 b): Identification and characterization of sex-specific molecular markers in hemp. *Novenytermeles* 51, 639-655.
- Urasaki, N., M. Tokumoto, K. Tarora, Y. Kayano, T. Ban, H. Tanaka, H. Oku, I. Chinen, R. Terauchi (2002): A male and hermaphrodite specific RAPD marker for papaya (*Carica papaya* L.). *Theor Appl Genet* 104, 281–285.
- Vagera, J., D. Paulíková, J. Dolezel (1994): The development of male and female regenerants by in vitro androgenesis in dioecious plant *Melandrium album*. *Annals of Botany* 73, 455-459.

- Vos, P., R. Hogers, M. Bleeker, M. Reijans, T. van der Lee, M. Hornes, A. Frijters, J. Pot, J. Peleman, M. Kuiper, M. Zabeau (1995): AFLP: a new technique for DNA fingerprinting. *Nuc Ac Res* 23, 4407-4414.
- Weigel, D., E. M. Meyerowitz (1994): The ABCs of floral homeotic genes. *Cell* 78, 203-209.
- Weiss, H., J. Maluszynska (2000): Chromosomal rearrangement in autotetraploid plants of *Arabidopsis thaliana*. *Hereditas* 133, 255-261.
- Westergaard, M. (1953): Über den Mechanismus der Geschlechtsbestimmung bei *Melandrium album*. *Naturwissenschaften* 9, 253-260.
- Westergaard, M. (1958): The mechanism of sex determination in dioecious flowering plants. *Adv Genet* 9, 217-281.
- Wight, C. P., L. S. O'Donoghue, J. Chong, N. A. Tinker, S. J. Molnar (2004): Discovery, localization, and sequence characterization of molecular markers for the crown rust resistance genes *Pc38*, *Pc39*, and *Pc48* in cultivated oat (*Avena sativa* L.). *Molecular Breeding* 14, 349-361.
- Winter, P. C., G. I. Hickey, H. L. Fletcher (1998): *Instat motes in genetics*. Bios Scientific Publishers, Oxford.
- Yamada, I. (1943): The sex-chromosomes of *Cannabis sativa* L. *Seiken Zihō* 2, 64-68.
- Yokota Y, T. Kawata, Y. Iida, A. Kato, S. Tanifuji (1989): Nucleotide sequences of the 5.8S rRNA gene and internal transcribed spacer regions in carrot and broad bean ribosomal DNA. *J Mol Evol* 29, 294-301.
- Zhang, L, X. Cui, K. Schmitt, R. Hubert, W. Navidi, N. Arnheim (1992): Whole genome amplification from a single cell: implications for genetic analysis. *Proc Natl Acad Sci USA* 89, 5847-5851.

---

Zhang, Y. H., V. S. Stilio, F. Rehman, A. Avery, D. Mulcahy, R. Kesseli (1998): Y chromosome specific markers and the evolution of dioecy in the genus *Silene*. *Genome* 41, 141–147.