
7. Referenzen

Amano H, Hayashi I, Endo H, Kitasato H, Yamashina S, Yaruyama T, Kobayashi M, Satoh K, Narita M, Sugimoto Y, Murata T, Yoshimura H, Narumiya S, Majima M: Host prostaglandin E2-EP3 signaling regulates tumor-associated angiogenesis and tumor growth. *J. Exp. Med.* 197 (2) (2003), 221-232

Arbeitsgemeinschaft Bevölkerungsbezogenes Krebsregister in Deutschland: Krebs in Deutschland, Häufigkeit und Trends (2004), 40-43, Internetadresse: www.rki.de/Krebs

Bähr O, Wick W, Weller M: Modulation of MDR/MRP by wild-type and mutant p53. *Journal of Clinical Investigation* 107 (5) (2001), 643-645

Bai F, Nakanishi Y, Kawasaki M, Takayama K, Yatsunami J, Pei XH, Tsurata N, Wakamatsu K, Hara N : Immunohistochemical expression of glutathione S-transferase-Pi can predict chemotherapy response in patients with non-small cell lung carcinoma. *Cancer* 78 (1996), 416-421

Bai J, Lai I, Yeo HC, Goh BC, Tan TMC. Multidrug resistance protein 4 (MRP4/ABCC4) mediates efflux of bimeane-glutathione. *International journal of Biochemistry & Cell Biology* 36 (2004), 247-257 (33)

Barka T, Gresik ES, Miyazaki Y: Differentiation of a mouse submandibular gland-derived cell line (SCA) grown on matrigel. *Epidermal Cell Research* (2005, in press)

Bilson HA, Mitchell DL, Ashby B: Human prostaglandin EP3 receptor isoforms show different agonist-induced internalisation patterns. *FEBS Letters* 572 (2004), 271-275

Bissig K-D, Marti U, Solioz M, Forestier M, Zimmermann H, Lüthi M and Reichen J: Epidermal growth factor is decreased in liver of rats with biliary cirrhosis but does not act as paracrine growth factor immediately after hepatectomy. *Journal of Hepatology*; 33 (2000), 275-281

Bohan A, Chen WS, Denson LA, Held MA, Boyer JL: Tumor necrosis factor a dependent up-regulation of Lrh-1 and Mrp3 (Abcc3) reduces liver injury in obstructive cholestasis. *Journal of Biological Chemistry* 278 (38) (2003), 36688-36698

Borst P, Evers R, Kool M, Wijnholds J: A family of drug transporters: the multidrug resistance-associated proteins. *Journal of the National Cancer Institute* 92 (16) (2000), 1295-1302

Bunn PA, Franklin W: Epidermal growth factor receptor expression, signal pathway, and inhibitors in non-small cell lung cancer. *Seminars in Oncology* 29 (5 Suppl. 14) (2002), 38-44

Carmichael J, De Graff WG, Gazdar AF, Minna JD, Mitchel JB: Evaluation of a tetrazolium-based semiautomated colorimetric assay: assessment of radiosensitivity. *Cancer Research* 47 (4) (1987), 943-946

7. Referenzen

- Cekic D, Bellarosa C, Garcia-Mediavilla MV, Rigato I, Pascolo L, Ostrow JD, Tiribelli C. Upregulation in the expression of multidrug resistance protein Mrp1 mRNA and protein by increased bilirubin production in rat. *Biochemical and Biophysical Research Communication* 311 (2003), 891-896
- Chambers LS, Black JL, Ge Q, Carlin SM, Au WW, Poniris M, Thompson J, Johnson PR, Burgess JK: PAR-2 activation, PGE₂, and COX-2 in human asthmatic and nonasthmatic airway smooth muscle cells. *Am J Physiol Lung Cell Mol Physiol* 285 (2003), L619-L627
- Chen C, Klaassen CD: Rat multidrug resistance protein 4 (Mrp4, Abcc4): molecular, cloning, organ distribution, postnatal renal expression and chemical inducibility. *Biochemical and Biophysical Research Communication* 317 (2004), 46-53
- Chen J: Estimated risks of radon-induced lung cancer for different exposure profiles based on the new EPA model. *Health physics* 88 (4) (2005), 323-333
- Cherian PP, Cheng B, Gu S, Sprague E, Bonewald LF, Jiang JX: Effects of mechanical strain on the function of gap junctions in osteocytes are mediated through the prostaglandin EP2 Receptor. *Journal of Biological Chemistry* 278(44) (2003), 43146-43156
- Cherrington NJ, Slitt AL, Li N, Klaassen CD: Lipopolysaccharide-mediated regulation of hepatic transporter mRNA levels in rats. *Drug metabolism and Disposition* 32 (7) (2004), 734-741
- Choi MK, Kim BH, Chung YY, Han MS: Cadmium-induced apoptosis in H9c2, A7r5, and C6-Glial cells. *Bulletin of Environmental Contamination and Toxicology* 69 (2002), 335-341
- Chomczynski P, Mackey K: Short technical reports. Modification of the TRI reagent procedure for isolation of RNA from polysaccharide-and proteoglycan-rich sources. *Biotechniques* 19(6) (1995), 942-945
- Cohan S: Epidermal growth factor. *Biosci Rep.* 6 (12) (1986), 1017-1028
- Cole SP, Bhardwaj G, Gerlach JH, Mackie JE, Grant CE, Almquist KC, et al. : Overexpression of a transporter gene in a multidrug-resistant human lung cancer cell line. *Science* 258 (1992), 1650-1654
- Collins SJ, Ruscetti FW, Gallagher RE and Gallo RC: Normal functional characteristics of cultured human promyelocytic leukemia cells (HL-60) after induction of differentiation by dimethylsulfoxide. *Journal of Experimental Medicine*, Volume 149 (1979), 969-974
- Courtois A, Payen L, Lagadic D, Guillouzo A, Fardel O : Evidence for a multidrug resistance-associated protein 1 (MRP1)-related transport system in cultured rat liver biliary epithelial cells. *Life Science* 64 (9) (1999), 763-774
- Cruz-Gervis R, Stecenko AA, Dworski R, Lane KB, Loyd JE, Pierson R, King G, Brigham KL: Altered prostanoid production by fibroblasts from the lungs of human subjects with idiopathic pulmonary fibrosis. *Respiratory Research* 3 (1) (2002)
- Cybulsky AV, Goodyer PR, Cyr MD, Mc Tavish AJ: Eicosanoids enhance epidermal growth factor receptor activation and proliferation in glomerular epithelial cells. *Am J Physiol Renal Fluid Elektrolyte Physiol* 262 (1992), F639-F646

7. Referenzen

- Darby S, Hill D, Auvinen A, Barros-Dios JM, Baysson H, Bochicchio F, Deo H, Falk R, Forastiere F, Hakama M, Heid I, Kreienbrock L, Kreuzer M, Lagarde F, Mäkeläinen I, Muirhead C, Oberaigner W, Pershagen G, Ruano-Ravino A, Ruosteenoja E, Schaffrath Rosario A, Tirmarche M, Tomasek L, Whitley E, Wichmann HE, Doll R: Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. *BMJ* 330 (2005), 223-229
- Dean M, Rzhetsky A, Allikmets R: The human ATP-binding cassette [ABC] transporter superfamily. *Genome research* 11 (2001), 1156-1166
- Denk GU, Soroka CJ, Takeyama Y, Chen WS, Schuetz JD, Boyer JL: Multidrug resistance-associated protein 4 is up-regulated in liver but down-regulated in kidney in obstructive cholestasis in the rat. *Journal of Hepatology* 40 (2004), 585-591
- Derksen PWB, de Gorter DJJ, Meijer HP, Bende RJ, van Dijk M, Lokhorst HM, Bloem AC, Spaagaren M, Pals ST: The hepatocyte growth factor/Met pathway controls proliferation and apoptosis in multiple myeloma. *Leukemia* 17 (2003), 764-774
- Desai S, April H, Nwaneshiudu C, Ashby B: Comparison of agonist-induced internalization of the human EP2 and EP4 prostaglandin receptors: role of the carboxyl terminus in EP4 receptor sequestration. *Molecular Pharmacology* 58 (6) (2000), 1279-1286
- Donner MG, Warskulat U, Saha N, Häussinger D: Enhanced expression of basolateral multidrug resistance protein isoforms Mrp3 and Mrp5 in rat liver by LPS. *Biol. Chem.* 385 (2004), 331-339
- Dreuw A, Hermanns HM, Heise R, Jousen S, Rodriguez F, Marquardt I, Jugert F, Merk HF, Heinrich PC, Baron JM: Interleukin-6-type cytokines upregulate expression of multidrug resistance-associated proteins in NHK and dermal fibroblasts. *J invest Dermatol* 124 (2005), 28-37
- Edukani G, Sasatomi E, Satoh T, Tokunaga O, Miyazaki K: Expression of the hepatocyte growth factor/c-Met pathway is increased at the cancer front in breast carcinoma. *Pathology International* 51 (2001), 172-178
- Eikmann T, Heinrich U, Heinzow B, Konietzka R: Gefährdungsabschätzung von Umweltschadstoffen Band 1 Kapitel D172 Cadmium und Verbindungen Erich Schmidt Verlag (1999). 1- 35
- Etzel CJ, Amos CI, Spitz MR: Risk for smoking-related cancer among relatives of lung cancer patients. *Cancer Research* 63 (2003), 8531-8535
- Ferruzi E, Franceschini R, Cazzolato G, Geroni C, Fowst C, Pastorino U, Tradati N, Tursi J, Dittadi R, Gion M: Blood glutathion as a surrogate marker of cancer tissue glutathione S-transferase activity in non-small cell lung cancer and squamous cell carcinoma of the head and neck. *European Journal of cancer* 39 (2003), 1019-1029
- Filipic M, Hei TK: Mutagenicity of cadmium in mammalian cells: implication of oxidative DNA damage. *Mutation Research* 546 (1-2) (2004), 81-91

7. Referenzen

- Fong WF, Laung CH, Lam W, Wong NS, Cheng SH: Epidermal growth factor induces Gadd45 (growth arrest and DNA damage inducible protein) expression in A431 cells. *Biochim Biophys Acta* 26. 1517 (2) (2001): 250-256
- Forth W, Henschler D, Rummel W, Starke K: *Allgemeine und spezielle Pharmakologie und Toxikologie (7. Auflage) Kapitel 13.6: Derivate des Arachidonsäurestoffwechsels* Spektrum-Verlag (1996), 337-345
- Franklin WA, Veve R, Hirsch FR, Helfrich BA, Bunn PA: Epidermal growth factor receptor family in lung cancer and premalignancy. *Seminars in Oncology* 29 (1) (2002), pp3-14
- Fujino H, West KA, Regan JW: Phosphorylation of glycogen synthase kinase-3 and stimulation of T-cell factor signaling following activation of EP2 and EP4 prostanoid receptors by prostaglandin E2. *Journal of Biological Chemistry* 277 (4) (2002), 2614-2619
- Fujino H, Xu W, Regan JW: Prostaglandin E2 induced functional expression of early growth response factor-1 by EP4, but not EP2, prostanoid receptors via the phosphatidylinositol 3-kinase and extracellular signal-regulated kinases. *Journal of Biological Chemistry* 278 (14) (2003), 12151-12156
- Funk CD: Prostaglandins and leukotrienes: Advances in Eicosanoid Biology. *Science* 294 (2001), 1871-1875
- Gauderman WJ, Avol E, Gilliland F, Vora H, Thomas D, Berhane K, McConnell R, Kuenzli N, Lurmann F, Rappaport E, Margolis H, Bates D, Peters J: The effect of air pollution on lung development from 10 to 18 years of age. *New England Journal of Medicine* 351 (11) (2004), 1057-1067
- Ghio AJ: Biological effects of Utah valley ambient air particles in humans: a review. *Journal of Aerosol Medicine* 17 (2) (2004), 157-164
- Gridelli C, Aapro M, Ardizzoni A, Balducci L, De Marinis F, Kelly K, Le Chavalier T, Manegold C, Perrone F, Rosell R, Sheperd F, De Petris L, Di Maio M, Langer C: Treatment of advanced non-small-cell lung cancer in the elderly: results of an international expert panel. *Journal of Clinical Oncology* 23 (13) (2005), 3125-3137
- Grimsrud TK, Berge SR, Haldorsen T, Andersen A: Can lung cancer risk among nickel refinery workers be explained by occupational exposures other than nickel. *Epidemiology* 16 (2005), 146-154
- Haimour A, Conseil G, Deeley RG, Cole SPC: The MRP-related and BCRP/ABCG2 multidrug resistance proteins: biology, substrate specificity and regulation. *Current Drug Metabolism* 5 (2004), 21-53
- Hakeda Y, Harada S, Matsumoto T, Tezuka K, Higashino K, Kodama H, Hashimoto-Goto T, Ogata, Kumegawa M: Prostaglandin F₂ α stimulates proliferation of clonal osteoblastic MC3T3-E1 cells by up-regulation of insulin-like growth factor I receptors. *Journal of Biological Chemistry* 266 (31) (1991), 21044-21050
- Hamada J, Ren J, Hosokawa M: Malignant progression of a weakly malignant rat mammary tumor cell line, ER-1, by tumor microenvironmental factors. *Med Electron Microsc.* 32 (2), (1999): 87-93

7. Referenzen

- Harada T, Ogura S, Yamazaki K, Kinoshita I, Itoh T, Isobe H, Yamashiro K, Dosaka-Akita H, Nishimura M: Predictive value of expression of P53, Bcl2 and lung resistance-related protein for response to chemotherapy in non-small cell lung cancers. *Cancer Science* 94 (4) (2003), 394-399
- Hart BA, Potts RJ, Lee CH, Shukla GS, Shukla A, Osier M, Eneman JD, Chiu JF: Characterization of cadmium-induced apoptosis in rat lung epithelial cells: evidence for the participation of oxidant stress. *Toxicology* 133 (1999), 43-58
- Hassoun EA, Stohs SJ: Cadmium induced production of superoxid anion and nitric oxid, DNA single strand brakes and lactate dehydrogenase leakage in J774A.1 cell cultures. *Toxicology* 112 (1996), 219-226
- Hata AN, Breyer RM: Pharmacology and signalling of prostaglandin receptors: Multiple roles in inflammation and immune modulation. *Pharmacology & Therapeutics* 103 (2004), 147-166
- Heller A, Koch T, Schmeck J, van Ackern K: Lipid mediators in inflammatory disorders. *Drugs* 55 (4) (1998), 487-496
- Hsia TC, Lin CC, Wang JJ, Ho ST, Kao A. Relationship between chemotherapy response of small cell lung cancer and P-glycoprotein or multidrug resistance-related protein expression. *Lung* 180 (2002), 173-179
- Huang M, Stolina M, Sharma S, Mao J, Zhu L, Miller P, Wollman J, Herschman H, Dubinett SM: Non small cell lung cancer cyclooxygenase-2-dependent regulation of cytokine balance in lymphocytes and macrophages: up-regulation of interleukin 10 and down-regulation of interleukin 12 production. *Cancer Research* 59 (1998), 1208-1216
- Huffman KE, Corey DR: Major vault protein does not play a role in chemoresistance or drug localization in a non-small cell lung cancer cell line. *Biochemistry* 44 (2005), 2253-2261
- Ikegami R, Sugimoto Y, Segi E, Katsuyama M, Karahashi H, Amano F, Maruyama T, Yamane H, Tsuchiya S, Ichikawa A: The expression of prostaglandin E receptors EP2 and EP4 and their different regulation by lipopolysaccharide in C3H/HeN peritoneal macrophages. *Journal of Immunology* 166 (2001), 4689-4696
- Ikegami Y, Tatabe S, Lin-Lee YC, Xie QW, Ishikawa T, Kuo MT: Induction of MRP1 and γ -glutamylcysteine synthetase gene expression by interleukin 1 β is mediated by nitric oxide-related signalings in human colorectal cancer cells. *Journal of Cellular Physiology* 185 (2000), 293-301
- Inokuchi A, Hinoshita E, Iwamoto Y, Kohno K, Kuwano M, Uchiyama T: Enhanced expression of the human multidrug resistance protein 3 by bile salt in human enterocytes. *Journal of Biological Chemistry* 276 (50) (2001), 46822-46829
- Jimi S, Uchiyama M, Takaki A, Suzumiya J, Hara S: Mechanisms of cell death induced by cadmium and arsenic. *Ann NY Acad Sci.* 1011 (2004), 325-331
- Juliano RL, Ling V: A surface glycoprotein modulating drug permeability in Chinese hamster ovary cell mutants. *Biochimica and Biophysical Acta* 455 (1976), 152-162

7. Referenzen

- Jurajuria S, Dereuddre-Bosquet N, Naissant-Storck K, Dormont D, Clayette P: Differential expression levels of MRP1, MRP4 and MRP5 in response to human immunodeficiency virus infection in human macrophages. *Antimicrobial Agents and Chemotherapy* 48 (5) (2004), 1889-1891
- Kam PCA, See AUL: Cyclo-oxygenase isoenzymes: physiological and pharmacological role. *Anaesthesia* 55 (2000), 442-449
- Kang SS, Li T, Xu D, Reinach PS and LU L: Inhibitory Effect of PGE₂ on EGF-Induced MAP kinase activity and rabbit corneal epithelial proliferation. *Investigative Ophthalmology & Visual Science*, 41 (8), (2000), 2164-2169
- Kappos AD, Bruckmann P, Eikmann T, Englert N, Heinrich U, Höpfe P, Koch E, Krause GHM, Kreyling WG, Rauchfuss K, Romnout P, Schulz-Klemp V, Thiel WR, Wichmann HR: Health effects of particles in ambient air. *International Journal of Hygiene and Environmental Health* 2007 (2004), 399-407
- Kawamori T, Kitamura T, Watanabe K, Uchiya N, Maruyama T, Narumiya S, Sugimura T, Wakabayashi K: Prostaglandin E receptor subtype EP1 deficiency inhibits colon cancer development. *Carcinogenesis* (2004) (prepublished Manuscript)
- Kim JJ, Shannon MW, Best D, Binns HJ, Johnson CL, Mazur LJ, Reynolds DW, Roberts JR, Weil WB, Balk SJ, Miller M, Shea KM: Ambient air pollution: health hazards to children. *Pediatrics* 114 (2004), 1699-1707
- König J, Hartel M, Nies AT, Martignoni ME, Guo J, Büchler MW, Friess H, Keppler D: Expression and localization of human multidrug resistance protein (ABCC) family members in pancreatic carcinoma. *International Journal of Cancer* 115 (2005), 359-367
- Kool M, de Haas M, Scheffler GL, Scheper RJ, van Eijk MJT, Juijin JA, Baas F, Borst P: Analysis of expression of cMOAT (MRP2), MRP3, MRP4, MRP5, homologues of the multidrug resistance-associated protein gene (MRP1), in human cancer cell lines. *Cancer Research* 57 (1997), 3537-3547
- Kurz EU, Cole SPC, Deeley RG: Identification of DNA-protein interactions in the 5' flanking and 5'untranslated regions of the human multidrug resistance protein (MRP1) gene: evaluation of a putative antioxidant response element/AP-1 binding site. *Biochemical and Biophysical Research Communication* 285 (2001), 981-990
- Lag M, Westley S, Lerstad T, Bjornsrud C, Refsnes M, Schwarze PE: Cadmium-induced apoptosis of primary epithelial lung cells: involvement of Bax and p53, but not of oxidative stress. *Cell Biology and Toxicology*. 18 (2002), 29-42
- Largo R, Díez-Ortego I, Sanchez-Pernaute O, López-Armada MJ, Alvarez-Soria, MA, Egido J, Herrero-Beaumont G: EP₂/EP₄ signalling inhibits monocyte chemoattractant protein-1 production induced by interleukin 1 β in synovial fibroblasts. *Ann Rheum Dis* 63 (2004), 1197-1204
- Lechner JF, LaVeck MA: A serum free method for culturing normal human bronchial epithelial cells at clonal density. *J Tissue Cult Methods* 9 (2) (1985), 43-48

7. Referenzen

- Lee G, Piquette-Miller M: Cytokines alter the expression and activity of the multidrug resistance transporters in human hepatoma cell lines; analysis using RT-PCR and cDNA microarrays. *Journal of Pharmaceutical Sciences* 92 (11) (2003) 2152-2163
- Leggas M, Adachi M, Scheffer GL, Sun D, Wielinga P, Du G, Mercer KE, Zhuang Y, Panetta JC, Johnston B, Scheper RJ, Stewart CF, Schuetz JD: MRP4 confers resistance to topotecan and protects the brain from chemotherapy. *Mol Cell Biol.* 24 (17) (2004), 7612-7621
- Lehmann T, Köhler C, Weidauer E, Taeye C, Foth H: Expression of MRP1 and related transporters in human lung cells in culture. *Toxicology* 167 (2001), 59-72
- Lehmann T, Torky AW, Stehfest E, Hofmann S and Foth H: Expression of lung resistance related protein, LRP, and multidrug resistance related Protein MRP1, in normal human lung cells in long term culture. *Arch Toxicol.* (2005) [Epub ahead print]
- Li M, Kondo T, Zhao Q-L, Tanabe K, Arai Y, Zhou Z-C and Kasuya M: Apoptosis induced by cadmium in human lymphoma U937 cells through Ca^{2+} -calpain and caspase-mitochondria-dependent pathways. *Journal of Biological Chemistry* 275 (50) (2000), 39702-39709
- Lieber M, Smith B, Szakal A, Nelson-Rees W, Todaro G: A continuous tumor-cell line from a human lung carcinoma with properties of type II alveolar epithelial cells. *Int J Cancer* 17 (1) (1976), 62-70
- Littman AJ, Thornquist MD, White E, Jackson LA, Goodman GE, Vaughan TL: Prior lung disease and risk of lung cancer in a large prospective study. *Cancer Causes and Control* 15 (2004), 819-827
- Locke VL, Davey RA, Davey MW: Modulation of drug and radiation resistance in small cell lung cancer cells by paclitaxel. *Anti-Cancer Drugs* 14 (2003), 523-531
- Lopez E, Figueroa S, Oset-Gasque MJ, Gonzalez MP: Apoptosis and necrosis: two distinct events induced by cadmium in cortical neurons in culture. *British Journal of Pharmacology* 138 (5) (2003), 901-911
- Lubin JH, Boice JD: Lung Cancer Risk From Residential Radon: Meta-analysis of eight epidemiologic studies. *Journal of the National Cancer Institute* 89 (1997), 49-57
- Maeda S, Sugiura T, Saikawa Y, Kubota T, Otani Y, Kumai K, Kitajima M: Docetaxel enhances the cytotoxicity of cisplatin to gastric cancer cells by modification of intracellular platinum metabolism. *Cancer Science* 95 (2004), 679-684
- Matteucci E, Modora S, Simone M, Disiderio MA: Hepatocyte growth factor induces apoptosis through the extrinsic pathway in hepatoma cells: favouring role of hypoxia-inducible factor-1 deficiency. *Oncogene* 22 (2003), 4062-4073
- McAleer MA, Breen MA, White NL, Matthews N: pABC11 (Also known as MOAT-C and MRP5), a member of the ABC family of proteins, has anion transporter activity but does not confer multidrug resistance when overexpressed in human embryonic kidney 293 cells. *Journal of Biological Chemistry* 274 (33) (1999), 23541-23548
- Meyer zu Schwabedissen HEU, Grube M, Heydrich B, Linnemann K, Fusch C, Kroemer HKM, Jedlitschky G: Expression, localization, and function of MRP5 (ABCC5), a transporter

7. Referenzen

for cyclic nucleotides, in human placenta and cultured human trophoblasts. *American Journal of Pathology* 166 (1) (2005), 39-48

Minami T, Nakano H, Kobayashi T, Sugimoto Y, Ushikubi F, Ichikawa A, Narumiya S, Ito S: Characterization of EP receptor subtypes responsible for prostaglandin E₂-induced pain responses by use of EP1 and EP3 receptor knockout mice. *British Journal of Pharmacology* 133 (2001), 438-444

Mine S, Fujisaki T, Kawahara C, Tabata T, Iida T, Yasuda M, Yoneda T, Tanaka Y: Hepatocyte growth factor enhances adhesion of breast cancer cells to endothelial cells in vitro through up-regulation of CD44. *Experimental Cell Research* 288 (2003), 189-197

Mollerup S, Ryberg D, Hewer A, Phillips DH, Haugen A: Sex differences in lung CYP1A1 expression and DNA adduct levels among lung cancer patients. *Cancer Research* 59 (1999), 3317-3320

Moreno JJ: Regulation of arachidonic acid release and prostaglandin formation by cell-cell adhesive interactions in wound repair. *Pflügers Archives* 433 (1997), 351-356

Morgan SJ, Darling DC: Kultur tierischer Zellen. Spectrum Akademischer Verlag Heidelberg Berlin Oxford, Kapitel 6: Primärkulturen (1994), 81-99

Muhle H., McClellan RO: Respirationstrakt. (Kapitel 16) in Marquardt H, Schäfer S: Lehrbuch der Toxikologie (2. Auflage). Wissenschaftliche Verlagsgesellschaft mbH Stuttgart (2004) 365-382 .

Musallam L, Ethier C, Haddad PS, Bilodeau M: Role of EGF receptor tyrosine kinase activity in antiapoptotic effect of EGF in mouse hepatocytes. *Am J Physiol Gastrointest Liver Physiol* 280 (6) (2001), G1360-G1369

Nakayama Y, Omote K, Namiki A: Role of prostaglandin receptor EP1 in the spinal dorsal horn in carageenan-induced inflammatory pain. *Anesthesiology* 97 (2002), 1254-1262

Nakopoulou L, Gakiopoulou H, Keramopoulos A, Giannopoulou I, Athanassiadou P, Mavrommatis J, Davaris PS: c-met tyrosine kinase receptor expression is associated with abnormal β -catenin expression and favourable prognostic factors in invasive breast carcinoma. *Histopathology* 36 (2000), 313-325

Narumiya S, Sugimoto Y, Ushikubi F: Prostanoid receptors: structures, properties and function. *Physiological Reviews* 79 (4) (1999), 1193-1226

Nowak D, Ochmann U, Huber RM, Diederich S: Screening des Lungenkarzinoms - aktueller Stand. *Pneumologie* 59 (2005), 178-191

O'Connor R, Heenan M, Connolly L, Larkin A, Clynes M: Increased anti-tumour efficacy of doxorubicin when combined with sulindac in a xenograft Model of an MRP-1-positive human lung cancer. *Anticancer Research* 24 (2004), 457-464

Othumpangat S, Kashon M, Joseph P: Eukaryotic translation initiation factor 4E (eIF4E) is a cellular target for toxicity and death due to exposure to cadmium chloride. *Journal of Biological Chemistry* (2005) (Manuscript in Press)

7. Referenzen

- Pao W, Miller VA, Politi KA, Riely GJ, Somwar R, Zakowski MF, Kris MG, Varmus H: Acquired resistance of lung adenocarcinomas to gefitinib or erlotinib is associated with a second mutation in the EGFR kinase domain. *PLoS Medicine* 2 (3) (2005), 225-235
- Pauk N, Kubik A, Zatloukal P, Krepela E: Lung cancer in woman. *Lung Cancer* 48 (2005), 1-9
- Paumi CM, Wright M, Townsend AJ, Morrow CS: Multidrug resistance protein (MRP)1 and MRP3 attenuate cytotoxic and transactivating effects of the cyclopentone prostaglandin, 15-deoxy- $\Delta^{12,14}$ prostaglandin J2 in MCF7 breast cancer cells. *Biochemistry* 42 (2002), 5429-5437
- Perrone F, Di Maio M, Budillon A, Normanno N: Targeted therapies and non-small cell lung cancer: methodological and conceptual challenge for clinical trials. *Current Opinions in Oncology* 17 (2005), 123-129
- Pope CA: Air pollution and health-good news and bad. *New England Journal of Medicine* 351 (11) (2004), 1132-1134
- Pozzi A, Yan X, Marcias-Perez I, Wei S, Hata AN, Breyer RM, Morrow JD, Capdevila JH: Colon carcinoma cell growth is associated with prostaglandin E2/EP4 receptor-evoked ERK activation. *Journal of Biological Chemistry* 279 (28) (2004), 29797-29804
- Pakunlu RI, Cook TJ, Minko T: Simultaneous modulation of multidrug resistance and antiapoptotic cellular defense by MDR1 and BCL2 targeted antisense oligonucleotides enhances the anticancer efficacy of doxorubicin. *Pharmaceutical research* 20 (3) (2003), 351-359
- Pakunlu RI, Wang Y, Tsao W, Pozharov V, Cook TJ, Minko T: Enhancement of the efficacy of chemotherapy for lung cancer by simultaneous suppression of multidrug resistance and antiapoptotic cellular defense: novel multicomponent delivery system. *Cancer Research* 64 (2004), 6214-6224
- Quarles LD, Haupt DM, Davidai G, Middleton JP: Prostaglandin F2 α -induced mitogenesis in MC3T3-E1 osteoblasts: role of protein kinase-C-mediated tyrosine phosphorylation. *Endocrinology* 132 (4) (1993), 1505-1513
- Reid G, Wielinga P, Zelcer N, van der Heijden I, Kuil A, de Haas M, Wijnhold J, Borst P. The human multidrug resistance protein MRP4 functions as a prostaglandin efflux transporter and is inhibited by nonsteroidal antiinflammatory drugs. *PNAS* 100 (16) (2003), 9244-9249
- Riedl K, Krysan K, Pold M, Dalwadi H, Heuze-Vourc'h N, Dohadwala M, Liu M, Cui X, Figlin R, Mao JT, Strieter R, Sharma S, Dubinett SM: Multifaceted roles of cyclooxygenase-2 in lung cancer. *Drug Resistance Updates* 7 (2004), 169-184
- Rossel R, Lord RVN, Taron M, Reguart N: DNA repair and cisplatin resistance in non-small-cell lung cancer. *Lung cancer* 38 (2002), 217-227
- Rossel R, Taron M, Barnadas A, Scagliotti G, Sarries C, Roig B: Nucleotide excision repair pathways involved in cisplatin resistance in non-small-cell lung cancer. *Cancer Control* 10 (4) (2003), 297-305

7. Referenzen

- Runge DM, Runge D, Dorko K, Pizarov LA, Leckel K, Kostrubsky VE, Thomas D, Strom SC, Michalopoulos GK: Epidermal growth factor- and hepatocyte growth factor-receptor activity in serum-free cultures of human hepatocytes. *Journal of Hepatology* 30 (1999), 265-274 [a]
- Runge DM, Bowen WC, Katyal S, Runge D, Suski V, Michalopoulos GK: Expression of the human hepatocyte growth factor cDNA in primary cultures of rat hepatocytes. *Biochemical and Biophysical Research Communication* 257 (1999), 199-205 [b]
- Runge DM, Stock TW, Lehmann T, Taeye C, Bernauer U, Stolz DB, Hofmann S, Foth H: Expression of cytochrome P450 2E1 in normal human bronchial epithelial cells and activation by ethanol culture. *Archives of Toxicology* 75 (6) (2001), 332-345
- Savaraj N, Wu C, Wangpaichitr M, Kuo MT, Lampidis T, Robles C, Furst AJ, Feun L: Overexpression of mutated MRP4 in cisplatin resistant small cell lung cancer cell line: Collateral sensitivity to azidothymidine. *International Journal of oncology* 23 (2003), 173-179
- Savla U, Appel HJ, Sporn PHS, Waters CM: Prostaglandin E2 regulates wound closure in airway epithelium. *Am J Physiol Lung Cell Mol Physiol* 280 (2001), L421-L431
- Schwartzmann G, Pinedo HM, Leyva A.: Resistance of HL-60 promyelocytic leukemia cells to induction of differentiation and its reversal by combination treatment. *Eur J Cancer Clin Oncol.* 23 (6), (1987), 739-734
- Scotto KW: Transcriptional regulation of ABC drug transporter. *Oncogene* 22 (2003), 7496-7511
- Seeber S, Schütte J: *Therapiekonzepte Onkologie* (2. Auflage) Kapitel: Kleinzelliges Karzinom, 420-445; Kapitel Nicht-kleinzelliges Karzinom, 446-473. Springer Verlag (1995)
- Sheffield LG: Epidermal growth factor as an autocrine modulator of stress response in mammary epithelial cells. *Journal of Endocrinology* 159 (1998), 111-116
- Shih CM, Wu JS, Ko WC, Wang LF, Wei YH, Liang HF, Chen YC, Chen CT: Mitochondria-mediated caspase-independent apoptosis induced by cadmium in normal human lung cells. *Journal of Cellular Biochemistry* 89 (2003), 335-347
- Siewert E, Dietrich CG, Lammert F, Heinrich PC, Matern S, Gartung C, Geier A: Interleukin-6 regulates hepatic transporters during acute-phase response. *Biochemical and Biophysical research Communication* 322 (2004), 232-238
- Smith PK, Krohn RI, Hermanson GT, Mallia AK, Gartner FH, Provenzano MD, Fujimoto EK, Goeke NM, Olson BJ, Klenk DC: Measurement of protein using bicinchoninic acid. *Anal Biochem* 150 (1) (1985), 76-85
- Spinella F, Rosano L, Di Castro V, Natali PG, Bagnato A: Endothelin-1-induced prostaglandin E2-EP2, EP4 signaling regulates vascular endothelial growth factor production and ovarian carcinoma cell invasion. *Journal of Biological Chemistry* 279 (45) (2004), 46700-46705
- Stefan M, Koch A, Mancini A, Mohr A, Weidners KM, Niemann H, Tamura T: Src homology 2-containing inositol 5-phosphatase 1 binds to the multifunctional docking site of

7. Referenzen

c-Met and potentiates hepatocyte growth factor-induced branching tubulogenesis. *J Biol Chem* 276 (5) (2001):3017-3023

Stein U, Walther W, Laurencot CM, Scheffer GL, Scheper RJ, Shoemaker RH: Tumor necrosis factor-alpha and expression of the multidrug resistance-associated genes LRP and MRP. *Journal of the National Cancer Institute* 89 (11) (1997), 807-813

Steinbach D, Lengemann J, Voigt A, Hermann J, Zintl F, Sauerbrey A. response to chemotherapy and expression of the genes encoding the multidrug resistance-associated proteins MRP2, MRP3, MRP4, MRP5, and SMRP in childhood acute myeloid leukemia. *Clinical Cancer Research* 9 (2003), 1083-1086

Stewart DJ: Update on the role of topotecan in the treatment of non-small cell lung cancer. *The Oncologist* 9 (Suppl. 6) (2004), 43-52 (a)

Stewart DJ, Tomiak E, Shamji FM, Maziak DE, MacLeod P: Phase II study of alternating chemotherapy regimens for advanced non-small cell lung cancer. *Lung Cancer* 44 (2004), 241-249 (b)

Stock JL, Shinjo K, Burkhardt J, Roach M, Taniguchi K, Ishikawa T, Kim HS, Flannery PJ, Coffman TM, McNeish JD, Audoly LP: The prostaglandin E2 EP1 receptor mediates pain perception and regulates blood pressure. *Journal of Clinical Investigation* 107 (3) (2000), 325-331

Stock T: Kultur normaler humaner Bronchialepithelzellen und ihre toxikologische Anwendungsprüfung. Dissertation an der Med. Fakultät der Martin-Luther Universität Halle/Saale 2002

Stohs SJ, Bagchi D: Oxidative mechanisms in the toxicity of metal ions. *Free Radical Biol. Med.* 18 (1995), 321-336

Stuckler D, Singhal J, Singhal SS, Yadav S, Awasthi YC, Awasthi S: RLIP76 transports vinorelbine and mediates drug resistance in non-small cell lung cancer. *Cancer Research* 65 (3) (2005), 991-998

Sullivan GF, Yang JM, Vassil A, Yang J, Bash-Bubula J, Hait WN: Regulation of expression of the multidrug resistance protein MRP1 by p53 in human prostate cancer cells. *Journal of Clinical Investigation* 105 (9) (2000), 1261-1267

Tatum AJ, Shapiro GG: the effects of outdoor air pollution and tobacco smoke on asthma. *Immunol Allergy Clin North Am.* 25 (1) (2005), 15-30

Takeshita A, Shinjo K, Naito K, Matsui H, Shigeno K, Nakamura S, Horii T, Maekawa M, Kitamura K, Naoe T, Ohnishi K, Ohno R: P-glycoprotein (P-gp) and multidrug resistance-associated protein 1 (MRP1) are induced by arsenic trioxide (As₂O₃), but are not the main mechanism of As₂O₃-resistance in acute promyelocytic leukemia cells. *Leukemia* 17 (2003), 648-650

Torky AR, Stehfest E, Viehweger K, Taege C, Foth H: Immuno-histochemical detection of MRPs in human lung cells in culture. *Toxicology* 207 (2005), 437-450

7. Referenzen

- Vineis P, Forastiere F, Hoek G, Lipsett M: Outdoor air pollution and lung cancer: recent epidemiologic evidence. *International Journal of Cancer* 111 (2004), 647-652
- Viegi G, Simoni M, Scognamiglio A, Baldacci S, Pistelli F, Carrozzi L, Annesi-Maesano I: Indoor air pollution and airway disease. *Int. J. Tuberc. Lung Dis.* 8 (12) (2004), 1401-1415
- Watabe A, Sugimoto Y, Honda A, Irie A, Namba T, Negishi M, Ito S, Narumiya S, Ichikawa A: Cloning and expression of cDNA for a mouse EP1 subtype of prostaglandin E receptor. *Journal of Biological Chemistry* 268 (27) (1993), 20175-20178
- Wätjen W, Cox M, Biagioli M, Beyersmann D: Cadmium-induced apoptosis in C6 glioma cells: Mediation by caspase 9-activation. *BioMetals* 15 (2002), 15-25
- Wielinga PR, van der Heijden I, Reid G, Beijnen JH, Wijnholds J, Borst P. Characterization of the MRP4- and MRP5-mediated transport of cyclic nucleotides from intact cells. *Journal of Biological Chemistry* 278 (20) (2003), 17664-17671
- Wu W, Jaspers I, Zhang W, Graves LM, Samet JM: Role of Ras in metal-induced EGF receptor signaling and NF-kappaB activation in human airway epithelial cells. *Am J Physiol Lung Cell Mol Physiol* 282 (5) (2002), L1040-L1048 [a]
- Wu W, Graves LM, Gill GN, Parsons SJ, Samet JM: Src-dependent phosphorylation of the epidermal growth factor receptor on tyrosine 845 is required for zinc-induced Ras activation. *Journal of Biological Chemistry* 277 (27) (2002), 24252-24257 [b]
- Xiao GH, Jeffers M, Bellacosa A, Mitsuuchi Y, Vande Woude GF, Testa JR: Anti-apoptotic signaling by hepatocyte growth factor/Met via the phosphatidylinositol 3-kinase/Akt and mitogen-activated protein kinase pathways. *PNAS* 98 (1) (2001), 247-252
- Xu H, Collins JF, Bai L, Kiela PR, Lynch RM, Ghishan FK: Epidermal growth factor regulation of rat NHE2 gene expression. *Am J Physiol Cell Physiol* 281 (2), (2001), c504-c513
- Yamaki T, Endoh K, Miyahara M, Nagamine I, Huong NTT, Sakurai H, Pokorny J, Yano T: Prostaglandin E2 activate Src signaling in lung adenocarcinoma cell via EP3. *Cancer Letters* 214 (2004), 115-120
- Yang X, Sheares KKK, Davie P, Upton PD, Taylor GW, Horsley J, Warthon J, Morrell NW: Hypoxic induction of Cox-2 regulates proliferation of human pulmonary artery smooth muscle cells. *Am J Respir Cell Mol Biol* 27 (2002), 688-696
- Yano T, Zissel G, Muller-Quernheim J, Shin SJ, Satoh H, Ichikawa T: Prostaglandin E2 reinforces the activation of Ras signal pathway in lung adenocarcinoma cells via EP3. *FEBS Letters* 518 (2002), 154-158
- Yi S, Tsao MS: Activation of hepatocyte growth factor-Met autocrine loop enhances tumorigenicity in a human lung adenocarcinoma cell line. *Neoplasia* 2 (3) (2000), 226-234
- Young LC, Campling BG, Cole SPC, Deelay RG, Gerlach JH. Multidrug resistance proteins MRP3, MRP1 and MRP2 in lung cancer: correlation of protein levels with drug response and messenger RNA levels. *Clinical Cancer Research* 7 (2001), 1798-1804

7. Referenzen

Yuhki KY, Naraba H, Kojima F, Ushikubi F, Narumiya S, Oh-Ishi S: Prostaglandin receptors, EP2, EP3 and IP, mediate exudate formation in carrageenin-induced mouse pleurisy. *Journal of Pharmacology and Experimental Therapeutics* (prepublished manuscript) (2004)

Ziemann C, Schäfer D, Rüdell G, Kahl GF, Hirsch-Ernst K: The cyclooxygenase system participates in functional Mdr1b overexpression in primary rat hepatocyte cultures. *Hepatology* 35 (2002), 579-588