

## Bibliography

1. Q. Y. Tong and U. Gösele, *Semiconductor wafer bonding: science and technology*, Wiley, New York, (1999).
2. M. Shimbo, K. Furukawa, K. Fukuda, and K. Tanzawa, *J. Appl. Phys.*, **60**, 2987-2989 (1986).
3. J. B. Lasky, *Appl. Phys. Lett.*, **48**, 78-80 (1986).
4. U. Gösele, S. Hopfe, S. Li, et al., *Appl. Phys. Lett.*, **67**, 863-865 (1995).
5. P. Kopperschmidt, S. Senz, G. Kästner, et al., *Appl. Phys. Lett.*, **72**, 3181-3183 (1998).
6. N. Chandrasekaran, T. Soga, and T. Jimbo, *Appl. Phys. Lett.*, **82**, 3892-3894 (2003).
7. M. Bruel, B. Aspar, B. Charlet, et al., *(R)"Smart Cut": A promising new SOI material technology*. in *1995 IEEE International SOI Conference Proceedings*, (1995).
8. A. Reznicek, *Elektrische und strukturelle Eigenschaften gebondeter Halbleiterstrukturen*, PhD Thesis, Technische Universität Berlin (2002).
9. W. E. Taylor, N. H. Odell, and H. Y. Fan, *Phys. Rev.*, **88**, 867-875 (1952).
10. A. Plössl and G. Kräuter, *Mat. Sci. Eng.*, **25**, 1-88 (1999).
11. A. Berthold, B. Jakoby, and M. J. Vellekoop, *Sensors and Actuators A*, **68**, 410-413 (1998).
12. R. Stengl and U. Gösele, 4.883.215, US Patent (1989).
13. K. Ljungberg, A. Soderborg, S. Bengtsson, and A. Jauhiainen, *J. Electrochem. Soc.*, **141**, 562-566 (1994).
14. D. O. Detjen, *Characterization and Modeling of Si-Si Bonded Hydrophobic Interfaces for Novel High-Power BIMOS Devices*, PhD Thesis, Rheinisch-Westfälische Technische Hochschule Aachen (2004).

- 
15. Q. Y. Tong, G. Cha, R. Gafiteanu, and U. Gösele, *J. Microelectromech. Sys.*, **3**, 29-35 (1994).
  16. R. Sokoll, H. J. Tiller, and T. Hoyer, *J. Electrochem. Soc.*, **138**, 2150-2153 (1991).
  17. R. Stengl, T. Tan, and U. Gösele, *Jpn. J. Appl. Phys.*, **28**, 1735-1741 (1989).
  18. Q. Y. Tong and U. Gösele, *J. Electrochem. Soc.*, **143**, 1773-1779 (1996).
  19. Q. Y. Tong, E. Schmidt, U. Gösele, and M. Reiche, *Appl. Phys. Lett.*, **64**, 625-627 (1994).
  20. G. S. Higashi, Y. J. Chabal, G. W. Trucks, and K. Raghavachari, *Appl. Phys. Lett.*, **56**, 656-658 (1990).
  21. W. Kern, *Handbook of semiconductor wafer cleaning technology: science, technology and applications*, Noyes Publications, New Jersey, (1993).
  22. R. H. Esser, K. D. Hobart, and F. J. Kub, *J. Appl. Phys.*, **92**, 1945-1949 (2002).
  23. A. Reznicek, R. Scholz, S. Senz, and U. Gösele, *Mat. Chem. Phys.*, **81**, 277-280 (2003).
  24. F. Ericson, S. Johansson, and J. A. Schweitz, *Mat. Sci. Eng. A*, **105**, 131-141 (1988).
  25. J. J. Boland, *Surf. Sci.*, **244**, 1-14 (1991).
  26. J. S. Nelson, B. W. Dodson, and P. A. Taylor, *Phys. Rev. B*, **45**, 4439-4444 (1992).
  27. K. Scheerschmidt, D. Conrad, and U. Gösele, *Comp. Mat. Sci.*, **7**, 40-47 (1996).
  28. T. Akatsu, A. Plössl, R. Scholz, et al., *J. Appl. Phys.*, **90**, 3856-3862 (2001).
  29. T. R. Chung, L. Yang, N. Hosoda, et al., *Appl. Surf. Sci.*, **117**, 808-812 (1997).
  30. F. Letertre, E. Jalaguier, L. Di Cioccio, et al., *Mat. Sci. Forum*, **389-3**, 151-154 (2002).
-

- 
31. E. Jalaguier, B. Aspar, S. Pocas, et al., *Electron. Lett.*, **34**, 408-409 (1998).
  32. U. Gösele and Q. Y. Tong, *III-V materials integration technologies: Wafer bonding approaches*. in *IEEE 12th International Conference of InP and related materials*, (2000).
  33. J. F. Gibbons, *Proc. IEEE*, **56**, 295-315 (1968).
  34. J. M. Zavada, H. A. Jenkinson, R. G. Sarkis, and R. G. Wilson, *J. Appl. Phys.*, **58**, 3731-3734 (1985).
  35. J. F. Ziegler and R. F. Lever, *Appl. Phys. Lett.*, **46**, 358-360 (1985).
  36. J. T. Borenstein, J. W. Corbett, and S. J. Pearton, *J. Appl. Phys.*, **73**, 2751-2754 (1993).
  37. S. Romani and J. H. Evans, *Nucl. Instrum. Meth. B*, **44**, 313-317 (1990).
  38. S. J. Pearton, J. W. Corbett, and M. Stavola, *Hydrogen in crystalline semiconductors*, Springer, Berlin, (1992).
  39. G. F. Cerofolini, L. Meda, R. Balboni, et al., *Phys. Rev. B*, **46**, 2061-2070 (1992).
  40. B. Aspar, C. Lagahe, H. Moriceau, et al., *Smart-Cut (R) technology: An industrial application of ion implantation induced cavities*. in *IEEE International SOI Conference Proceedings*, (1998).
  41. C. G. Van de Walle, P. J. H. Denteneer, Y. Baryam, and S. T. Pantelides, *Phys. Rev. B*, **39**, 10791-10808 (1989).
  42. K. J. Chang and D. J. Chadi, *Phys. Rev. B*, **40**, 11644-11653 (1989).
  43. J. H. Neethling and H. C. Snyman, *J. Appl. Phys.*, **60**, 941-945 (1986).
  44. J. I. Pankove and N. M. Johnson, *Hydrogen in semiconductors*, Academic Press, Boston, (1991).
  45. I. Radu, *Layer transfer of semiconductor and complex oxides by helium and/or hydrogen implantation*, PhD Thesis, Martin-Luther-Universität Halle (2003).
  46. J. H. Neethling, H. C. Snyman, and C. A. B. Ball, *J. Appl. Phys.*, **63**, 704-711 (1988).
  47. R. G. Wilson, V. R. Deline, and C. G. Hopkins, *Appl. Phys. Lett.*, **41**, 929-931 (1982).
-

- 
48. V. Raineri, G. Fallica, and S. Libertino, *J. Appl. Phys.*, **79**, 9012-9016 (1996).
  49. E. Oliviero, M. F. Beaufort, and J. F. Barbot, *J. Appl. Phys.*, **90**, 1718-1724 (2001).
  50. P. F. P. Fichtner, J. R. Kaschny, R. A. Yankov, et al., *Appl. Phys. Lett.*, **70**, 732-734 (1997).
  51. D. M. Follstädt, S. M. Myers, J. C. Barbour, et al., *Nucl. Instrum. Meth. B*, **160**, 476-498 (2000).
  52. T. Nomachi, S. Muto, M. Hirata, et al., *Appl. Phys. Lett.*, **71**, 255-257 (1997).
  53. L. J. Huang, Q. Y. Tong, Y. L. Chao, et al., *Appl. Phys. Lett.*, **74**, 982-984 (1999).
  54. L. J. Huang, *Layer transfer of semiconductor and insulator materials by wafer bonding and hydrogen implantation*, PhD Thesis, Duke University (1999).
  55. Q. Y. Tong, K. Gutjahr, S. Hopfe, et al., *Appl. Phys. Lett.*, **70**, 1390-1392 (1997).
  56. S. K. Ghandhi, *VLSI fabrication principles*, Wiley-Interscience, 2nd edition, New York, (1994).
  57. M. Lannoo and J. Bourgoin, *Point defects in semiconductors*, Springer-Verlag, New York, (1981).
  58. C. M. Wolfe, N. Holonyak, and G. E. Stillman, *Physical properties of semiconductors*, Prentice-Hall International, New Jersey, (1989).
  59. F. H. Matere, *Defect electronics in semiconductors*, Wiley-Interscience, New York, (1971).
  60. D. Hull and D. J. Bacon, *Introduction to dislocations*, Pergamon Press, 3rd edition, Oxford, (1984).
  61. J. P. Hirth and J. Lothe, *Theory of dislocations*, Wiley-Interscience, 2nd edition, New York, (1982).
  62. R. Jones, *Mat. Sci. Eng. B*, **71**, 24-29 (2000).
  63. W. Schröter and H. Cerva, *Solid State Phenomena*, **85-86**, 67-143 (2002).
-

- 
64. D.G. Brandon, B. Ralph, S. Ranganathan, and M. S. Wald, *Acta metallurgica*, **12**, 813 (1964).
  65. W. Bollmann, *Crystal Defects and Crystalline Interfaces*, Springer-Verlag, Berlin, (1970).
  66. A. Many, Y. Goldstein, and N. B. Grover, *Semiconductor surfaces*, North-Holland Publications, Amsterdam, (1965).
  67. G. E. Pike and C. H. Seager, *J. Appl. Phys.*, **50**, 3414-3422 (1978).
  68. C. H. Seager, G. E. Pike, and D. S. Ginley, *Phys. Rev. Lett.*, **43**, 532-535 (1979).
  69. C. H. Seager and G. E. Pike, *Appl. Phys. Lett.*, **35**, 709-711 (1979).
  70. C. H. Seager and G. E. Pike, *Appl. Phys. Lett.*, **37**, 747-749 (1980).
  71. C. H. Seager, *J. Appl. Phys.*, **52**, 3960-3968 (1981).
  72. C. H. Seager and G. E. Pike, *Appl. Phys. Lett.*, **40**, 471-474 (1982).
  73. M. G. Spencer, W. J. Schaff, and D. K. Wagner, *J. Appl. Phys.*, **54**, 1492-1440 (1983).
  74. G. E. Pike, *Phys. Rev. B*, **30**, 795-802 (1984).
  75. S. M. Sze, *Physics of semiconductor devices*, Wiley-Interscience, 2nd edition, New York, (1982).
  76. W. Shockley, *Electrons and holes in semiconductors, with applications to transistor electronics*, D. Van Nostrand Company Inc., New York, (1950).
  77. J. H. Werner, *Untersuchungen elektronischer Zustände an Korngrenzen in Silizium*, PhD Thesis, University of Stuttgart (1983).
  78. D. K. Schroder, *Semiconductor material and device characterization*, Wiley-Interscience, 2nd edition, New York, (1998).
  79. W. Shockley and W. T. Read, *Phys. Rev.*, **87**, 835-842 (1952).
  80. G. Hollinger, R. Skheytabbani, and M. Gendrey, *Phys. Rev. B*, **49**, 11159-11167 (1994).
  81. D. A. Allwood, R. T. Carline, N. J. Mason, et al., *Thin Solid Films*, **364**, 33-39 (2000).

82. Z. L. Yuan, X. M. Ding, H. T. Hu, et al., *Appl. Phys. Lett.*, **71**, 3081-3083 (1997).
83. N. S. McIntyre, R. D. Davidson, T. L. Walzak, et al., *J. Vac. Sci. Technol. A*, **9**, 1355-1359 (1991).
84. Z. H. Lu, B. Bryskiewicz, J. McCaffrey, et al., *J. Vac. Sci. Technol. B*, **11**, 2033-2037 (1993).
85. R. Ladenburg and C. C. Van Voorhis, *Phys. Rev.*, **43**, 315-321 (1933).
86. A. Pussel, U. Wetterauer, and P. Hess, *Phys. Rev. Lett.*, **81**, 645-648 (1998).
87. G. Cossu, G. M. Ingo, G. Mattogno, et al., *Appl. Surf. Sci.*, **56**, 81-88 (1992).
88. M. Yamada, Y. Ide, and K. Tone, *Jpn. J. Appl. Phys.*, **31**, 1157-1160 (1992).
89. T. Akatsu, A. Plössl, H. Stenzel, and U. Gösele, *J. Appl. Phys.*, **86**, 7146-7150 (1999).
90. U. Bischler and E. Bertel, *J. Vac. Sci. Technol. A*, **11**, 458-460 (1993).
91. D. Bollmann, C. Landesberger, P. Ramm, and K. Habberger, *Jpn. J. Appl. Phys.*, **35**, 3807-3809 (1996).
92. W. P. Maszara, *J. Electrochem. Soc.*, **138**, 341-347 (1991).
93. W. P. Maszara, G. Goetz, A. Caviglia, and J. B. McKittrick, *J. Appl. Phys.*, **64**, 4943-4950 (1998).
94. T. Martini, S. Hopfe, S. Mack, and U. Gösele, *Sensors and Actuators A*, **75**, 17-23 (1999).
95. M. Severi, E. Gabilli, S. Guerri, and G. Celotti, *J. Appl. Phys.*, **48**, 1998-2003 (1977).
96. A. Travlos, N. Salamouras, and N. Boukos, *Thin Solid Films*, **397**, 138-142 (2001).
97. G. Busse, D. Wu, and W. Karpen, *J. Appl. Phys.*, **71**, 3962-3965 (1992).
98. D. V. Lang, *J. Appl. Phys.*, **45**, 3023-3032 (1974).
99. H. Lefevre and M. Schulz, *Appl. Phys.*, **12**, 45-53 (1977).

- 
100. P. Kolev, *Solid State Electron.*, **35**, 387-389 (1992).
  101. G. L. Miller, J. V. Ramirez, and D. A. H. Robinson, *J. Appl. Phys.*, **46**, 2638-2644 (1975).
  102. A. Chantre, G. Vincent, and D. Bois, *Phys. Rev. B*, **23**, 5335-5359 (1981).
  103. L. Dobaczewski, P. Kaczor, I. D. Hawkins, and A. R. Peaker, *J. Appl. Phys.*, **76**, 194-198 (1994).
  104. P. M. Mooney, *Identification of defects in semiconductors*, Academic Press, San Diego, (1999).
  105. H. Föll and D. Ast, *Philos. Mag. A*, **40**, 589-610 (1979).
  106. M. A. Van Hove, W. H. Weinberg, and C. M. Chan, *LEED: Experiment, Theory and Surface Structure Determination*, Springer-Verlag, Berlin, (1986).
  107. P. M. Marcus and F. Jona, *Determination of Surface Structure by LEED*, Plenum Press, New York, (1984).
  108. A. Broniatowski, *Phys. Rev. B*, **36**, 5895-5905 (1987).
  109. H. S. Carslaw and J. C. Jaeger, *Conduction of Heat in Solids*, Oxford University Press, 2nd edition, (1986).
  110. R. S. Becker, G. S. Higashi, Y. J. Chabal, and A. J. Becker, *Phys. Rev. Lett.*, **65**, 1917-1920 (1990).
  111. T. C. Shen, C. Wang, and G. C. Abeln, *Science*, **268**, 1590-1592 (1995).
  112. M. Schluter and M. L. Cohen, *Phys. Rev. B*, **17**, 716-725 (1978).
  113. A. Pusel, U. Wetterauer, and P. Hess, *Phys. Rev. Lett.*, **81**, 645-648 (1998).
  114. R. F. Wood and G. E. Giles, *Phys. Rev. B*, **23**, 2923-2942 (1981).
  115. G. G. Bentini, M. Bianconi, and C. Summonte, *Appl. Phys. A.*, **45**, 317-324 (1998).
  116. A. Pusel and P. Hess, *Surf. Sci.*, **435**, 74-78 (1999).
  117. M. Fox, *Optical Properties of Solids*, Oxford University Press, Oxford, (2003).

- 
118. S. Adachi, *Optical Constants of Crystalline and Amorphous Semiconductors : Numerical Data and Graphical Information*, Springer, Boston, (1999).
  119. N. Sato and T. Yonehara, *Appl. Phys. Lett.*, **65**, 1924-1926 (1994).
  120. P. N. K. Deenapanray, *Physica B*, **340-342**, 719-723 (2003).
  121. K. Irmscher, H. Klose, and K. Maass, *J. Phys. C: Solid State Phys.*, **17**, 6317-6329 (1984).
  122. M. Bruni, D. Bisero, R. Tonini, et al., *Phys. Rev. B*, **49**, 5291-5299 (1993).
  123. A. Cuevas, P. A. Basore, G. Giroult-Matlakowski, and C. Dubois, *J. Appl. Phys.*, **80**, 3370-3375 (1996).
  124. E. Yablonovitch, D. L. Allara, C. C. Chang, et al., *Phys. Rev. Lett.*, **57**, 249-252 (1986).
  125. F. P. Netzer, *J. Phys.: Condens. Matter*, **7**, 991-1022 (1995).
  126. N. Razek, K. Otte, T. Chasse, et al., *J. Vac. Sci. Technol. A*, **20**, 1492-1497 (2002).
  127. Y. Ide and M. Yamada, *J. Vac. Sci. Technol. A*, **12**, 1858-1863 (1994).
  128. I. Chizhov, G. Lee, R. F. Willis, et al., *Appl. Surf. Sci.*, **123**, 192-198 (1998).
  129. P. Drathen, W. Ranke, and K. Jacobi, *Surf. Sci.*, **77**, L162-L166 (1978).
  130. J. Falta, R. M. Tromp, M. Copel, et al., *Phys. Rev. B*, **48**, 5282-5288 (1993).
  131. Q. K. Xue, T. Hashizume, J. M. Zhou, et al., *Phys. Rev. Lett.*, **74**, 3177-3180 (1995).
  132. L. Sagalowicz, A. Rudra, A. Syrbu, and J. Behrend, *Phil. Mag. Lett.*, **76**, 445-452 (1997).
  133. J. G. Zhu and C. B. Carter, *Phil. Mag. A*, **62**, 319-328 (1990).
  134. P. Komninou, G. Stoemenos, G. P. Dimitrakopoulos, and T. Karakostas, *J. Appl. Phys.*, **75**, 143-152 (1994).
  135. S. Selberherr, *Analysis and simulation of semiconductor devices*, Springer, Wien, (1984).
-



136. G. Augustine, A. Rohatgi, and N. M. Jokerst, IEEE Trans. Electron. Dev., **39**, 2395-2400 (1992).
137. J. Dziewior and W. Schmid, Appl. Phys. Lett., **31**, 346-348 (1977).
138. U. Strauss and W. W. Ruehle, Appl. Phys. Lett., **62**, 55-57 (1993).
139. L. Jastrzebski, J. Lagowski, and H. C. Gatos, Appl. Phys. Lett., **27**, 537-539 (1975).
140. T. Ahlgren, J. Likonen, J. Slotte, et al., Phys. Rev. B, **56**, 4597-4603 (1997).
141. M. E. Greiner and J. F. Gibbons, Appl. Phys. Lett., **44**, 750-752 (1984).
142. J. S. Makris and B. J. Masters, J. Appl. Phys., **42**, 3750-3754 (1971).
143. S. Haridoss, F. Beniere, M. Gauneau, and A. Rupert, J. Appl. Phys., **51**, 5833-5837 (1980).
144. *Properties of silicon*, INSPEC, London, (1988).
145. J. G. Fossum, R. P. Mertens, D. S. Lee, and J. F. Nijs, Solid State Electron., **26**, 569-576 (1983).
146. M. M. R. Howlader, T. Watanabe, and T. Suga, J. Vac. Sci. Technol. B, **19**, 2114-2118 (2001).
147. *Properties of gallium arsenide*, INSPEC, London, (1990).