

6. Literatur

- Aagaard, L.; Schmid, M.; Warburton, P. and Jenuwein, T. (2000): Mitotic phosphorylation of SUVH39H1, a novel component of active centromeres, coincides with transient accumulation at mammalian centromeres. *J. Cell Sci.*, **113**, 817-829
- Adams, S.; Vinkenoog, R.; Spielman, M.; Dickinson, H.G. and Scott, R.J. (2000): Parent-of-origin effects on seed development in *Arabidopsis thaliana* require DNA methylation. *Development*, **Vol 127**, Issue 11 2493-2502
- Al-Kaff, N.S.; Covey, S.N.; Kreike, M.M.; Page, A.M.; Pinder, R.; Dale, P.J. (1998): Transcriptional and Posttranscriptional Plant Gene Silencing in Response to a Pathogen. *Science*, **Vol. 279**, 2113- 2115
- Alonso, J.M.; Stepanova, A.N.; Lisse, T.J.; Kim, C.J.; Chen, H.; Shinn, P.; Stevenson, D.K.; Zimmerman, J.; Barajas, P.; Cheuk, R.; Gadrinab, D.; Heller, C.; Jeske, A.; Koesema, E.; Meyers, C.C.; Parker, H.; Prednis, L.; Ansari, Y.; Choy, N.; Deen, H.; Geralt, M.; Hazari, N.; Hom, E.; Karnes, M.; Mulholland, C.; Ndubaku, R.; Schmidt, I.; Guzman, P.; Aguilar-Henonin, L.; Schmid, M.; Weigel, D.; Carter, D.E.; Marchand, T.; Risseuw, E.; Brogden, D.; Zeko, A.; Crosby, W.L.; Berry, C.C.; Ecker, J.R. (2003): Genome-Wide Insertional Mutagenesis of *Arabidopsis thaliana*. *Science*, **Vol. 301**, 653- 656
- Alvarez-Venegas, R.; Pien, S.; Sadler, M.; Witmer, X.; Grossniklaus, U. and Avramova, Z. (2003): ATX-1, an *Arabidopsis* Homolog of Trithorax, Activates Flower Homeotic Genes. *Current Biology*, **Vol. 13**, 627–637
- Alvarez-Venegas, R. and Avramova Z. (2005): Methylation patterns of histone H3 Lys 4, Lys 9 and Lys 27 in transcriptionally active and inactive *Arabidopsis* genes and in *atx1* mutants. *Nucleic Acids Research*, **Vol. 33**, No. 16, 5199–5207
- Amedeo, P.; Habu, Y.; Afsar, K.; et al. (2000): Disruption of the plant gene MOM releases transkriptional silencing of methylated genes. *Nature*, **405**, 203-206
- Autran, D.; Huanca-Mamani, W. and Vielle-Calzada, J.P. (2005): Genomic imprinting in plants: the epigenetic version of an Oedipus complex. *Current Opinion in Plant Biology*, **8**, 19–25
- Bachman, K.E.; Rountree, M.R. and Baylin, S.B. (2001): Dnmt3a and Dnmt3b are transcriptional repressors that exhibit unique localization properties to heterochromatin. *J. Biol. Chem.*, **276**, 32282-32287
- Baker, B.; Zambryski, P.; Staskawicz, B.; Dinesh-Kumar, S. P. (1997): Signaling in Plant-Microbe Interactions, *Science*, **Vol. 276**,
- Bannister, A.J.; Zegerman, P.; Partridge, J.F.; Miska, E.A.; Thomas, J.O.; Allshire, R.C. and Kouzarides, T. (2001): Selective recognition of methylated lysine 9 on histone H3 by the HP1 chromo domain. *Nature*, **410**, 120–124
- Bartee, L.; Malagnac, F. and Bender, J. (2001): *Arabidopsis cmt3* chromomethylase mutations block non-CG methylation and silencing of an endogenous gene. *Genes & Development*, **15**, 1753–1758
- Baumbusch, L.O.; Thorstensen, T.; Krauss, V.; Fischer, A.; Naumann, K.; Assalkhou, R.; Schulz, I.; Reuter, G. and Aalen, R.B. (2001): The *Arabidopsis thaliana* genome contains at least 29 active genes encoding SET domain proteins that can be assigned to four evolutionarily conserved classes. *Nucleic Acids Research*, **Vol.29**, No21, 4319-4333
- Bechthold, N.; Ellis, J. and Pelletier, G. (1993): In planta *Agrobacterium*-mediated Gene transfer by infiltration of adult *Arabidopsis thaliana* plants. *Life Sci.*, **316**, 1194-1199
- Beisel, C.; Imhof, A.; Greene, J.; Kremmer, E.; Sauer, F. (2002): Histone methylation by the *Drosophila* epigenetic transcriptional regulator Ash1. *Nature*, **419**, 857-862

- Bennetzen, J.L. (2000): Transposable element contributions to plant gene and genome Evolution. *Plant Molecular Biology*, **42**, 251-269
- Berg, A.; Meza, T.J.; Mahic, M.; Thorstensen, T.; Kristiansen, K. and Aalen, R.B. (2003): Ten members of the Arabidopsis gene family encoding methyl-CpG-binding domain proteins are transcriptionally active and at least one, AtMBD11, is crucial for normal development. *Nucleic Acids Research*, Vol. **31**, No.18 5291-5304
- Berger, F. (2003): Endosperm: the crossroad of seed development. *Current Opinion in Plant Biology*, **6**, 42-50
- Berger, F. and Gaudin, V. (2003): Chromatin dynamics and Arabidopsis development. *Chr. Research*, **11**, 277-304
- Bernstein, B.E.; Humphrey, E.L.; Erlich, R.L.; Schneider, R.; Bouman, P.; Liu, J.S.; Kouzarides, T. and Schreiber, S.L. (2002): Methylation of histone H3 Lys 4 in coding regions of active genes. *PNAS*, Vol. **99**, 13, 8695–8700
- Botella, M.A.; Parker, J.E.; Frost, L.N.; Bittner-Eddy, P.D.; Beynon, J.L.; Daniels, M.J.; Holub, E.B.; Jones, J.D. (1998): Three genes of the Arabidopsis RPP1 complex resistance locus recognize distinct *Peronospora parasitica* avirulence determinants. *Plant Cell*, **10**(11), 1847-60
- Bottomley, M.J. (2004): Structures of protein domains that create or recognize histone Modifications. *EMBO reports*, Vol. **5**, No 5, 464-469
- Boutet, S.; Vazquez, F.; Liu, J., Beclin, C.; Fagard, M.; Gratias, A.; Morel, J.; Crete, P.; Chen, X. and Vaucheret, H. (2003): *Arabidopsis*HEN1: A Genetic Link between Endogenous miRNA Controlling Development and siRNA Controlling Transgene Silencing and Virus Resistance. *Current Biology*, Vol. **13**, 843–848
- Breiling, A. and Orlando, V. (2002): SET domain proteins reSET gene expression. *Nature*, Vol. **9**, No. 12, 894-896
- Briggs, S.D.; Bryk, M.; Strahl, B.D.; Cheung, W.L.; Davie, J.K.; Dent, S.Y.; Winston, F.; Allis, C.D. (2001): Histone H3 lysine 4 methylation is mediated by Set1 and required for cell growth and rDNA silencing in *Saccharomyces cerevisiae*. *Genes Dev*, **15**, 3286–3295
- Brzeski, J. and Jerzmanowski, A. (2003): Deficient in DNA Methylation 1 (DDM1) Defines a Novel Family of Chromatin-remodeling Factors. *JBC*, Vol. **278**, No. 2, 823–828
- Burch, B.D.; Nettleton, D. and Voytas, D.F. (2004): Genomic neighborhoods for *Arabidopsis* retrotransposons: a role for targeted integration in the distribution of the Metaviridae *Genome Biology*, **5**, R78
- Byrd, K.N. and Shearn, A. (2003): ASH1, a *Drosophila* trithorax group protein, is required for methylation of lysine 4 residues on histone H3. *PNAS*, Vol. **100**, No. 20, 11535–11540
- Cao, R. and Zhang, Y. (2004): The functions of E(Z)/EZH2-mediated methylation of lysine 27 in histone H3. *Current Opinion in Genetics & Development*, **14**, 1–10
- Cao, X.; Jacobsen, S.E. (2002a): Role of the Arabidopsis DRM methyltransferases in de novo DNA methylation and gene silencing. *Curr. Biol.* **12**, 1138-1144
- Cao, X.; Jacobsen, S.E., (2002b): Locus-specific control of asymmetric and CpNpG methylation by the DRM and CMT3 methyltransferase genes. *PNAS*, Vol. **99**, 16491–16498
- Cao, X.; Springer, N.M.; Muszynskii, M.G.; Phillips, R.L.; Kaeppler, S. and Jacobsen, S.E. (2000): Conserved plant genes with similarity to mammalian de novo DNA methyltransferases. *PNAS*, Vol. **97**, 4979–4984
- Changhe, Z. C.; Zhang, L.; Duan, J.; Miki, B. and Wua, K. (2005) :HISTONE DEACETYLASE19 Is Involved in Jasmonic Acid and Ethylene Signaling of Pathogen response in Arabidopsis. *The Plant Cell Preview*

- Chang, S. and Pikaard, C.S. (2005): Transcript Profiling in *Arabidopsis* Reveals Complex Responses to Global Inhibition of DNA Methylation and Histone Deacetylation. *The Journal of Biological Chemistry*, Vol. **280**, No. 1, 796–804
- Chan, S.W.L.; Henderson, I.R. and Jacobsen, S.E. (2005): GARDENING THE GENOME: DNA METHYLATION IN *ARABIDOPSIS THALIANA*. *Nature Reviews*, Vol. **6**, 351–361
- Chanvivatana, Y.; Bishopp, A.; Schubert, D.; Stock, C.; Moon, Y.H.; Sung, Z.R.; Goodrich, J. (2004): Interaction of Polycomb-group proteins controlling flowering in *Arabidopsis*. *Development*, **131**(21), 5263–76
- Chen, W.Y.; Bailey, E.C.; McCure, S.L.; Dong, J.Y. and Townes, T.M. (1997): Reactivation of silenced, virally transduced genes by inhibitors of histone deacetylase. *PNAS*, Vol. **94**, 5798–5803
- Choi, Y.; Harada, J.J.; Goldberg, R.B. and Fischer R.L. (2004): An invariant aspartic acid in the DNA glycosylase domain of *DEMETER* is necessary for transcriptional activation of the imprinted *MEDEA* gene: *Proc Natl Acad Sci*; **11**; 101(19): 7481–7486.
- Churchill, E.A.; Travers, A.A. (1991): Protein motifs that recognize structural features of DNA. *Elsevier Science Publishers*, 92–97
- Citterio, E.; Papait, R.; Nicassio, F.; Vecchi, M.; Gomiero, P.; Mantovani, R.; Di Fiore, P.R. and Bonapace, I.M. (2004): Np95 Is a Histone-Binding Protein Endowed with Ubiquitin Ligase Activity. *Molecular and Cellular Biology*, Vol. **24**, No. 6, 2526–2535
- Claus, P.; Schulze, E.; Wisniewski, J.R. (1994): Insect Proteins Homologous to Mammalian High Mobility Group Proteins I/Y (HMGI/Y). *J. Biol. Chem.*, **269**, 1–7
- Cooper, B. (2001): Collateral gene expression changes induced by distinct plant viruses during the hypersensitive resistance reaction in *Chenopodium amaranticolor*. *The Plant Journal*, **26**, 3, 339–349
- Cui, H. and Fedoroff, N.V. (2002): Inducible DNA Demethylation Mediated by the Maize *Suppressor-mutator* Transposon-Encoded TnpA Protein. *The Plant Cell*, Vol. **14**, 1–17
- Czernin, B.; Melfi, R.; McCabe, D.; Seitz, V.; Imhof, A.; Pirota, V. (2002): *Drosophila* enhancer of zeste/ESC complexes have a histone H3 methyltransferase activity that marks chromosomal polycomb sites. *Cell*, **111**, 185–196
- Dalmay, T. et al. (2001): SDE3 encodes an RNA helicase required for post-transcriptional Gene silencing in *Arabidopsis*. *EMBO J.*, **20**, 2069–2077
- Diaz-Pendon, J.A.; Truniger, V.; Nieto, C.; Garcia-Mas, J.; Bendahmane, A. and Aranda, M.A. (2004): Advances In Understanding Recessive Resistance To Plant Viruses. *Molecular Plant Pathology*, **5** (3) , 223–233
- Ding, H.F.; Bustin, M. and Hansen, U. (1997): Alleviation of Histone H1-Mediated Transcriptional Repression and Chromatin Compaction by the Acidic Activation Region in Chromosomal Protein HMG- 14. *Mol. and cellular Biology*, 5843–5855
- Dixon, M.S.; Golstein, C.; Thomas, C.M.; van der Biezen E.A. and Jones, J.D.G. (2000): Genetic complexity of pathogen perception by plants: The example of Rcr3, a tomato gene required specifically by Cf-2. *PNAS*, Vol. **97**, no. 16, 8807–8814
- Dunoyer, P.; Thomas, C.; Harrison, S.; Revers, F. and Maule, A. (2004): A Cysteine-Rich Plant Protein Potentiates *Potyvirus* Movement through an Interaction with the Virus Genome-Linked Protein VPg. *Journal Of Virology*, Vol. **78**, No. 5, 2301–2309
- Ebert, A.; Schotta, G.; Lein, S.; Kubicek, S.; Krauss, V.; Jenuwein, T. and Reuter, G. (2004): Su(var) genes regulate the balance between euchromatin and heterochromatin in *Drosophila*. *Genes & Development*, **18**, 2973–2983

- Ebbs, M.L.; Bartee, L.; Bender, J. (2005): H3 lysine 9 methylation is maintained on a transcribed inverted repeat by combined action of SUVH6 and SUVH4 methyltransferases. *Mol. Cell Biol.*; **25**(23), 10507-10515
- Fass, E.; Shahar, S.; Zhao, J.; Zemach, A.; Avivi, Y. and Grafi G. (2002): Phosphorylation of Histone H3 at Serine 10 Cannot Account Directly for the Detachment of Human Heterochromatin Protein 1 from Mitotic Chromosomes in Plant Cells. *THE Journal of Biological Chemistry*, Vol. **277**, No. 34, 30921–30927
- Ferrier-Cana, E.; Macadre, C.; Seignac, V.; David, P.; Langin, T. Geroy, V. (2005): Distinct post-transcriptional modifications result into seven alternative transcripts of the CC–NBS–LRR gene JA1tr of *Phaseolus vulgaris*. *Theor Appl Genet.*, **110**, 895–905
- Feschotte, C.; Jiang, N. and Wessler, S.R. (2002): PLANT TRANSPOSABLE ELEMENTS: WHERE GENETICS MEETS GENOMICS. *Nature Reviews*, Vol. **3**, 329-341
- Finnegan, E.F.; Genger, R.K.; Peacock, W.J. et al. (1998): DNA methylation in plants. *Annu Rev. Plant Physiol*, **49**, 223-247
- Finnegan, E.J. and Kovac, K.A. (2000): Plant DNA methyltransferases. *Plant Molecular Biology*, **43**, 189–201
- Finnegan, E.J.; Peacock, W.J. and Dennis, E.S. (1996): Reduced DNA methylation in *Arabidopsis thaliana* results in abnormal plant development. *Proc. Natl. Acad. Sci.*, Vol. **93**, 8449–8454
- Fischer, A. (2005): Funktionelle Charakterisierung neuer SET-Domänenproteine in *Arabidopsis thaliana*. Dissertation
- Fischle, W.; Wang, Y.; Jacobs, S.A.; Kim, Y.; Allis, C.D.; Khorasanizadeh, S. (2003): Molecular basis for the discrimination of repressive methyl-lysine marks in histone H3 by Polycomb and HP1 chromodomains. *Genes Dev.*, **17**, 1870-1881
- Fornieris, F.; Bindaa, C.; Vanonib, M.A.; Mattevia, A.; Battagliolic, A. (2005): Histone demethylation catalysed by LSD1 is a .avin-dependent oxidative process. *FEBS Letters*, **579**, 2203–2207
- Franz, P.; Soppe, W. & Schubert, I. (2003): Heterochromatin in interphase nuclei of *Arabidopsis thaliana*. *Chromosome Research*, **11**, 227-240
- Freitag, M. and Selker, E.U. (2005): Controlling DNA methylation: many roads to one Modification. *Current Opinion in Genetics & Development* ,**15**, 191–199
- Fuks, F.; Burgers, W.A.; Brehm, A.; Hughes-Davies, L. and Kouzarides, T. (2000): DNA methyltransferase Dnmt1 associates with histone deacetylase activity. *Nature Genet.*, **24**, 88-91.
- Fuks, F.A.; Hurd, P.J.; Deplus, R. and Kouzarides, T. (2003): The DNA methyltransferases associate with HP1 and the SUV39H1 histone methyltransferase. *Nucleic Acids Research*, Vol. **31**, No. 9, 2305-2312
- Furner, I.J.; Sheikh, M.A. and Collett, C.E. (1998): Gene Silencing and Homology-Dependent Gene Silencing in Arabidopsis: Genetic Modifiers and DNA Methylation *Genetics*, **149**, 651–662
- Gao, X.; Havecker, E.R.; Baranov, P.V.; Atkins, J.F. and Voytas, D.F. (2003): Translational recoding signals between gag and pol in diverse LTR retrotransposons. *RNA*, **9**, 1422-1430
- Gaudin, V.; Libault, M.; Pouteau, S.; Juul, T.; Zhao, G.; Lefebvre, D. and Grandjean, O. (2001) Mutations in LIKE HETEROCHROMATIN PROTEIN 1 affect flowering time and plant architecture in Arabidopsis. *Development*, **128**, 4847–4858
- Gehring, M.; Choi, Y. and Fischer, R.L. (2004): Imprinting and Seed Development. *The Plant Cell*, Vol. 16, 203–213

- Gendall, A. R.; Levy, Y. Y.; Wilson, A. and Dean, C. (2001): The VERNALIZATION 2 gene mediates the epigenetic regulation of vernalization in Arabidopsis. *Cell*, **107**, 525-535
- Gendrel, A.V. and Colot, V. (2005): Arabidopsis epigenetics: when RNA meets chromatin. *Current Opinion in Plant Biology*, **8**, 142–147
- Gendrel, A.V.; Lippman, Z.; Yordan, C.; Colot, V.; Martienssen, R.A. (2002): Dependence of Heterochromatic Histone H3 Methylation Patterns on the Arabidopsis Gene DDM1. *Science*, Vol. **297**, 1871-1873
- Goldbach, R.; Bucher, E.; Prins, M. (2003): Resistance mechanisms to plant viruses: an overview. *Virus Research*, **92**, 207-212
- Goodrich, J.; Puangsomiee, P.; Martin, M.; Long, D.; Meyerowitz, E. and Coupland, G. (1997). A Polycomb-group gene regulates homeotic gene expression in Arabidopsis. *Nature*, **386**, 44–51.
- Greil, F.; Kraan, I.; Delrow, J.; Smothers, J.F.; Wit, E.; Bussemaker, H.J.; Driel, R.; Henikoff, S. and Steensel, B. (2003): Distinct HP1 and SU(VAR)3-9 complexes bind to sets of Developmentally coexpressed genes depending on chromosomal location. *Genes & Development*, **17**, 2825-2838
- Grasser, K.D. (1995): Plant chromosomal high mobility group (HMG) proteins. *Plant Journal*, **7**(2), 185- 192
- Grossniklaus, U.; Vielle-Calzada, J.P.; Hoepfner, M.A.; Gagliano, W.B. (1998): Maternal Control of Embryogenesis by MEDEA a Polycomb Group Gene in Arabidopsis. *Science*, Vol. **280**, 446-450
- Grunau, C.; Clark, S.J. and Rosenthal, A. (2001): Bisulfite genomic sequencing: Systematic investigation of critical experimental parameters. *Nucleic Acids research*, Vol. **29**, No13, e65
- Guitton, A.E. and Berger, F. (2005): Control of reproduction by Polycomb Group complexes In animals and plants. *Int. J. Dev. Biol.*, **49**, 707-716
- Guo, H.S. and Garcya, J.A. (1997): Delayed resistance to plum pox potyvirus mediated by a mutated RNA replicase gene: Involvement of a gene-silencing mechanism. *Molecular Plant Microbe Interactions*, **10**,160-170
- Hammond-Kosak, K.E. and Parker, J.E. (2003): Deciphering plant-pathogen communication: fresh perspectives for molecular resistance breeding. *Curr. Opin. Biotechnol.*, **14**, 177–193.
- He, Y. and Gan, S. (2002): A Gene Encoding an Acyl Hydrolase Is Involved in Leaf Senescence in Arabidopsis. *The Plant Cell*, Vol. **14**, 805–815
- He, Y.H.; Michaels, S.D. and Amasino, R.M. (2004): Regulation of flowering time by histone acetylation in Arabidopsis. *Science*, **302**, 1751–1754.
- Henikoff, S. and Comai, L. (1998): A DNA Methyltransferase Homolog With a Chromodomain Exists in Multiple Polymorphic Forms in Arabidopsis. *Genetics*, **149**, 307–318
- Hirochika, H.; Okamoto, H. and Kakutani, T. (2000): Silencing of Retrotransposons in Arabidopsis and Reactivation by the *ddm1* Mutation. *The Plant Cell*, Vol. **12**, 357–368
- Hofius, D. (2003): Identifizierung molekularer Faktoren des plasmodesmalen Makromolekül- und Assimilattransportes in Pflanzen.
- Hofmann, I. (2004): Erzeugung, Isolation und Charakterisierung von Suppressor-mutanten für *Transcriptional Gene Silencing* in Arabidopsis thaliana.
- Hsieh, T.; Hakim, O.; Ohad, N. and Fischer, R.L. (2003): From flour to flower: how Polycomb group proteins influence multiple aspects of plant development. *Trends in Plant Science*, Vol. **8**, No.9, 439-454

- Huang, S.; Litt, M. and Felsenfeld, G (2005): Methylation of histone H4 by arginine methyltransferase PRMT1 is essential in vivo for many subsequent histone modifications. *Genes & Development*, **19**, 1885–1893
- Hu, X. and Reddy, A.S.N. (1997): Cloning and expression of a PR5-like protein from *Arabidopsis*: inhibition of fungal growth by bacterially expressed protein. *Plant Molecular Biology*, **34**, 949–959
- Ivanova, A.V.; Bonaduce, M.J.; Ivanov, S.V. & Klar, A.J.S. (1998): The chromo and SET domains of the Clr4 protein are essential for silencing in fission yeast. *Nature*, Vol.**19**, 192- 195
- Jackson, J.P.; Lindroth, A.M.; Cao, X. & Jacobsen, S.E. (2002): Control of CpNpG DNA methylation by the KRYPTONITE histone H3 methyltransferase *Nature*, Vol. **416**, 4
- Jackson, J.P.; Johnson, L.; Jasencakova, Z.; Zhang, X.; Perez Burgos, L.; Singh, P.B.; Cheng, X.; Schubert, I.; Jenuwein, T. and Jacobsen, S.E. (2004): Dimethylation of histone H3 lysine 9 is a critical mark for DNA methylation and gene silencing in *Arabidopsis thaliana*. *Chromosoma*, Vol. **112**, 6, 308-315
- Jacobsen, S.E. and Meyerowitz, E.M. (1997): Hypermethylated SUPERMAN Epigenetic Alleles in *Arabidopsis*. *Science*, Vol. **277**
- Jarvis, P.; Belzile, B. and Dean, C. (1997): Inefficient and incorrect processing of the *Ac* Transposase transcript in *iae I* and wild-type *Arabidopsis thaliana*. *The Plant Journal*, **11**(5), 921-931
- Jasencakova, Z.; Soppe, W.J.J.; Meister, A.; Gernand, D.; Turner, B.; Schubert, I. (2003): Histone modification in *Arabidopsis*-high methylation of H3 lysine 9 is dispensable for constitutive heterochromatin. *Plant J.*, **33**, 471-480
- Jeddeloh, J.A.; Stokes, T.L.; Richards, E.J. (1999): Maintenance of genomic methylation Requires a SWI2/SNF2- like protein. *Nat. Gen.*, **22**, 94-97
- Jiang, J.; Birchler, J.A.; Parrott, W.A. and Dawe, R.K. (2003): A molecular view of plant centromeres. *Trends in Plant Science*, Vol. **8**, No.12, 570-576
- John, I.; Hackett, R.; Cooper, W.; Drake, R.; Farrell, A. and Grierson, D. (1997): Cloning and characterization of tomato leaf senescence-related cDNAs. *Plant Molecular Biology* **33**, 641–651
- Johnson, L.; Mollah, S.; Garcia, B.A.; Muratore, T.L.; Shabanowitz, J.; Hunt, D.F. and Jacobsen, S.E. (2004): Mass spectrometry analysis of *Arabidopsis* histone H3 reveals Distinct combinations of post-translational modifications. *Nucleic Acids Research*, Vol. **32**, No. 22, 6511–6518
- Johnson, L.M.; Cao, X. and Jacobsen, S.E. (2002): Interplay between Two Epigenetic Marks: DNA Methylation and Histone H3 Lysine 9 Methylation. *Current Biology*, Vol. **12**, 1360–1367
- Jones, D.A.; Brading, P.; Dixon, M.; Hammond-Kosack, K.; Harrison, K.; Hatzixanthis, K.; Parniske, M.; Piedras, P.; Torres, M.; Tang, S.; Thomas, C.; Jones, J.D. (1998): Molecular, genetic and physiological analysis of *Cladosporium* resistance gene function in tomato. *Symp Soc Exp Biol.*, **51**, 111-113
- Kakutani, T.; Munakata, K.; Richards, E.J. and Hirochika, H. (1999): Meiotically and Mitotically Stable Inheritance of DNA Hypomethylation Induced by *ddm1* Mutation of *Arabidopsis thaliana*. *Genetics*, **151**, 831–838
- Kaneko, Y.; Inukai, T.; Suehiro, N.; Natsuaki, T.; Masuta, C. (2004): Fine genetic mapping of the TuNII locus causing systemic veinal necrosis by turnip mosaic virus infection in *Arabidopsis thaliana*. *Theor Appl Genet*, **110**, 33–40
- Kato, M.; Takashima, K. and Kakutani, T. (2004): Epigenetic control of CACTA Transposon Mobility in *Arabidopsis thaliana*. *Genetics*, **168**, 961-969

- Kato, M.; Miura, A.; Bender, J.; Jacobsen, S.E. and Kakutani, T. (2003): Role of CG and Non-CG Methylation in Immobilization of Transposons in *Arabidopsis* spite extensive investigation thereafter on both plants. *Current Biology*, Vol. **13**, 421–426
- Kawabe, A.; Matsunaga, S.; Nakagawa, K.; Kurihara, D.; Yoneda, A.; Hasezawa, S.; Uchiyama, S. and Fukui, K. (2005): Characterization of plant Aurora kinases during mitosis. *Plant Molecular Biology*, **58**, 1–13
- Kerk, D.; Bulgrien, J.; Smith, D.W. and Gribskov, M. (2003): Arabidopsis Proteins Containing Similarity to the Universal Stress Protein Domain of Bacterial. *Plant Physiology*, Vol. **131**, 1209–1219
- Kingston, R.E.; Green, M.R. (1994): Modeling eukaryotic transcriptional activation. *Curr. Biol.*, **4**(4); 325-332
- Kinoshita, T.; Harada, J.J.; Goldberg, R.B.; Fischer, R.L. (2001): Polycomb repression of flowering during early plant development. *Proc Natl Acad Sci.*, **98**, 14156-14161
- Kinoshita, T.; Yadegari, R.; Harada, J.J.; Goldberg, R.B. and Fischer, R.L. (1999): Imprinting of the *MEDEA* Polycomb Gene in the Arabidopsis Endosperm. *The Plant Cell*, Vol. **11**, 1945–1952
- Kiyosue, T.; Ohad, N.; Yadegari, R.; Hannon, M.; Dinneny, R.; Wells, D.; Katz, A.; Margossian, L.; Haradas, J.J.; Goldberg, R.B. and Fischer, R.L. (1999): Control of fertilization-independent endosperm development by the *MEDEA* polycomb gene in *Arabidopsis*. *Proc. Natl. Acad. Sci.*, Vol. **96**, 4186–4191
- Kohler, C.; Hennig, L.; Bouveret, R.; Gheyselinck, J.; Grossniklaus U. and Grissem, W. (2003): Arabidopsis MS1 is a component of the MEA/FIE Polycomb group complex and required for seed development. *The EMBO Journal*, Vol. **22**, No. 18, 4804-4814
- Kotake, T.; Takada, S.; Nakahigashi, K.; Ohto, M. and Goto, K. (2003): Arabidopsis *TERMINAL FLOWER 2* gene encodes a heterochromatin protein 1 homolog and represses both FLOWERING LOCUS T to regulate flowering time and several floral homeotic genes. *Plant Cell Physiol.*, **44**, 555–564.
- Kuzmichev, A.; Nishioka, K.; Erdjument-Bromage, H.; Tempst, P.; Reinberg, D. (2002): Histone methyltransferase activity associated with a human multiprotein complex containing the Enhancer of Zeste protein. *Genes Dev.*, **16**, 2893–2905
- Kwon, S.I.; Koczan, J.M and Gassmann W. (2004): Two Arabidopsis srfr (suppressor of rps4-RLD) mutants exhibit avrRps4-specific disease resistance independent of RPS4. *The Plant Journal*, **40**, 366–375
- Lachner, M.; O’Carroll, N.; Rea, S.; Mechtler, K. and Jenuwein, T. (2001): Methylation of Histone H3 lysine 9 creates a binding site for HP2 proteins. *Nature*, **410**, 116-120
- Lachner, M.; O’Sullivan, R.J. and Jenuwein, T. (2003) An epigenetic road map for histone lysine methylation. *J. Cell Sci.*, **116**, 2117–2124
- Lehnertz, B.; Ueda, Y.; Derijck, A.H.A.; Braunschweig, U.; Perez-Burgos, L.; Kubicek, S.; Chen, T.; Li, E.; Jenuwein, T. and Peters, H.F.M. (2003): *Suv39h*-Mediated Histone H3 Lysine 9 Methylation directs DNA Methylation to Major Satellite Repeats at pericentric Heterochromatin. *Current Biology*, Vol. **13**, 1192–1200
- Lellis, A.D.; Kasschau, K.D.; Whitham, S.A. and Carrington, J.C. (2002): Loss-of-Susceptibility Mutants of *Arabidopsis thaliana* Reveal an Essential Role for eIF(iso)4E during Potyvirus Infection. *Current Biology*, Vol. **12**, 1046–1051
- Leonard, S.; Plante, S.; Wittmann, S.; Daigneault, N.; Fortin, M. and Laliberte, J. (2000): Complex Formation between Potyvirus VPg and Translation Eukaryotic Initiation Factor 4E Correlates with Virus Infectivity. *Journal of Virology*, Vol. **74**, No. 17, 7730–7737

- Li, E. (2002): Chromatin modification and epigenetic reprogramming in mammalian development. *Nat. Rev. Genet.*, **3**, 662–673
- Linde, M.; Mattiesch, L.; Debener, T. (2004): Rpp1, a dominant gene providing race-specific resistance to rose powdery mildew (*Podosphaera pannosa*): molecular mapping, SCAR development and confirmation of disease resistance data. *Theor Appl Genet.*, **109**, 1261–1266
- Lindroth, A.M.; Cao, X., Jackson, J.P. et al. (2001): Requirement of CHROMO-METHYLASE3 for maintenance of CpXpG methylation. *Science*, **292**, 2077-2080
- Lindroth, A.M.; Shultis, D.; Jasencakova, Z.; Fuchs, J.; Johnson, L.; Schubert, D.; Patnaik, D.; Pradhan, S.; Goodrich, J.; Schubert, I.; Jenuwein, T.; Khorasanizadeh, S. and Jacobsen, S.E. (2004): Dual histone H3 methylation marks at lysines 9 and 27 required for interaction with CHROMOMETHYLASE 3. *EMBO*, 1-11
- Lippman, Z.; May, B.; Yordan, C.; Singer, T.; Martienssen, R. (2003): Distinct Mechanisms Determine Transposon Inheritance and Methylation via Small Interfering RNA and Histone Modification. *PLoS Biology*, Vol. **1**, 3, 419-427
- Lippman, Z.; Gendrel, A.; Black, M.; Vaughn, M.W.; Dedhia, N.; McCombie, W.R.; Lavine, K.; Mittal, V.; May, B.; Kasschau, K.D.; Carrington, J.C.; Doerge, R.W.; Colot, V. & Martienssen, R. (2004): Role of transposable elements in heterochromatin and epigenetic control. *Nature*, Vol. **430**
- Loidl, P. (2004): A plant dialect of the histone language. *TRENDS in Plant Science*, Vol. **9**, No.2, 84-90
- Lund, A.H. and Lohuizen, M. (2004): Polycomb complexes and silencing mechanisms. *Current Opinion in Cell Biology*, **16**, 239-246
- Luo, M.; Bilodeau, P.; Koltunow, A.; Dennis, E. S.; Peacock, W. J. and Chaudhury, A. M. (1999): Genes controlling fertilization-independent seed development in *Arabidopsis thaliana*. *Proc. Natl. Acad. Sci. USA* **96**, 296-301
- Lusser, A.; Brosch, G.; Loidl, A.; Haas, H., Loidl, P. (1997): Identification of Maize Histone Deacetylase HD2 as an Acidic Nucleolar Phosphoprotein. *Science*, Vol. **277**, 88-92
- Mager, J.; Montgomery, N.D.; Pardo-Manuel de Villena, F. and Magnuson, T. (2003): Genomic imprinting regulated by the mouse Polycomb group protein Eed. *Nat. Genet.* **33**, 502–507
- Malagnac, F.; Bartee, L. and Bender, J. (2002): An *Arabidopsis* SET domain protein Required for maintenance but not establishment of DNA methylation. *EMBO*, Vol. **21**, 24, 6842-6852
- Marco, A. and Marín, I. (2005): Retrovirus-like elements in plants. *Recent Res. Devel. Plant Sci.*, **3**, 37, 661
- Martienssen, R. (1998): Chromosomal imprinting in plants. *Curr. Opinion in Genetics & Development*, Vol. **8**, 240- 244
- Martienssen, R.A. and Colot, V. (2001): DNA Methylation and Epigenetic Inheritance in Plants and Filamentous Fungi. *Science*, Vol. **293** ,
- Marin, I. and Llorens, C. (2000): Ty3/Gypsy Retrotransposons: Description of New *Arabidopsis thaliana* Elements and Evolutionary Perspectives Derived from Comparative Genomic Data. *Mol. Biol. Evol.*, **17**(7):1040–1049
- Marmorstein, R. (2003): Structure of SET domain proteins: a new twist on histone methylation. *Trends in Biochemical Sciences*, Vol. **28**, No.2, 59-62
- Mathieu, O.; Jasencakova, Z.; Vaillant, I.; Gendrel, A.; Colot, V.; Schubert, I. and Tourmente S. (2003): Changes in 5S rDNA Chromatin Organization and Transcription during Heterochromatin Establishment in *Arabidopsis*. *The Plant Cell*, Vol. **15**, 2929–2939

- Mathieu, O.; Probst A.V. and Paszkowski J. (2005): Distinct regulation of histone H3 methylation at lysines 27 and 9 by CpG methylation in Arabidopsis. *EMBO*, 1–9
- Matzke, J.M.A. and Matzke, M.A. (1998): Position effects and epigenetic silencing of Plant transgenes. *Current Opinion in Plant Biology*, **1**, 142- 148
- Maule, A.; Leh, V. and Lederer, C. (2002): The dialogue between viruses and hosts in compatible Interactions. *Current Opinion in Plant Biology*, **5**,
- Meijer, A.M.; Van Dijk, E.L.; Hoge, J.H.C. (1996): Novel members of a family of AT hook-containing DNA- binding proteins from rice are identified through their in vitro interaction with consensus target sites of plant and animal homeodomain proteins. *Plant Mol. Biol.*, **31**, 607- 618
- Mengiste, T.; Amedeo, P. and Paszkowski, J. (1997): High efficiency transformation of Arabidopsis thaliana with a selectable marker gene regulated by the T-DNA1' promotor. *The Plant Journal*, **12**(4), 945- 948
- Meyerowitz, E.M.; Pruitt, R.E. (1986): Characterization of the genome of Arabidopsis thaliana. *J Mol Biol.*, **20**, 187(2), 169-83
- Meyerowitz, E.M. (1989): Arabidopsis, a useful weed. *Cell*, **27**, 56(2), 263-269
- Meyers, B.C.; Kozik, A.; Griego, A.; Kuang, H. and Michelmore, R.W. (2003): Genome-Wide Analysis of NBS-LRR-Encoding Genes in Arabidopsis. *The Plant Cell*, Vol. 15, 809–834
- Milne, T.A.; Briggs, S.D.; Brock, H.W.; Martin, M.E.; Gibbs, D.; Allis, C.D. (2002): MLL Targets SET domain methyltransferase activity to Hox gene promotor. *Mol. Cell*, **10**, 1107-1117
- Min, J.; Zhang, Y.; Xu, R.M. (2003): Structural basis for specific binding of Polycomb chromodomain to histone H3 methylated at Lys 27. *Genes Dev.*, **17**, 1823-1828
- Mindrinos, M.; Katagiri, F.; Yu, G.L. and Asubel, F.M. (1994): The A. thaliana disease resistance gene RPS encodes a protein containing nucleotide-binding site and leucine-rich repeats. *Cell*, **78**, 1089-1099.
- Mittelsten Scheid, O.; Afsar, K. and Paszkowski, J. (1998): Release of epigenetic silencing by Trans-acting mutations in arabidopsis. *PNAS*, Vol. **95**, 632-637
- Mittelsten Scheid, O.; Jakovleva, L.; Afsar, K.; Moluszynska, J. and Paszkowski, J. (1996): A change of ploidy can modify epigenetic silencing. *Proc.Natl.Acad.Sci.*, Vol. **93**, 7114-7119
- Mittelsten Scheid, O.; Probst, A.V.; Afsar, K. et al. (2002): Two regulatory levels of transcriptional gene silencing in Arabidopsis. *Nature*, **411**, 212-214
- Miura, A.; Kato, M.; Watanabe, K.; Kawabe, A.; Kotani, H. and Kakutani, T. (2003): Genomic localisation of endogenous mobile CACTA family transposons in natural variants of Arabidopsis thaliana. *Mol. Gen. and Genomics*, 101007
- Miura, A. et al. (2001): Mobilization of transposons by a mutation abolishing full DNA methylation in Arabidopsis. *Nature*, **411**, 212–214
- Moreno, M.; Bernal, J.J.; Jimenez, I. and Guez-Cerezo, E. (1998): Resistance in plants transformed with the P1 or P3 gene of tobacco vein mottling potyvirus. *Journal of General Virology*, **79**, 2819–2827
- Mouradov, A.; Cremer, F. and George Coupland (2002): Control of Flowering Time: interacting Pathways as a Basis for Diversity. *The Plant Cell*, 111–130
- Muller, J.; Hart, C.M.; Francis, N.J.; Vargas, M.L.; Sengupta, A.; Wild, B.; Miller, E.L.; O'Connor, M.B.; Kingston, R.E.; Simon, J.A. (2002): Histone methyltransferase activity of a Drosophila polycomb group repressor complex. *Cell*, **111**, 197-208.

- Nagaki, K.; Talbert, P.B.; Zhong, C.X.; Dawe, R.K.; Henikoff, S. and Jiang, J. (2003): Chromatin Immunoprecipitation Reveals That the 180-bp Satellite Repeat Is the Key Functional DNA Element of *Arabidopsis thaliana* Centromeres. *Genetics*, **163**, 1221–1225
- Nakayama, J.; Rice, J.D.; Strahl, B.D.; Allis, C.D. and Grewal, S.I.S. (2001): Role of Histone H3 lysine 9 methylation in epigenetic control of heterochromatin assembly. *Science*, **292**, 110-113
- Nakamura, T.; Mori, T.; Tada, S.; Krajewski, W.; Rozovskaia, T.; Wassell, R.; Dubois, G.; Mazo, A.; Croce, C.M.; Canaani, E. (2002): ALL-1 is a histone methyltransferase that assembles a supercomplex of proteins involved in transcriptional regulation. *Mol Cell* **10**, 1119–1128
- Naumann, K.; Fischer, A.; Hofmann, I.; Krauss, V.; Phalke, S.; Irmeler, K.; Hause, G.; Aurich, C.A.; Dorn, R.; Jenuwein, T. and Reuter, G. (2005): Pivotal role of AtSUVH2 in heterochromatic histone methylation and gene silencing in *Arabidopsis*. The *EMBO Journal*, **24**, 1418–1429
- Nislow, C.; Ray, E. and Pillus, L. (1997): *SET1*, A Yeast Member of the Trithorax family, Functions in Transcriptional Silencing and Diverse Cellular Processes. *Mol. Bio. of Cell*, Vol. **8**, 2421- 2436
- Nowak, S.J. and Corces V.G. (2004): Phosphorylation of histone H3: a balancing act between chromosome condensation and transcriptional activation. www.sciencedirect.com, doi:10.1016
- Ohad, N.; Yadegari, R.; Margossian, L.; Hannon, M.; Michaeli, D.; Harada, J. J.; Goldberg, R.B. and Fischer, R. L. (1999). Mutations in FIE, a WD polycomb group gene, allow endosperm development without fertilization. *Plant Cell*, **11**, 407-416.
- Okamoto, H. and Hirochika, H. (2001): Silencing of transposable elements in plants. *Trends in Plant Science*, Vol. **6**, No.11, 527- 534
- Pandey, R.; Müller, A.; Napoli, C.A.; Selinger, D.A.; Pikaard, C.S.; Richards, E.J.; Bender, J.; Mount, D.W. and Jorgensen, R.A. (2002): Analysis of histone acetyltransferase and histone deacetylase families of *Arabidopsis thaliana* suggests functional diversification of chromatin modification among multicellular eukaryotes. *Nucleic Acids Research*, Vol. **30**, No. 23, 5036-5055
- Panter, S.N.; Hammond-Kosack, K.E.; Harrison, K.; Jones, J.D.; Jones, D.A. (2002): Developmental control of promoter activity is not responsible for mature onset of Cf-9B mediated resistance to leaf mold in tomato. *Mol Plant Microbe Interact*, **15**(11), 1099-1107
- Pappas, J.D.L.; Frisch, R. and Weinreich, M. (2004): The NAD⁺-dependent Sir2p histone deacetylase is a negative regulator of chromosomal DNA replication. *Genes & Development*, **18**, 769–781
- Parker, J.E.; Coleman, M.J.; Szabò, V.; Frost, L.N.; Schmidt, R.; van der Biezen, E.A.; Moores, T.; Dean, C.; Daniels, M.J. and Jones, J.D.G. (1997): The *Arabidopsis* downy mildew resistance gene *RPP5* shares similarity to the Toll and Interleukin-1 receptors with *N* and *L6*. *Plant Cell*, **9**, 879–894.
- Parker, J.E.; Holub, E.B.; Frost, L.N.; Falk, A.; Gunn, N.D. and Daniels, M.J. (1996): Characterization of *eds1*, a mutation in *Arabidopsis* suppressing resistance to *Peronospora parasitica* specified by several different *RPP* genes. *Plant Cell*, **8**, 2033–2046.
- Paszkowski, J. and Whitham, S.A. (2001): Gene silencing and DNA methylation processes *Current Opinion in Plant Biology*, **4**, 123–129
- Peng, J.Y.; Li, Z.H.; Xiang, H.; Huang, J.H.; Jia, S.H.; Miao, X.X.; Huang, Y.P. (2005): Preliminary studies on differential defense responses induced during plant Communication. *Cell Research*, **15**(3), 187-192

- Pereira, V. (2004): Insertion bias and purifying selection of retrotransposons in the *Arabidopsis thaliana* genome. **Vol. 5**, 10, R79
- Poirier, G.M.; Anderson, G.; Huvar, A.; Wagaman, P.C.; Shuttleworth, J.; Jenkinson, E.; Jackson, M.R.; Peterson, P.A.; Erlander, M.G. (1999): Immune-associated nucleotide-1 (IAN-1) is a thymic selection marker and defines a novel gene family conserved in plants. *J Immunol.*, **1**;163(9):4960-9
- Probst, A.V.; Fagard, M.; Proux, F.; Mourrain, P.; Boutet, S.; Earley, K.; Lawrence, R.J.; Pikaard, C.S.; Murfett, J.; Furner, I.; Vaucheret, H. and Mittelsten Scheid, O. (2004): Arabidopsis Histone Deacetylase HDA6 Is Required for Maintenance of Transcriptional Gene Silencing and Determines Nuclear Organization of rDNA Repeats. *The Plant Cell*, Vol. **16**, 1021–1034
- Probst, A.V.; Fransz, P.F.; Paszkowski, J. and Mittelsten Scheid, O. (2003): Two means of transcriptional reactivation within heterochromatin. *Plant Journal*, **33**, 743-749
- Probst, A.V.; Mittelsten Scheid, O.; Afsar, K. et al. (2002): Transcriptional reactivation can modify or maintain properties and organization of heterochromatin. *Plant J.*
- Ramsahoye, B.H.; Biniszkiwicz, D.; Lyko, F.; Clark, V.; Bird, A.P. and Jaenisch, F. (2000): Non-CpG methylation is prevalent in embryonic stem cells and may be mediated by DNA methyltransferase 3a. *PNAS*, Vol. **97**, No. 10, 5237–5242
- Rea, S. et al. (2000): Regulation of chromatin structure by site-specific histone H3 methyltransferases. *Nature*, **406**, 593-599
- Redei, G.P. (1975): Arabidopsis as a genetic tool. *Annu Rev Genet.*, **9**, 111-27
- Reik, W. and Walter, J. (2001). Genomic imprinting: Parental influence on the genome. *Nat. Rev. Genet.*, **2**, 21–32.
- Richards, E.J. and Elgin, S.C.R. (2002): Epigenetic Codes for Heterochromatin Formation and Silencing: Rounding up the Usual Suspects. *Cell*, Vol. **108**, 489–500
- Riechmann, J.L.; Lain, S. and Garcia, J.A. (1992): Highlights and prospects of potyvirus molecular biology. *J. Gen. Virol.*, **73**,1–16
- Rios, G. et al. (2002): Rapid identification of *Arabidopsis* insertion mutants by non-Radioactive detection of T-DNA tagged genes. *The Plant Journal*, **32**, 243-253
- Robyr, D.; Suka, Y.; Xenarios, I.; Kurdistan, S.K.; Wang, A.; Suka, N. and Grunstein, M. (2002): Microarray Deacetylation Maps Determine Genome-Wide Functions for Yeast Histone Deacetylases. *Cell*, Vol. **109**, 437–446
- Roguev, A.; Schaft, D.; Shevchenko, A.; Pijnappel, W.M.; Wilm, M.; Aasland, R.; Stewart, A.F. (2001) The *Saccharomyces cerevisiae* Set1 complex includes an *Ash2* homologue and methylates histone 3 lysine 4. *Embo J*, **20**, 7137–7148
- Rooney, H.C.; Van't Klooster, J.W.; van der Hoorn, R.A.; Joosten, M.H.; Jones, J.D.; de Wit, P.J. (2005): Cladosporium Avr2 inhibits tomato Rcr3 protease required for Cf-2-dependent disease resistance. *Science*, **308**(5729), 1783-6
- Round, E.K.; Flowers, S.K. and Richards, E.J. (1997): Arabidopsis thaliana Centromere Regions: Genetic Map Positions and Repetitive DNA Structure. *Genome Research*, **7**, 1045-1053
- Rozenblatt- Rosen, O.; Rozovskaia, T.; Burakov, D.; Sedkov, Y.; Tillib, S.; Blechman, J.; Nakamura, T.; Croce, C.M.; Mazo, A. and Canaani, E. (1998): The C-terminal SET domains of ALL- and TRITHORAX interact with INI1 and SNR1 proteins, components of the SWI/SNF complex. *PNAS*, Vol. **95**, 4152- 4157
- Ruffner, H.; Joazeiro, C.A.P.; Hemmati, D.; Hunter, T. and Verma, I.M. (2001): Cancer-predisposing mutations within the RING domain of BRCA1: loss of ubiquitin protein ligase activity and protection from radiation hypersensitivity. *Proc.Natl. Acad.Sci.*, **98**, 5134-5139

- Sasaki, T. et al.: Toward cataloguing all rice genes (1994): large scale sequencing of randomly chosen rice cDNAs from a callus cDNA library. *The Plant Journal*, **6**(4): 615- 624
- Scebba, F.; Bernacchia, G.; Bastiani, M.; Evangelista, M.; Cantoni, R.M.; Cella, R.; Locci, M.T. and Pitto, L. (2003): *Arabidopsis* MBD proteins show different binding specificities and nuclear localization. *Plant Molecular Biology*, 1–17
- Schotta, G.; Ebert, A.; Krauss, V.; Fischer, A.; Hoffmann, J.; Rea, S.; Jenuwein, T.; Dorn, R. and Reuter, G. (2002): Central role of Drosophila SU(VAR)3-9 in histone H3-K9 methylation and heterochromatic gene silencing. *EMBO*, Vol. **21**, No 5. 1121-1131
- Schotta, G.; Lachner, M.; Sarma, K.; Ebert, A.; Sengupta, R.; Reuter, G.; Reinberg, D. and Jenuwein, T. (2004): A silencing pathway to induce H3-K9 and H4-K20 trimethylation at constitutive heterochromatin, *Genes & Development*, **18**,1251–1262
- Sessions et al (2002): A High-Troughput Arabidopsis Reverse Genetics System. *The Plant Cell*, Vol. **14**, 2985- 2994
- Seo, J.; Kim, J. and Kim, M. (2001): Cloning of Androgen-inducible Gene 1 (AIG1) from Human Dermal Papilla Cells. *Mol. Cells*, Vol. **11**, No. 1, 35-40
- Shen, W.H. (2001): NtSET1, a member of a newly identified subgroup of plant SET-domain-containing proteins, is chromatin associated and its overexpression inhibits tobacco plant growth. *The Plant Journal*, **28**, 4, 371- 383
- Shen, W.H. and Meyer, D. (2004): Ectopic Expression of the NtSET1 Histone Methyltransferase Inhibits Cell Expansion, and Affects Cell Division and Differentiation in Tobacco Plants. *Plant Cell Physiol.*, **45**, 11, 1715- 1719
- Shi, Y.; Lan, F.; Matson, C.; Mulligan, P.; Whetstine, L.R.; Cole, P.A.; Casero, R.A. (2004): Histone Demethylation Mediated by the Nuclear Amine Oxidase Homolog LSD1. *Cell*, Vol. **119**, 941-953
- Singer, T.; Yordan, C. & Martienssen, R. A. (2001): Robertson's *Mutator* transposons in *A. thaliana* are regulated by the chromatin-remodeling gene *DECREASE IN DNA METHYLATION (DDM1)*. *Genes Dev.* 15, 591–602
- Shirano, Y.; Kachroo, P.; Shah, J. and Klessig, D.F. (2002): A Gain-of-Function Mutation in an Arabidopsis Toll Interleukin1 Receptor–Nucleotide Binding Site–Leucine-Rich Repeat Type R Gene Triggers Defense Responses and Results in Enhanced Disease Resistance. *The Plant Cell*, Vol. **14**, 3149–3162
- Smith, C.L.; Horowitz-Scherer, R.; Flanagan, J.F.; Woodcock, C.L. and Peterson, C.L. (2003): Structural analysis of the yeast SWI/SNF chromatin remodeling complex. *Nature structural biology*, Vol. **10**, no 2, 141-146
- Soppe, W.J.J.; Jasencakova, Z.; Houben, A. et al. (2002): DNA methylation controls histone H3 lysine 9 methylation and heterochromatin assembly in Arabidopsis. *EMBO*, **21**, 6549-6559
- Spada, F.; Vincent, M. & Thompson, E.M. (2000): Plasticity of histone modifications across the invertebrate to vertebrate transition: histone H3 lysine 4 tri-methylation in heterochromatin: *Chromosome Research*, **13**, 57–72
- Springer, N.M.; Napoli, C.A.; Selinger, D.A.; Karen, R.P.; Cone, C.; Chandler, V.L.; Kaeppler, H.F. and Kaeppler, S.M. (2003): Comparative Analysis of SET Domain Proteins in Maize and Arabidopsis Reveals Multiple Duplications Preceding the Divergence of Monocots and Dicots. *Plant Physiology*, Vol. **132**, 907–925
- Stan, T.; Brix, J.; Schneider-Mergener, J.; Pfanner, N.; Neupert, W. and Rapaport, D. (2003): Mitochondrial Protein Import: Recognition of Internal Import Signals of BCS1 by the TOM Complex. *Molecular and Cellular Biology*, Vol. **23**, No. 7, 2239–2250

- Strichman-Almashanu, L.Z.S.; Bustin, M. and Landsman, D. (2003): Retroposed Copies of the HMG Genes: A Window to Genome Dynamics. *Genome Research*, **13**, 800-812
- Swaney, S.; Powers, H.; Goodwin, J.; Rosales, L.S. and Dougherty, W.G. (1995): RNA-mediated resistance with nonstructural genes from the tobacco etch virus genome. *Molecular Plant Microbe Interactions*, **8**, 1004-1011.
- Takeda, S.; Tadele, Z.; Hofmann, I.; Probst, A.V.; Angelis, K.J.; Kaya, H.; Takashi, A.; Tesfaye, M.; Mittelsten Scheid, O.; Shibahara, K.; Scheel, D. und Paszkowski, J. (2004): BRU1, a novel link between responses to DNA damage and epigenetic gene silencing in Arabidopsis. *Genes & Development*, **18**, 782- 793
- Papa, C.M.; Springer, N.M.; Muszynski, M.G.; Meeley, R. and Kaeppler, S.M. (2001): *Maize Chromomethylase Zea methyltransferase2 is required for CpNpG Methylation. The Plant Cell*, **Vol. 13**, 1919–1928
- Tamaru, H. & Selker, E.U. (2001): A histone H3 methyltransferase controls DNA methylation in *Neurospora crassa*. *Nature*, Vol. **414**, 277- 283
- Tamaru, H.; Zhang, X.; McMillen, D.; Singh, P.B.; Nakayama, J.; Grewal, S.I.; Allis, C.D.; Cheng, X. & Selker, E.U. (2003): Trimethylated lysine 9 of histone H3 is a mark for DNA methylation in *neurospora crassa*. *Nature genetics*, **Vol. 34**, 75-79
- Tang, X.; Xie, M.; Kim, Y.J.; Zhou, J.; Klessig, D.F. and Martin, G.B. (1999): Overexpression of *Pto* Activates Defense Responses and Confers Broad Resistance. *The Plant Cell*, Vol. **11**, 15–29
- Tariq, M. and Paszkowski, J. (2004): DNA and histone methylation in plants. *Trends in Genetics*, Vol. **20**, No.6, 244- 251
- Tariq, M.; Habu, Y. & Paszkowski, J. (2002): Depletion of MOM1 in non-dividing cells of *Arabidopsis* plants releases transcriptional gene silencing. *EMBO reports*, Vol. **3**, No. 10, 951–955
- Tariq, M.; Saze, H.; Probst, A.V.; Lichota, J.; Habu, J. and Paszkowski, J. (2003): Erasure of CpG methylation in Arabidopsis alters patterns of histone H3 methylation in heterochromatin. *PNAS*, Vol. **100**, No. 15, 8823–8827
- Tachibana, M.; Sugimoto, K.; Fukushima, T. and Shinkai, Y. (2001): Set domain-containing protein, G9a, is a novel lysine-preferring mammalian histone methyltransferase with hyperactivity and specific selectivity to lysines 9 and 27 of histone H3. *J. Biol. Chem.* **276**, 25309–25317.
- Tachibana, M.; Sugimoto, K.; Nozaki, M. et al. (2002): G9a histone methyltransferase plays a dominant role in euchromatic histone H3 lysine 9 methylation and is essential for early embryogenesis. *Genes Dev.*, **16**, 1779–1791.
- Thomas, C.M.; Dixon, M.S.; Parniske, M.; Golstein, C.; Jones, J.D. (1998): Genetic and molecular analysis of tomato Cf genes for resistance to *Cladosporium fulvum*. *Philos Trans R Soc Lond B Biol*, **29**; 353(1374), 1413-1424
- Thompson, H.L.; Schmidt, R. and Dean, C. (1996): Identification and distribution of seven classes of middle-repetitive DNA in the *Arabidopsis thaliana* genome. *Nucl. Acids Research*, Vol. **24**, No.15, 3017-3022
- Tissier, A.F.; Marillonnet, S.; Klimyuk, V.; Patel, K.; Torres, M.A.; Murphy, G. and Jones, J.D.G. (1999): Multiple Independent Defective *Suppressor-mutator* Transposon Insertions in Arabidopsis: A Tool for Functional Genomics. *The Plant Cell*, Vol. **11**, 1841–1852
- Tör, M.; Brown, D.; Cooper, A.; Woods-Tör, A.; Sjölander, K.; Jones, J.D.G. and Holub, E.B. (2004): Arabidopsis Downy Mildew Resistance Gene RPP27 Encodes a Receptor-Like Protein Similar to CLAVATA2 and Tomato Cf-9. *Plant Physiology*, **Vol. 135**, 1100-1112,

- Tran, R.K.; Henikoff, J.G.; Zilberman, D.; Ditt, R.F.; Jacobsen, S.E. and Henikoff, S. (2005): DNA Methylation Profiling Identifies CG Methylation Clusters in *Arabidopsis* Genes. *Current Biology*, Vol. **15**, 154–159
- Tripoulas, N.; Lajeunesse, D.; Gildea, J. and Shearn, A. (1996): The *Drosophila ash1* Gene product, which is localized at specific sites on polytene chromosomes, Contains a SET domain and a PHD finger. *Genetics*, **143**, 913-928
- Tschiersch, B.; Hofmann, A.; Krauss, V.; Dorn, R.; Korge, G. and Reuter, G. (1994): The protein encoded by the *Drosophila* position effect variegation suppressor gene *Su(var)3-9* combines domains of antagonistic regulators of homeotic gene complexes. *EMBO J.*, **13**, 3822–3831
- Van Blokland, R.; Lohuis, M.; Meyer, P. (1997): Condensation of chromatin in transcriptional Regions of an inactivated transgene: evidence for an active role of transcription in gene silencing. *Mol. Gen. Genet.* **257**, 1-13
- Van den Ackerveken, G.; Marois, E. and Bonas, U. (1996): Recognition of the bacterial avirulence protein *AvrBs3* occurs inside the host plant cell. *Cell*, **87**, 1307- 1316
- Van der Biezen, E.A.; Freddie, C.T.; Kahn, K.; Parker, J.E. and Jones, J.D.G. (2002): *Arabidopsis* RPP4 is a member of the RPP5 multigene family of TIR-NB-LRR genes and confers downy mildew resistance through multiple signalling components. *The Plant Journal*, **29**(4), 439-451
- Vaucheret, H.; Beclin, C.; Elmayan, T.; Feuerbach, F.; Godon, C.; Morel, J.B.; Mourrain, P.; Palauqui, J.C. and Vernhettes, S. (1998) : Transgene-induced gene silencing in plants. *The Plant Journal*, **16**(6), 651-659
- Vicient, C.M.; Kalendar, R. and Schulman, A.H. (2001): *Envelope*-Class Retrovirus-Like Elements are Widespread, Transcribed and Spliced, and Insertionally Polymorphic in Plants. *Genome Research*, **11**, 2041–2049
- Vielle-Calzada, J.P.; Thomas, J.; Spillane, C.; Coluccio, A.; Hoepfner, M.A. and Grossniklaus, U. (1999): Maintenance of genomic imprinting at the *Arabidopsis medea* locus requires zygotic *DDMI* activity. *Genes & Development*, Vol. **13**, No. 22, 2971-2982
- Vongs, A.; Kakutani, T.; Martienssen, R.A. et al. (1993) *Arabidopsis thaliana* DNA methylation mutants. *Science*, **260**, 1926-1928
- Wagner, D. (2003): Chromatin regulation of plant development. *Current Opinion in Plant Biology*, **6**, 20-28
- Wang, J.; Mager, J.; Chen, Y.; Schneider, E.; Cross, J.C.; Nagy, A. and Magnuson, T. (2001): Imprinted X inactivation maintained by a mouse Polycomb group gene. *Nat. Genet.*, **28**, 371–375
- Wang, D.; Weaver, N.D.; Kesarwani, M.; Dong, X. (2005): Induction of Protein Secretory Pathway is Required for Systemic Acquired Resistance. *Science*, Vol. **308**, 1036-1041
- Weigel, R.R.; Pfitzner, U.M. and Gatz C. (2005): Interaction of NIMIN1 with NPR1 Modulates PR Gene Expression in *Arabidopsis*. *The Plant Cell*, Vol. **17**, 1279–1291
- Whitham, S.A.; Quan, S.; Chang, H.; Cooper, B.; Estes, B.; Zhu, T.; Wang, X. and Hou, Y. (2003): Diverse RNA viruses elicit the expression of common sets of genes in susceptible *Arabidopsis thaliana* plants. *The Plant Journal*, **33**, 271-283
- Willmann, R.M. (2001): Unravelling PTGS: SDE3– an RNA helicase involved in RNA silencing in *Arabidopsis*. *TRENDS in Plant Science*, Vol. **6**, No.8, 1360-1385
- Winston, F.; Carlson, M. (1992): Yeast SNF/SWI transcriptional activators and the SPT/SIN chromatin connection. *Trends Genet.*, **8**(11), 387-91.
- Wright, D.A. and Voytas, D.F. (2001): *Athila4* of *Arabidopsis* and *Calypso* of Soybean define a Lineage of Endogenous Plant Retroviruses. *Genome Research*, **12**, 122-131

- Xiao, W.; Gehring, M.; Choi, Y.; Margossian, L.; Pu, H.; Harada, J.J.; Goldberg, R.B.; Pennell, R. and Fischer, R.L (2003): Imprinting of the *MEA* Polycomb Gene is controlled by Antagonism between MET1 Methyltransferase and DME Glycosylase.
- Xiao, B.; Wilson, J.R. and Gamblin, S.J. (2003): SET domains and histone Methylation. *Current Opinion in Structural Biology*, **13**, 699–705
- Yan, L.; Youwei, X.; Zhongkai, Z.; Xingqi, H. (2001): Co-suppression in transgenic *Petunia hybrida* expressing chalcone synthase A (*chsA*). *Science in China*, Vol. **44**, No. 6, 661-668
- Yang, X.; Ma, H. and Makaro, C.A. (2004): Characterization of an unusual Ds transposable element in *Arabidopsis thaliana*: insertion of an abortive circular transposition intermediate. *Plant Molecular Biology*, **55**, 905–917
- Yano, S.T.; Panbehi, B.; Das, A. and Laten, H.M. (2005): *Diaspora*, a large family of Ty3-gypsy retrotransposons in *Glycine max*, is an envelope-less member of an endogenous plant retrovirus lineage. *BMC Evolutionary Biology*, **5**, 30, 1-14
- Yoshida, N.; Yanai, Y.; Chen, L.; Kato, Y.; Hiratsuka, J.; Miwa, T.; Sung, Z.R.; Takahashi, S. (2001): EMBRYONIC FLOWER 2, a novel polycomb group protein homolog, mediates shoot development and flowering in *Arabidopsis*. *Plant Cell*, **13**, 2471-2481
- Yu, Z.; Wright, S.I. and Bureau, T.E. (2000): Mutator-like elements in *Arabidopsis thaliana*: Struktur, Diversity and Evolution. *Genetics*, **156**, 2019-2031
- Yu, Y.; Dong, D. and Shen, W.H. (2004): Molecular characterization of tobacco SET Domain protein NtSET1 unravels its role in histone methylation, chromatin binding, and segregation. *The Plant Journal*, **40**, 699- 711
- Zemach, A. and Graf, G. (2003): Characterization of *Arabidopsis thaliana* methyl-CpG-Binding domain (MBD) proteins. *Plant Journal*, **34**, 565- 572
- Zemach, A.; Li, Y.; Wayburn, B.; Ben-Meir, H.; Kiss, V.; Avivi, Y.; Kalchenko, V.; Jackobsen, S.E. and Graf, G. (2005): DDM1 binds *Arabidopsis* Methyl-CpG Binding Domain Proteins and affects their subnuclear Localization, *The Plant Cell*, Preview
- Zhang, S. and Klessig, D.F. (2001): MAPK cascades in plant defense signaling. *TRENDS in Plant Science*, Vol. **6**, No.11
- Zhang, X. and Gassmann, W. (2003): *RPS4-Mediated Disease Resistance Requires the Combined Presence of RPS4 Transcripts with Full-Length and Truncated Open Reading Frames*. *The Plant Cell*, Vol. **15**, 2333–2342
- Zhang, Y.; Dorey, S.; Swiderski, M. and Jones, J.D.G. (2004): Expression of RPS4 in tobacco induces an AvrRps4-independent HR that requires EDS1, SGT1 and HSP90. *The Plant Journal*, **40**, 213–224
- Zhang, Y. and Reinberg, D. (2001): Transcription regulation by histone methylation: interplay between different covalent modifications of the core histone tails. *Genes & Development*, **15**, 2343–2360
- Zhang, X.; Tamaru, H.; Khan, S.I.; Horton, J.R.; Keefe, L.J.; Selker, E.U. and Cheng, X. (2002): Structure of the *Neurospora* SET Domain Protein DIM-5, a Histone H3 Lysine Methyltransferase. *Cell*, Vol. **111**, 117–127
- Zhao, Z. and Shen, W.-H. (2004): Plants contain a high number of proteins showing sequence similarity to the animal SUV39H family histone-methyltransferases. *Ann. Acad. Sci.*,
- Zilberman, D.; Cao, X.; Johansen, L.K.; Xie, Z.; Carrington, J.C. and Jacobsen, S.E. (2004): Role of *Arabidopsis ARGONAUTE4* in RNA-Directed DNA Methylation Triggered by Inverted Repeats. *Current Biology*, Vol. **14**, 1214–1220
- Zilberman, D.; Cao, X. and Jacobsen, S.E. (2003). ARGONAUTE4 control of locus-specific siRNA accumulation and DNA and histone methylation. *Science*, **299**, 716–719