

Literaturverzeichnis

1. Markert, Y. (2005). Gewinnung und gentechnische Modifizierung einer rekombinanten Phospholipase A2 zur industriellen Anwendung. *Dissertation vorgelegt der Mathematisch-Naturwissenschaftlich-Technischen Fakultät (mathematisch-naturwissenschaftlicher Bereich) der Martin-Luther-Universität Halle-Wittenberg.*
2. Janssen, M. J., Verheij, H. M., Slotboom, A. J. & Egmond, M. R. (1999). Engineering the disulphide bond patterns of secretory phospholipases A2 into porcine pancreatic isozyme. The effects on folding, stability and enzymatic properties. *Eur J Biochem* 261, 197-207.
3. Pickersgill, R. W., Sumner, I. G., Collins, M. E., Warwicker, J., Perry, B., Bhat, K. M. & Goodenough, P. W. (1991). Modification of the stability of phospholipase A2 by charge engineering. *FEBS Lett* 281, 219-22.
4. Goodenough, P. W., Bhat, K. M., Collins, M. E., Perry, B. N., Pickersgill, R. W., Sumner, I. G., Warwicker, J., de Haas, G. H. & Verheij, H. M. (1991). Changes in activity of porcine phospholipase A2 brought about by charge engineering of a major structural element to alter stability. *Protein Eng* 4, 929-34.
5. Janssen, M. J., van de Wiel, W. A., Beiboer, S. H., van Kampen, M. D., Verheij, H. M., Slotboom, A. J. & Egmond, M. R. (1999). Catalytic role of the active site histidine of porcine pancreatic phospholipase A2 probed by the variants H48Q, H48N and H48K. *Protein Eng* 12, 497-503.
6. Dupureur, C. M., Yu, B. Z., Jain, M. K., Noel, J. P., Deng, T., Li, Y., Byeon, I. J. & Tsai, M. D. (1992). Phospholipase A2 engineering. Structural and functional roles of highly conserved active site residues tyrosine-52 and tyrosine-73. *Biochemistry* 31, 6402-13.
7. Annand, R. R., Kontoyianni, M., Penzotti, J. E., Dudler, T., Lybrand, T. P. & Gelb, M. H. (1996). Active site of bee venom phospholipase A2: the role of histidine-34, aspartate-64 and tyrosine-87. *Biochemistry* 35, 4591-601.
8. Lee, B. I., Yoon, E. T. & Cho, W. (1996). Roles of surface hydrophobic residues in the interfacial catalysis of bovine pancreatic phospholipase A2. *Biochemistry* 35, 4231-40.
9. Kölbel, K. (2002). Studien zur Konformationsstabilität zweier sekretorischer Phospholipasen A2. *Diplomarbeit.*
10. Anfinsen, C. B. (1973). Principles that govern the folding of protein chains. *Science* 181, 223-30.
11. Jaswal, S. S., Sohl, J. L., Davis, J. H. & Agard, D. A. (2002). Energetic landscape of alpha-lytic protease optimizes longevity through kinetic stability. *Nature* 415, 343-6.
12. Baker, D. & Agard, D. A. (1994). Kinetics versus thermodynamics in protein folding. *Biochemistry* 33, 7505-9.
13. Fersht, A. (1999). Structure and Mechanism in Protein Science: Guide to Enzyme Catalysis and Protein Folding. *W.H. Freeman & Co Ltd, New York.*
14. Pace, C. N. (1986). Determination and analysis of urea and guanidine hydrochloride denaturation curves. *Methods Enzymol* 131, 266-80.
15. Myers, J. K., Pace, C. N. & Scholtz, J. M. (1995). Denaturant m values and heat capacity changes: relation to changes in accessible surface areas of protein unfolding. *Protein Sci* 4, 2138-48.
16. Eftink, M. R. & Ionescu, R. (1997). Thermodynamics of protein unfolding: questions pertinent to testing the validity of the two-state model. *Biophysical Chemistry* 64, 175-197.
17. Santoro, M. M. & Bolen, D. W. (1988). Unfolding free energy changes determined by the linear extrapolation method. 1. Unfolding of phenylmethanesulfonyl alpha-chymotrypsin using different denaturants. *Biochemistry* 27, 8063-8.
18. Pace, C. N. & Shaw, K. L. (2000). Linear extrapolation method of analyzing solvent denaturation curves. *Proteins Suppl* 4, 1-7.
19. Eftink, M. R. & Shastry, M. C. (1997). Fluorescence methods for studying kinetics of protein-folding reactions. *Methods Enzymol* 278, 258-86.
20. Clarke, J. & Fersht, A. R. (1993). Engineered disulfide bonds as probes of the folding pathway of barnase: increasing the stability of proteins against the rate of denaturation. *Biochemistry* 32, 4322-9.
21. Privalov, P. L. & Potekhin, S. A. (1986). Scanning microcalorimetry in studying temperature-induced changes in proteins. *Methods Enzymol* 131, 4-51.

22. Privalov, P. L. & Makhatadze, G. I. (1992). Contribution of hydration and non-covalent interactions to the heat capacity effect on protein unfolding. *J Mol Biol* 224, 715-23.
23. Makhatadze, G. I. & Privalov, P. L. (1992). Protein interactions with urea and guanidinium chloride. A calorimetric study. *J Mol Biol* 226, 491-505.
24. Pace, C. N., Hebert, E. J., Shaw, K. L., Schell, D., Both, V., Krajcikova, D., Sevcik, J., Wilson, K. S., Dauter, Z., Hartley, R. W. & Grimsley, G. R. (1998). Conformational stability and thermodynamics of folding of ribonucleases Sa, Sa2 and Sa3. *J Mol Biol* 279, 271-86.
25. Pace, C. N. & Laurents, D. V. (1989). A new method for determining the heat capacity change for protein folding. *Biochemistry* 28, 2520-5.
26. Eftink, M. R. & Ramsay, G. D. (1997). Studies of the unfolding of an unstable mutant of staphylococcal nuclease: evidence for low temperature unfolding and compactness of the high temperature unfolded state. *Proteins* 28, 227-40.
27. Lumry, R. & Biltonen, R. (1966). Validity of the "two-state" hypothesis for conformational transitions of proteins. *Biopolymers* 4, 917-44.
28. Creighton, T. E. e. (1992). Protein Folding. *W.H. Freeman & Co Ltd, New York*, 197-241.
29. Levinthal, C. (1968). Are there pathways for protein folding? *Extrait du Journal de Chimie Physique* 65, 44-45.
30. Levinthal, C. (1969). How to fold graciously. *Mössbaun Spectroscopy in Biological Systems Proceedings University of Illinois Bulletin* 67, 22-24.
31. Dill, K. A. (1999). Polymer principles and protein folding. *Protein Sci* 8, 1166-80.
32. Ozkan, S. B., Dill, K. A. & Bahar, I. (2002). Fast-folding protein kinetics, hidden intermediates, and the sequential stabilization model. *Protein Sci* 11, 1958-70.
33. Wagner, C. & Kiefhaber, T. (1999). Intermediates can accelerate protein folding. *Proc Natl Acad Sci U S A* 96, 6716-21.
34. Wildegger, G. & Kiefhaber, T. (1997). Three-state model for lysozyme folding: triangular folding mechanism with an energetically trapped intermediate. *J Mol Biol* 270, 294-304.
35. Bachmann, A. & Kiefhaber, T. (2001). Apparent two-state tendamistat folding is a sequential process along a defined route. *J Mol Biol* 306, 375-86.
36. Baldwin, R. L. (1996). On-pathway versus off-pathway folding intermediates. *Fold Des* 1, R1-8.
37. Nölting, B. (2005). Protein Folding Kinetics Biophysical Methods. *SPRINGER, BERLIN*.
38. Utiyama, H. & Baldwin, R. L. (1986). Kinetic mechanisms of protein folding. *Methods Enzymol* 131, 51-70.
39. Kiefhaber, T., Quaas, R., Hahn, U. & Schmid, F. X. (1990). Folding of ribonuclease T1. 1. Existence of multiple unfolded states created by proline isomerization. *Biochemistry* 29, 3053-61.
40. Kiefhaber, T., Quaas, R., Hahn, U. & Schmid, F. X. (1990). Folding of ribonuclease T1. 2. Kinetic models for the folding and unfolding reactions. *Biochemistry* 29, 3061-70.
41. Schönbrunner, N., Koller, K. P. & Kiefhaber, T. (1997). Folding of the disulfide-bonded beta-sheet protein tendamistat: rapid two-state folding without hydrophobic collapse. *J Mol Biol* 268, 526-38.
42. Bisswanger, H. (1994). Enzymkinetik Theorie und Methoden. *VCH Weinheim*.
43. Buchner, J. K., Thomas. (2004). Protein Folding Handbook. *Wiley-VCH, Weinheim*.
44. Krishna, M. M., Hoang, L., Lin, Y. & Englander, S. W. (2004). Hydrogen exchange methods to study protein folding. *Methods* 34, 51-64.
45. Bai, Y., Milne, J. S., Mayne, L. & Englander, S. W. (1993). Primary structure effects on peptide group hydrogen exchange. *Proteins* 17, 75-86.
46. Bai, Y., Milne, J. S., Mayne, L. & Englander, S. W. (1994). Protein stability parameters measured by hydrogen exchange. *Proteins* 20, 4-14.
47. Bai, Y., Sosnick, T. R., Mayne, L. & Englander, S. W. (1995). Protein folding intermediates: native-state hydrogen exchange. *Science* 269, 192-7.
48. Hubbard, S. J. (1998). The structural aspects of limited proteolysis of native proteins. *Biochim Biophys Acta* 1382, 191-206.
49. Imoto, T., Yamada, H. & Ueda, T. (1986). Unfolding rates of globular proteins determined by kinetics of proteolysis. *J Mol Biol* 190, 647-9.
50. Park, C. & Marqusee, S. (2004). Probing the high energy states in proteins by proteolysis. *J Mol Biol* 343, 1467-76.

51. Six, D. A. & Dennis, E. A. (2000). The expanding superfamily of phospholipase A(2) enzymes: classification and characterization. *Biochim Biophys Acta* 1488, 1-19.
52. Verheij, H. M. & de Haas, G. H. (1991). Cloning, expression, and purification of porcine pancreatic phospholipase A2 and mutants. *Methods Enzymol* 197, 214-23.
53. Nevalainen, T. J., Haapamaki, M. M. & Gronroos, J. M. (2000). Roles of secretory phospholipases A(2) in inflammatory diseases and trauma. *Biochim Biophys Acta* 1488, 83-90.
54. Yedgar, S., Lichtenberg, D. & Schnitzer, E. (2000). Inhibition of phospholipase A(2) as a therapeutic target. *Biochim Biophys Acta* 1488, 182-7.
55. Buckland, A. G. & Wilton, D. C. (2000). The antibacterial properties of secreted phospholipases A(2). *Biochim Biophys Acta* 1488, 71-82.
56. Beers, S. A., Buckland, A. G., Koduri, R. S., Cho, W., Gelb, M. H. & Wilton, D. C. (2002). The antibacterial properties of secreted phospholipases A2: a major physiological role for the group IIA enzyme that depends on the very high pI of the enzyme to allow penetration of the bacterial cell wall. *J Biol Chem* 277, 1788-93.
57. Murakami, M., Nakatani, Y., Kuwata, H. & Kudo, I. (2000). Cellular components that functionally interact with signaling phospholipase A(2)s. *Biochim Biophys Acta* 1488, 159-66.
58. McIntosh, J. M., Ghomashchi, F., Gelb, M. H., Dooley, D. J., Stoehr, S. J., Giordani, A. B., Naisbitt, S. R. & Olivera, B. M. (1995). Conodipine-M, a novel phospholipase A2 isolated from the venom of the marine snail *Conus magus*. *J Biol Chem* 270, 3518-26.
59. Sosa, B. P., Alagon, A. C., Martin, B. M. & Possani, L. D. (1986). Biochemical characterization of the phospholipase A2 purified from the venom of the Mexican beaded lizard (*Heloderma horridum horridum* Wiegmann). *Biochemistry* 25, 2927-33.
60. Gomez, F., Vandermeers, A., Vandermeers-Piret, M. C., Herzog, R., Rathe, J., Stievenart, M., Winand, J. & Christophe, J. (1989). Purification and characterization of five variants of phospholipase A2 and complete primary structure of the main phospholipase A2 variant in *Heloderma suspectum* (Gila monster) venom. *Eur J Biochem* 186, 23-33.
61. Shipolini, R. A., Callewaert, G. L., Cottrell, R. C. & Vernon, C. A. (1974). The amino-acid sequence and carbohydrate content of phospholipase A2 from bee venom. *Eur J Biochem* 48, 465-76.
62. Nicolas, J. P., Lin, Y., Lambeau, G., Ghomashchi, F., Lazdunski, M. & Gelb, M. H. (1997). Localization of structural elements of bee venom phospholipase A2 involved in N-type receptor binding and neurotoxicity. *J Biol Chem* 272, 7173-81.
63. Verheij, H. M., Slotboom, A. J. & de Haas, G. H. (1981). Structure and function of phospholipase A2. *Rev Physiol Biochem Pharmacol* 91, 91-203.
64. Sugiyama, M., Ohtani, K., Izuhara, M., Koike, T., Suzuki, K., Imamura, S. & Misaki, H. (2002). A novel prokaryotic phospholipase A2. Characterization, gene cloning, and solution structure. *J Biol Chem* 277, 20051-8.
65. Wang, B., Lu, D., Gao, R., Yang, Z., Cao, S. & Feng, Y. (2004). A novel phospholipase A2/esterase from hyperthermophilic archaeon *Aeropyrum pernix* K1. *Protein Expr Purif* 35, 199-205.
66. Snijder, H. J. & Dijkstra, B. W. (2000). Bacterial phospholipase A: structure and function of an integral membrane phospholipase. *Biochim Biophys Acta* 1488, 91-101.
67. Matoba, Y., Katsube, Y. & Sugiyama, M. (2002). The crystal structure of prokaryotic phospholipase A2. *J Biol Chem* 277, 20059-69.
68. Ambrosio, A. L., Nonato, M. C., de Araujo, H. S., Arni, R., Ward, R. J., Ownby, C. L., de Souza, D. H. & Garratt, R. C. (2005). A molecular mechanism for Lys49-phospholipase A2 activity based on ligand-induced conformational change. *J Biol Chem* 280, 7326-35.
69. Cintra, A. C., Marangoni, S., Oliveira, B. & Giglio, J. R. (1993). Bothropstoxin-I: amino acid sequence and function. *J Protein Chem* 12, 57-64.
70. da Silva Giotto, M. T., Garratt, R. C., Oliva, G., Mascarenhas, Y. P., Giglio, J. R., Cintra, A. C., de Azevedo, W. F., Jr., Arni, R. K. & Ward, R. J. (1998). Crystallographic and spectroscopic characterization of a molecular hinge: conformational changes in bothropstoxin I, a dimeric Lys49-phospholipase A2 homologue. *Proteins* 30, 442-54.
71. Valentin, E. & Lambeau, G. (2000). Increasing molecular diversity of secreted phospholipases A(2) and their receptors and binding proteins. *Biochim Biophys Acta* 1488, 59-70.

72. Finzel, B. C., Ohlendorf, D. H., Weber, P. C. & Salemme, F. R. (1991). An independent crystallographic refinement of porcine phospholipase A2 at 2.4 Å resolution. *Acta Crystallogr B* 47 (Pt 4), 558-9.
73. Pieterse, W. A., Volwerk, J. J. & de Haas, G. H. (1974). Interaction of phospholipase A2 and its zymogen with divalent metal ions. *Biochemistry* 13, 1439-45.
74. Pieterse, W. A., Vidal, J. C., Volwerk, J. J. & de Haas, G. H. (1974). Zymogen-catalyzed hydrolysis of monomeric substrates and the presence of a recognition site for lipid-water interfaces in phospholipase A2. *Biochemistry* 13, 1455-60.
75. Dijkstra, B. W., Renetseder, R., Kalk, K. H., Hol, W. G. & Drenth, J. (1983). Structure of porcine pancreatic phospholipase A2 at 2.6 Å resolution and comparison with bovine phospholipase A2. *J Mol Biol* 168, 163-79.
76. Bhat, M. K., Pickersgill, R. W., Perry, B. N., Brown, R. A., Jones, S. T., Mueller-Harvey, I., Sumner, I. G. & Goodenough, P. W. (1993). Modification of the head-group selectivity of porcine pancreatic phospholipase A2 by protein engineering. *Biochemistry* 32, 12203-8.
77. Ghomashchi, F., Lin, Y., Hixon, M. S., Yu, B. Z., Annand, R., Jain, M. K. & Gelb, M. H. (1998). Interfacial recognition by bee venom phospholipase A2: insights into nonelectrostatic molecular determinants by charge reversal mutagenesis. *Biochemistry* 37, 6697-710.
78. Yu, B. Z., Poi, M. J., Ramagopal, U. A., Jain, R., Ramakumar, S., Berg, O. G., Tsai, M. D., Sekar, K. & Jain, M. K. (2000). Structural basis of the anionic interface preference and kcat* activation of pancreatic phospholipase A2. *Biochemistry* 39, 12312-23.
79. Yu, B. Z., Rogers, J., Tsai, M. D., Pidgeon, C. & Jain, M. K. (1999). Contributions of residues of pancreatic phospholipase A2 to interfacial binding, catalysis, and activation. *Biochemistry* 38, 4875-84.
80. Scott, D. L. & Sigler, P. B. (1994). Structure and catalytic mechanism of secretory phospholipases A2. *Adv Protein Chem* 45, 53-88.
81. Pan, Y. H., Epstein, T. M., Jain, M. K. & Bahnsen, B. J. (2001). Five coplanar anion binding sites on one face of phospholipase A2: relationship to interface binding. *Biochemistry* 40, 609-17.
82. Vincent, M., Devere, A. M., De Haas, G. H., Verheij, H. M. & Gallay, J. (1993). Stereospecificity of the interaction of porcine pancreatic phospholipase A2 with micellar and monomeric inhibitors. A time-resolved fluorescence study of the tryptophan residue. *Eur J Biochem* 215, 531-9.
83. Ludescher, R. D., Volwerk, J. J., de Haas, G. H. & Hudson, B. S. (1985). Complex photophysics of the single tryptophan of porcine pancreatic phospholipase A2, its zymogen, and an enzyme/micelle complex. *Biochemistry* 24, 7240-9.
84. Ludescher, R. D., Johnson, I. D., Volwerk, J. J., de Haas, G. H., Jost, P. C. & Hudson, B. S. (1988). Rotational dynamics of the single tryptophan of porcine pancreatic phospholipase A2, its zymogen, and an enzyme/micelle complex. A steady-state and time-resolved anisotropy study. *Biochemistry* 27, 6618-28.
85. Berg, O. G. J., Mahendra Kumar. (2001). *Interfacial Enzyme Kinetics*. Wiley & Sons, New York.
86. Berg, O. G., Gelb, M. H., Tsai, M. D. & Jain, M. K. (2001). Interfacial enzymology: the secreted phospholipase A(2)-paradigm. *Chem Rev* 101, 2613-54.
87. Hille, J. D., Egmond, M. R., Dijkman, R., van Oort, M. G., Jirgensons, B. & de Haas, G. H. (1983). Aggregation of porcine pancreatic phospholipase A2 and Its zymogen induced by submicellar concentrations of negatively charged detergents. *Biochemistry* 22, 5347-53.
88. Yu, B. Z., Aritz-Castro, R., Tsai, M. D. & Jain, M. K. (2003). Interaction of monodisperse anionic amphiphiles with the i-face of secreted phospholipase A2. *Biochemistry* 42, 6293-301.
89. Berg, O. G., Yu, B. Z., Chang, C., Koehler, K. A. & Jain, M. K. (2004). Cooperative binding of monodisperse anionic amphiphiles to the i-face: phospholipase A2-paradigm for interfacial binding. *Biochemistry* 43, 7999-8013.
90. Hille, J. D., Egmond, M. R., Dijkman, R., van Oort, M. G., Sauve, P. & de Haas, G. H. (1983). Unusual kinetic behavior of porcine pancreatic (pro)phospholipase A2 on negatively charged substrates at submicellar concentrations. *Biochemistry* 22, 5353-8.
91. Yuan, W., Quinn, D. M., Sigler, P. B. & Gelb, M. H. (1990). Kinetic and inhibition studies of phospholipase A2 with short-chain substrates and inhibitors. *Biochemistry* 29, 6082-94.
92. Yu, B. Z., Berg, O. G. & Jain, M. K. (1999). Hydrolysis of monodisperse phosphatidylcholines by phospholipase A2 occurs on vessel walls and air bubbles. *Biochemistry* 38, 10449-56.

93. Dijkstra, B. W., Kalk, K. H., Hol, W. G. & Drenth, J. (1981). Structure of bovine pancreatic phospholipase A2 at 1.7Å resolution. *J Mol Biol* 147, 97-123.
94. Epstein, T. M., Yu, B. Z., Pan, Y. H., Tutton, S. P., Maliwal, B. P., Jain, M. K. & Bahnson, B. J. (2001). The basis for k(cat) impairment in pro-phospholipase A(2) from the anion-assisted dimer structure. *Biochemistry* 40, 11411-22.
95. Thunnissen, M. M., Franken, P. A., de Haas, G. H., Drenth, J., Kalk, K. H., Verheij, H. M. & Dijkstra, B. W. (1992). Site-directed mutagenesis and X-ray crystallography of two phospholipase A2 mutants: Y52F and Y73F. *Protein Eng* 5, 597-603.
96. Poi, M. J., Tomaszewski, J. W., Yuan, C., Dunlap, C. A., Andersen, N. H., Gelb, M. H. & Tsai, M. D. (2003). A low-barrier hydrogen bond between histidine of secreted phospholipase A2 and a transition state analog inhibitor. *J Mol Biol* 329, 997-1009.
97. Kinkaid, A. R. & Wilton, D. C. (1993). A continuous fluorescence displacement assay for phospholipase A2 using albumin and medium chain phospholipid substrates. *Anal Biochem* 212, 65-70.
98. Richieri, G. V. & Kleinfeld, A. M. (1995). Continuous measurement of phospholipase A2 activity using the fluorescent probe ADIFAB. *Anal Biochem* 229, 256-63.
99. Bayburt, T., Yu, B. Z., Street, I., Ghomashchi, F., Laliberte, F., Perrier, H., Wang, Z., Homan, R., Jain, M. K. & Gelb, M. H. (1995). Continuous, vesicle-based fluorimetric assays of 14- and 85-kDa phospholipases A2. *Anal Biochem* 232, 7-23.
100. Fernández, M. S. & Juárez, J. A. (1994). Activity of phospholipase A2 on a fluorescent substrate incorporated into non-hydrolyzable phospholipid liposomes. *Biochim Biophys Acta* 1192, 132-42.
101. Tsai, T. C., Hart, J., Jiang, R. T., Bruzik, K. & Tsai, M. D. (1985). Phospholipids chiral at phosphorus. Use of chiral thiophosphatidylcholine to study the metal-binding properties of bee venom phospholipase A2. *Biochemistry* 24, 3180-8.
102. Bhat, M. K., Mueller-Harvey, I., Sumner, I. G. & Goodenough, P. W. (1993). Simplified methods for the synthesis of 2-hexadecanoylthio-1-ethylphosphorylcholine and for the determination of phospholipase A2 activity. *Biochim Biophys Acta* 1166, 244-50.
103. Yu, L. & Dennis, E. A. (1991). Thio-based phospholipase assay. *Methods Enzymol* 197, 65-75.
104. Cho, W. M., Michael A. Kézdy, Ferenc J. (1988). A New Class of Phospholipase A2 Substrates: Kinetics of the Phospholipase A2 Catalyzed Hydrolysis of 3-(Acyloxy)-4-nitrobenzoic Acids. *J. Am. Chem. Soc.* 110, 5166-5171.
105. Petrovic, N., Grove, C., Langton, P. E., Misso, N. L. & Thompson, P. J. (2001). A simple assay for a human serum phospholipase A2 that is associated with high-density lipoproteins. *J Lipid Res* 42, 1706-13.
106. Cho, W. & Kézdy, F. J. (1991). Chromogenic substrates and assay of phospholipases A2. *Methods Enzymol* 197, 75-9.
107. Holzer, M. & Mackessy, S. P. (1996). An aqueous endpoint assay of snake venom phospholipase A2. *Toxicon* 34, 1149-55.
108. Tomasselli, A. G., Hui, J., Fisher, J., Zurcher-Neely, H., Reardon, I. M., Oriaku, E., Kézdy, F. J. & Henrikson, R. L. (1989). Dimerization and activation of porcine pancreatic phospholipase A2 via substrate level acylation of lysine 56. *J Biol Chem* 264, 10041-7.
109. Matulis, D. & Lovrien, R. (1998). 1-Anilino-8-naphthalene sulfonate anion-protein binding depends primarily on ion pair formation. *Biophys J* 74, 422-9.
110. Daniel, E. & Weber, G. (1966). Cooperative effects in binding by bovine serum albumin. I. The binding of 1-anilino-8-naphthalenesulfonate. Fluorimetric titrations. *Biochemistry* 5, 1893-900.
111. Ory, J. J. & Banaszak, L. J. (1999). Studies of the ligand binding reaction of adipocyte lipid binding protein using the fluorescent probe 1, 8-anilino-naphthalene-8-sulfonate. *Biophys J* 77, 1107-16.
112. Schoeffler, A. J., Ruiz, C. R., Joubert, A. M., Yang, X. & LiCata, V. J. (2003). Salt modulates the stability and lipid binding affinity of the adipocyte lipid-binding proteins. *J Biol Chem* 278, 33268-75.
113. Collini, M., D'Alfonso, L., Molinari, H., Ragona, L., Catalano, M. & Baldini, G. (2003). Competitive binding of fatty acids and the fluorescent probe 1-8-anilino-naphthalene sulfonate to bovine beta-lactoglobulin. *Protein Sci* 12, 1596-603.

114. Johnson, J. D., El-Bayoumi, M. A., Weber, L. D. & Tulinsky, A. (1979). Interaction of alpha-chymotrypsin with the fluorescent probe 1-anilino-naphthalene-8-sulfonate in solution. *Biochemistry* 18, 1292-6.
115. Collini, M., D'Alfonso, L. & Baldini, G. (2000). New insight on beta-lactoglobulin binding sites by 1-anilino-naphthalene-8-sulfonate fluorescence decay. *Protein Sci* 9, 1968-74.
116. Bismuto, E., Sirangelo, I., Irace, G. & Gratton, E. (1996). Pressure-induced perturbation of apomyoglobin structure: fluorescence studies on native and acidic compact forms. *Biochemistry* 35, 1173-8.
117. Sirangelo, I., Tavassi, S., Martelli, P. L., Casadio, R. & Irace, G. (2000). The effect of tryptophanyl substitution on folding and structure of myoglobin. *Eur J Biochem* 267, 3937-45.
118. Sirangelo, I., Bismuto, E. & Irace, G. (1994). Solvent and thermal denaturation of the acidic compact state of apomyoglobin. *FEBS Lett* 338, 11-5.
119. Ptitsyn, O. B., Pain, R. H., Semisotnov, G. V., Zerovnik, E. & Razgulyaev, O. I. (1990). Evidence for a molten globule state as a general intermediate in protein folding. *FEBS Lett* 262, 20-4.
120. Ptitsyn, O. B. (1995). Molten globule and protein folding. *Adv Protein Chem* 47, 83-229.
121. Bhattacharjee, C. & Das, K. P. (2000). Thermal unfolding and refolding of beta-lactoglobulin. An intrinsic and extrinsic fluorescence study. *Eur J Biochem* 267, 3957-64.
122. Golbik, R., Zahn, R., Harding, S. E. & Fersht, A. R. (1998). Thermodynamic stability and folding of GroEL minichaperones. *J Mol Biol* 276, 505-15.
123. Engelhard, M. & Evans, P. A. (1995). Kinetics of interaction of partially folded proteins with a hydrophobic dye: evidence that molten globule character is maximal in early folding intermediates. *Protein Sci* 4, 1553-62.
124. Matulis, D., Baumann, C. G., Bloomfield, V. A. & Lovrien, R. E. (1999). 1-anilino-8-naphthalene sulfonate as a protein conformational tightening agent. *Biopolymers* 49, 451-8.
125. Uversky, V. N., Winter, S. & Lober, G. (1998). Self-association of 8-anilino-1-naphthalene-sulfonate molecules: spectroscopic characterization and application to the investigation of protein folding. *Biochim Biophys Acta* 1388, 133-42.
126. van Eijk, J. H., Verheij, H. M. & de Haas, G. H. (1984). Interaction of native and modified Naja melanoleuca phospholipases A2 with the fluorescent probe 8-anilino-naphthalene-1-sulfonate. *Eur J Biochem* 140, 407-13.
127. Chang, L. S., Wen, E. Y., Hung, J. J. & Chang, C. C. (1994). Energy transfer from tryptophan residues of proteins to 8-anilino-naphthalene-1-sulfonate. *J Protein Chem* 13, 635-40.
128. Chang, L. S., Wen, E. Y. & Chang, C. C. (1996). The structural elements of phospholipase A2 affecting the enhancement of 8-anilino-naphthalene-1-sulfonate fluorescence. *Biochem Mol Biol Int* 38, 617-23.
129. Chang, L. S., Chou, L., Lin, S. R. & Chang, C. C. (1996). The interaction of 8-anilino-naphthalene-1-sulfonate with His-47 of Taiwan cobra phospholipase A2 perturbing by the binding of calcium ion. *Biochem Mol Biol Int* 39, 335-42.
130. Chang, L. S., Wen, E. Y. & Chang, C. C. (1996). The essentiality of His-47 and the N-terminal region for the binding of 8-anilino-naphthalene-1-sulfonate with Taiwan cobra phospholipase A2. *J Protein Chem* 15, 255-60.
131. Abita, J. P., Lazdunski, M., Bensen, P. P., Pieterse, W. A. & de Haas, G. H. (1972). Zymogen-enzyme transformations. On the mechanism of activation of pro-phospholipase A. *Eur J Biochem* 30, 37-47.
132. Dupureur, C. M. L., Yishan, Tsai, Ming-Daw. (1992). Phospholipase A₂ Engineering. 6. Single Amino Acid Substitutions of Active Site Residues Convert the Rigid Enzyme to Highly Flexible Conformational States. *J. Am. Chem. Soc.* 114, 2748-2749.
133. Singh, R. R. & Chang, J. Y. (2004). Investigating conformational stability of bovine pancreatic phospholipase A2: a novel concept in evaluating the contribution of the 'native-framework' of disulphides to the global conformational stability of proteins. *Biochem J* 377, 685-92.
134. Zhu, H., Dupureur, C. M., Zhang, X. & Tsai, M. D. (1995). Phospholipase A2 engineering. The roles of disulfide bonds in structure, conformational stability, and catalytic function. *Biochemistry* 34, 15307-14.
135. Nieuwenhuizen, W., Kunze, H. & de Haas, G. H. (1974). Phospholipase A2 (phosphatide acylhydrolase, EC 3.1.1.4) from porcine pancreas. *Methods Enzymol* 32, 147-54.

136. Nozaki, Y. (1972). The preparation of guanidine hydrochloride. *Methods Enzymol* 26 PtC, 43-50.
137. Motono, C., Yamagishi, A. & Oshima, T. (1999). Urea-induced unfolding and conformational stability of 3-isopropylmalate dehydrogenase from the Thermophile thermus thermophilus and its mesophilic counterpart from Escherichia coli. *Biochemistry* 38, 1332-7.
138. Arnold, U. & Ulbrich-Hofmann, R. (1999). Quantitative protein precipitation from guanidine hydrochloride-containing solutions by sodium deoxycholate/trichloroacetic acid. *Anal Biochem* 271, 197-9.
139. Marion, D. & Wuthrich, K. (1983). Application of phase sensitive two-dimensional correlated spectroscopy (COSY) for measurements of ¹H-¹H spin-spin coupling constants in proteins. *Biochem Biophys Res Commun* 113, 967-74.
140. Bax, A. D., Donald G. (1985). MLEV-17-based two-dimensional homonuclear magnetization transfer spectroscopy. *Journal of Magnetic Resonance* 65, 355-360.
141. Aue, W. P. B., Ernst, R. R. (1976). Two-dimensional spectroscopy. Application to nuclear magnetic resonance. *The Journal of Chemical Physics* 64, 2229-2246.
142. Piotto, M., Saudek, V. & Sklenar, V. (1992). Gradient-tailored excitation for single-quantum NMR spectroscopy of aqueous solutions. *J Biomol NMR* 2, 661-5.
143. Chang, L. S., Lin, S. R. & Chang, C. C. (1996). The essentiality of calcium ion in the enzymatic activity of Taiwan cobra phospholipase A2. *J Protein Chem* 15, 701-7.
144. Blouin, C., Guillemette, J. G. & Wallace, C. J. (2001). Resolving the individual components of a pH-induced conformational change. *Biophys J* 81, 2331-8.
145. van Scharrenburg, G. J., Jansen, E. H., Egmond, M. R., de Haas, G. H. & Slotboom, A. J. (1984). Structural importance of the amino-terminal residue of pancreatic phospholipase A2. *Biochemistry* 23, 6285-94.
146. Woody, R. W. (1994). Contributions of tryptophan side chains to the far-ultraviolet circular dichroism of proteins. *Eur Biophys J* 23, 253-62.
147. Fasman, G. D. e. (1996). Circular Dichroism and the Conformational Analysis of Biomolecules. *New York, Plenum Press*.
148. van den Berg, B., Tessari, M., de Haas, G. H., Verheij, H. M., Boelens, R. & Kaptein, R. (1995). Solution structure of porcine pancreatic phospholipase A2. *Embo J* 14, 4123-31.
149. van den Berg, B., Tessari, M., Boelens, R., Dijkman, R., Kaptein, R., de Haas, G. H. & Verheij, H. M. (1995). Solution structure of porcine pancreatic phospholipase A2 complexed with micelles and a competitive inhibitor. *J Biomol NMR* 5, 110-21.
150. Qin, S., Pande, A. H., Nemeč, K. N. & Tatulian, S. A. (2004). The N-terminal alpha-helix of pancreatic phospholipase A2 determines productive-mode orientation of the enzyme at the membrane surface. *J Mol Biol* 344, 71-89.
151. Qin, S., Pande, A. H., Nemeč, K. N., He, X. & Tatulian, S. A. (2005). Evidence for the regulatory role of the N-terminal helix of secretory phospholipase A(2) from studies on native and chimeric proteins. *J Biol Chem* 280, 36773-83.
152. Holtzer, M. E. & Holtzer, A. (1992). Alpha-helix to random coil transitions: determination of peptide concentration from the CD at the isodichroic point. *Biopolymers* 32, 1675-7.
153. Mo, J. M., Holtzer, M. E. & Holtzer, A. (1990). The thermal denaturation of nonpolymerizable alpha alpha-tropomyosin and its segments as a function of ionic strength. *Biopolymers* 30, 921-7.
154. Wallimann, P., Kennedy, R. J., Miller, J. S., Shalongo, W. & Kemp, D. S. (2003). Dual wavelength parametric test of two-state models for circular dichroism spectra of helical polypeptides: anomalous dichroic properties of alanine-rich peptides. *J Am Chem Soc* 125, 1203-20.
155. Schendel, S. L. & Cramer, W. A. (1994). On the nature of the unfolded intermediate in the in vitro transition of the colicin E1 channel domain from the aqueous to the membrane phase. *Protein Sci* 3, 2272-9.
156. van Dam-Mieras, M. C., Slotboom, A. J., Pieterse, W. A. & de Haas, G. H. (1975). The interaction of phospholipase A2 with micellar interfaces. The role of the N-terminal region. *Biochemistry* 14, 5387-94.
157. Aguiar, A., De Haas, G. H., Jansen, E. H., Slotboom, A. J. & Williams, R. J. (1979). Proton-nuclear-magnetic-resonance/pH-titration studies of the histidines of pancreatic phospholipase A2. *Eur J Biochem* 100, 511-8.

158. Fisher, J., Primrose, W. U., Roberts, G. C., Dekker, N., Boelens, R., Kaptein, R. & Slotboom, A. J. (1989). ¹H NMR studies of bovine and porcine phospholipase A2: assignment of aromatic resonances and evidence for a conformational equilibrium in solution. *Biochemistry* 28, 5939-46.
159. Dekker, N., Peters, A. R., Slotboom, A. J., Boelens, R., Kaptein, R. & de Haas, G. (1991). Porcine pancreatic phospholipase A2: sequence-specific ¹H and ¹⁵N NMR assignments and secondary structure. *Biochemistry* 30, 3135-46.
160. Liu, X., Zhu, H., Huang, B., Rogers, J., Yu, B. Z., Kumar, A., Jain, M. K., Sundaralingam, M. & Tsai, M. D. (1995). Phospholipase A2 engineering. Probing the structural and functional roles of N-terminal residues with site-directed mutagenesis, X-ray, and NMR. *Biochemistry* 34, 7322-34.
161. van Oort, M. G., Dijkman, R., Hille, J. D. & de Haas, G. H. (1985). Kinetic behavior of porcine pancreatic phospholipase A2 on zwitterionic and negatively charged double-chain substrates. *Biochemistry* 24, 7993-9.
162. de Haas, G. H., van Scharrenburg, G. J. & Slotboom, A. J. (1987). Interaction of pancreatic phospholipases A2 and semisynthetic mutants with anionic substrates and substrate analogues. *Biochemistry* 26, 3402-8.
163. Donne-Op den Kelder, G. M., Hille, J. D., Dijkman, R., de Haas, G. H. & Egmond, M. R. (1981). Binding of porcine pancreatic phospholipase A2 to various micellar substrate analogues. Involvement of histidine-48 and aspartic acid-49 in the binding process. *Biochemistry* 20, 4074-8.
164. Durrschmidt, P., Mansfeld, J. & Ulbrich-Hofmann, R. (2001). Differentiation between conformational and autoproteolytic stability of the neutral protease from *Bacillus stearothermophilus* containing an engineered disulfide bond. *Eur J Biochem* 268, 3612-8.
165. Yang, H. J. & Tsou, C. L. (1995). Inactivation during denaturation of ribonuclease A by guanidinium chloride is accompanied by unfolding at the active site. *Biochem J* 305 (Pt 2), 379-84.
166. Köditz, J., Ulbrich-Hofmann, R. & Arnold, U. (2004). Probing the unfolding region of ribonuclease A by site-directed mutagenesis. *Eur J Biochem* 271, 4147-56.
167. Bärlocher, F. (1998). Biostatistik Praktische Einführung in Konzepte und Methoden. *Thieme, Stuttgart*.
168. Pfeil, W. (1998). Protein Stability and Folding. *Springer, Berlin*.
169. Spudich, G. & Marqusee, S. (2000). A change in the apparent m value reveals a populated intermediate under equilibrium conditions in *Escherichia coli* ribonuclease HI. *Biochemistry* 39, 11677-83.
170. Soulages, J. L. (1998). Chemical denaturation: potential impact of undetected intermediates in the free energy of unfolding and m-values obtained from a two-state assumption. *Biophys J* 75, 484-92.
171. Shortle, D. (1995). Staphylococcal nuclease: a showcase of m-value effects. *Adv Protein Chem* 46, 217-47.
172. Staniforth, R. A., Burston, S. G., Smith, C. J., Jackson, G. S., Badcoe, I. G., Atkinson, T., Holbrook, J. J. & Clarke, A. R. (1993). The energetics and cooperativity of protein folding: a simple experimental analysis based upon the solvation of internal residues. *Biochemistry* 32, 3842-51.
173. Parker, M. J., Spencer, J. & Clarke, A. R. (1995). An integrated kinetic analysis of intermediates and transition states in protein folding reactions. *J Mol Biol* 253, 771-86.
174. Cota, E. & Clarke, J. (2000). Folding of beta-sandwich proteins: three-state transition of a fibronectin type III module. *Protein Sci* 9, 112-20.
175. Arnold, U. & Ulbrich-Hofmann, R. (1997). Kinetic and thermodynamic thermal stabilities of ribonuclease A and ribonuclease B. *Biochemistry* 36, 2166-72.
176. Arnold, U., Schierhorn, A. & Ulbrich-Hofmann, R. (1998). Influence of the carbohydrate moiety on the proteolytic cleavage sites in ribonuclease B. *J Protein Chem* 17, 397-405.
177. Arnold, U., Schulenburg, C., Schmidt, D. & Ulbrich-Hofmann, R. (2006). Contribution of structural peculiarities of onconase to its high stability and folding kinetics. *Biochemistry* 45, 3580-7.
178. Schellenberger, A. & Ulbrich, R. (1989). Protein stabilization by blocking the native unfolding nucleus. *Biomed Biochim Acta* 48, 63-7.
179. Mansfeld, J., Vriend, G., Van den Burg, B., Eijssink, V. G. & Ulbrich-Hofmann, R. (1999). Probing the unfolding region in a thermolysin-like protease by site-specific immobilization. *Biochemistry* 38, 8240-5.

180. Golbik, R., Fischer, G. & Fersht, A. R. (1999). Folding of barstar C40A/C82A/P27A and catalysis of the peptidyl-prolyl cis/trans isomerization by human cytosolic cyclophilin (Cyp18). *Protein Sci* 8, 1505-14.
181. Finke, J. M. & Jennings, P. A. (2002). Interleukin-1 beta folding between pH 5 and 7: experimental evidence for three-state folding behavior and robust transition state positions late in folding. *Biochemistry* 41, 15056-67.
182. Barnett, A. J., Rawlings, N. D., Woessner, J. F. & (ed.). (2004). Handbook of Proteolytic Enzymes. *Elsevier Academic Press München*.