

References

- Adeola, O., D. Ragland and D. King (1997). "Feeding and excreta collection techniques in metabolizable energy assays for ducks." *Poultry Science* 76: 728-732.
- Albin, D. M., J. E. Wubben, M. R. Smiricky and V. M. Gabert (2001). "The effect of feed intake on ileal rate of passage and apparent amino acid digestibility determined with or without correction factors in pigs." *Journal of Animal Science* 79: 1250-1258.
- Amornthewaphat, N., S. Lerdsuwan and S. Attamangkune (2005). "Effect of extrusion of corn on nutrient digestibility, metabolizable energy and performance in poultry under tropical environment." *Proceedings of European Symposium on Poultry Nutrition, Hungary, World's Poultry Science Association* 15: 580-582.
- Angkanaporn, K., V. Ravindran and W. L. Bryden (1997a). "Influence of caecectomy and dietary protein concentration on apparent excreta amino acid digestibility in adult cockerels." *British Poultry Science* 38: 270-276.
- Angkanaporn, K., V. Ravindran, Y. Mollah and W. L. Bryden (1997b). "Evaluation of homoarginine as a marker for the determination of endogenous amino acid concentrations in poultry excreta." *British Poultry Science* 38: 577-585.
- Apajalahti, J., A. Kettunen and H. Graham (2004). "Characteristics of the gastrointestinal microbial communities, with special reference to the chicken." *World's Poultry Science Journal* 60: 223-233.
- Batal, A. B. and C. M. Parsons (2002a). "Effects of age on nutrient digestibility in chicks fed different diets." *Poultry Science* 81: 400-407.
- Batal, A. B. and C. M. Parsons (2002b). "Effect of fasting versus feeding oasis after hatching on nutrient utilization in chicks." *Poultry Science* 81: 853-859.
- Brandt, M. and S. M. Allam (1987). "Analytik von TiO_2 im Darminhalt und Kot nach Kjeldahlaufschluß." *Archives of Animal Nutrition* 37: 453-454.
- Butts, C. A., K. A. C. James, J. P. Koolaard, C. L. Booth, H. E. Donaldson, M. F. Scott and P. J. Moughan (2002). "The effect of digesta sampling time

- and dietary protein source on ileal nitrogen digestibility for the growing rat." *Journal of the Science of Food and Agriculture* 82: 343-350.
- Butts, C. A., P. J. Moughan, W. C. Smith, G. W. Reynolds and D. J. Garrick (1993). "The effect of food dry matter intake on endogenous ileal amino acid excretion determined under peptide alimentation in the 50 kg live weight pig." *Journal of the Science of Food and Agriculture* 62: 235-243.
- Campbell, L. and A. Golian (2004). "The novus immobilized digestive enzyme assay (IDEA), a new way to determine amino acid digestibility of poultry feedstuffs." Canada, Farmers' Independent Weekly Digital Journal of Manitoba University. January 15.
- Clarke, E. and J. Wiseman (2005). "Effects of variability in trypsin inhibitor content of soya bean meals on true and apparent ileal digestibility of amino acids and pancreas size in broiler chicks." *Animal Feed Science and Technology* 121: 125-138.
- Cowieson, A. J., T. Acamovic and M. R. Bedford (2004). "The effects of phytase and phytic acid on the loss of endogenous amino acids and minerals from broiler chickens." *British Poultry Science* 45: 101-108.
- Dalibard, P. and E. Paillard (1995). "Use of the digestible amino acid concept in formulating diets for poultry." *Animal Feed Science and Technology* 53: 189-204.
- Dänicke, S., W. Böttcher, H. Jeroch, J. Thielebein and O. Simon (2000). "Replacement of soybean oil with tallow in rye-based diets without xylanase increases protein synthesis in small intestine of broilers." *Journal of Nutrition* 130: 827-834.
- Donkoh, A. and P. J. Moughan (1994). "The effect of dietary crude protein content on apparent and true ileal nitrogen and amino acid digestibilities." *British Journal of Nutrition* 72: 59-68.
- Donkoh, A. and P. J. Moughan (1999). "Endogenous ileal nitrogen and amino acid flows in the growing pig receiving a protein-free diet and diets containing enzymically hydrolysed casein or graded levels of meat and bone meal." *Animal Science* 68: 511-518.
- Douglas, M. W., M. L. Johnson and C. M. Parsons (1997). "Evaluation of protein and energy quality of rendered spent hen meals." *Poultry Science* 76: 1387-1391.

- Douglas, M. W. and C. M. Parsons (1999). "Dietary formulation with rendered spent hen meals on a total amino acid versus a digestible amino acid basis." *Poultry Science* 78: 556-560.
- Dowling, L. F., C. Arndt and B. R. Hamaker (2002). "Economic viability of high digestibility Sorghum as feed for market broilers." *Agronomy Journal* 94: 1050-1058.
- Fan, M. Z. (1994). "Methodological considerations for the determination of amino acid digestibility in pigs, PhD dissertation, University of Alberta, Edmonton, Alberta, Canada, in: D'Mello, J.P.F. (Ed) *Farm Animal Metabolism and Nutrition*." Wallingford, CAB International. Page: 280.
- Fan, M. Z. and W. C. Sauer (1995). "Determination of apparent ileal amino acid digestibility in barley and canola meal for pigs with the direct, difference, and regression methods." *Journal of Animal Science* 73: 2364-2374.
- Fan, M. Z. and W. C. Sauer (1997). "Determination of true ileal amino acid digestibility in feedstuffs for pigs with the linear relationships between distal ileal outputs and dietary inputs of amino acids." *Journal of the Science of Food and Agriculture* 73: 189-199.
- Fan, M. Z. and W. C. Sauer (2002). "Determination of true ileal amino acid digestibility and the endogenous amino acid outputs associated with barley samples for growing-finishing pigs by regression analysis technique." *Journal of Animal Science* 80: 1593-1605.
- Fan, M. Z. and W. C. Sauer (2003). "Determination availability of apparent ileal amino acid digestibility values in barley samples for growing-finishing pigs with dual digestibility markers." *Journal of Animal and Feed Sciences* 12: 785-802.
- Fastinger, N. D. and D. C. Mahan (2003). "Effect of soybean meal particle size on amino acid and energy digestibility in grower-finisher swine." *Journal of Animal Science* 81: 697-704.
- Fatufe, A. A., F. Hirche and M. Rodehutschord (2005). "Estimation of individual factors of the tryptophan requirement based on protein and tryptophan accretion response to increasing tryptophan supply in chickens 8-21 days of age." *Archives of Animal Nutrition* 59: 181-190.

- Fernández-Fígares, I., R. Nieto, J. F. Aguilera and C. Prieto (1996). "The use of the excretion of nitrogen compounds as an indirect index of the adequacy of dietary protein in chickens." *Animal Science* 63: 307-314.
- Furuya, S. and Y. Kaji (1992). "The effects of feed intake and purified cellulose on the endogenous ileal amino acid flow in growing pigs." *British Journal of Nutrition* 68: 463-472.
- Gauthier, R. (2005). "Organic acids and essential oils, a realistic alternative to antibiotic growth promoters in pig and poultry." *Proceedings of Philippine Society of Animal Nutritionists* 18: 1-9.
- Green, S. (1988). "Effect of dietary fibre and caecectomy on the excretion of endogenous amino acids from adult cockerels." *British Poultry Science* 29: 419-429.
- Green, S., S. L. Bertrand, M. J. Duron and R. Maillard (1987). "Digestibilities of amino acids in maize, wheat and barley meals, determined with intact and caecectomised cockerels." *British Poultry Science* 28: 631-641.
- Gurnsey, M. P. and K. A. C. James (1985). "An improved method of ileal cannulation of adult cockerels." *Research in Veterinary Science* 39: 390-391.
- Hess, V. and B. Seve (1999). "Effects of body weight and feed intake level on basal ileal endogenous losses in growing pigs." *Journal of Animal Science* 77: 3281-3288.
- Hew, L. I., V. Ravindran, G. Ravindran, P. H. Pittolo and W. L. Bryden (1999). "The apparent metabolisable energy and amino acid digestibility of wheat, triticale and wheat middling for broiler chickens as affected by exogenous xylanase supplementation." *Journal of the Science of Food and Agriculture* 79: 1727-1732.
- Huang, K., X. Li, V. Ravindran and W. L. Bryden (2000). "Ileal protein digestibility of selected feedstuffs determined with adult cockerels, layers and broilers." *Proceedings of the 9th Congress of Asian-Australian Association of Animal Production* 13:137.
- Huang, K. H., V. Ravindran, X. Li and W. L. Bryden (2005). "Influence of age on the apparent ileal amino acid digestibility of feed ingredients for broiler chickens." *British Poultry Science* 46: 236-245.

- Ishibashi, T. and C. Yonemochi (2002). "Possibility of amino acid nutrition in broiler." *Animal Science Journal* 73: 155-165.
- Ishibashi, T. and C. Yonemochi (2003). "Amino acid nutrition in egg production industry." *Animal Science Journal* 74: 457-469.
- Jagger, S., J. Wiseman, D. J. A. Cole and J. Craigon (1992). "Evaluation of inert markers for the determination of ileal and faecal apparent digestibility values in the pig." *British Journal of Nutrition* 68: 729-739.
- James, K. A. C., C. A. Butts, J. P. Koolaard, H. E. Donaldson, M. F. Scott and P. J. Moughan (2002). "The effect of feeding regimen on apparent and true ileal nitrogen digestibility for rats fed diets containing different sources of protein." *Journal of the Science of Food and Agriculture* 82: 1050-1060.
- Jansman, A. J. M., W. Smink, P. van Leeuwen and M. Rademacher (2002). "Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs." *Animal Feed Science and Technology* 98: 49-60.
- Jirjis, F. F., P. E. Waibel and G. E. Duke (1997). "Effect of dietary protein, methionine and lysine on urinary amino acid excretion in turkeys." *British Journal of Nutrition* 38: 518-523.
- Johns, D. C., C. K. Low and K. A. James (1986a). "Comparison of amino acid digestibility using the ileal digesta from growing chickens and cannulated adult cockerels." *British Poultry Science* 27: 679-685.
- Johns, D. C., C. K. Low, J. R. Sedcole and K. A. James (1986b). "Determination of amino acid digestibility using caectomised and intact adult cockerels." *British Poultry Science* 27: 451-461.
- Johnson, R. J. (1992). "Principles, problems and application of amino acid digestibility in poultry." *World's Poultry Science Journal* 48: 132-246.
- Kadim, I. T. and P. J. Moughan (1997a). "Development of an ileal amino acid digestibility assay for the growing chicken-effects of time after feeding and site of sampling." *British Poultry Science* 38: 89-95.
- Kadim, I. T. and P. J. Moughan (1997b). "Ileal AA digestibility assay for growing meat chicken-effect of the imposition of fasting period and the nature of the test diet." *British Poultry Science* 38: 285-290.
- Kadim, I. T., P. J. Moughan and V. Ravindran (2002). "Ileal amino acid digestibility assay for the growing meat chicken - comparison of ileal and

- excreta amino acid digestibility in the chicken." *British Poultry Science* 44: 588-597.
- Karasawa, Y., J. H. Son and K. Koh (1997). "Ligation of caeca improves nitrogen utilisation and decreases urinary uric acid excretion in chickens fed on a low protein diet plus urea." *British Poultry Science* 38: 449-441.
- King, D., M. Z. Fan, G. Ejeta, E. K. Asem and O. Adeola (2000). "The effects of tannins on nutrient utilisation in the white pekin duck." *British Poultry Science* 41: 630-639.
- Kluth, H., M. Mantei, C. Elwert and M. Rodehutschord (2005a). "Variation in precaecal amino acid and energy digestibility between pea (*Pisum sativum*) cultivars determined using a linear regression approach." *British Poultry Science* 46: 325-332.
- Kluth, H., K. Mehlhorn and M. Rodehutschord (2005b). "Studies on the intestine section to be sampled in broiler studies on precaecal amino acid digestibility." *Archives of Animal Nutrition* 59:271-279.
- Kluth, H. and M. Rodehutschord (2006). "Comparison of amino acid digestibility in broiler chickens, turkeys, and Pekin ducks." *Poultry Science* 85: 1953-1960.
- Knarreborg, A., M. A. Simon, R. M. Engberg, B. B. Jensen and G. W. Tannock (2002). "Effects of dietary fat source and sub therapeutic levels of antibiotic on the bacterial community in the ileum of broiler chickens at various ages." *Applied and Environmental Microbiology* 68: 5918-5924.
- Lap-Im, H., V. Ravindran, G. Ravindran, P. Pittolo and W. L. Bryden (1999). "The apparent metabolisable energy and amino acid digestibility of wheat, triticale and wheat middlings for broiler chickens as affected by exogenous xylanase supplementation." *Journal of the Science of Food and Agriculture* 79: 1727-1732.
- Leeuwen, P. V., L. Babinszky, M. W. A. Verstegen and J. Tossenberger (2000). "A procedure for ileostomisation of adult roosters to determine apparent ileal digestibility of protein and amino acids of diets: Comparison of six diets in roosters and growing pigs." *Livestock Production Science* 67: 101-111.

- Lemme, A., V. Ravindran and W. L. Bryden (2004). "Ileal digestibility of amino acids in feed ingredients for broilers." *World's Poultry Science Journal* 60: 423-435.
- Li, S. and W. C. Sauer (1994). "The effect of dietary fat content on amino acid digestibility in young pigs." *Journal of Animal Science* 72: 1737-1743.
- Low, A. G. (1982). "Digestibility and availability of amino acids from feedstuffs for pigs." *Livestock Production Science* 9: 511-520.
- Mitchell, H. H. and M. H. Bert (1954). "The determination of metabolic fecal nitrogen." *Journal of Nutrition* 52: 483-497.
- Moter, V. and H. H. Stein (2004). "Effect of feed intake on endogenous losses and amino acid and energy digestibility by growing pigs." *Journal of Animal Science* 82: 3518-3525.
- National Research Council (1994). "Nutrition Requirement of Poultry, Ninth Revised Edition." Washington DC, National Academy Press.
- Naumann, C. and R. Bassler (1976). "VDLUFA-Methodenbuch, Vol. III. Die chemische Untersuchung von Futtermitteln." Loose leaflet collection with supplements from 1983, 1988, 1993, and 1997, Darmstadt, VDLUFA-Verlag.
- Norberg, S. E., R. N. Dilger, H. Dong, B. G. Harmon, O. Adeola and M. A. Latour (2004). "Utilization of energy and amino acids of spray-dried egg, plasma protein, and soybean meal by ducks." *Poultry Science* 83: 939-945.
- Obst, B. S. and J. M. Diamond (1989). "Interspecific variation in sugar and amino acid transport by the avian cecum." *The Journal of Experimental Zoology Supplement* 3: 117-126.
- Ogle, B., J. E. Lindberg and K. Borin (2002). "Methods and techniques for the determination of amino acid digestibility: A review." *Livestock Research for Rural Development* 14: 1-13.
- Palander, S., M. Näsi and E. Valkonen (2004a). "Effect of age of growing turkeys on nutrient digestibility and energy value of cereal-soybean-based diets." *Archives of Animal Nutrition* 59: 139-147.
- Palander, S., M. Näsi and I. Ala-Fossi (2004b). "Rapeseed and soybean products as protein sources for growing turkeys of different ages." *British Poultry Science* 45: 664-671.

- Papesova, L., P. Tupy and A. Fucikova (2005). "Effect of dietary amino acids on the production of broilers." Proceedings of European Symposium on Poultry Nutrition, Hungary, World's Poultry Science Association 15:612-614
- Parsons, C. M., L. M. Potter and R. D. Brown (1983). "Effect of dietary carbohydrate and intestinal micro flora on excretion of endogenous amino acid by poultry." Poultry Science 62: 483-489.
- Parsons, C. M. (1984). "Influence of caecectomy and source of dietary fibre or starch on excretion of endogenous amino acids by laying hens." British Journal of Nutrition 51: 541-548.
- Parsons, C. M. (1986). "Determination of digestible and available amino acids in meat meal using conventional and caecectomized cockerels or chick growth assays." British Journal of Nutrition 56: 227-240.
- Parsons, C. M., F. Castanon and Y. Han (1997). "Protein and amino acid quality of meat and bone meal." Poultry Science 79: 361-368.
- Perez-Maldonado, R. A., P. F. Mannion and D. J. Farrell (2003). "Effects of heat treatment on the nutritional value of raw soybean selected for low trypsin inhibitor activity." British Poultry Science 44: 299-308.
- Perttilä, S., J. Valaja, K. Partanen, T. Jalava, T. Kiiskinen and S. Palander (2001a). "Effects of preservation method and β -glucanase supplementation on ileal amino acid digestibility and feeding value of barley for poultry." British Poultry Science 42: 218-229.
- Perttilä, S., J. Valaja, K. Partanen and T. Jalava (2001b). "Effect of volume-weight on apparent ileal and excreta amino acid digestibility and feeding value of barley for poultry." Journal of Animal and Feed Sciences 10: 671-685.
- Prawirodigdo, S., N. J. Gannon, R. J. V. Barneveld, D. J. Kerton, B. J. Leury and F. R. Dunshea (1998). "Assessment of apparent ileal digestibility of amino acids and nitrogen in cottonseed and soyabean meals fed to pigs determined using ileal dissection under halothane anaesthesia or following carbon dioxide-stunning." British Journal of Nutrition 80: 183-19.
- Ragland, D., C. R. Thomas, R. G. Elkin, D. J. Shafer and O. Adeola (1999). "The influence of caecectomy on metabolizable energy and amino acid

- digestibility of select feedstuffs for white pekin ducks." *Poultry Science* 78: 707-713.
- Raharjo, Y. and D. J. Farrel (1984). "A new biological method for determining amino acid digestibility in poultry feedstuffs using a simple cannula, and the influence of dietary fibre on endogenous amino acid output." *Animal Feed Science and Technology* 12: 29-45.
- Ravindran, V. and W. L. Bryden (1999). "Amino acid availability in poultry-in vitro and in vivo measurements." *Australian Journal of Agricultural Research* 50: 889-908.
- Ravindran, V. and W. H. Hendriks (2004a). "Endogenous amino acid flows at the terminal ileum of broilers, layers and adult roosters." *Animal Science* 79: 265-271.
- Ravindran, V. and W. H. Hendriks (2004b). "Recovery and composition of endogenous protein collected at the terminal ileum as influenced by the age of broiler chickens." *Australian Journal of Agricultural Research* 55: 705-709.
- Ravindran, V., L. I. Hew and W. L. Bryden (1998). "Influence of guanidination on apparent ileal amino acid digestibility in some protein sources for broilers." *Poultry Science* 77: 873-877.
- Ravindran, V., L. I. Hew, G. Ravindran and W. L. Bryden (1999). "A comparison of ileal digesta and excreta analysis for the determination of amino acid digestibility in food ingredients for poultry." *British Poultry Science* 40: 266-274.
- Ravindran, V., L. I. Hew, G. Ravindran and W. L. Bryden (2004). "Endogenous amino acid flow in the avian ileum: quantification using three techniques." *British Journal of Nutrition* 92: 217-223.
- Ravindran, V., P. H. Selle, G. Ravindran, P. C. H. Morel, A. K. Kies and W. L. Bryden (2001). "Microbial phytase improves performance, apparent metabolizable energy, and ileal amino acid digestibility of broilers fed a lysine-deficient diet." *Poultry Science* 80: 338-344.
- Rodehutschord, M., M. Kapocius, R. Timmler and A. Dieckmann (2004). "Linear regression approach to study amino acid digestibility in broiler chickens." *British Poultry Science* 45: 85-92.

- Rodehutsord, M. and R. Mosenthin (2005). "Precaecal digestibility in feedstuff evaluation for poultry and pigs." *Proceedings of the Society of Nutrition Physiology* 14: 174-177.
- Rutherford, S. M., P. J. Moughan and T. K. Chung (2002). "The effect of microbial phytase on ileal phosphorus and amino acid digestibility in the broiler chicken." *British Poultry Science* 43: 598-606.
- Sauer, W. C., M. Z. Fan, R. Mosenthin and W. Drochner (2000). "Methods for measuring ileal amino acid digestibility in pigs, in: D'Mello, J.P.F. (Ed) *Farm Animal Metabolism and Nutrition*." Wallingford, CAB International. Pages: 279-306.
- Sebastian, S., S. P. Touchburn, E. R. Chavez and P. C. Lague (1997). "Apparent digestibility of protein and amino acids in broiler chickens fed a corn-soybean diet supplemented with microbial phytase." *Poultry Science* 76: 1760-1769.
- Short, F. J., J. Wiseman and K. N. Boorman (1999). "Application of a method to determine ileal digestibility in broilers of amino acids in wheat." *Animal Feed Science and Technology* 79: 195-209.
- Short, F. J., J. Wiseman and K. N. Boorman (2000). "The effect of the 1B/1R translocation and endosperm texture on amino acid digestibility in near-isogenic lines of wheat for broilers." *Journal of Agricultural Science* 134: 69-76.
- Simon, A. (2004). "Praecaecal amino acid digestibility of field beans in broilers." *Proceedings of the Society of Nutrition Physiology* 13: 80.
- Singh, D. N., P. C. Trappet, T. Nagle and R. Perez-Maldonado (2005). "Energy and amino acid digestibilities of pearl millet hybrids when fed to broilers." *Australian Poultry Science Symposium* 17: 197-198.
- Siriwan, P., Bryden, W.L., Mollah, Y. and Annison, E.F. (1993). "Measurement of endogenous AA losses in poultry." *British Poultry Science* 34: 939-949.
- Sohn, K. S., C. V. Maxwell, D. S. Buchanan and L. L. Southern (1994). "Improved soybean protein sources for early-weaned pigs: I. Effects on performance and total tract amino acid digestibility." *Journal of Animal Science* 72: 622-630.

- Son, J. H. and Y. Karasawa (2000). "Effect of removal of caecal contents on nitrogen utilization and nitrogen excretion in caecally ligated chickens fed on a low protein diet supplemented with urea." *British Poultry Science* 41: 69-71.
- Son, J. H. and Y. Karasawa (2001). "Effects of caecal ligation and colostomy on water intake and excretion in chickens." *British Journal of Nutrition* 42: 130-133.
- Son, J. H., Y. Karasawa and K. H. Nahm (2000). "Effect of caecectomy on growth, moisture in excreta, gastrointestinal passage time and uric acid excretion in growing chicks." *British Poultry Science* 41: 72-74.
- Souffrant, W. B. (2001). "Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig." *Animal Feed Science and Technology* 90: 93-102.
- Stein, H. H., S. W. Kim, T. T. Nielsen and R. A. Easter (2001). "Standardized ileal protein and amino acid digestibility by growing pigs and sows." *Journal of Animal Science* 79: 2113-2122.
- Stein, H. H., N. L. Trottier, C. Bellaver and R. A. Easter (1999). "The effect of feeding level and physiological status on total flow and amino acid composition of endogenous protein at the distal ileum in swine." *Journal of Animal Science* 77: 1180-1187.
- Svihus, B., H. Hetland, M. Choct and F. Sundby (2002). "Passage rate through the anterior digestive tract of broiler chickens fed on diets with ground and whole wheat." *British Poultry Science* 43: 662-668.
- Svihus, B. and H. Hetland (2001). "Ileal starch digestibility in growing broiler chickens fed on a wheat-based diet is improved by mash feeding, dilution with cellulose or whole wheat inclusion." *British Poultry Science* 42: 633-637.
- Taqi, M. and M. Muhsin (1983). "English Translation of the Noble Quran." Madinah Monavawwarah, K. S. A. King Fahd Complex. Part: 8, Surah: Al-Araf, Verse: 43, Page: 206.
- Ten Doeschate, R. A. H. M., C. W. Scheele, V. V. A. M. Schreurs and J. D. Van der Klis (1991). "Amino acid digestibility at ileal and faecal level determined with 4 week old broiler chicks." *The 6th International*

- Symposium on Protein Metabolism and Nutrition, Herding Denmark 59:24-26.
- Ten Doeschate, R. A. H. M., C. W. Scheele, V. V. A. M. Schreurs and J. D. Van der Klis (1993). "Digestibility studies in broiler chickens: Influence of genotype, age, sex and method of determination." *British Poultry Science* 34: 131-146.
- Thomas, D. V. and V. Ravindran (2005). "Effects of age on the apparent metabolisable energy of diets based on maize, wheat or sorghum for broiler chicks." *Australian Poultry Science Symposium* 17: 286.
- Van Der Klis, J. D. and A. Van Voorst (1993). "The effect of carboxyl methyl cellulose (a soluble polysaccharide) on the rate of marker excretion from the gastrointestinal tract of broilers." *Poultry Science* 72: 503-512.
- Wallis, I. R. and D. Balnave (1984). "The influence of environmental temperature, age and sex on the digestibility of amino acids in growing broiler chickens." *British Poultry Science* 25: 401-407.
- Wang, Z. R., S. Y. Qiao, W. Q. Lu and D. F. Li (2005). "Effects of enzyme supplementation on performance, nutrient digestibility, gastrointestinal morphology, and volatile fatty acid profiles in the hindgut of broilers fed wheat-based diets." *Poultry Science* 54: 875-881.
- Webb, K. E. (1990). "Intestinal absorption of protein hydrolysis products: a review." *Journal of Animal Science* 68: 3011-3022.
- Whittow, G. C. (2000). "Sturkie's Avian Physiology, 5th edition." San Diego, Academic-Press. Pages: 267 – 318.
- Wilson, R. H. and J. Leibholz (1981). "Digestion in the pig between 7 and 35 d of age. 4. The digestion of amino acids in pigs given milk and soya-bean proteins." *British Journal of Nutrition* 45: 347-357.
- Wiseman, J., W. Al-Mazooqi, T. Welham and C. Domoney (2003). "The apparent ileal digestibility, determined with young broilers, of amino acids in near-isogenic lines of peas (*Pisum sativum* L) differing in trypsin inhibitor activity." *Journal of the Science of Food and Agriculture* 83: 644-651.
- Wu, Y. B., V. Ravindran, D. G. Thomas, M. J. Birtles and W. H. Hendriks (2004). "Influence of method of whole wheat inclusion and xylanase supplementation on the performance, apparent metabolisable energy,

digestive tract measurements and gut morphology of broilers." *British Poultry Science* 45: 385-394.

Zelenka, J., E. Fajmonova and D. Kladroba (2003). "Effect of age on digestibility of fatty acids in chickens." *Czech Journal of Animal Science* 8: 315–320.

Zuprizal, M. Larbier and A. M. Chagneau (1992). "Effect of age and sex on true digestibility of amino acids of rapeseed and soybean meals in growing broilers." *Poultry Science* 71: 1486-1492.

Zuprizal, M. Larbier, A. M. Chagneau and M. Lessire (1991). "Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed." *Animal Feed Science and Technology* 34: 255-260.