

5. Literatur

1. **Abramovitch, R., and G. Martin.** 2004. Strategies used by bacterial pathogens to suppress plant defenses. *Curr. Opin. Plant Biol.* **7**:356-364.
2. **Abramovitch, R. B., R. Janjusevic, C. E. Stebbins, and G. B. Martin.** 2006. Type III effector AvrPtoB requires intrinsic E3 ubiquitin ligase activity to suppress plant cell death and immunity. *Proc. Natl. Acad. Sci. USA* **103**:2851-6.
3. **Abramovitch, R. B., Y. J. Kim, S. Chen, M. B. Dickman, and G. B. Martin.** 2003. *Pseudomonas* type III effector AvrPtoB induces plant disease susceptibility by inhibition of host programmed cell death. *EMBO J.* **22**:60-9.
4. **Abramovitch, R. B., and G. B. Martin.** 2005. AvrPtoB: a bacterial type III effector that both elicits and suppresses programmed cell death associated with plant immunity. *FEMS Microbiol. Lett.* **245**:1-8.
5. **Adam, S. A., and L. Gerace.** 1991. Cytosolic proteins that specifically bind nuclear location signals are receptors for nuclear import. *Cell* **66**:837-47.
6. **Agrios, G. N.** 1997. *Plant Pathology*, 4th edition ed. Academic Press, San Diego.
7. **Ahn, I. P., S. Kim, and Y. H. Lee.** 2005. Vitamin B1 functions as an activator of plant disease resistance. *Plant Physiol.* **138**:1505-15.
8. **Aizawa, S. I.** 2001. Bacterial flagella and type III secretion systems. *FEMS Microbiol. Lett.* **202**:157-64.
9. **Akeda, Y., and J. E. Galan.** 2005. Chaperone release and unfolding of substrates in type III secretion. *Nature* **437**:911-5.
10. **Alfano, J. R., A. O. Charkowski, W. L. Deng, J. L. Badel, T. Petnicki-Ocwieja, K. van Dijk, and A. Collmer.** 2000. The *Pseudomonas syringae* Hrp pathogenicity island has a tripartite mosaic structure composed of a cluster of type III secretion genes bounded by exchangeable effector and conserved effector loci that contribute to parasitic fitness and pathogenicity in plants. *Proc. Natl. Acad. Sci. USA* **97**:4856-4851.
11. **Alfano, J. R., and A. Collmer.** 1996. Bacterial pathogens in plants: life up against the wall. *Plant Cell* **8**:1683-1698.
12. **Alfano, J. R., and A. Collmer.** 2004. Type III secretion system effector proteins: Double agents in bacterial disease and plant defense. *Annu. Rev. Phytopathol.* **42**:385-414.
13. **Alvarez, M. E., R. I. Pennell, P. J. Meijer, A. Ishikawa, R. A. Dixon, and C. Lamb.** 1998. Reactive oxygen intermediates mediate a systemic signal network in the establishment of plant immunity. *Cell* **92**:773-84.
14. **Anderson, D. M., D. E. Fouts, A. Collmer, and O. Schneewind.** 1999. Reciprocal secretion of proteins by the bacterial type III machines of plant and animal pathogens suggests universal recognition of mRNA targeting signals. *Proc. Natl. Acad. Sci. USA* **96**:12839-12843.
15. **Anderson, D. M., and O. Schneewind.** 1997. An mRNA signal for the type III secretion of Yop proteins by *Yersinia enterocolitica*. *Science* **278**:1140-1143.
16. **Anderson, D. M., and O. Schneewind.** 1999. *Yersinia enterocolitica* type III secretion: an mRNA signal that couples translation and secretion of YopQ. *Mol. Microbiol.* **31**:1139-1148.
17. **Apostol, I., P. F. Heinstejn, and P. S. Low.** 1989. Rapid stimulation of an oxidative burst during elicitation of cultured plant cells : Role in defense and signal transduction. *Plant Physiol.* **90**:109-116.
18. **Ausubel, F. M., R. Brent, R. E. Kingston, D. D. Moore, J. G. Seidman, J. A. Smith, and K. Struhl.** 1996. *Current Protocols in Molecular Biology*. John Wiley & Sons, New York.
19. **Auvray, F., J. Thomas, G. M. Fraser, and C. Hughes.** 2001. Flagellin polymerisation control by a cytosolic export chaperone. *J. Mol. Biol.* **308**:221-9.
20. **Axtell, M. J., and B. J. Staskawicz.** 2003. Initiation of *RPS2*-specified disease resistance in *Arabidopsis* is coupled to the AvrRpt2-directed elimination of RIN4. *Cell* **112**:369-377.

21. **Baba, T., T. Ara, M. Hasegawa, Y. Takai, Y. Okumura, M. Baba, K. A. Datsenko, M. Tomita, B. L. Wanner, and H. Mori.** 2006. Construction of *Escherichia coli* K-12 in-frame, single-gene knockout mutants: the Keio collection. *Mol. Syst. Biol.* **2**:2006 0008.
22. **Baird, G. S., D. A. Zacharias, and R. Y. Tsien.** 1999. Circular permutation and receptor insertion within green fluorescent proteins. *Proc. Natl. Acad. Sci. USA* **96**:11241-6.
23. **Ballvora, A., M. Pierre, G. Van den Ackerveken, S. Schornack, O. Rossier, M. Ganal, T. Lahaye, and U. Bonas.** 2001. Genetic mapping and functional analysis of the tomato *Bs4* locus, governing recognition of the *Xanthomonas campestris* pv. *vesicatoria* AvrBs4 protein. *Mol. Plant-Microbe Interact.* **14**:629–638.
24. **Barny, M. A., M. H. Guinebrière, B. Marçais, E. Coissac, J. P. Paulin, and J. Laurent.** 1990. Cloning of a large gene cluster involved in *Erwinia amylovora* CFBP1430 virulence. *Mol. Microbiol.* **4**:777-786.
25. **Barras, F., F. van Gijsegem, and A. K. Chatterjee.** 1994. Extracellular enzymes and pathogenesis of soft-rot *Erwinia*. *Annu. Rev. Phytopathol.* **32**:201-234.
26. **Baulcombe, D. C.** 1999. Fast forward genetics based on virus-induced gene silencing. *Curr. Opin. Plant Biol.* **2**:109-113.
27. **Becker, S., B. Groner, and C. W. Muller.** 1998. Three-dimensional structure of the Stat3beta homodimer bound to DNA. *Nature* **394**:145-51.
28. **Belanger, F. C., T. Leustek, B. Chu, and A. L. Kriz.** 1995. Evidence for the thiamine biosynthetic pathway in higher-plant plastids and its developmental regulation. *Plant Mol. Biol.* **29**:809-21.
29. **Belkhadir, Y., Z. Nimchuk, D. A. Hubert, D. Mackey, and J. L. Dangl.** 2004. *Arabidopsis* RIN4 negatively regulates disease resistance mediated by RPS2 and RPM1 downstream or independent of the NDR1 signal modulator and is not required for the virulence functions of bacterial type III effectors AvrRpt2 or AvrRpm1. *Plant Cell* **16**:2822-35.
30. **Bendahmane, A., K. Kanyuka, and D. C. Baulcombe.** 1999. The *Rx* gene from potato controls separate virus resistance and cell death responses. *Plant Cell* **11**:781-791.
31. **Bender, C. L., F. Alarcon-Chaidez, and D. C. Gross.** 1999. *Pseudomonas syringae* phytotoxins: mode of action, regulation, and biosynthesis by peptide and polyketide synthetases. *Microbiol Mol. Biol. Rev.* **63**:266-92.
32. **Bent, A. F., R. W. Innes, J. R. Ecker, and B. J. Staskawicz.** 1992. Disease development in ethylene-insensitive *Arabidopsis thaliana* infected with virulent and avirulent *Pseudomonas* and *Xanthomonas* pathogens. *Mol. Plant-Microbe Interact.* **5**:372-378.
33. **Bernhard, F., D. L. Coplín, and K. Geider.** 1993. A gene cluster for amylovoran synthesis in *Erwinia amylovora*: characterization and relationship to *cps* genes in *Erwinia stewartii*. *Mol. Gen. Genet.* **239**:158-68.
34. **Bertheau, Y., E. Madgidi-Hervan, A. Kotoujansky, C. Nguyen-The, T. Andro, and A. Coleno.** 1984. Detection of depolymerase isoenzymes after electrophoresis or electrofocusing, or in titration curves. *Anal. Biochem.* **139**:383-9.
35. **Birtalan, S. C., R. M. Phillips, and P. Ghosh.** 2002. Three-dimensional secretion signals in chaperone-effector complexes of bacterial pathogens. *Mol. Cell* **9**:971-80.
36. **Blair, M. W., A. J. Garris, A. S. Iyer, B. Chapman, S. Kresovich, and S. R. McCouch.** 2003. High resolution genetic mapping and candidate gene identification at the *xa5* locus for bacterial blight resistance in rice (*Oryza sativa* L.). *Theor. Appl. Genet.* **107**:62-73.
37. **Blobel, G.** 1980. Intracellular protein topogenesis. *Proc. Natl. Acad. Sci. USA* **77**:1496-500.
38. **Blocker, A., K. Komoriya, and S.-I. Aizawa.** 2003. Type III secretion systems and bacterial flagella: Insights into their function from structural similarities. *Proc. Natl. Acad. Sci. USA* **100**:3027-3030.
39. **Blum H., Beier H., and Gross HJ.** 1987. Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels. *Electrophoresis* **8**:93-99.
40. **Bogdanove, A. J., D. W. Bauer, and S. V. Beer.** 1998. *Erwinia amylovora* secretes DspE, a pathogenicity factor and functional AvrE homolog, through the Hrp (type III secretion) pathway. *J. Bacteriol.* **180**:2244-2247.

41. **Bogdanove, A. J., S. V. Beer, U. Bonas, C. A. Boucher, A. Collmer, D. L. Coplin, G. R. Cornelis, H. C. Huang, S. W. Hutcheson, N. J. Panopoulos, and F. Van Gijsegem.** 1996. Unified nomenclature for broadly conserved *hrp* genes of phytopathogenic bacteria. *Mol. Microbiol.* **20**:681-683.
42. **Bogdanove, A. J., J. F. Kim, Z. Wei, P. Kolchinsky, A. O. Charkowski, A. K. Conlin, A. Collmer, and S. V. Beer.** 1998. Homology and functional similarity of an *hrp*-linked pathogenicity locus, *dspEF*, of *Erwinia amylovora* and the avirulence locus *avrE* of *Pseudomonas syringae* pathovar tomato. *Proc. Natl. Acad. Sci. USA* **95**:1325-30.
43. **Bogdanove, A. J., and G. B. Martin.** 2000. AvrPto-dependent Pto-interacting proteins and AvrPto-interacting proteins in tomato. *Proc. Natl. Acad. Sci. USA* **97**:8836-8840.
44. **Bonas, U.** 1994. *hrp* genes of phytopathogenic bacteria, p. 79-98, *Bacterial Pathogenesis of Plants and Animals - Molecular and Cellular Mechanisms*, vol. 192. Springer-Verlag, Berlin.
45. **Bonas, U., J. Conrads-Strauch, and I. Balbo.** 1993. Resistance in tomato to *Xanthomonas campestris* pv. *vesicatoria* is determined by alleles of the pepper-specific avirulence gene *avrBs3*. *Mol. Gen. Genet.* **238**:261-269.
46. **Bonas, U., R. Schulte, S. Fenselau, G. V. Minsavage, B. J. Staskawicz, and R. E. Stall.** 1991. Isolation of a gene-cluster from *Xanthomonas campestris* pv. *vesicatoria* that determines pathogenicity and the hypersensitive response on pepper and tomato. *Mol. Plant-Microbe Interact.* **4**:81-88.
47. **Bonas, U., R. E. Stall, and B. Staskawicz.** 1989. Genetic and structural characterization of the avirulence gene *avrBs3* from *Xanthomonas campestris* pv. *vesicatoria*. *Mol. Gen. Genet.* **218**:127-136.
48. **Boutell, C., and R. D. Everett.** 2003. The herpes simplex virus type 1 (HSV-1) regulatory protein ICP0 interacts with and Ubiquitinates p53. *J. Biol. Chem.* **278**:36596-602.
49. **Boyd, A. P., I. Lambermont, and G. R. Cornelis.** 2000. Competition between the Yops of *Yersinia enterocolitica* for delivery into eukaryotic cells: role of the SycE chaperone binding domain of YopE. *J. Bacteriol.* **182**:4811-21.
50. **Bretz, J. R., N. M. Mock, J. C. Charity, S. Zeyad, C. J. Baker, and S. W. Hutcheson.** 2003. A translocated protein tyrosine phosphatase of *Pseudomonas syringae* pv. *tomato* DC3000 modulates plant defence response to infection. *Mol. Microbiol.* **49**:389-400.
51. **Brown, I., J. Mansfield, and U. Bonas.** 1995. *hrp* genes in *Xanthomonas campestris* pv. *vesicatoria* determine ability to suppress papillae deposition in pepper mesophyll cells. *Mol. Plant-Microbe Interact.* **8**:825-836.
52. **Brown, I. R., J. W. Mansfield, S. Taira, E. Roine, and M. Romantschuk.** 2001. Immunocytochemical localization of HrpA and HrpZ supports a role for the Hrp pilus in the transfer of effector proteins from *Pseudomonas syringae* pv. *tomato* across the host plant cell wall. *Mol. Plant-Microbe Interact.* **14**:394-404.
53. **Brunings, A. M., and D. W. Gabriel.** 2003. *Xanthomonas citri*: breaking the surface. *Mol. Plant Pathol.* **4**:141-157.
54. **Budde, I. P., and M. S. Ullrich.** 2000. Interactions of *Pseudomonas syringae* pv. *glycinea* with host and nonhost plants in relation to temperature and phytotoxin synthesis. *Mol. Plant-Microbe Interact.* **13**:951-61.
55. **Büttner, D., and U. Bonas.** 2006. Who comes first? How plant pathogenic bacteria orchestrate type III secretion. *Curr. Opin. Microbiol.* **9**:193-200.
56. **Büttner, D., D. Gürlebeck, L. D. Noël, and U. Bonas.** 2004. HpaB from *Xanthomonas campestris* pv. *vesicatoria* acts as an exit control protein in type III-dependent protein secretion. *Mol. Microbiol.* **54**:755-68.
57. **Büttner, D., C. Lorenz, E. Weber, and U. Bonas.** 2006. Targeting of two effector protein classes to the type III secretion system by a HpaC- and HpaB-dependent protein complex from *Xanthomonas campestris* pv. *vesicatoria*. *Mol. Microbiol.* **59**:513-27.
58. **Büttner, D., D. Nennstiel, B. Klüsener, and U. Bonas.** 2002. Functional analysis of HrpF, a putative type III translocon protein from *Xanthomonas campestris* pv. *vesicatoria*. *J. Bacteriol.* **184**:2389-2398.

59. **Canteros, B. J.** 1990. Diversity of plasmids and plasmid-encoded phenotypic traits in *Xanthomonas campestris* pv. *vesicatoria*. University of Florida.
60. **Casper-Lindley, C., D. Dahlbeck, E. T. Clark, and B. J. Staskawicz.** 2002. Direct biochemical evidence for type III secretion-dependent translocation of the AvrBs2 effector protein into plant cells. *Proc. Natl. Acad. Sci. USA* **99**:8336-8341.
61. **Chamnongpol, S., H. Willekens, W. Moeder, C. Langebartels, H. Sandermann, Jr., M. Van Montagu, D. Inzé, and W. Van Camp.** 1998. Defense activation and enhanced pathogen tolerance induced by H₂O₂ in transgenic tobacco. *Proc. Natl. Acad. Sci. USA* **95**:5818-23.
62. **Cheng, L. W., D. M. Anderson, and O. Schneewind.** 1997. Two independent type III secretion mechanisms for YopE in *Yersinia enterocolitica*. *Mol. Microbiol.* **24**:757-765.
63. **Ciesiolka, L. D., T. Hwin, J. D. Gearlds, G. V. Minsavage, R. Saenz, M. Bravo, V. Handley, S. M. Conover, H. Zhang, J. Caporgno, N. B. Phengrasamy, A. O. Toms, R. E. Stall, and M. C. Whalen.** 1999. Regulation of expression of avirulence gene *avrRxv* and identification of a family of host interaction factors by sequence analysis of *avrBsT*. *Mol. Plant-Microbe Interact.* **12**:35-44.
64. **Coaker, G., A. Falick, and B. Staskawicz.** 2005. Activation of a phytopathogenic bacterial effector protein by a eukaryotic cyclophilin. *Science* **308**:548-50.
65. **Cohn, J., G. Sessa, and G. B. Martin.** 2001. Innate immunity in plants. *Curr. Opin. Immunol.* **13**:55-62.
66. **Collier-Hyams, L. S., H. Zeng, J. Sun, A. D. Tomlinson, Z. Q. Bao, H. Chen, J. L. Madara, K. Orth, and A. S. Neish.** 2002. Cutting edge: *Salmonella* AvrA effector inhibits the key proinflammatory, anti-apoptotic NF-kappa B pathway. *J. Immunol.* **169**:2846-50.
67. **Collmer, A., M. Lindeberg, T. Petnicki-Ocwieja, D. J. Schneider, and J. R. Alfano.** 2002. Genomic mining type III secretion system effectors in *Pseudomonas syringae* yields new picks for all TTSS prospectors. *Trends Microbiol.* **10**:462-9.
68. **Condemine, G., A. Castillo, F. Passeri, and C. Enard.** 1999. The PecT repressor coregulates synthesis of exopolysaccharides and virulence factors in *Erwinia chrysanthemi*. *Mol. Plant-Microbe Interact.* **12**:45-52.
69. **Connell-Crowley, L., M. J. Solomon, N. Wei, and J. W. Harper.** 1993. Phosphorylation independent activation of human cyclin-dependent kinase 2 by cyclin A *in vitro*. *Mol. Biol. Cell* **4**:79-92.
70. **Conrath, U., Z. Chen, J. R. Ricigliano, and D. F. Klessig.** 1995. Two inducers of plant defense responses, 2,6-dichloroisonicotinic acid and salicylic acid, inhibit catalase activity in tobacco. *Proc. Natl. Acad. Sci. USA* **92**:7143-7.
71. **Conti, E., M. Uy, L. Leighton, G. Blobel, and J. Kuriyan.** 1998. Crystallographic analysis of the recognition of a nuclear localization signal by the nuclear import factor karyopherin alpha. *Cell* **94**:193-204.
72. **Cornelis, G. R., and F. Van Gijsegem.** 2000. Assembly and function of type III secretory systems. *Annu. Rev. Microbiol.* **54**:735-774.
73. **Cunnac, S., A. Occhialini, P. Barberis, C. Boucher, and S. Genin.** 2004. Inventory and functional analysis of the large Hrp regulon in *Ralstonia solanacearum*: identification of novel effector proteins translocated to plant host cells through the type III secretion system. *Mol. Microbiol.* **53**:115-28.
74. **da Silva, A. C., J. A. Ferro, F. C. Reinach, C. S. Farah, L. R. Furlan, R. B. Quaggio, C. B. Monteiro-Vitorello, M. A. Van Sluys, N. F. Almeida, L. M. Alves, A. M. do Amaral, M. C. Bertolini, L. E. Camargo, G. Camarotte, F. Cannavan, J. Cardozo, F. Chambergo, L. P. Ciapina, R. M. Cicarelli, L. L. Coutinho, J. R. Cursino-Santos, H. El-Dorry, J. B. Faria, A. J. Ferreira, R. C. Ferreira, M. I. Ferro, E. F. Formighieri, M. C. Franco, C. C. Greggio, A. Gruber, A. M. Katsuyama, L. T. Kishi, R. P. Leite, E. G. Lemos, M. V. Lemos, E. C. Locali, M. A. Machado, A. M. Madeira, N. M. Martinez-Rossi, E. C. Martins, J. Meidanis, C. F. Menck, C. Y. Miyaki, D. H. Moon, L. M. Moreira, M. T. Novo, V. K. Okura, M. C. Oliveira, V. R. Oliveira, H. A. Pereira, A. Rossi, J. A. Sena, C. Silva, R. F. de Souza, L. A. Spinola, M. A. Takita, R. E. Tamura, E. C. Teixeira, R. I. Tezza, M. Trindade dos Santos, D. Truffi, S. M. Tsai,**

- F. F. White, J. C. Setubal, and J. P. Kitajima.** 2002. Comparison of the genomes of two *Xanthomonas* pathogens with differing host specificities. *Nature* **417**:459-63.
75. **Daniels, M. J., C. E. Barber, P. C. Turner, M. K. Sawczyc, R. J. W. Byrde, and A. H. Fielding.** 1984. Cloning of genes involved in pathogenicity of *Xanthomonas campestris* pv. *campestris* using the broad host range cosmid pLAFR1. *EMBO J.* **3**:3323-3328.
76. **Day, B., D. Dahlbeck, and B. J. Staskawicz.** 2006. NDR1 interaction with RIN4 mediates the differential activation of multiple disease resistance pathways in *Arabidopsis*. *Plant Cell*.
77. **DeRoy, S., R. Thilmony, Y.-B. Kwack, K. Nomura, and S. Y. He.** 2004. A family of conserved bacterial effectors inhibits salicylic acid-mediated basal immunity and promotes disease necrosis in plants. *Proc. Natl. Acad. Sci. USA* **101**:9927-9932.
78. **del Rio, L. A., F. J. Corpas, L. M. Sandalio, J. M. Palma, M. Gomez, and J. B. Barroso.** 2002. Reactive oxygen species, antioxidant systems and nitric oxide in peroxisomes. *J Exp. Bot.* **53**:1255-72.
79. **del Rio, L. A., L. M. Sandalio, F. J. Corpas, J. M. Palma, and J. B. Barroso.** 2006. Reactive oxygen species and reactive nitrogen species in peroxisomes. Production, scavenging, and role in cell signaling. *Plant Physiol.* **141**:330-5.
80. **Denny, T. P.** 1995. Involvement of bacterial polysaccharide in plant pathogenesis. *Annu. Rev. Phytopathol.* **32**:173-197.
81. **Deslandes, L., J. Olivier, N. Peeters, D. X. Feng, M. Khounlotham, C. Boucher, I. Somssich, S. Genin, and Y. Marco.** 2003. Physical interaction between RRS1-R, a protein conferring resistance to bacterial wilt, and PopP2, a type III effector targeted to the plant nucleus. *Proc. Natl. Acad. Sci. USA* **100**:8024-8029.
82. **Devlin, W. S., and D. L. Gustine.** 1992. Involvement of the oxidative burst in phytoalexin accumulation and the hypersensitive reaction. *Plant Physiol.* **100**:1189-1195.
83. **Dharmapuri, S., and R. V. Sonti.** 1999. A transposon insertion in the *gumG* homologue of *Xanthomonas oryzae* pv. *oryzae* causes loss of extracellular polysaccharide production and virulence. *FEMS Microbiol. Lett.* **179**:53-59.
84. **Dhindsa, R. S., P. Plumb-Dhindsa, and T. A. Thorpe.** 1981. Leaf senescence: correlated with increased levels of membrane permeability and lipid peroxidation, and decreased levels of superoxide dismutase and catalase. *J Exp. Bot.* **32**:91-101.
85. **Dobrindt, U., B. Hochhut, U. Hentschel, and J. Hacker.** 2004. Genomic islands in pathogenic and environmental microorganisms. *Nat. Rev. Microbiol.* **2**:414-424.
86. **Dow, J. M., A. E. Osbourn, T. J. Wilson, and M. J. Daniels.** 1995. A locus determining pathogenicity of *Xanthomonas campestris* is involved in lipopolysaccharide biosynthesis. *Mol. Plant-Microbe Interact.* **8**:768-777.
87. **Duan, Y. P., A. Castaneda, G. Zhao, G. Erdos, and D. W. Gabriel.** 1999. Expression of a single, host-specific, bacterial pathogenicity gene in plant cells elicits division, enlargement, and cell death. *Mol. Plant-Microbe Interact.* **12**:556-560.
88. **Duarte, X., C. T. Anderson, M. Grimson, R. D. Barabote, R. E. Strauss, L. S. Gollahon, and M. J. San Francisco.** 2000. *Erwinia chrysanthemi* strains cause death of human gastrointestinal cells in culture and express an intimin-like protein. *FEMS Microbiol. Lett.* **190**:81-6.
89. **Ehrbar, K., A. Friebel, S. I. Miller, and W. D. Hardt.** 2003. Role of the *Salmonella* pathogenicity island 1 (SPI-1) protein InvB in type III secretion of SopE and SopE2, two *Salmonella* effector proteins encoded outside of SPI-1. *J. Bacteriol.* **185**:6950-67.
90. **Ehrbar, K., S. Hapfelmeier, B. Stecher, and W. D. Hardt.** 2004. InvB is required for type III-dependent secretion of SopA in *Salmonella enterica* serovar Typhimurium. *J. Bacteriol.* **186**:1215-9.
91. **Ellis, J., and P. Dodds.** 2003. Plant pathology: monitoring a pathogen-targeted host protein. *Curr. Biol.* **13**:R400-R402.
92. **Ellis, R. J., and S. M. van der Vies.** 1991. Molecular chaperones. *Annu. Rev. Biochem.* **60**:321-47.

93. **El-Maarouf, H., M. A. Barny, J. P. Rona, and F. Bouteau.** 2001. Harpin, a hypersensitive response elicitor from *Erwinia amylovora*, regulates ion channel activities in *Arabidopsis thaliana* suspension cells. *FEBS Lett.* **497**:82-84.
94. **Escolar, L., G. van den Ackerveken, O. Rossier, S. Pieplow, and U. Bonas.** 2001. Type III secretion and *in planta* recognition of the *Xanthomonas* avirulence proteins AvrBs1 and AvrBsT. *Mol. Plant Pathol.* **2**:287-296.
95. **Espinosa, A., M. Guo, V. C. Tam, Z. Q. Fu, and J. R. Alfano.** 2003. The *Pseudomonas syringae* type III-secreted protein HopPtoD2 possesses protein tyrosine phosphatase activity and suppresses programmed cell death in plants. *Mol. Microbiol.* **49**:377-87.
96. **Estojak, J., R. Brent, and E. A. Golemis.** 1995. Correlation of two-hybrid affinity data with *in vitro* measurements. *Molecular Cellular Biology* **15**:5820-9.
97. **Fehr, D., C. Casanova, A. Liverman, H. Blazkova, K. Orth, D. Dobbelaere, J. Frey, and S. E. Burr.** 2006. AopP, a type III effector protein of *Aeromonas salmonicida*, inhibits the NF-kappaB signalling pathway. *Microbiology* **152**:2809-18.
98. **Feldman, M. F., and G. R. Cornelis.** 2003. The multitasking type III chaperones: all you can do with 15 kDa. *FEMS Microbiol. Lett.* **219**:151-8.
99. **Fenselau, S., I. Balbo, and U. Bonas.** 1992. Determinants of pathogenicity in *Xanthomonas campestris* pv. *vesicatoria* are related to proteins involved in secretion in bacterial pathogens of animals. *Mol. Plant-Microbe Interact.* **5**:390-396.
100. **Fenselau, S., and U. Bonas.** 1995. Sequence and expression analysis of the *hrpB* pathogenicity operon of *Xanthomonas campestris* pv. *vesicatoria* which encodes eight proteins with similarity to components of the Hrp, Ysc, Spa, and Fli secretion systems. *Mol. Plant-Microbe Interact.* **8**:845-854.
101. **Feys, B. F., C. E. Benedetti, C. N. Penfold, and J. G. Turner.** 1994. *Arabidopsis* mutants selected for resistance to the phytotoxin coronatine are male sterile, insensitive to methyl jasmonate, and resistant to bacterial pathogen. *Plant Cell* **6**:751-759.
102. **Flor, H. H.** 1956. The complementary genic systems in flax and flax rust. *Adv. Gen.* **8**:29-54.
103. **Flor, H. H.** 1971. Current status of the gene-for-gene concept. *Annu. Rev. Phytopathol.* **9**:275-296.
104. **Fontes, M. R., T. Teh, and B. Kobe.** 2000. Structural basis of recognition of monopartite and bipartite nuclear localization sequences by mammalian importin-alpha. *J. Mol. Biol.* **297**:1183-94.
105. **Forsberg, A., and H. Wolf-Watz.** 1990. Genetic analysis of the *yopE* region of *Yersinia* spp.: identification of a novel conserved locus, *yerA*, regulating *yopE* expression. *J. Bacteriol.* **172**:1547-1555.
106. **Frederick, S. E., and E. H. Newcomb.** 1969. Cytochemical localization of catalase in leaf microbodies (peroxisomes). *J. Cell. Biol.* **43**:343-53.
107. **Freialdenhoven, A., C. Peterhansel, J. Kurth, F. Kreuzaler, and P. Schulze-Lefert.** 1996. Identification of genes required for the function of non-race-specific *mlo* resistance to powdery mildew in barley. *Plant Cell* **8**:5-14.
108. **Freialdenhoven, A., B. Scherag, K. Hollricher, D. B. Collinge, H. Thordal-Christensen, and P. Schulze-Lefert.** 1994. *Nar-1* and *Nar-2*, two loci required for *Mla₁₂*-specified race-specific resistance to powdery mildew in barley. *Plant Cell* **6**:983-994.
109. **Frydman, J.** 2001. Folding of newly translated proteins *in vivo*: the role of molecular chaperones. *Annu. Rev. Biochem.* **70**:603-47.
110. **Fujikawa, T., H. Ishihara, J. E. Leach, and S. Tsuyumu.** 2006. Suppression of defense response in plants by the *avrBs3/pthA* gene family of *Xanthomonas* spp. *Mol. Plant-Microbe Interact.* **19**:342-9.
111. **Gabriel, D. W.** 1999. The *Xanthomonas avr/pth* gene family, p. 39-55. In G. Stacey and N. T. Keen (ed.), *Plant-Microbe Interactions*, vol. 4. APS Press, St. Paul, Minnesota.
112. **Gabriel, D. W., and B. G. Rolfe.** 1990. Working models of specific recognition in plant-microbe interactions. *Annu. Rev. Phytopathol.* **28**:365-391.

113. **Gal, T. Z., E. R. Aussenberg, S. Burdman, Y. Kapulnik, and H. Koltai.** 2006. Expression of a plant expansin is involved in the establishment of root knot nematode parasitism in tomato. *Planta* **224**:155-62.
114. **Gaudriault, S., L. Malandrin, J. P. Paulin, and M. A. Barny.** 1997. DspA, an essential pathogenicity factor of *Erwinia amylovora* showing homology with AvrE of *Pseudomonas syringae*, is secreted via the Hrp secretion pathway in a DspB-dependent way. *Mol. Microbiol.* **26**:1057-69.
115. **Gauthier, A., and B. B. Finlay.** 2003. Translocated intimin receptor and its chaperone interact with ATPase of the type III secretion apparatus of enteropathogenic *Escherichia coli*. *J. Bacteriol.* **185**:6747-55.
116. **Gauthier, A., N. A. Thomas, and B. B. Finlay.** 2003. Bacterial injection machines. *J. Biol. Chem.* **278**:25273-6.
117. **Gechev, T. S., and J. Hille.** 2005. Hydrogen peroxide as a signal controlling plant programmed cell death. *J. Cell. Biol.* **168**:17-20.
118. **Ghosh, P.** 2004. Process of protein transport by the type III secretion system. *Microbiol. Mol. Biol. Rev.* **68**:771-795.
119. **Gietz, R. D., and R. A. Woods.** 2002. Transformation of yeast by lithium acetate/single-stranded carrier DNA/polyethylene glycol method. *Methods Enzymol.* **350**:87-96.
120. **Gonzalez-Camacho, F., and F. J. Medina.** 2006. The nucleolar structure and the activity of NopA100, a nucleolin-like protein, during the cell cycle in proliferating plant cells. *Histochem. Cell. Biol.* **125**:139-53.
121. **Gopalan, S., D. W. Bauer, J. R. Alafano, A. O. Loniello, S. Y. He, and A. Collmer.** 1996. Expression of the *Pseudomonas syringae* avirulence protein AvrB in plant cells alleviates its dependence on the hypersensitive response and pathogenicity (Hrp) secretion system in eliciting genotype-specific hypersensitive cell death. *Plant Cell* **8**:1095-1105.
122. **Görlich, D.** 1998. Transport into and out of the cell nucleus. *EMBO J.* **17**:2721-2727.
123. **Görlich, D., S. Kostka, R. Kraft, C. Dingwall, R. A. Laskey, E. Hartmann, and S. Prehn.** 1995. Two different subunits of importin cooperate to recognize nuclear localization signals and bind them to the nuclear envelope. *Curr. Biol.* **5**:383-92.
124. **Görlich, D., S. Prehn, R. A. Laskey, and E. Hartmann.** 1994. Isolation of a protein that is essential for the first step of nuclear protein import. *Cell* **79**:767-778.
125. **Görlich, D., F. Vogel, A. D. Mills, E. Hartmann, and R. A. Laskey.** 1995. Distinct functions for the two importin subunits in nuclear protein import. *Nature* **377**:246-248.
126. **Greenberg, J. T.** 1997. Programmed cell death in plant-pathogen interactions. *Annu. Rev. Plant Phys. Plant Mol. Biol.* **48**:525-545.
127. **Greenberg, J. T., A. Guo, D. F. Klessig, and F. M. Ausubel.** 1994. Programmed cell death in plants: A pathogen-triggered response activated coordinately with multiple defense functions. *Cell* **77**:551-563.
128. **Greenberg, J. T., and N. Yao.** 2004. The role and regulation of programmed cell death in plant-pathogen interactions. *Cell. Microbiol.* **6**:201-211.
129. **Gu, K., D. Tian, F. Yang, L. Wu, C. Sreekala, D. Wang, G. L. Wang, and Z. Yin.** 2004. High-resolution genetic mapping of *Xa27(t)*, a new bacterial blight resistance gene in rice, *Oryza sativa* L. *Theor. Appl. Genet.* **108**:800-7.
130. **Gu, K., B. Yang, D. Tian, L. Wu, D. Wang, C. Sreekala, F. Yang, Z. Chu, G. L. Wang, F. F. White, and Z. Yin.** 2005. *R* gene expression induced by a type-III effector triggers disease resistance in rice. *Nature* **435**:1122-5.
131. **Gürlebeck, D., B. Szurek, and U. Bonas.** 2005. Dimerization of the bacterial effector protein AvrBs3 in the plant cell cytoplasm prior to nuclear import. *Plant J.* **42**:175-87.
132. **Gürlebeck, D., F. Thieme, and U. Bonas.** 2006. Type III effector proteins from the plant pathogen *Xanthomonas* and their role in the interaction with the host plant. *J Plant Physiol.* **163**:233-55.
133. **Guttman, D. S., and J. T. Greenberg.** 2001. Functional analysis of the type III effectors AvrRpt2 and AvrRpm1 of *Pseudomonas syringae* with the use of a single-copy genomic integration system. *Mol. Plant-Microbe Interact.* **14**:145-155.

134. **Guttman, D. S., B. A. Vinatzer, S. F. Sarkar, M. V. Ranall, G. Kettler, and J. T. Greenberg.** 2002. A functional screen for the type III (Hrp) secretome of the plant pathogen *Pseudomonas syringae*. *Science* **295**:1722-6.
135. **Gyuris, J., E. Golemis, H. Chertkov, and R. Brent.** 1993. Cdi1, a human G1 and S phase protein phosphatase that associates with Cdk2. *Cell* **75**:791-803.
136. **Hacker, J., and J. B. Kaper.** 2000. Pathogenicity islands and the evolution of microbes. *Annu. Rev. Microbiol.* **54**:641-679.
137. **Hammond-Kosack, K. E., and J. D. G. Jones.** 1996. Resistance gene-dependent plant defense responses. *Plant Cell* **8**:1773-1791.
138. **Hauck, P., R. Thilmony, and S. Y. He.** 2003. A *Pseudomonas syringae* type III effector suppresses cell wall-based extracellular defense in susceptible *Arabidopsis* plants. *Proc. Natl. Acad. Sci. USA*:1431173100.
139. **He, P., L. Shan, N. C. Lin, G. B. Martin, B. Kemmerling, T. Nürnberger, and J. Sheen.** 2006. Specific bacterial suppressors of MAMP signaling upstream of MAPKKK in *Arabidopsis* innate immunity. *Cell* **125**:563-75.
140. **He, S. Y.** 1998. Type III protein secretion systems in plant and animal pathogenic bacteria. *Annu. Rev. Phytopathol.* **36**:363-392.
141. **He, S. Y., K. Nomura, and T. S. Whittam.** 2004. Type III protein secretion mechanism in mammalian and plant pathogens. *Biochim. Biophys. Acta* **1694**:181-206.
142. **Heath, M. C.** 2000. Hypersensitive response-related death. *Plant Mol. Biol.* **44**:321-334.
143. **Heath, M. C.** 2000. Nonhost resistance and nonspecific plant defenses. *Curr. Opin. Plant Biol.* **3**:315-9.
144. **Hendrick, C. A., and L. Sequeira.** 1984. Lipopolysaccharide-defective mutants of the wilt pathogen *Pseudomonas solanacearum*. *Appl. Environ. Microbiol.* **48**:94-101.
145. **Herbers, K., J. Conrads-Strauch, and U. Bonas.** 1992. Race-specificity of plant resistance to bacterial spot disease determined by repetitive motifs in a bacterial avirulence protein. *Nature* **356**:172-174.
146. **Hochstrasser, M.** 2000. Biochemistry: All in the ubiquitin family. *Science* **289**:563-4.
147. **Hochstrasser, M.** 2000. Evolution and function of ubiquitin-like protein-conjugation systems. *Nat. Cell. Biol.* **2**:E153-7.
148. **Hotson, A., R. Chosed, H. Shu, K. Orth, and M. B. Mudgett.** 2003. *Xanthomonas* type III effector XopD targets SUMO-conjugated proteins *in planta*. *Mol. Microbiol.* **50**:377-389.
149. **Hu, C. D., Y. Chinenov, and T. K. Kerppola.** 2002. Visualization of interactions among bZIP and Rel family proteins in living cells using bimolecular fluorescence complementation. *Mol. Cell* **9**:789-98.
150. **Hu, W., J. Yuan, Q. L. Jin, P. Hart, and S. Y. He.** 2001. Immunogold labeling of Hrp pili of *Pseudomonas syringae* pv. *tomato* assembled in minimal medium and *in planta*. *Mol. Plant-Microbe Interact.* **14**:234-241.
151. **Huang, J., Q. Huang, X. Zhou, M. M. Shen, A. Yen, S. X. Yu, G. Dong, K. Qu, P. Huang, E. M. Anderson, S. Daniel-Issakani, R. M. Buller, D. G. Payan, and H. H. Lu.** 2004. The poxvirus p28 virulence factor is an E3 ubiquitin ligase. *J. Biol. Chem.* **279**:54110-6.
152. **Hueck, C. J.** 1998. Type III protein secretion systems in bacterial pathogens of animals and plants. *Microbiol Mol. Biol. Rev.* **62**:379-433.
153. **Huguet, E., and U. Bonas.** 1997. *hrpF* of *Xanthomonas campestris* pv. *vesicatoria* encodes an 87-kDa protein with homology to NolX of *Rhizobium fredii*. *Mol. Plant-Microbe Interact.* **10**:488-498.
154. **Huguet, E., K. Hahn, K. Wengelnik, and U. Bonas.** 1998. *hpaA* mutants of *Xanthomonas campestris* pv. *vesicatoria* are affected in pathogenicity but retain the ability to induce host-specific hypersensitive reaction. *Mol. Microbiol.* **29**:1379-1390.
155. **Imamoto, N., T. Tachibana, M. Matsubae, and Y. Yoneda.** 1995. A karyophilic protein forms a stable complex with cytoplasmic components prior to nuclear pore binding. *J. Biol. Chem.* **270**:8559-65.

156. **Ishihara, H., G. Ponciano, J. E. Leach, and S. Tsuyumu.** 2004. Functional analysis of the 3' end of *avrBs3/pthA* genes from two *Xanthomonas* species. *Physiol. Mol. Plant Pathol.* **63**:329-338.
157. **Iyer, A. S., and S. R. McCouch.** 2004. The rice bacterial blight resistance gene *xa5* encodes a novel form of disease resistance. *Mol. Plant-Microbe Interact.* **17**:1348-54.
158. **Jackson, R. W., E. Athanassopoulos, G. Tsiamis, J. W. Mansfield, A. Sesma, D. L. Arnold, M. J. Gibbon, J. Murillo, J. D. Taylor, and A. Vivian.** 1999. Identification of a pathogenicity island, which contains genes for virulence and avirulence, on a large native plasmid in the bean pathogen *Pseudomonas syringae* pathovar *phaseolicola*. *Proc. Natl. Acad. Sci. USA* **96**:10875-10880.
159. **James, P., J. Halladay, and E. A. Craig.** 1996. Genomic libraries and a host strain designed for highly efficient two-hybrid selection in yeast. *Genetics* **144**:1425-36.
160. **Jamir, Y., M. Guo, H. S. Oh, T. Petnicki-Ocwieja, S. Chen, X. Tang, M. B. Dickman, A. Collmer, and J. R. Alfano.** 2004. Identification of *Pseudomonas syringae* type III effectors that can suppress programmed cell death in plants and yeast. *Plant J.* **37**:554-65.
161. **Janjusevic, R., R. B. Abramovitch, G. B. Martin, and C. E. Stebbins.** 2006. A bacterial inhibitor of host programmed cell death defenses is an E3 ubiquitin ligase. *Science* **311**:222-6.
162. **Jia, Y., S. A. McAdams, G. T. Bryan, H. P. Hershey, and B. Valent.** 2000. Direct interaction of resistance gene and avirulence gene products confers rice blast resistance. *EMBO J.* **19**:4004-4014.
163. **Jin, Q., W. Hu, I. Brown, G. McGhee, P. Hart, A. L. Jones, and S. Y. He.** 2001. Visualization of secreted Hrp and Avr proteins along the Hrp pilus during type III secretion in *Erwinia amylovora* and *Pseudomonas syringae*. *Mol. Microbiol.* **40**:1129-39.
164. **Jones, A. M., and J. L. Dangl.** 1996. Logjam at the Styx : programmed cell death in plants. *Trends Plant Sci.* **1**:114-119.
165. **Jones, J. B., G. H. Lacy, H. Bouzar, R. E. Stall, and N. W. Schaad.** 2004. Reclassification of the xanthomonads associated with bacterial spot disease of tomato and pepper. *Syst. Appl. Microbiol.* **27**:755-62.
166. **Jones, J. B., R. E. Stall, and H. Bouzar.** 1998. Diversity among Xanthomonads pathogenic on pepper and tomato. *Annu. Rev. Phytopathol.* **36**:41-58.
167. **Jones, S. B., and W. F. Fett.** 1987. Bacterial pustule disease of soybean: Microscopy of pustule development in a susceptible cultivar. *Phytopathol.* **77**:266-274.
168. **Jordan, E. G.** 1984. Nucleolar nomenclature. *J Cell. Sci.* **67**:217-20.
169. **Joshi, C. P.** 1987. An inspection of the domain between putative TATA box and translation start site in 79 plant genes. *Nucleic Acids Res.* **15**:6643-53.
170. **Julliard, J. H., and R. Douce.** 1991. Biosynthesis of the thiazole moiety of thiamin (vitamin B1) in higher plant chloroplasts. *Proc. Natl. Acad. Sci. USA* **88**:2042-5.
171. **Kang, L., X. Tang, and K. S. Mysore.** 2004. *Pseudomonas* Type III effector AvrPto suppresses the programmed cell death induced by two nonhost pathogens in *Nicotiana benthamiana* and tomato. *Mol. Plant-Microbe Interact.* **17**:1328-36.
172. **Kao, C. C., E. Barlow, and L. Sequeira.** 1992. Extracellular polysaccharide is required for wild-type virulence of *Pseudomonas solanacearum*. *J. Bacteriol.* **174**:1068-1071.
173. **Karimi, M., D. Inzé, and A. Depicker.** 2002. GATEWAY vectors for *Agrobacterium*-mediated plant transformation. *Trends Plant Sci.* **7**:193-5.
174. **Karpova, T. S., C. T. Baumann, L. He, X. Wu, A. Grammer, P. Lipsky, G. L. Hager, and J. G. McNally.** 2003. Fluorescence resonance energy transfer from cyan to yellow fluorescent protein detected by acceptor photobleaching using confocal microscopy and a single laser. *J Microsc.* **209**:56-70.
175. **Kay, S., J. Boch, and U. Bonas.** 2005. Characterization of AvrBs3-like effectors from a *Brassicaceae* pathogen reveals virulence and avirulence activities and a protein with a novel repeat architecture. *Mol. Plant-Microbe Interact.* **18**:838-848.
176. **Kearney, B., and B. J. Staskawicz.** 1990. Widespread distribution and fitness contribution of *Xanthomonas campestris* avirulence gene, *avrBs2*. *Nature* **346**:385-386.

177. **Keen, N. T.** 1990. Gene-for-gene complementarity in plant-pathogen interactions. *Annu. Rev. Genet.* **24**:447-463.
178. **Keen, N. T., D. Dahlbeck, B. Staskawicz, and W. Belser.** 1984. Molecular cloning of pectate lyase genes from *Erwinia chrysanthemi* and their expression in *Escherichia coli*. *J. Bacteriol.* **159**:825-31.
179. **Kenny, B., C. Chervaux, and I. B. Holland.** 1994. Evidence that residues -15 to -46 of the haemolysin secretion signal are involved in early steps in secretion, leading to recognition of the translocator. *Mol. Microbiol.* **11**:99-109.
180. **Keshavarzi, M., S. Soyulu, I. Brown, U. Bonas, M. Nicole, J. Rossiter, and J. Mansfield.** 2004. Basal defenses induced in pepper by lipopolysaccharides are suppressed by *Xanthomonas campestris* pv. *vesicatoria*. *Mol. Plant-Microbe Interact.* **17**:805-15.
181. **Kim, B. S., and R. W. Hartmann.** 1985. Inheritance of a gene (*Bs₃*) conferring hypersensitive resistance to *Xanthomonas campestris* pv. *vesicatoria* in pepper (*Capsicum annuum*). *Plant Dis.* **69**:233-235.
182. **Kim, H. S., D. Desveaux, A. U. Singer, P. Patel, J. Sonddek, and J. L. Dangl.** 2005. The *Pseudomonas syringae* effector AvrRpt2 cleaves its C-terminally acylated target, RIN4, from *Arabidopsis* membranes to block RPM1 activation. *Proc. Natl. Acad. Sci. USA* **102**:6496-501.
183. **Kim, J. F., J. H. Ham, D. W. Bauer, A. Collmer, and S. V. Beer.** 1998. The *hrpC* and *hrpN* operons of *Erwinia chrysanthemi* EC16 are flanked by *plcA* and homologs of hemolysin/adhesin genes and accompanying activator/transporter genes. *Mol. Plant-Microbe Interact.* **11**:563-7.
184. **Kim, Y. S., K. Nosaka, D. M. Downs, J. M. Kwak, D. Park, I. K. Chung, and H. G. Nam.** 1998. A *Brassica* cDNA clone encoding a bifunctional hydroxymethylpyrimidine kinase/thiamin-phosphate pyrophosphorylase involved in thiamin biosynthesis. *Plant Mol. Biol.* **37**:955-66.
185. **Klement, Z.** 1982. Hypersensitivity, p. 149-177. *In* M. S. Mount and G. H. Lacy (ed.), *Phytopathogenic prokaryotes*, vol. 2. Academic Press, New York.
186. **Knogge, W.** 1996. Fungal Infection of Plants. *Plant Cell* **8**:1711-1722.
187. **Knoop, V., B. Staskawicz, and U. Bonas.** 1991. Expression of the avirulence gene *avrBs3* from *Xanthomonas campestris* pv. *vesicatoria* is not under the control of *hrp* genes and is independent of plant factors. *J. Bacteriol.* **173**:7142-7150.
188. **Kobe, B., and J. Deisenhofer.** 1993. Crystal structure of porcine ribonuclease inhibitor, a protein with leucine-rich repeats. *Nature* **366**:751-756.
189. **Koebnik, R.** 2001. The role of bacterial pili in protein and DNA translocation. *Trends Microbiol.* **9**:586-590.
190. **Koebnik, R., A. Krüger, F. Thieme, A. Urban, and U. Bonas.** 2006. Specific binding of the *Xanthomonas campestris* pv. *vesicatoria* AraC-type transcriptional activator HrpX to plant-inducible promoter boxes. *J. Bacteriol.* **188**:7652-60.
191. **Koehler, C. M., S. Merchant, and G. Schatz.** 1999. How membrane proteins travel across the mitochondrial intermembrane space. *Trends Biochem. Sci.* **24**:428-32.
192. **Köhm, B. A., M. G. Goulden, J. E. Gilbert, T. A. Kavanagh, and D. C. Baulcombe.** 1993. A potato virus X resistance gene mediates an induced, nonspecific resistance in protoplasts. *Plant Cell* **5**:913-920.
193. **Kombrink, E., and I. E. Somssich.** 1995. Defense responses of plants to pathogens, p. 1-34, *Ad. Bot. Res.*, vol. 21.
194. **Komeili, A., and E. K. O'Shea.** 2001. New perspectives on nuclear transport. *Annu. Rev. Genet.* **35**:341-64.
195. **Lacomme, C., and S. Santa Cruz.** 1999. Bax-induced cell death in tobacco is similar to the hypersensitive response. *Proc. Natl. Acad. Sci. USA* **96**:7956-7961.
196. **Laemmli, U. K.** 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**:680-685.
197. **Lahaye, T., and U. Bonas.** 2001. Molecular secrets of bacterial type III effector proteins. *Trends Plant Sci.* **6**:479-485.

198. **Lamb, C., and R. A. Dixon.** 1997. The oxidative burst in plant disease resistance. *Annu. Rev. Plant. Physiol. Plant. Mol. Biol.* **48**:251-275.
199. **Landschulz, W. H., P. F. Johnson, and S. L. McKnight.** 1988. The leucine zipper: a hypothetical structure common to a new class of DNA binding proteins. *Science* **240**:1759-64.
200. **Lee, B. M., Y. J. Park, D. S. Park, H. W. Kang, J. G. Kim, E. S. Song, I. C. Park, U. H. Yoon, J. H. Hahn, B. S. Koo, G. B. Lee, H. Kim, H. S. Park, K. O. Yoon, J. H. Kim, C. H. Jung, N. H. Koh, J. S. Seo, and S. J. Go.** 2005. The genome sequence of *Xanthomonas oryzae* pathovar *oryzae* KACC10331, the bacterial blight pathogen of rice. *Nucleic Acids Res.* **33**:577-86.
201. **Lee, J., B. Klusener, G. Tsiamis, C. Stevens, C. Neyt, A. P. Tampakaki, N. J. Panopoulos, J. Noller, E. W. Weiler, G. R. Cornelis, J. W. Mansfield, and T. Nürnberger.** 2001. HrpZ_{P_{sph}} from the plant pathogen *Pseudomonas syringae* pv. *phaseolicola* binds to lipid bilayers and forms an ion-conducting pore invitro. *Proc. Natl. Acad. Sci. USA* **98**:289-294.
202. **Lee, S. H., and J. E. Galan.** 2004. *Salmonella* type III secretion-associated chaperones confer secretion-pathway specificity. *Mol. Microbiol.* **51**:483-95.
203. **Leister, R. T., and F. Katagiri.** 2000. A resistance gene product of the nucleotide binding site-leucine rich repeats class can form a complex with bacterial avirulence proteins *in vivo*. *Plant J.* **22**:345-54.
204. **Letzelter, M., I. Sorg, L. J. Mota, S. Meyer, J. Stalder, M. Feldman, M. Kuhn, I. Callebaut, and G. R. Cornelis.** 2006. The discovery of SycO highlights a new function for type III secretion effector chaperones. *EMBO J.* **25**:3223-33.
205. **Lichtenstein, C. P., and J. Draper.** 1985. Genetic engineering of plants. *DNA Cloning Vol. II. Edited by Glover, D.M. London. IRL Press*:108.
206. **Lindgren, P. B.** 1997. The role of *hrp* genes during plant-bacterial interactions. *Annu. Rev. Phytopathol.* **35**:129-152.
207. **Lindgren, P. B., R. C. Peet, and N. J. Panopoulos.** 1986. Gene-cluster of *Pseudomonas syringae* pv. *phaseolicola* controls pathogenicity of bean plants and hypersensitivity on nonhost plants. *J. Bacteriol.* **168**:512-522.
208. **Liu, Y., M. Schiff, and S. P. Dinesh-Kumar.** 2002. Virus-induced gene silencing in tomato. *Plant J.* **31**:777-786.
209. **Liu, Y., M. Schiff, R. Marathe, and S. P. Dinesh-Kumar.** 2002. Tobacco *Rar1*, *EDS1* and *NPRI/NIMI* like genes are required for *N*-mediated resistance to tobacco mosaic virus. *Plant J.* **30**:415-29.
210. **Lloyd, S. A., M. Norman, R. Rosqvist, and H. Wolf-Watz.** 2001. *Yersinia* YopE is targeted for type III secretion by N-terminal, not mRNA, signals. *Mol. Microbiol.* **39**:520-532.
211. **Lloyd, S. A., M. Sjoström, S. Andersson, and H. Wolf-Watz.** 2002. Molecular characterization of type III secretion signals via analysis of synthetic N-terminal amino acid sequences. *Mol. Microbiol.* **43**:51-59.
212. **Lopez-Solanilla, E., P. A. Bronstein, A. R. Schneider, and A. Collmer.** 2004. HopPtoN is a *Pseudomonas syringae* Hrp (type III secretion system) cysteine protease effector that suppresses pathogen-induced necrosis associated with both compatible and incompatible plant interactions. *Mol. Microbiol.* **54**:353-65.
213. **Lorang, J. M., H. Shen, D. Kobayashi, D. Cooksey, and N. T. Keen.** 1994. *avrA* and *avrE* in *Pseudomonas syringae* pv. *tomato* PT23 play a role in virulence on tomato plants. *Mol. Plant-Microbe Interact.* **7**:508-515.
214. **Lu, P., R. Porat, J. A. Nadeau, and S. D. O'Neill.** 1996. Identification of a meristem L1 layer-specific gene in *Arabidopsis* that is expressed during embryonic pattern formation and defines a new class of homeobox genes. *Plant Cell* **8**:2155-68.
215. **Mackey, D., Y. Belkhadir, J. M. Alonso, J. R. Ecker, and J. L. Dangl.** 2003. *Arabidopsis* RIN4 is a target of the type III virulence effector AvrRpt2 and modulates RPS2-mediated resistance. *Cell* **112**:379-489.

216. **Mackey, D., B. F. Holt, A. Wiig, and J. L. Dangl.** 2002. RIN4 interacts with *Pseudomonas syringae* type III effector molecules and is required for RPM1-mediated resistance in *Arabidopsis*. *Cell* **108**:743–754.
217. **Maehly, A. C., and B. Chance.** 1954. The assay of catalases and peroxidases. *Methods Biochem. Anal.* **1**:357-424.
218. **Makino, S., A. Sugio, F. White, and A. J. Bogdanove.** 2006. Inhibition of resistance gene-mediated defense in rice by *Xanthomonas oryzae* pv. *oryzicola*. *Mol. Plant-Microbe Interact.* **19**:240-9.
219. **Marathe, R., and S. P. Dinesh-Kumar.** 2003. Plant defense: one post, multiple guards?! *Mol. Cell* **11**:284-286.
220. **Marie, C., W. J. Broughton, and W. J. Deakin.** 2001. *Rhizobium* type III secretion systems: legume charmers or alarmers? *Curr. Opin. Plant Biol.* **4**:336–342.
221. **Marois, E., G. Van den Ackerveken, and U. Bonas.** 2002. The *Xanthomonas* type III effector protein AvrBs3 modulates plant gene expression and induces cell hypertrophy in the susceptible host. *Mol. Plant-Microbe Interact.* **15**:637-646.
222. **Martin, S. J., D. R. Green, and T. G. Cotter.** 1994. Dicing with death: dissecting the components of the apoptosis machinery. *Trends Biochem. Sci.* **19**:26-30.
223. **Masuta, C., M. Van den Bulcke, G. Bauw, M. Van Montagu, and A. B. Caplan.** 1991. Differential effects of elicitors on the viability of rice suspension cells. *Plant Physiol.* **97**:619-629.
224. **McBride, K. M., G. Banninger, C. McDonald, and N. C. Reich.** 2002. Regulated nuclear import of the STAT1 transcription factor by direct binding of importin-alpha. *EMBO J.* **21**:1754-63.
225. **McQueen-Mason, S.** 1997. Plant cell walls and the control of growth. *Biochem. Soc. Trans.* **25**:204-14.
226. **Mehdy, M. C., Y. K. Sharma, K. Sathasivan, and N. W. Bays.** 1996. The role of active oxygen species in plant disease resistance. *Physiol. Plant.* **98**:365-374.
227. **Menard, R., P. Sansonetti, C. Parsot, and T. Vasselon.** 1994. Extracellular association and cytoplasmic partitioning of the IpaB and IpaC invasins of *S. flexneri*. *Cell* **7984**:515-525.
228. **Meng, X., J. M. Bonasera, J. F. Kim, R. M. Nissinen, and S. V. Beer.** 2006. Apple proteins that interact with DspA/E, a pathogenicity effector of *Erwinia amylovora*, the fire blight pathogen. *Mol. Plant-Microbe Interact.* **19**:53-61.
229. **Meshi, T., and M. Iwabuchi.** 1995. Plant transcription factors. *Plant Cell Physiol.* **36**:1405-20.
230. **Messiaen, J., F. Nerinckx, and P. Van Cutsem.** 1995. Callose synthesis in spirotanol treated carrot cells is not triggered by cytosolic calcium, cytosolic pH or membrane potential changes. *Plant Cell Physiol.* **36**:1213-20.
231. **Metz, M., D. Dahlbeck, C. Q. Morales, B. Al Sady, E. T. Clark, and B. J. Staskawicz.** 2005. The conserved *Xanthomonas campestris* pv. *vesicatoria* effector protein XopX is a virulence factor and suppresses host defense in *Nicotiana benthamiana*. *Plant J.* **41**:801-14.
232. **Mindrinos, M., F. Katagiri, G. L. Yu, and F. M. Ausubel.** 1994. The *A. thaliana* disease resistance gene *RPS2* encodes a protein containing a nucleotide-binding site and leucine-rich repeats. *Cell* **78**:1089-1099.
233. **Minsavage, G. V., D. Dahlbeck, M. C. Whalen, B. Kearny, U. Bonas, B. J. Staskawicz, and R. E. Stall.** 1990. Gene-for-gene relationships specifying disease resistance in *Xanthomonas campestris* pv. *vesicatoria* - pepper interactions. *Mol. Plant-Microbe Interact.* **3**:41-47.
234. **Mittal, S., and K. R. Davis.** 1995. Role of the phytotoxin coronatine in the infection of *Arabidopsis thaliana* by *Pseudomonas syringae* pv. *tomato*. *Mol. Plant-Microbe Interact.* **8**:165-171.
235. **Mittler, R., E. H. Herr, B. L. Orvar, W. van Camp, H. Willekens, D. Inzé, and B. E. Ellis.** 1999. Transgenic tobacco plants with reduced capability to detoxify reactive oxygen intermediates are hyperresponsive to pathogen infection. *Proc. Natl. Acad. Sci. USA* **96**:14165-70.

236. Miyawaki, A., J. Llopis, R. Heim, J. M. McCaffery, J. A. Adams, M. Ikura, and R. Y. Tsien. 1997. Fluorescent indicators for Ca²⁺ based on green fluorescent proteins and calmodulin. *Nature* **388**:882-7.
237. Montillet, J. L., S. Chamnongpol, C. Rusterucci, J. Dat, B. van de Cotte, J. P. Agnel, C. Battesti, D. Inze, F. Van Breusegem, and C. Triantaphylides. 2005. Fatty acid hydroperoxides and H₂O₂ in the execution of hypersensitive cell death in tobacco leaves. *Plant Physiol.* **138**:1516-26.
238. Mucyn, T. S., A. Clemente, V. M. Andriotis, A. L. Balmuth, G. E. Oldroyd, B. J. Staskawicz, and J. P. Rathjen. 2006. The tomato NBARC-LRR protein Prf interacts with Pto kinase *in vivo* to regulate specific plant immunity. *Plant Cell*.
239. Mudgett, M. B. 2005. New insights to the function of phytopathogenic bacterial type III effectors in plants. *Annu. Rev. Plant Biol.* **56**:509-531.
240. Mudgett, M. B., O. Chesnokova, D. Dahlbeck, E. T. Clark, O. Rossier, U. Bonas, and B. J. Staskawicz. 2000. Molecular signals required for type III secretion and translocation of the *Xanthomonas campestris* AvrBs2 protein to pepper plants. *Proc. Natl. Acad. Sci. USA* **97**:13324-9.
241. Mukherjee, S., G. Keitany, Y. Li, Y. Wang, H. L. Ball, E. J. Goldsmith, and K. Orth. 2006. *Yersinia* YopJ acetylates and inhibits kinase activation by blocking phosphorylation. *Science* **312**:1211-4.
242. Mysore, K. S., and C. M. Ryu. 2004. Nonhost resistance: how much do we know? *Trends Plant Sci.* **9**:97-104.
243. Nakamura, M., H. Katsumata, M. Abe, N. Yabe, Y. Komeda, K. T. Yamamoto, and T. Takahashi. 2006. Characterization of the class IV homeodomain-Leucine Zipper gene family in *Arabidopsis*. *Plant Physiol.* **141**:1363-75.
244. Napoli, C., and B. Staskawicz. 1987. Molecular characterization and nucleic acid sequence of an avirulence gene from race 6 of *Pseudomonas syringae* pv. *glycinea*. *J. Bacteriol.* **169**:572-578.
245. Newman, M. A., J. Conradsstrauch, G. Scofield, M. J. Daniels, and J. M. Dow. 1994. Defense-related gene induction in *Brassica campestris* in response to defined mutants of *Xanthomonas campestris* with altered pathogenicity. *Mol. Plant-Microbe Interact.* **7**:553-563.
246. Newman, M.-A., E. Von Roepenack, M. Daniels, and M. Dow. 2000. Lipopolysaccharides and plant responses to phytopathogenic bacteria. *Mol. Plant Pathol.* **1**:25-31.
247. Niepold, F., D. Anderson, and D. Mills. 1985. Cloning determinants of pathogenesis from *Pseudomonas syringae* pathovar *syringae*. *Proc. Natl. Acad. Sci. USA* **82**:406-410.
248. Nimchuk, Z., E. Marois, S. Kjemtrup, R. T. Leister, F. Katagiri, and J. L. Dangl. 2000. Eukaryotic fatty acylation drives plasma membrane targeting and enhances function of several type III effector proteins from *Pseudomonas syringae*. *Cell* **101**:353-363.
249. Noël, L., F. Thieme, J. Gäbler, D. Büttner, and U. Bonas. 2003. XopC and XopJ, two novel type III effector proteins from *Xanthomonas campestris* pv. *vesicatoria*. *J. Bacteriol.* **185**:7092-102.
250. Noël, L., F. Thieme, D. Nennstiel, and U. Bonas. 2001. cDNA-AFLP analysis unravels a genome-wide *hrpG*-regulon in the plant pathogen *Xanthomonas campestris* pv. *vesicatoria*. *Mol. Microbiol.* **41**:1271-1281.
251. Noël, L., F. Thieme, D. Nennstiel, and U. Bonas. 2002. Two novel type III-secreted proteins of *Xanthomonas campestris* pv. *vesicatoria* are encoded within the *hrp* pathogenicity island. *J. Bacteriol.* **184**:1340-1348.
252. Nürnberger, T., F. Brunner, B. Kemmerling, and L. Piater. 2004. Innate immunity in plants and animals: striking similarities and obvious differences. *Immunol. Rev.* **198**:249-266.
253. Nürnberger, T., and D. Scheel. 2001. Signal transmission in the plant immune response. *Trends Plant Sci.* **6**:372-379.

254. **Ochiai, H., Y. Inoue, M. Takeya, A. Sasaki, and H. Kaku.** 2005. Genome sequence of *Xanthomonas oryzae* pv. *oryzae* suggests contribution of large numbers of effector genes and insertion sequences to its race diversity. *Jap. Agricult. Res. Quart.* **39**:275-287.
255. **Ohta, M., K. Matsui, K. Hiratsu, H. Shinshi, and M. Ohme-Takagi.** 2001. Repression domains of class II ERF transcriptional repressors share an essential motif for active repression. *Plant Cell* **13**:1959-68.
256. **Okamuro, J. K., B. Caster, R. Villarroel, M. Van Montagu, and K. D. Jofuku.** 1997. The AP2 domain of APETALA2 defines a large new family of DNA binding proteins in *Arabidopsis*. *Proc. Natl. Acad. Sci. USA* **94**:7076-81.
257. **Orth, K.** 2002. Function of the *Yersinia* effector YopJ. *Curr. Opin. Microbiol.* **5**:38-43.
258. **Orth, K., L. E. Palmer, Z. Q. Bao, S. Stewart, A. E. Rudolph, J. B. Bliska, and J. E. Dixon.** 1999. Inhibition of the mitogen-activated protein kinase kinase superfamily by a *Yersinia* effector. *Science* **285**:1920-1923.
259. **Orth, K., Z. Xu, M. B. Mudgett, Z. Q. Bao, L. E. Palmer, J. B. Bliska, W. F. Mangel, B. Staskawicz, and J. E. Dixon.** 2000. Disruption of signaling by *Yersinia* effector YopJ, ubiquitin-like protein protease. *Science* **290**:1594-1597.
260. **Osiecki, J. C., J. Barker, W. L. Picking, A. B. Serfis, E. Berring, S. Shah, A. Harrington, and W. D. Picking.** 2001. IpaC from *Shigella* and SipC from *Salmonella* possess similar biochemical properties but are functionally distinct. *Mol. Microbiol.* **42**:469-81.
261. **Page, A. L., and C. Parsot.** 2002. Chaperones of the type III secretion pathway: jacks of all trades. *Mol. Microbiol.* **46**:1-11.
262. **Page, A. L., P. Sansonetti, and C. Parsot.** 2002. Spa15 of *Shigella flexneri*, a third type of chaperone in the type III secretion pathway. *Mol. Microbiol.* **43**:1533-42.
263. **Pallen, M. J., C. W. Penn, and R. R. Chaudhuri.** 2005. Bacterial flagellar diversity in the post-genomic era. *Trends Microbiol.* **13**:143-9.
264. **Palma, K., Y. Zhang, and X. Li.** 2005. An importin alpha homolog, MOS6, plays an important role in plant innate immunity. *Curr. Biol.* **15**:1129-35.
265. **Parsot, C., C. Hamiaux, and A. L. Page.** 2003. The various and varying roles of specific chaperones in type III secretion systems. *Curr. Opin. Microbiol.* **6**:7-14.
266. **Pelham, H. R.** 1990. The retention signal for soluble proteins of the endoplasmic reticulum. *Trends Biochem. Sci.* **15**:483-6.
267. **Perino, C., S. Gaudriault, B. Vian, and M. A. Barny.** 1999. Visualization of harpin secretion *in planta* during infection of apple seedlings by *Erwinia amylovora*. *Cell. Microbiol.* **1**:131-141.
268. **Peterhänsel, C., A. Freialdenhoven, J. Kurth, R. Kolsch, and P. Schulze-Lefert.** 1997. Interaction analyses of genes required for resistance responses to powdery mildew in barley reveal distinct pathways leading to leaf cell death. *Plant Cell* **9**:1397-1409.
269. **Petnicki-Ocwieja, T., D. J. Schneider, V. C. Tam, S. T. Chancey, L. Shan, Y. Jamir, L. M. Schechter, M. D. Janes, C. R. Buell, X. Tang, A. Collmer, and J. R. Alfano.** 2002. Genomewide identification of proteins secreted by the Hrp type III protein secretion system of *Pseudomonas syringae* pv. *tomato* DC3000. *Proc. Natl. Acad. Sci. USA* **99**:7652-7657.
270. **Pinto, E., M. Pedersen, P. Snoeijs, L. Van Nieuwerburgh, and P. Colepicolo.** 2002. Simultaneous detection of thiamine and its phosphate esters from microalgae by HPLC. *Biochem. Biophys. Res. Commun.* **291**:344-8.
271. **Proudfoot, N. J., and G. G. Brownlee.** 1976. 3' non-coding region sequences in eukaryotic messenger RNA. *Nature* **263**:211-4.
272. **Qian, W., Y. Jia, S. X. Ren, Y. Q. He, J. X. Feng, L. F. Lu, Q. Sun, G. Ying, D. J. Tang, H. Tang, W. Wu, P. Hao, L. Wang, B. L. Jiang, S. Zeng, W. Y. Gu, G. Lu, L. Rong, Y. Tian, Z. Yao, G. Fu, B. Chen, R. Fang, B. Qiang, Z. Chen, G. P. Zhao, J. L. Tang, and C. He.** 2005. Comparative and functional genomic analyses of the pathogenicity of phytopathogen *Xanthomonas campestris* pv. *campestris*. *Genome Res.* **15**:757-67.

273. **Racape, J., L. Belbahri, S. Engelhardt, B. Lacombe, J. Lee, J. Lochman, A. Marais, M. Nicole, T. Nürnberger, F. Parlange, S. Puvarel, and H. Keller.** 2005. Ca²⁺-dependent lipid binding and membrane integration of PopA, a harpin-like elicitor of the hypersensitive response in tobacco. *Mol. Microbiol.* **58**:1406-20.
274. **Rao, S. R., and G. A. Ravishankar.** 2000. Biotransformation of protocatechuic aldehyde and caffeic acid to vanillin and capsaicin in freely suspended and immobilized cell cultures of *Capsicum frutescens*. *J. Biotechnol.* **76**:137-46.
275. **Rathjen, J. P., J. H. Chang, B. J. Staskawicz, and R. W. Michelmore.** 1999. Constitutively active *Pto* induces a *Prf*-dependent hypersensitive response in the absence of *avrPto*. *EMBO J.* **18**:3232-3240.
276. **Ray, S. K., R. Rajeshwari, Y. Sharma, and R. V. Sonti.** 2002. A high-molecular-weight outer membrane protein of *Xanthomonas oryzae* pv. *oryzae* exhibits similarity to non-fimbrial adhesins of animal pathogenic bacteria and is required for optimum virulence. *Mol. Microbiol.* **46**:637-47.
277. **Reuber, T. L., and F. M. Ausubel.** 1996. Isolation of *Arabidopsis* genes that differentiate between resistance responses mediated by the *RPS2* and *RPM1* disease resistance genes. *Plant Cell* **8**:241-249.
278. **Ribeiro, A., U. Praekelt, A. D. Akkermans, P. A. Meacock, A. van Kammen, T. Bisseling, and K. Pawlowski.** 1996. Identification of *agth1*, whose product is involved in biosynthesis of the thiamine precursor thiazole, in actinorhizal nodules of *Alnus glutinosa*. *Plant J.* **10**:361-8.
279. **Riechmann, J. L., and O. J. Ratcliffe.** 2000. A genomic perspective on plant transcription factors. *Curr. Opin. Plant Biol.* **3**:423-34.
280. **Ritter, C., and J. L. Dangl.** 1996. Interference between two specific pathogen recognition events mediated by distinct plant disease resistance genes. *Plant Cell* **8**:251-257.
281. **Roden, J., L. Eardley, A. Hotson, Y. Cao, and M. B. Mudgett.** 2004. Characterization of the *Xanthomonas* AvrXv4 effector, a SUMO protease translocated into plant cells. *Mol. Plant-Microbe Interact.* **17**:633-43.
282. **Roden, J. A., B. Belt, J. B. Ross, T. Tachibana, J. Vargas, and M. B. Mudgett.** 2004. A genetic screen to isolate type III effectors translocated into pepper cells during *Xanthomonas* infection. *Proc. Natl. Acad. Sci. USA* **101**:16624-9.
283. **Roine, E., J. Saarinen, N. Kalkkinen, and M. Romantschuk.** 1997. Purified HrpA of *Pseudomonas syringae* pv. *tomato* DC3000 reassembles into pili. *FEBS Lett.* **417**:168-172.
284. **Roine, E., W. S. Wei, J. Yuan, E. L. Nurmiäho-Lassila, N. Kalkkinen, M. Romantschuk, and S. Y. He.** 1997. Hrp pilus: An *hrp*-dependent bacterial surface appendage produced by *Pseudomonas syringae* pv. *tomato* DC3000. *Proc. Natl. Acad. Sci. USA* **94**:3459-3464.
285. **Rojas, C. M., J. H. Ham, W. L. Deng, J. J. Doyle, and A. Collmer.** 2002. HecA, a member of a class of adhesins produced by diverse pathogenic bacteria, contributes to the attachment, aggregation, epidermal cell killing, and virulence phenotypes of *Erwinia chrysanthemi* EC16 on *Nicotiana clevelandii* seedlings. *Proc. Natl. Acad. Sci. USA* **99**:13142-7.
286. **Ronald, P. C., and B. J. Staskawicz.** 1988. The avirulence gene *avrBs1* from *Xanthomonas campestris* pv. *vesicatoria* encodes a 50-kDa protein. *Mol. Plant-Microbe Interact.* **1**:191-198.
287. **Rossier, O., G. Van den Ackerveken, and U. Bonas.** 2000. HrpB2 and HrpF from *Xanthomonas* are type III-secreted proteins and essential for pathogenicity and recognition by the host plant. *Mol. Microbiol.* **38**:828-838.
288. **Rossier, O., K. Wengelnik, K. Hahn, and U. Bonas.** 1999. The *Xanthomonas* Hrp type III system secretes proteins from plant and mammalian pathogens. *Proc. Natl. Acad. Sci. USA* **96**:9368-9373.
289. **Ruden, D. M., J. Ma, Y. Li, K. Wood, and M. Ptashne.** 1991. Generating yeast transcriptional activators containing no yeast protein sequences. *Nature* **350**:250-2.
290. **Ryals, J. A., U. H. Neuenschwander, M. G. Willits, A. Molina, H. Steiner, and M. Hunt.** 1996. Systemic Acquired Resistance. *Plant Cell* **8**:1809-1819.

291. **Salmeron, J. M., G. E. D. Oldroyd, C. M. T. Rommens, S. R. Scofield, H. S. Kim, D. T. Lavelle, D. Dahlbeck, and B. J. Staskawicz.** 1996. Tomato *Prf* is a member of the leucine-rich repeat class of plant disease resistance genes and lies embedded within the *Pto* kinase gene-cluster. *Cell* **86**:123-133.
292. **Salmond, G. P. C.** 1994. Secretion of extracellular virulence factors by plant pathogenic bacteria. *Annu. Rev. Phytopathol.* **32**:181-200.
293. **Schägger, H., and G. von Jagow.** 1991. Blue native electrophoresis for isolation of membrane protein complexes in enzymatically active form. *Anal. Biochem.* **199**:223-31.
294. **Schechter, L. M., K. A. Roberts, Y. Jamir, J. R. Alfano, and A. Collmer.** 2004. *Pseudomonas syringae* type III secretion system targeting signals and novel effectors studied with a *Cya* translocation reporter. *J. Bacteriol.* **186**:543-555.
295. **Scheel, D.** 1998. Resistance response physiology and signal transduction. *Curr. Opin. Plant Biol.* **1**:305-310.
296. **Schesser, K., E. Frithz-Lindsten, and H. Wolf-Watz.** 1996. Delineation and mutational analysis of the *Yersinia pseudotuberculosis* YopE domains which mediate translocation across bacterial and eukaryotic cellular membranes. *J. Bacteriol.* **178**:7227-7233.
297. **Schoonejans, E., D. Expert, and A. Toussaint.** 1987. Characterization and virulence properties of *Erwinia chrysantemi* lipopolysaccharide-deficient ϕ EC2-resistant mutants. *J. Bacteriol.* **169**:4011-4017.
298. **Schornack, S., A. Ballvora, D. Gürlebeck, J. Peart, D. Baulcombe, M. Ganal, B. Baker, U. Bonas, and T. Lahaye.** 2004. The tomato resistance protein Bs4 is a predicted non-nuclear TIR-NB-LRR protein that mediates defense responses to severely truncated derivatives of AvrBs4 and overexpressed AvrBs3. *Plant J.* **37**:46-60.
299. **Schornack, S., K. Peter, U. Bonas, and T. Lahaye.** 2005. Expression levels of *avrBs3*-like genes affect recognition specificity in tomato *Bs4*- but not in pepper *Bs3*-mediated perception. *Mol. Plant-Microbe Interact.* **18**:1215-25.
300. **Schulte, R., and U. Bonas.** 1992. Expression of the *Xanthomonas campestris* pv. *vesicatoria* *hrp* gene cluster, which determines pathogenicity and hypersensitivity on pepper and tomato, is plant inducible. *J. Bacteriol.* **174**:815-823.
301. **Schwechheimer, C., and M. Bevan.** 1998. The regulation of transcription factor activity in plants. *Trends Plant Sci.* **3**:378-383.
302. **Scofield, S. R., C. M. Tobias, J. P. Rathjen, J. H. Chang, D. T. Lavelle, R. W. Michelmore, and B. J. Staskawicz.** 1996. Molecular basis of gene-for-gene specificity in bacterial speck disease of tomato. *Science* **274**:2063-2065.
303. **Sekimoto, T., N. Imamoto, K. Nakajima, T. Hirano, and Y. Yoneda.** 1997. Extracellular signal-dependent nuclear import of Stat1 is mediated by nuclear pore-targeting complex formation with NPI-1, but not Rch1. *EMBO J.* **16**:7067-77.
304. **Sessa, G., and G. B. Martin.** 2000. Signal recognition and transduction mediated by the tomato *Pto* kinase: a paradigm of innate immunity in plants. *Microbes Infect.* **2**:1591-7.
305. **Shan, L., V. K. Thara, G. B. Martin, J.-M. Zhou, and X. Tang.** 2000. The *Pseudomonas* AvrPto protein is differentially recognized by tomato and tobacco and is localized to the plant plasma membrane. *Plant Cell* **12**:2323-2337.
306. **Shao, F., C. Golstein, J. Ade, M. Stoutemyer, J. E. Dixon, and R. W. Innes.** 2003. Cleavage of *Arabidopsis* PBS1 by a bacterial type III effector. *Science* **301**:1230-3.
307. **Shapiro, A. D., and C. Zhang.** 2001. The role of NDR1 in avirulence gene-directed signaling and control of programmed cell death in *Arabidopsis*. *Plant Physiol.* **127**:1089-101.
308. **Shaw, P., and J. Doonan.** 2005. The nucleolus. Playing by different rules? *Cell Cycle* **4**:102-5.
309. **Shirasu, K., and P. Schulze-Lefert.** 2000. Regulators of cell death in disease resistance. *Plant Mol. Biol.* **44**:371-385.
310. **Simpson, A. J., F. C. Reinach, P. Arruda, F. A. Abreu, M. Acencio, R. Alvarenga, L. M. Alves, J. E. Araya, G. S. Baia, C. S. Baptista, M. H. Barros, E. D. Bonaccorsi, S. Bordin, J. M. Bove, M. R. Briones, M. R. Bueno, A. A. Camargo, L. E. Camargo, D. M. Carraro, H. Carrer, N. B. Colauto, C. Colombo, F. F. Costa, M. C. Costa, C. M.**

- Costa-Neto, L. L. Coutinho, M. Cristofani, E. Dias-Neto, C. Docena, H. El-Dorry, A. P. Facincani, A. J. Ferreira, V. C. Ferreira, J. A. Ferro, J. S. Fraga, S. C. Franca, M. C. Franco, M. Frohme, L. R. Furlan, M. Garnier, G. H. Goldman, M. H. Goldman, S. L. Gomes, A. Gruber, P. L. Ho, J. D. Hoheisel, M. L. Junqueira, E. L. Kemper, J. P. Kitajima, J. E. Krieger, E. E. Kuramae, F. Laigret, M. R. Lambais, L. C. Leite, E. G. Lemos, M. V. Lemos, S. A. Lopes, C. R. Lopes, J. A. Machado, M. A. Machado, A. M. Madeira, H. M. Madeira, and C. L. Marino. 2000. The genome sequence of the plant pathogen *Xylella fastidiosa*. The *Xylella fastidiosa* Consortium of the Organization for Nucleotide Sequencing and Analysis. *Nature* **406**:151-7.
311. **Singh, K. B.** 1998. Transcriptional regulation in plants: the importance of combinatorial control. *Plant Physiol.* **118**:1111-20.
312. **Somssich, I. E., and K. Hahlbrock.** 1998. Pathogen defence in plants - a paradigm of biological complexity. *Trends Plant Sci.* **3**:86-90.
313. **Sory, M. P., A. Boland, I. Lambermont, and G. R. Cornelis.** 1995. Identification of the YopE and YopH domains required for secretion and internalization into the cytosol of macrophages, using the *cyaA* gene fusion approach. *Proc. Natl. Acad. Sci. USA* **92**:11998-12002.
314. **Spurr, A. R.** 1969. A low-viscosity epoxy resin embedding medium for electron microscopy. *J Ultrastruct. Res.* **26**:31-43.
315. **Stebbins, C. E., and J. E. Galán.** 2001. Maintenance of an unfolded polypeptide by a cognate chaperone in bacterial type III secretion. *Nature* **414**:77-81.
316. **Stebbins, C. E., and J. E. Galán.** 2001. Structural mimicry in bacterial virulence. *Nature* **412**:701-705.
317. **Steinberger, E. M., and S. V. Beer.** 1988. Creation and complementation of pathogenicity mutants of *Erwinia amylovora*. *Mol. Plant-Microbe Interact.* **1**:135-144.
318. **Sticher, L., B. Mauch-Mani, and J. P. Métraux.** 1997. Systemic acquired resistance. *Annu. Rev. Phytopathol.* **35**:235-270.
319. **Studier, F. W., and B. A. Moffatt.** 1986. Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *J. Mol. Biol.* **189**:113-30.
320. **Subtil, A., C. Parsot, and A. Dautry-Varsat.** 2001. Secretion of predicted Inc proteins of *Chlamydia pneumoniae* by a heterologous type III machinery. *Mol. Microbiol.* **39**:792-800.
321. **Swanson, J., B. Kearny, D. Dahlbeck, and B. J. Staskawicz.** 1988. Cloned avirulence gene of *Xanthomonas campestris* pv. *vesicatora* complements spontaneous race-change mutants. *Mol. Plant-Microbe Interact.* **1**:5-9.
322. **Swarup, S., R. De Feyter, R. H. Brlansky, and D. W. Gabriel.** 1991. A pathogenicity locus from *Xanthomonas citri* enables strains from several pathovars of *Xanthomonas campestris* to elicit cankerlike lesions on citrus. *Phytopathol.* **81**:802-809.
323. **Swings, J. G., and E. L. Civerolo.** 1993. *Xanthomonas*, vol. 1. Chapman & Hall, London.
324. **Szurek, B., E. Marois, U. Bonas, and G. Van den Ackerveken.** 2001. Eukaryotic features of the *Xanthomonas* type III effector AvrBs3: protein domains involved in transcriptional activation and the interaction with nuclear import receptors from pepper. *Plant J.* **26**:523-534.
325. **Szurek, B., O. Rossier, G. Hause, and U. Bonas.** 2002. Type III-dependent translocation of the *Xanthomonas* AvrBs3 protein into the plant cell. *Mol. Microbiol.* **46**:13-23.
326. **Tampakaki, A. P., V. E. Fadouloglou, A. D. Gazi, N. J. Panopoulos, and M. Kokkinidis.** 2004. Conserved features of type III secretion. *Cell. Microbiol.* **6**:805-16.
327. **Tang, X., R. D. Frederick, J. Zhou, D. A. Halterman, Y. Jia, and G. B. Martin.** 1996. Initiation of plant disease resistance by physical interaction of AvrPto and Pto kinase. *Science* **274**:2060-2063.
328. **Tao, Y., Z. Xie, W. Chen, J. Glazebrook, H. S. Chang, B. Han, T. Zhu, G. Zou, and F. Katagiri.** 2003. Quantitative nature of *Arabidopsis* responses during compatible and incompatible interactions with the bacterial pathogen *Pseudomonas syringae*. *Plant Cell* **15**:317-30.
329. **Thieme, F., R. Koebnik, T. Bekel, C. Berger, J. Boch, D. Büttner, C. Caldana, L. Gaigalat, A. Goesmann, S. Kay, O. Kirchner, C. Lanz, B. Linke, A. C. McHardy, F.**

- Meyer, G. Mittenhuber, D. H. Nies, U. Niesbach-Klößen, T. Patschkowski, C. Rückert, O. Rupp, S. Schneiker, S. C. Schuster, F. J. Vorhölter, E. Weber, A. Pühler, U. Bonas, D. Bartels, and O. Kaiser. 2005. Insights into genome plasticity and pathogenicity of the plant pathogenic bacterium *Xanthomonas campestris* pv. *vesicatoria* revealed by the complete genome sequence. *J. Bacteriol.* **187**:7254-66.
330. Thomas, J., G. P. Stafford, and C. Hughes. 2004. Docking of cytosolic chaperone-substrate complexes at the membrane ATPase during flagellar type III protein export. *Proc. Natl. Acad. Sci. USA* **101**:3945-50.
331. Thomas, N. A., W. Deng, J. L. Puente, E. A. Frey, C. K. Yip, N. C. Strynadka, and B. B. Finlay. 2005. CesT is a multi-effector chaperone and recruitment factor required for the efficient type III secretion of both LEE- and non-LEE-encoded effectors of enteropathogenic *Escherichia coli*. *Mol. Microbiol.* **57**:1762-1779.
332. Trombetta, E. S., and A. J. Parodi. 2003. Quality control and protein folding in the secretory pathway. *Annu. Rev. Cell Dev. Biol.* **19**:649-76.
333. Trosky, J. E., S. Mukherjee, D. L. Burdette, M. Roberts, L. McCarter, R. M. Siegel, and K. Orth. 2004. Inhibition of MAPK signaling pathways by VopA from *Vibrio parahaemolyticus*. *J. Biol. Chem.* **279**:51953-7.
334. Tsiamis, G., J. W. Mansfield, R. Hockenhull, R. W. Jackson, A. Sesma, E. Athanassopoulos, M. A. Bennett, C. Stevens, A. Vivian, J. D. Taylor, and J. Murillo. 2000. Cultivar-specific avirulence and virulence functions assigned to *avrPphF* in *Pseudomonas syringae* pv. *phaseolicola*, the cause of bean halo-blight disease. *EMBO J.* **19**:3204-3214.
335. Ullrich, M. S., M. Schergaut, J. Boch, and B. Ullrich. 2000. Temperature-responsive genetic loci in the plant pathogen *Pseudomonas syringae* pv. *glycinea*. *Microbiology* **146** (Pt 10):2457-68.
336. Van den Ackerveken, G., E. Marois, and U. Bonas. 1996. Recognition of the bacterial avirulence protein AvrBs3 occurs inside the host plant cell. *Cell* **87**:1307-1316.
337. Van der Biezen, E. A., and J. D. G. Jones. 1998. Plant disease-resistance proteins and the gene-for-gene concept. *Trends Biochem. Sci.* **23**:454-456.
338. Van der Hoorn, R. A. L., F. Laurent, R. Roth, and P. J. G. M. De Wit. 2000. Agroinfiltration is a versatile tool that facilitates comparative analyses of *Avr9/Cf-9*-induced and *Avr4/Cf-4*-induced necrosis. *Mol. Plant-Microbe Interact.* **13**:439-446.
339. Van Gijsegem, F., J. Vasse, J. C. Camus, M. Marenda, and C. Boucher. 2000. *Ralstonia solanacearum* produces Hrp-dependent pili that are required for PopA secretion but not for attachment of bacteria to plant cells. *Mol. Microbiol.* **36**:249-260.
340. Van Gijsegem, F., J. Vasse, R. De Rycke, P. Castello, and C. Boucher. 2002. Genetic dissection of *Ralstonia solanacearum* *hrp* gene cluster reveals that the HrpV and HrpX proteins are required for Hrp pilus assembly. *Mol. Microbiol.* **44**:935-46.
341. Van Larebeke, N., G. Engler, M. Holsters, S. Van den Elsacker, I. Zaenen, R. A. Schilperoort, and J. Schell. 1974. Large plasmid in *Agrobacterium tumefaciens* essential for crown gall-inducing ability. *Nature* **252**:169-70.
342. Van Loon, L. C. 1997. Induced resistance in plants and the role of pathogenesis-related proteins. *Eur. J. Plant Pathol.* **103**:753-765.
343. Van Sluys, M. A., C. B. Monteiro-Vitorello, L. E. Camargo, C. F. Menck, A. C. Da Silva, J. A. Ferro, M. C. Oliveira, J. C. Setubal, J. P. Kitajima, and A. J. Simpson. 2002. Comparative genomic analysis of plant-associated bacteria. *Annu. Rev. Phytopathol.* **40**:169-89.
344. Vander Horn, P. B., A. D. Backstrom, V. Stewart, and T. P. Begley. 1993. Structural genes for thiamine biosynthetic enzymes (*thiCEFGH*) in *Escherichia coli* K-12. *J. Bacteriol.* **175**:982-92.
345. Vauterin, L., J. Rademaker, and J. Swings. 2000. Synopsis on the taxonomy of the genus *Xanthomonas*. *Phytopathol.* **90**:677-682.
346. Viprey, V., A. Del Greco, W. Golinowski, W. J. Broughton, and X. Perret. 1998. Symbiotic implications of type III protein secretion machinery in *Rhizobium*. *Mol. Microbiol.* **28**:1381-1389.

347. **Vivian, A., and D. L. Arnold.** 2000. Bacterial effector genes and their role in host-pathogen interactions. *J. Plant Pathol.* **82**:163-178.
348. **Voinnet, O.** 2001. RNA silencing as a plant immune system against viruses. *Trends Genet.* **17**:449-59.
349. **Walter, M., C. Chaban, K. Schütze, O. Batistic, K. Weckermann, C. Näke, D. Blazevic, C. Grefen, K. Schuhmacher, C. Oecking, K. Harter, and J. Kudla.** 2004. Visualization of protein interactions in living plant cells using bimolecular fluorescence complementation. *Plant J.* **40**:428-438.
350. **Wang, G., X. Ding, M. Yuan, D. Qiu, X. Li, C. Xu, and S. Wang.** 2006. Dual function of rice *OsDR8* gene in disease resistance and thiamine accumulation. *Plant Mol. Biol.* **60**:437-49.
351. **Wattiau, P., and G. R. Cornelis.** 1993. SycE, a chaperone-like protein of *Yersinia enterocolitica* involved in the secretion of YopE. *Mol. Microbiol.* **8**:123-131.
352. **Wattiau, P., S. Woestyn, and G. R. Cornelis.** 1996. Customized secretion chaperones in pathogenic bacteria. *Mol. Microbiol.* **20**:255-262.
353. **Weber, E., and R. Koebnik.** 2005. Domain structure of HrpE, the Hrp pilus subunit of *Xanthomonas campestris* pv. *vesicatoria*. *J. Bacteriol.* **187**:6175-86.
354. **Weber, E., and R. Koebnik.** 2006. Positive selection of the Hrp pilin HrpE of the plant pathogen *Xanthomonas*. *J. Bacteriol.* **188**:1405-1410.
355. **Weber, E., T. Ojanen-Reuhs, E. Huguet, G. Hause, M. Romantschuk, T. K. Korhonen, U. Bonas, and R. Koebnik.** 2005. The type III-dependent Hrp pilus is required for productive interaction of *Xanthomonas campestris* pv. *vesicatoria* with pepper host plants. *J. Bacteriol.* **187**:2458-68.
356. **Weis, K., I. W. Mattaj, and A. I. Lamond.** 1995. Identification of hSRP1 alpha as a functional receptor for nuclear localization sequences. *Science* **268**:1049-53.
357. **Wengelnik, K., and U. Bonas.** 1996. HrpX, an AraC-type regulator, activates expression of five of the six loci in the *hrp* cluster of *Xanthomonas campestris* pv. *vesicatoria*. *J. Bacteriol.* **178**:3462-3469.
358. **Wengelnik, K., G. Van den Ackerveken, and U. Bonas.** 1996. HrpG, a key *hrp* regulatory protein of *Xanthomonas campestris* pv. *vesicatoria* is homologous to two-component response regulators. *Mol. Plant-Microbe Interact.* **9**:704-712.
359. **White, F. F., B. Yang, and L. B. Johnson.** 2000. Prospects for understanding avirulence gene function. *Curr. Opin. Plant Biol.* **3**:291-298.
360. **Wichmann, G., and J. Bergelson.** 2004. Effector genes of *Xanthomonas axonopodis* pv. *vesicatoria* promote transmission and enhance other fitness traits in the field. *Genetics* **166**:693-706.
361. **Willekens, H., D. Inzé, M. Van Montagu, and W. van Camp.** 1995. Catalases in plants. *Mol. Breed.* **1**:207-228.
362. **Williamson, V. M., and R. S. Hussey.** 1996. Nematode pathogenesis and resistance in plants. *Plant Cell* **8**:1735-45.
363. **Wright, C. A., and G. A. Beattie.** 2004. *Pseudomonas syringae* pv. *tomato* cells encounter inhibitory levels of water stress during the hypersensitive response of *Arabidopsis thaliana*. *Proc. Natl. Acad. Sci. USA* **101**:3269-3274.
364. **Yang, B., A. Sugio, and F. F. White.** 2006. *Os8N3* is a host disease-susceptibility gene for bacterial blight of rice. *Proc. Natl. Acad. Sci. USA* **103**:10503-8.
365. **Yang, B., and F. F. White.** 2004. Diverse members of the AvrBs3/PthA family of type III effectors are major virulence determinants in bacterial blight disease of rice. *Mol. Plant-Microbe Interact.* **17**:1192-200.
366. **Yang, B., W. Zhu, L. B. Johnson, and F. F. White.** 2000. The virulence factor AvrXa7 of *Xanthomonas oryzae* pv. *oryzae* is a type III secretion pathway-dependent nuclear-localized double-stranded DNA-binding protein. *Proc. Natl. Acad. Sci. USA* **97**:9807-9812.
367. **Yang, Y., and D. W. Gabriel.** 1995. *Xanthomonas* avirulence/pathogenicity gene family encodes functional plant nuclear targeting signals. *Mol. Plant-Microbe Interact.* **8**:627-631.

368. **Yang, Y. N., R. De Feyter, and D. W. Gabriel.** 1994. Host-specific symptoms and increased release of *Xanthomonas citri* and *X. campestris* pv. *malvacearum* from leaves are determined by the 102-bp tandem repeats of *pthA* and *avrb6*, respectively. *Mol. Plant-Microbe Interact.* **7**:345-355.
369. **Young, B. M., and G. M. Young.** 2002. YplA is exported by the Ysc, Ysa, and flagellar type III secretion systems of *Yersinia enterocolitica*. *J. Bacteriol.* **184**:1324-34.
370. **Young, G. M., D. H. Schmiel, and V. L. Miller.** 1999. A new pathway for the secretion of virulence factors by bacteria: the flagellar export apparatus functions as a protein-secretion system. *Proc. Natl. Acad. Sci. USA* **96**:6456-61.
371. **Yucel, I., D. Slaymaker, C. Boyd, J. Murillo, R. I. Buzzell, and N. T. Keen.** 1994. Avirulence gene *avrPphC* from *Pseudomonas syringae* pv. *phaseolicola* 3121: a plasmid-borne homologue of *avrC* closely linked to an *avrD* allele. *Mol. Plant-Microbe Interact.* **7**:677-9.
372. **Zeidler, D., U. Zahringer, I. Gerber, I. Dubery, T. Hartung, W. Bors, P. Hutzler, and J. Durner.** 2004. Innate immunity in *Arabidopsis thaliana*: lipopolysaccharides activate nitric oxide synthase (NOS) and induce defense genes. *Proc. Natl. Acad. Sci. USA* **101**:15811-6.
373. **Zhang, S., and D. Klessig.** 2001. MAPK cascades in plant defense signaling. *Trends Plant Sci.* **6**:520-527.
374. **Zipfel, C., S. Robatzek, L. Navarro, E. J. Oakeley, J. D. Jones, G. Felix, and T. Boller.** 2004. Bacterial disease resistance in *Arabidopsis* through flagellin perception. *Nature* **428**:764-7.