

7 Literatur

- ADAMIS, P. D., GOMES, D. S., PINTO, M. L., PANEK, A. D. & ELEUTHERIO, E. C. (2004). The role of glutathione transferases in cadmium stress. — *Toxicology Letters* 154, 81-88.
- AL-ASHEH, S. & DUVNJAK, Z. (1997). Adsorption of metal ions by moss. — *Advances in Environmental Research* 1, 194-212.
- ALLOWAY, B. J. (1999). Vorgänge in Böden und das Verhalten von Schwermetallen. — In: *Schwermetalle in Böden: Analytik, Konzentration, Wechselwirkungen* (B. J. Alloway, Hrsg.), Berlin, Heidelberg, New York.
- ANDERSON, M. E. (1985). Determination of glutathione and glutathione disulfide in biological samples. — *Methods in Enzymology* 113, 548 - 555.
- ARISI, A.-C. M., NOCTOR, G., FOYER, C. H. & JOUANIN, L. (1997). Modification of thiol contents in poplars (*Populus tremula* × *P. alba*) overexpressing enzymes involved in glutathione synthesis. — *Planta* 203, 362-372.
- ASTOLFI, S., ZUCHI, S. & PASSERA, C. (2004a). Effects of cadmium on the metabolic activity of *Avena sativa* plants grown in soil or hydroponic culture. — *Biologia Plantarum* 48, 413-418.
- ASTOLFI, S., ZUCHI, S. & PASSERA, C. (2004b). Role of sulphur availability on cadmium-induced changes of nitrogen and sulphur metabolism in maize (*Zea mays* L.) leaves. — *Journal of Plant Physiology* 161, 795-802.
- BALAKHNINA, T. I., KOSOBRYUKHOV, A. A., IVANOV, A. A. & KRESLAVSKII, V. D. (2005). The effect of cadmium on CO₂ exchange, variable fluorescence of chlorophyll, and the level of antioxidant enzymes in pea leaves. — *Russian Journal of Plant Physiology* 52, 15-20.
- BARYLA, A., CARRIER, P., FRANCK, F., COULOMB, C., SAHUT, C. & HAVAUX, M. (2001). Leaf chlorosis in oilseed rape plants (*Brassica napus*) grown on cadmium-polluted soil: causes and consequences for photosynthesis and growth. — *Planta* 212, 696-709.
- BASZYNSKI, T., WAJDA, L., KROL, M., WOLINSKA, D., KRUPA, Z. & TUKENDORF, A. (1980). Photosynthetic activities of cadmium-treated tomato plants. — *Physiologia Plantarum* 48, 365-370.
- BELLION, M., COURBOT, M., JACOB, C., BLAUDEZ, D. & CHALOT, M. (2006). Extracellular and cellular mechanisms sustaining metal tolerance in ectomycorrhizal fungi. — *FEMS Microbiology Letters* 254, 173-181.
- BENAVIDES, M. P., GALLEGO, S. M. & TOMARO, M. L. (2005). Cadmium toxicity in plants. — *Brasilian Journal of Plant Physiology* 17, 21-34.
- BERKOWITZ, O., WIRTZ, M., WOLF, A., KUHLMANN, J. & HELL, R. (2002). Use of biomolecular interaction analysis to elucidate the regulatory mechanism of the cysteine synthase complex from *Arabidopsis thaliana*. — *Journal of Biological Chemistry* 277, 30629-30634.
- BERTRAND, M. & POIRIER, I. (2005). Photosynthetic organisms and excess of metals. — *Photosynthetica* 43, 345-353.
- BINZ, P.-A. & KÄGI, J. H. R. (1999). Metallothionein: Molecular evolution and classification. — In: *Metallothionein IV* (C. Klaassen, Hrsg.). Birkhäuser, Basel, S. 7-13.
- BISHNOI, N. R., SHEORAN, I. S. & SINGH, R. (1993). Influence of Cadmium and Nickel on Photosynthesis and Water Relations in Wheat Leaves of Different Insertion Level. — *Photosynthetica* 28, 473-479.
- BLACKWELL, K. J., TOBIN, J. M. & AVERY, S. V. (1998). Manganese toxicity towards *Saccharomyces cerevisiae*: dependence on intracellular and extracellular magnesium concentrations. — *Applied Microbiology and Biotechnology* 49, 751-757.
- BLEUEL, C., WESENBERG, D., SUTTER, K., MIERSCH, J., BRAHA, B., BÄRLOCHER, F. & KRAUSS, G.-J. (2005). The use of the aquatic moss *Fontinalis antipyretica* L. ex Hedw. as a bioindicator for heavy metals: 3. Cd²⁺ accumulation capacities and biochemical stress response of two *Fontinalis* species. — *Science of The Total Environment* 345, 13-21.

- BORSANI, O., VALPUESTA, V. & BOTELLA, M. A. (2001). Evidence for a role of salicylic acid in the oxidative damage generated by NaCl and osmotic stress in *Arabidopsis* seedlings. — *Plant Physiology* 126, 1024-1030.
- BRADFORD, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. — *Analytical Biochemistry* 72, 248-254.
- BRAHA, B. (2004). Physiologisch-biochemische Charakterisierung schwermetallinduzierter Reaktionen des aquatischen Hyphomyceten *Heliscus lugdunensis* (Teleomorph: *Nectria lugdunensis*). — Dissertation, Martin-Luther-Universität.
- BREUER, K. & MELZER, A. (1990). Heavy metal accumulation (lead, cadmium) and ion exchange in three species of *Sphagnaceae* I. Main principles of heavy metal accumulation in *Sphagnaceae*. — *Oecologia* 82, 461-467.
- BRINGEZU, K., LICHTENBERGER, O., LEOPOLD, I. & NEUMANN, D. (1999). Heavy metal tolerance of *Silene vulgaris*. — *Journal of Plant Physiology* 154, 536-546.
- BRUNOLD, C., RÜEGSEGGER, A. & BRÄNDLE, R., Hrsg. (1996). Stress bei Pflanzen: Ökologie, Physiologie, Biochemie, Molekularbiologie. — UTB Verlag für Wissenschaft, Bern, Stuttgart, Wien.
- BRUNS, I. (1998). Induktion thiolhaltiger Peptide im Wassermoos *Fontinalis antipyretica* L. ex Hedw. unter Schwermetalleinfluß und deren Nutzung als Biomarker für Schwermetallbelastungen aquatischer Systeme. — Dissertation, Martin-Luther-Universität.
- BRUNS, I., SUTTER, K., MENGE, S., NEUMANN, D. & KRAUSS, G.-J. (2001). Cadmium lets increase the glutathione pool in bryophytes. — *Journal of Plant Physiology* 158, 79-89.
- BRZYWCZY, J., SIENKO, M., KUCHARSKA, A. & PASZEWSKI, A. (2002). Sulphur amino acid synthesis in *Schizosaccharomyces pombe* represents a specific variant of sulphur metabolism in fungi. — *Yeast* 19, 29-35.
- BUSTIN, S. A. (2002). Quantification of mRNA using real-time reverse transcription PCR (RT-PCR): Trends and problems. — *Journal of Molecular Endocrinology* 29, 23-39.
- CALLAHAN, D. L., BAKER, A. J. M., KOLEV, S. D. & WEDD, A. G. (2006). Metal ion ligands in hyperaccumulating plants. — *Journal of Biological Inorganic Chemistry* 11, 2-12.
- CENCI, R. M. (2001). The use of aquatic moss (*Fontinalis antipyretica*) as monitor of contamination in standing and running waters: limits and advantages. — *Journal of Limnology* 60, 53-61.
- CHEN, J. & GOLDSBROUGH, P. B. (1994). Increased Activity of γ -Glutamylcysteine Synthetase in Tomato Cells Selected for Cadmium Tolerance. — *Plant Physiology* 106, 233-239.
- CHO, S., HOANG, Q., KIM, Y., SHIN, H., OK, S., BAE, J. & SHIN, J. (2006). Proteome analysis of gametophores identified a metallothionein involved in various abiotic stress responses in *Physcomitrella patens*. — *Plant Cell Reports* 25, 475-488.
- CLEMENS, S. (2002). Molecular mechanisms of plant metal tolerance and homeostasis. — *Planta* 212, 475-486.
- CLEMENS, S. (2006). Toxic metal accumulation, responses to exposure and mechanisms of tolerance in plants. — *Biochimie* 88, 1707-1719.
- CLEMENS, S., SCHROEDER, J. I. & DEGENKOLB, T. (2001). *Caenorhabditis elegans* expresses a functional phytochelatin synthase. — *European Journal of Biochemistry* 268, 3640-3643.
- CLEMENS, S. & SIMM, C. (2003). *Schizosaccharomyces pombe* as a model for metal homeostasis in plant cells: The phytochelatin-dependent pathway is the main cadmium detoxification mechanism. — *New Phytologist* 159, 323-330.
- CLEMENS, S., SIMM, C. & MAIER, T. (2003). Heavy metal-binding proteins and peptides. — In: Polyamides and complex proteinaceous materials II (S. Fahnestock & A. Steinbüchel, Hrsg.). Wiley-VCH, Weinheim, S. 255-288.

- COBBETT, C. & GOLDSBROUGH, P. (2002). Phytochelatins and metallothioneins: Roles in heavy metal detoxification and homeostasis. — *Annual Review of Plant Biology* 53, 159-182.
- COLANGELO, E. P. & GUERINOT, M. L. (2006). Put the metal to the petal: metal uptake and transport throughout plants. — *Current Opinion in Plant Biology* 9, 322-330.
- CORTICEIRO, S. C., LIMA, A. I. G. & FIGUEIRA, E. M. D. A. P. (2006). The importance of glutathione in oxidative status of *Rhizobium leguminosarum* biovar *viciae* under Cd exposure. — *Enzyme and Microbial Technology* 40, 132-137.
- COURBOT, M., DIEZ, L., RUOTOLO, R., CHALOT, M. & LEROY, P. (2004). Cadmium-responsive thiols in the ectomycorrhizal fungus *Paxillus involutus*. — *Applied and Environmental Microbiology* 70, 7413-7.
- COVE, D., BEZANILLA, M., HARRIES, P. & QUATRANO, R. (2006). Mosses as Model Systems for the Study of Metabolism and Development. — *Annual Review of Plant Biology* 57, 497-520.
- DAS, P., SAMANTARAY, S. & ROUT, G. R. (1997). Studies on cadmium toxicity in plants: A review. — *Environmental Pollution* 98, 29-36.
- DAS, S. & JANA, B. B. (2004). Distribution pattern of ambient cadmium in wetland ponds distributed along an industrial complex. — *Chemosphere* 55, 175-185.
- DIETZ, K.-J. (2005). Plant thiol enzymes and thiol homeostasis in relation to thiol-dependent redox regulation and oxidative stress. — In: *Antioxidants and Reactive Oxygen Species in Plants* (N. Smirnoff, Hrsg.). Blackwell Publishing Ltd., Oxford, S. 25-52.
- DIXON, D. P., LAPTHORN, A. & EDWARDS, R. (2002). Plant glutathione transferases. — *Genome Biology* 3, 3004.1-3004.10.
- DOMENECH, J., MIR, G., HUGUET, G., CAPDEVILA, M., MOLINAS, M. & ATRIAN, S. (2006). Plant metallothionein domains: functional insight into physiological metal binding and protein folding. — *Biochimie* 88, 583-593.
- DOMINGUEZ-SOLIS, J. R., GUTIERREZ-ALCALA, G., ROMERO, L. C. & GOTOR, C. (2001). The cytosolic O-acetylserine(thiol)lyase gene is regulated by heavy metals and can function in cadmium tolerance. — *Journal of Biological Chemistry* 276, 9297-9302.
- DOMÍNGUEZ-SOLÍS, J. R., LÓPEZ-MARTÍN, M. C., AGER, F. J., YNSA, M. D., ROMERO, L. C. & GOTOR, C. (2004). Increased cysteine availability is essential for cadmium tolerance and accumulation in *Arabidopsis thaliana*. — *Plant Biotechnology Journal* 2, 469-476.
- ERNST, W. H. O. (2005). Phytoextraction of mine wastes - Options and impossibilities. — *Chemie Der Erde-Geochemistry* 65, 29-42.
- FALLER, P., KIENZLER, K. & KRIEGER-LISZKAY, A. (2005). Mechanism of Cd²⁺ toxicity: Cd²⁺ inhibits photoactivation of Photosystem II by competitive binding to the essential Ca²⁺ site. — *Biochimica et Biophysica Acta-Bioenergetics* 1706, 158-164.
- FAUCHON, M., LAGNIEL, G., AUDE, J. C., LOMBARDIA, L., SOULARUE, P., PETAT, C., MARGUERIE, G., SENTENAC, A., WERNER, M. & LABARRE, J. (2002). Sulfur sparing in the yeast proteome in response to sulfur demand. — *Molecular Cell* 9, 713-723.
- FERNANDEZ, J. A., VAZQUEZ, M. D., LOPEZ, J. & CARBALLEIRA, A. (2006). Modelling the extra and intracellular uptake and discharge of heavy metals in *Fontinalis antipyretica* transplanted along a heavy metal and pH contamination gradient. — *Environmental Pollution* 139, 21-31.
- FINNEY, L. A. & O'HALLORAN, T. V. (2003). Transition metal speciation in the cell: Insights from the chemistry of metal ion receptors. — *Science* 300, 931-936.
- FOYER, C. H., GOMEZ, L. D. & HERDEN, P. D. R. v. (2005). Glutathione. — In: *Antioxidants and Reactive Oxygen Species in Plants* (N. Smirnoff, Hrsg.). Blackwell Publishing Ltd., Oxford, S. 1-24.
- FOYER, C. H., LELANDAIS, M. & KUNERT, K. J. (1994). Photooxidative stress in plants. — *Physiologia Plantarum* 92, 696-717.

- FREY, W., FRAHM, J.-P., FISCHER, E. & LOBIN, W. (1995). Moos- und Farnpflanzen. — In: Kleine Kryptogamenflora (H. Gams, Hrsg.). Fischer-Verlag, Stuttgart.
- GACHON, C., MINGAM, A. & CHARRIER, B. (2004). Real-time PCR: what relevance to plant studies? — *Journal of Experimental Botany* 55, 1445-1454.
- GADAPATI, W. R. & MACFIE, S. M. (2006). Phytochelatins are only partially correlated with Cd-stress in two species of *Brassica*. — *Plant Science* 170, 471-480.
- GAITONDE, M. K. (1967). A spectrophotometric method for the direct determination of cysteine in the presence of other naturally occurring amino acids. — *Biochemical Journal* 104, 627-633.
- GARNIER, L., SIMON-PLAS, F., THULEAU, P., AGNEL, J. P., BLEIN, J. P., RANJEVA, R. & MONTILLET, J. L. (2006). Cadmium affects tobacco cells by a series of three waves of reactive oxygen species that contribute to cytotoxicity. — *Plant Cell and Environment* 29, 1956-1969.
- GJENGEDAL, E. & STEINNES, E. (1990). Uptake of metal ions in moss from artificial precipitation. — *Environmental Monitoring and Assessment* 14, 77-87.
- HA, S.-B., SMITH, A. P., HOWDEN, R., DIETRICH, W. M., BUGG, S., O'CONNELL, M. J., GOLDSBROUGH, P. B. & COBBETT, C. S. (1999). Phytochelatin synthase genes from *Arabidopsis* and the yeast *Schizosaccharomyces pombe*. — *Plant Cell* 11, 1153-1164.
- HAAG-KERWER, A., SCHAFER, H. J., HEISS, S., WALTER, C. & RAUSCH, T. (1999). Cadmium exposure in *Brassica juncea* causes a decline in transpiration rate and leaf expansion without effect on photosynthesis. — *Journal of Experimental Botany* 50, 1827-1835.
- HABIG, W. H., PABST, M. J. & JAKOBY, W. B. (1974). Glutathione S-transferases. The first enzymatic step in mercapturic acid formation. — *Journal of Biological Chemistry* 249, 7130-7139.
- HALL, J. L. (2002). Cellular mechanisms for heavy metal detoxification and tolerance. — *Journal of Experimental Botany* 53, 1-11.
- HALL, J. L. & WILLIAMS, L. E. (2003). Transition metal transporters in plants. — *Journal of Experimental Botany* 54, 2601-2613.
- HAMER, D. H. (1986). Metallothionein. — *Annual Review of Biochemistry* 55, 913-951.
- HANIKENNE, M., MOTTE, P., WU, M. C. S., WANG, T., LOPPE, R. & MATAGNE, R. F. (2005). A mitochondrial half-size ABC transporter is involved in cadmium tolerance in *Chlamydomonas reinhardtii*. — *Plant Cell and Environment* 28, 863-873.
- HARADA, E., KUSANO, T. & SANO, H. (2000). Differential expression of genes encoding enzymes involved in sulfur assimilation pathways in response to wounding and jasmonate in *Arabidopsis thaliana*. — *Journal of Plant Physiology* 156, 272-276.
- HARADA, E., YAMAGUCHI, Y., KOIZUMI, N. & HIROSHI, S. (2002). Cadmium stress induces production of thiol compounds and transcripts for enzymes involved in sulfur assimilation pathways in *Arabidopsis*. — *Journal of Plant Physiology* 159, 445-448.
- HASSAN, M. J., SHAO, G. S. & ZHANG, G. P. (2005). Influence of cadmium toxicity on growth and antioxidant enzyme activity in rice cultivars with different grain cadmium accumulation. — *Journal of Plant Nutrition* 28, 1259-1270.
- HAWKESFORD, M. J., BUCHNER, P., HOPKINS, L. & HOWARTH, J. R. (2003). Sulphate uptake and transport. — In: *Sulphur in Plants* (Y. P. Abrol & A. Ahmad, Hrsg.). Kluwer Academic Publishers, Dordrecht, S. 71-86.
- HAWKESFORD, M. J. & DE KOK, L. J. (2006). Managing sulphur metabolism in plants. — *Plant Cell and Environment* 29, 382-395.
- HEINTZ, D., WURTZ, V., HIGH, A. A., VAN DORSSELAER, A., RESKI, R. & SARNIGHAUSEN, E. (2004). An efficient protocol for the identification of protein phosphorylation in a seedless plant, sensitive enough to detect members of signalling cascades. — *Electrophoresis* 25, 1149-1159.

- HEISS, S., SCHAFFER, H. J., HAAG-KERWER, A. & RAUSCH, T. (1999). Cloning sulfur assimilation genes of *Brassica juncea* L.: cadmium differentially affects the expression of a putative low-affinity sulfate transporter and isoforms of ATP sulfurylase and APS reductase. — *Plant Molecular Biology* 39, 847-857.
- HELL, R. (1997). Molecular physiology of plant sulfur metabolism. — *Planta* 202, 138-148.
- HELL, R. (2002). Der assimilatorische Schwefelstoffwechsel in Pflanzen. — *Biospektrum* 3, 248-251.
- HELL, R. & BERGMANN, L. (1990). γ -Glutamylcysteine synthetase in higher plants: Catalytic properties and subcellular localization. — *Planta* 180, 603-612.
- HERBETTE, S., TACONNAT, L., HUGOUVIEUX, V., PIETTE, L., MAGNIETTE, M. L., CUINE, S., AUROY, P., RICHAUD, P., FORESTIER, C., BOURGUIGNON, J., RENOU, J. P., VAVASSEUR, A. & LEONHARDT, N. (2006). Genome-wide transcriptome profiling of the early cadmium response of *Arabidopsis* roots and shoots. — *Biochimie* 88, 1751-1765.
- HERSCHBACH, C. & RENNENBERG, H. (1994). Influence of Glutathione (Gsh) on Net Uptake of Sulfate and Sulfate Transport in Tobacco Plants. — *Journal of Experimental Botany* 45, 1069-1076.
- HESSE, H., NIKIFOROVA, V., GAKIERE, B. & HOEFGEN, R. (2004). Molecular analysis and control of cysteine biosynthesis: Integration of nitrogen and sulphur metabolism. — *Journal of Experimental Botany* 55, 1283-1292.
- HIRAI, M. Y., FUJIWARA, T., AWAZUHARA, M., KIMURA, T., NOJI, M. & SAITO, K. (2003). Global expression profiling of sulfur-starved *Arabidopsis* by DNA macroarray reveals the role of O-acetyl-L-serine as a general regulator of gene expression in response to sulfur nutrition. — *The Plant Journal* 33, 651-663.
- HIRAI, M. Y., KLEIN, M., FUJIKAWA, Y., YANO, M., GOODENOWE, D. B., YAMAZAKI, Y., KANAYA, S., NAKAMURA, Y., KITAYAMA, M., SUZUKI, H., SAKURAI, N., SHIBATA, D., TOKUHISA, J., REICHEL, M., GERSHENZON, J., PAPENBROCK, J. & SAITO, K. (2005). Elucidation of gene-to-gene and metabolite-to-gene networks in *Arabidopsis* by integration of metabolomics and transcriptomics. — *Journal of Biological Chemistry* 280, 25590-25595.
- HOWARTH, J. R., DOMÍNGUEZ-SOLÍS, J. R., GUTIÉRREZ-ALCALÁ, G., WRAY, J. L., ROMERO, L. C. & GOTOR, C. (2003). The serine acetyltransferase gene family in *Arabidopsis thaliana* and the regulation of its expression by cadmium. — *Plant Molecular Biology* 51, 589-598.
- HUMBECK, K., QUAST, S. & KRUPINSKA, K. (1996). Functional and molecular changes in the photosynthetic apparatus during senescence of flag leaves from field-grown barley plants. — *Plant Cell and Environment* 19, 337-344.
- IMAIZUMI, T., KADOTA, A., HASEBE, M. & WADA, M. (2002). Cryptochrome light signals control development to suppress auxin sensitivity in the moss *Physcomitrella patens*. — *Plant Cell* 14, 373-386.
- JACK, E., HAKVOORT, H. W. J., REUMER, A., VERKLEIJ, J. A. C., SCHAT, H. & ERNST, W. H. O. (2007). Real-time PCR analysis of metallothionein-2b expression in metalicolous and non-metalicolous populations of *Silene vulgaris* (Moench) Garcke. — *Environmental and Experimental Botany* 59, 84-91.
- JACOB, C., KNIGHT, I. & WINYARD, P. G. (2006). Aspects of the biological redox chemistry of cysteine: from simple redox responses to sophisticated signalling pathways. — *Biological Chemistry* 387, 1385-1397.
- JAECKEL, P., KRAUSS, G., MENGE, S., SCHIERHORN, A., RÜCKNAGEL, P. & KRAUSS, G.-J. (2005). Cadmium induces a novel metallothionein and phytochelatin 2 in an aquatic fungus. — *Biochemical and Biophysical Research Communications* 333, 150-155.
- JEZ, J. M., CAHOON, R. E. & CHEN, S. X. (2004). *Arabidopsis thaliana* glutamate-cysteine ligase - Functional properties, kinetic mechanism, and regulation of activity. — *Journal of Biological Chemistry* 279, 33463-33470.

- JOST, R., BERKOWITZ, O., WIRTZ, M., HOPKINS, L., HAWKESFORD, M. J. & HELL, R. (2000). Genomic and functional characterization of the OAS gene family encoding O-acetylserine (thiol) lyases, enzymes catalyzing the final step in cysteine biosynthesis in *Arabidopsis thaliana*. — *Gene* 253, 237-247.
- KANDBINDER, A., FINKEMEIER, I., WORMUTH, D., HANITZSCH, M. & DIETZ, K.-J. (2004). The antioxidant status of photosynthesizing leaves under nutrient deficiency: redox regulation, gene expression and antioxidant activity in *Arabidopsis thaliana*. — *Physiologia Plantarum* 120, 63-73.
- KANETA, M., HIKICHI, H., ENDO, S. & SUGIYAMA, N. (1986). Chemical Form of Cadmium (and Other Heavy-Metals) in Rice and Wheat Plants. — *Environmental Health Perspectives* 65, 33-37.
- KLAPHECK, S., FLIEGNER, W. & ZIMMER, I. (1994). Hydroxymethyl-phytochelatin [(γ -glutamylcysteine)_n-serine] are metal-induced peptides of the *Poaceae*. — *Plant Physiology* 104, 1325-1332.
- KLAPHECK, S., SCHLUNZ, S. & BERGMANN, L. (1995). Synthesis of phytochelatin and homophytochelatin in *Pisum sativum* L. — *Plant Physiology* 107, 515-521.
- KNIGHT, C. D., COVE, D. J., BOYD, P. J. & ASHTON, N. W. (1988). *Methods in Bryology, Mainz, Germany*.
- KOPRIVA, S. (2006). Regulation of sulfate assimilation in *Arabidopsis* and beyond. — *Annals of Botany* 97, 479-495.
- KOPRIVA, S., MUHEIM, R., KOPRIVOVA, A., TRACHSEL, N., CATALANO, C., SUTER, M. & BRUNOLD, C. (1999). Light regulation of assimilatory sulphate reduction in *Arabidopsis thaliana*. — *The Plant Journal* 20, 37-44.
- KOPRIVA, S. & RENNENBERG, H. (2004). Control of sulphate assimilation and glutathione synthesis: Interaction with N and C metabolism. — *Journal of Experimental Botany* 55, 1831-1842.
- KOPRIVA, S., WIEDEMANN, G. & RESKI, R. (2006). Sulfur assimilation in lower plants: Surprising lessons from *Physcomitrella*. — Vortrag, Symposium 4th - 7th October, Sulfur-containing defence compounds: Pivotal players in plant stress tolerance.
- KOPRIVOVA, A., MEYER, A. J., SCHWEEN, G., HERSCHBACH, C., RESKI, R. & KOPRIVA, S. (2002). Functional knockout of the adenosine 5'-phosphosulfate reductase gene in *Physcomitrella patens* revives an old route of sulfate assimilation. — *Journal of Biological Chemistry* 277, 32195-32201.
- KOPRIVOVA, A., SUTER, M., DEN CAMP, R. O., BRUNOLD, C. & KOPRIVA, S. (2000). Regulation of sulfate assimilation by nitrogen in *Arabidopsis*. — *Plant Physiology* 122, 737-746.
- KRÄMER, U., COTTER-HOWELLS, J. D., CHARNOCK, J. M., BAKER, A. J. M. & SMITH, J. A. C. (1996). Free histidine as a metal chelator in plants that accumulate nickel. — *Nature* 379, 29-35.
- KRUPA, Z. (1988). Cadmium-induced changes in the composition and structure of the light-harvesting chlorophyll a/b protein complex-II in radish cotyledons. — *Physiologia Plantarum* 73, 518-524.
- KRUPA, Z., OQUIST, G. & HUNER, N. P. A. (1993). The effects of cadmium on photosynthesis of *Phaseolus vulgaris* - A fluorescence analysis. — *Physiologia Plantarum* 88, 626-630.
- KUBOTA, H., SATO, K., YAMADA, T. & MAITANI, T. (2000). Phytochelatin homologs induced in hairy roots of horseradish. — *Phytochemistry* 53, 239-245.
- KÜPPER, H., KÜPPER, F. & SPILLER, M. (1998). In situ detection of heavy metal substituted chlorophylls in water plants. — *Photosynthesis Research* 58, 123-133.
- LAEMMLI, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. — *Nature* 227, 680-685.

- LANE, T. W. & MOREL, F. M. M. (2000). A biological function for cadmium in marine diatoms. — Proceedings of the National Academy of Sciences of the United States of America 97, 4627-4631.
- LANE, T. W., SAITO, M. A., GEORGE, G. N., PICKERING, I. J., PRINCE, R. C. & MOREL, F. M. M. (2005). A cadmium enzyme from a marine diatom. — Nature 435, 42.
- LAPPARTIENT, A. G. & TOURAINE, B. (1996). Demand-driven control of root ATP sulfurylase activity and SO_4^{2-} uptake in intact canola (The role of phloem-translocated glutathione). — Plant Physiology 111, 147-157.
- LAPPARTIENT, A. G., VIDMAR, J. J., LEUSTEK, T., GLASS, A. D. M. & TOURAINE, B. (1999). Inter-organ signaling in plants: Regulation of ATP sulfurylase and sulfate transporter genes expression in roots mediated by phloem-translocated compound. — Plant Journal 18, 89-95.
- LEUSTEK, T., MARTIN, M. N., BICK, J.-A. & DAVIES, J. P. (2000). Pathways and regulation of sulfur metabolism revealed through molecular and genetic studies. — Annual Review of Plant Biology 51, 141-165.
- LEUSTEK, T. & SAITO, K. (1999). Sulfate transport and assimilation in plants. — Plant Physiology 120, 637-644.
- LI, Z.-S., LU, Y.-P., ZHEN, R.-G., SZCZYPKA, M., THIELE, D. J. & REA, P. A. (1997). A new pathway for vacuolar cadmium sequestration in *Saccharomyces cerevisiae*: YCF1-catalyzed transport of bis(glutathionato)cadmium. — Proceedings of the National Academy of Sciences of the United States of America 94, 42-47.
- LIVAK, K. J. & SCHMITTGEN, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta C_T}$ Method. — Methods 25, 402-408.
- LORENZ, S., TINTELOT, S., RESKI, R. & DECKER, E. L. (2003). Cyclin D-knockout uncouples developmental progression from sugar availability. — Plant Molecular Biology 53, 227-236.
- LUGON-MOULIN, N., ZHANG, M., GADANI, F., ROSSI, L., KOLLER, D., KRAUSS, M. & WAGNER, G. J. (2004). Critical review of the science and options for reducing cadmium in tobacco (*Nicotiana tabacum* L.) and other plants. — Advances in Agronomy, Vol 83 83, 111-180.
- MA, J. F., RYAN, P. R. & DELHAIZE, E. (2001). Aluminium tolerance in plants and the complexing role of organic acids. — Trends in Plant Science 6, 273-278.
- MA, J. F., ZHENG, S. J., MATSUMOTO, H. & HIRADATE, S. (1997). Detoxifying aluminium with buckwheat. — Nature 390, 569-570.
- MAITANI, T., KUBOTA, H., SATO, K. & YAMADA, T. (1996). The composition of metals bound to class III metallothionein (Phytochelatin and Its desglycyl peptide) induced by various metals in root cultures of *Rubia tinctorum*. — Plant Physiology 110, 1145-1150.
- MARRS, K. A. & WALBOT, V. (1997). Expression and RNA splicing of the maize glutathione S-transferase Bronze2 gene is regulated by cadmium and other stresses. — Plant Physiology 113, 93-102.
- MARSCHALL, M. & PROCTOR, M. C. F. (2004). Are bryophytes shade plants? Photosynthetic light responses and proportions of chlorophyll a, chlorophyll b and total carotenoids. — Annals of Botany 94, 593-603.
- MARTINS, R. J. E., PARDO, R. & BOAVENTURA, R. A. R. (2004). Cadmium(II) and zinc(II) adsorption by the aquatic moss *Fontinalis antipyretica*: Effect of temperature, pH and water hardness. — Water Research 38, 693-699.
- MAUGHAN, S. & FOYER, C. H. (2006). Engineering and genetic approaches to modulating the glutathione network in plants. — Physiologia Plantarum 126, 382-397.
- MAYWALD, F. & WEIGEL, H. J. (1997). Zur Biochemie und Molekularbiologie der Schwermetallaufnahme und -speicherung bei höheren Pflanzen (Biochemistry and Molecular Biology of Heavy Metal Accumulation in Higher Plants). — Landbauforschung Volkenrode 47, 103-126.

- MCDOWELL, J. M., HUANG, S. R., MCKINNEY, E. C., AN, Y. Q. & MEAGHER, R. B. (1996). Structure and evolution of the actin gene family in *Arabidopsis thaliana*. — *Genetics* 142, 587-602.
- MCGRATH, S. P., KNIGHT, B., KILLHAM, K., PRESTON, S. & PATON, G. I. (1999). Assessment of the toxicity of metals in soils amended with sewage sludge using a chemical speciation technique and a lux-based biosensor. — *Environmental Toxicology and Chemistry* 18, 659-663.
- MCMAHON, P. J. & ANDERSON, J. W. (1998). Preferential allocation of sulphur into γ -glutamylcysteinyl peptides in wheat plants grown at low sulphur nutrition in the presence of cadmium. — *Physiologia Plantarum* 104, 440-448.
- MENDOZA-CÓZATL, D., LOZA-TAVERA, H., HERNÁNDEZ-NAVARRO, A. & MORENO-SÁNCHEZ, R. (2005). Sulfur assimilation and glutathione metabolism under cadmium stress in yeast, protists and plants. — *FEMS Microbiology Reviews* 29, 653-671.
- MENDOZA-CÓZATL, D. G. & MORENO-SANCHEZ, R. (2006). Control of glutathione and phytochelatin synthesis under cadmium stress. Pathway modeling for plants. — *Journal of Theoretical Biology* 238, 919-936.
- MEUWLY, P. & RAUSER, W. E. (1992). Alteration of thiol pools in roots and shoots of maize seedlings exposed to cadmium. Adaptation and developmental cost. — *Plant Physiology* 99, 8-15.
- MEUWLY, P., THIBAUT, P., SCHWAN, A. L. & RAUSER, W. E. (1995). Three families of thiol peptides are induced by cadmium in maize. — *Plant Journal* 7, 391-400.
- MISHRA, S., SRIVASTAVA, S., TRIPATHI, R. D., GOVINDARAJAN, R., KURIAKOSE, S. V. & PRASAD, M. N. V. (2006). Phytochelatin synthesis and response of antioxidants during cadmium stress in *Bacopa monnieri* L. — *Plant Physiology and Biochemistry* 44, 25-37.
- MITTMANN, F., BRUCKER, G., ZEIDLER, M., REPP, A., ABTS, T., HARTMANN, E. & HUGHES, J. (2004). Targeted knockout in *Physcomitrella* reveals direct actions of phytochrome in the cytoplasm. — *Proceedings of the National Academy of Sciences of the United States of America* 101, 13939-13944.
- MIZUNO, T., USUI, K., HORIE, K., NOSAKA, S., MIZUNO, N. & OBATA, H. (2005). Cloning of three ZIP/NRAMP transporter genes from a Ni hyperaccumulator plant *Thlaspi japonicum* and their Ni²⁺-transport abilities. — *Plant Physiology and Biochemistry* 43, 793-801.
- MOMOSE, Y. & IWAHASHI, H. (2001). Bioassay of cadmium using a DNA microarray: Genome-wide expression patterns of *Saccharomyces cerevisiae* response to cadmium. — *Environmental Toxicology and Chemistry* 20, 2353-2360.
- MOONS, A. (2003). Osgtu3 and osgtu4, encoding tau class glutathione S-transferases, are heavy metal- and hypoxic stress-induced and differentially salt stress-responsive in rice roots. — *FEBS Letters* 553, 427-432.
- MULLER-MOULE, P., HAVAUX, M. & NIYOGI, K. K. (2003). Zeaxanthin deficiency enhances the high light sensitivity of an ascorbate-deficient mutant of *Arabidopsis*. — *Plant Physiology* 133, 748-760.
- MULLINEAUX, P. M. & RAUSCH, T. (2005). Glutathione, photosynthesis and the redox regulation of stress-responsive gene expression. — *Photosynthesis Research* 86, 459-474.
- MURASUGI, A., WADA, C. & HAYASHI, Y. (1981). Cadmium-binding peptide induced in fission yeast, *Schizosaccharomyces pombe*. — *Journal of Biochemistry* 90, 1561-1564.
- MYSLIWA-KURDZIEL, B., PRASAD, M. N. V. & STRZALKA, K. (2004). Photosynthesis in heavy metal stressed plants. — In: *Heavy metal stress in plants* (M. N. V. Prasad, Hrsg.). Springer, Berlin, S. 146-181.
- NAKAMURA, S., MARUYAMA, K., WATANABE, A., HATTORI, H. & CHINO, M. (2005). Response of glutathione in the sieve tube of *Brassica napus* L. to cadmium treatment. — In: *Sulfur*

- transport and assimilation in plants in the post genomic era (H. Rennenberg, Hrsg.). Backhuys, Leiden, S. 229-232.
- NAVAZA, A. P., MONTES-BAYÓN, M., LEDUC, D. L., TERRY, N. & SANZ-MEDEL, A. (2006). Study of phytochelatins and other related thiols as complexing biomolecules of As and Cd in wild type and genetically modified *Brassica juncea* plants. — *Journal of Mass Spectrometry* 41, 323-331.
- NEPOVIM, A., PODLIPNA, R., SOUDEK, P., SCHRODER, P. & VANEK, T. (2004). Effects of heavy metals and nitroaromatic compounds on horseradish glutathione S-transferase and peroxidase. — *Chemosphere* 57, 1007-1015.
- NEUENSCHWANDER, U., SUTER, M. & BRUNOLD, C. (1991). Regulation of sulfate assimilation by light and O-acetyl-L-serine in *Lemna minor* L. — *Plant Physiology* 97, 253-258.
- NIKIFOROVA, V., FREITAG, J., KEMPA, S., ADAMIK, M., HESSE, H. & HOEFGEN, R. (2003). Transcriptome analysis of sulfur depletion in *Arabidopsis thaliana*: interlacing of biosynthetic pathways provides response specificity. — *Plant Journal* 33, 633-650.
- NIKIFOROVA, V. J., BIELECKA, M., GAKIERE, B., KRUEGER, S., RINDER, J., KEMPA, S., MORCUENDE, R., SCHEIBLE, W. R., HESSE, H. & HOEFGEN, R. (2006). Effect of sulfur availability on the integrity of amino acid biosynthesis in plants. — *Amino Acids* 30, 173-183.
- NISHIYAMA, T., FUJITA, T., SHIN-I, T., SEKI, M., NISHIDE, H., UCHIYAMA, I., KAMIYA, A., CARNINCI, P., HAYASHIZAKI, Y., SHINOZAKI, K., KOHARA, Y. & HASEBE, M. (2003). Comparative genomics of *Physcomitrella patens* gametophytic transcriptome and *Arabidopsis thaliana*: Implication for land plant evolution. — *Proceedings of the National Academy of Sciences of the United States of America* 100, 8007-8012.
- NISHIYAMA, T., HIWATASHI, Y., SAKAKIBARA, I., KATO, M. & HASEBE, M. (2000). Tagged mutagenesis and gene-trap in the moss, *Physcomitrella patens* by shuttle mutagenesis. — *DNA Research: an International Journal for Rapid Publication of Reports on Genes and Genomes* 7, 9-17.
- NOCTOR, G. (2006). Metabolic signalling in defence and stress: The central roles of soluble redox couples. — *Plant Cell and Environment* 29, 409-425.
- NOCTOR, G., ARISI, A.-C. M., JOUANIN, L. & FOYER, C. H. (1998). Manipulation of glutathione and amino acid biosynthesis in the chloroplast. — *Plant Physiology* 118, 471-482.
- NOCTOR, G., ARISI, A.-C. M., JOUANIN, L., VALADIER, M.-H., ROUX, Y. & FOYER, C. H. (1997). Light-dependent modulation of foliar glutathione synthesis and associated amino acid metabolism in poplar overexpressing γ -glutamylcysteine synthetase. — *Planta* 202, 357 - 369.
- NOCTOR, G., STROHM, M., JOUANIN, L., KUNERT, K. J., FOYER, C. H. & RENNENBERG, H. (1996). Synthesis of glutathione in leaves of transgenic poplar overexpressing γ -glutamylcysteine synthetase. — *Plant Physiology* 112, 1071-1078.
- PADMAJA, K., PRASAD, D. D. K. & PRASAD, A. R. K. (1990). Inhibition of chlorophyll synthesis in *Phaseolus vulgaris* L seedlings by cadmium acetate. — *Photosynthetica* 24, 399-405.
- PAGE, V. & FELLER, U. (2005). Selective transport of zinc, manganese, nickel, cobalt and cadmium in the root system and transfer to the leaves in young wheat plants. — *Annals of Botany* 96, 425-434.
- PEARSON, R. G. (1963). Hard and soft acids and bases. — *Journal of the American Chemical Society* 85, 3533-3536.
- PERFUS-BARBOECH, L., LEONHARDT, N., VAVASSEUR, A. & FORESTIER, C. (2002). Heavy metal toxicity: cadmium permeates through calcium channels and disturbs the plant water status. — *Plant Journal* 32, 539-48.
- PEUKE, A. D. & RENNENBERG, H. (2005). Phytoremediation. — *EMBO Rep* 6, 497-501.
- PICKERING, D. C. & PUIA, I. L. (1969). Mechanism for the uptake of zinc by *Fontinalis antipyretica*. — *Physiologia Plantarum* 22, 653-661.

- PIECHALAK, A., TOMASZEWSKA, B., BARALKIEWICZ, D. & MALECKA, A. (2002). Accumulation and detoxification of lead ions in legumes. — *Phytochemistry* 60, 153-162.
- POMPONI, M., CENSI, V., DI GIROLAMO, V., DE PAOLIS, A., DI TOPPI, L. S., AROMOLO, R., COSTANTINO, P. & CARDARELLI, M. (2006). Overexpression of *Arabidopsis* phytochelatin synthase in tobacco plants enhances Cd²⁺ stop tolerance and accumulation but not translocation to the shoot. — *Planta* 223, 180-190.
- PUNZ, W. F. & SIEGHARDT, H. (1993). The Response of Roots of Herbaceous Plant Species to Heavy Metals. — *Environmental and Experimental Botany* 33, 85-98.
- RAAB, A., FELDMANN, J. & MEHARG, A. A. (2004). The nature of arsenic-phytochelatin complexes in *Holcus lanatus* and *Pteris cretica*. — *Plant Physiology* 134, 1113-1122.
- RAUSER, W. E. (1999). Structure and function of metal chelators produced by plants. — *Cell Biochemistry and Biophysics* 31, 19-48.
- REA, P. A. (2006). Phytochelatin synthase, papain's cousin, in stereo. — *Proceedings of the National Academy of Sciences of the United States of America* 103, 507-508.
- RELLAN-ALVAREZ, R., ORTEGA-VILLASANTE, C., ALVAREZ-FERNANDEZ, A., DEL CAMPO, F. F. & HERNANDEZ, L. E. (2006). Stress responses of *Zea mays* to cadmium and mercury. — *Plant and Soil* 279, 41-50.
- REPP, A., MIKAMI, K., MITTMANN, F. & HARTMANN, E. (2004). Phosphoinositide-specific phospholipase C is involved in cytokinin and gravity responses in the moss *Physcomitrella patens*. — *Plant Journal* 40, 250-259.
- RESKI, R. (1998). *Physcomitrella* and *Arabidopsis*: The David and Goliath of reverse genetics. — *Trends in Plant Science* 3, 209-210.
- RESKI, R., FAUST, M., WANG, X. H., WEHE, M. & ABEL, W. O. (1994). Genome analysis of the moss *Physcomitrella patens* (Hedw.) B.S.G. — *Molecular & General Genetics: MGG* 244, 352-359.
- RIVERA-BECERRIL, F., VAN TUINEN, D., GIANINAZZI, S., GIANINAZZI-PEARSON, V., MARTIN-LAURENT, F., METWALLY, A. & DIETZ, K.-J. (2005). Molecular changes in *Pisum sativum* L. roots during arbuscular mycorrhiza buffering of cadmium stress. — *Mycorrhiza* 16, 51-60.
- ROMERO-PUERTAS, M. C., RODRIGUEZ-SERRANO, M., CORPAS, F. J., GOMEZ, M., DEL RIO, L. A. & SANDALIO, L. M. (2004). Cadmium-induced subcellular accumulation of O₂⁻ and H₂O₂ in pea leaves. — *Plant Cell and Environment* 27, 1122-1134.
- ROTH, U., VON ROEPENACK-LAHAYE, E. & CLEMENS, S. (2006). Proteome changes in *Arabidopsis thaliana* roots upon exposure to Cd²⁺. — *Journal of Experimental Botany* 57, 4003-4013.
- RÜEGSEGG, A., SCHMUTZ, D. & BRUNOLD, C. (1990). Regulation of glutathione synthesis by cadmium in *Pisum sativum* L. — *Plant Physiology* 93, 1579-1584.
- SALT, D. E., BLAYLOCK, M., KUMAR, N. P. B. A., DUSHENKOV, V., ENSLEY, B. D., CHET, I. & RASKIN, I. (1995). Phytoremediation - a Novel Strategy for the Removal of Toxic Metals from the Environment Using Plants. — *Bio-Technology* 13, 468-474.
- SALT, D. E., KATO, N., KRÄMER, U., SMITH, R. D. & RASKIN, I. (2000). The role of root exudates in nickel hyperaccumulation and tolerance in accumulator and non-accumulator species of *Thlaspi*. — In: *Phytoremediation of contaminated soil and water* (N. Terry & G. Bañuelos, Hrsg.). Lewis Publishers, Boca Raton, S. 189-200.
- SANITÀ DI TOPPI, L. & GABBRIELLI, R. (1999). Response to cadmium in higher plants. — *Environmental and Experimental Botany* 41, 105-130.
- SARNIGHAUSEN, E., WURTZ, V., HEINTZ, D., VAN DORSSELAER, A. & RESKI, R. (2004). Mapping of the *Physcomitrella patens* proteome. — *Phytochemistry* 65, 1589-1607.
- SARRY, J.-E., KUHN, L., DUCRUIX, C., LAFAYE, A., JUNOT, C., HUGOUVIEUX, V., JOURDAIN, A., BASTIEN, O., FIEVET, J. B., VAILHEN, D., AMEKRAZ, B., MOULIN, C., EZAN, E., GARIN, J. & BOURGUIGNON, J. (2006). The early responses of *Arabidopsis thaliana* cells to

- cadmium exposure explored by protein and metabolite profiling analyses. — *PROTEOMICS* 6, 2180 - 2198.
- SCHAEFER, D. & ZRYD, J. (1997). Efficient gene targeting in the moss *Physcomitrella patens*. — *Plant Journal* 11, 1195 - 1206.
- SCHAEFER, D. G. (2002). A new moss genetics: Targeted Mutagenesis in *Physcomitrella patens*. — *Annual Reviews in Plant Biology* 53, 477-501.
- SCHÄFER, H. J., HAAG-KERWER, A. & RAUSCH, T. (1998). cDNA cloning and expression analysis of genes encoding GSH synthesis in roots of the heavy-metal accumulator *Brassica juncea* L.: evidence for Cd-induction of a putative mitochondrial gamma-glutamylcysteine synthetase isoform. — *Plant Molecular Biology* 37, 87-97.
- SCHNEIDER, S. & BERGMANN, L. (1995). Regulation of glutathione synthesis in suspension cultures of parsley and tobacco. — *Botanica Acta* 108, 34-40.
- SCHRODER, P., FISCHER, C., DEBUS, R. & WENZEL, A. (2003). Reaction of detoxification mechanisms in suspension cultured spruce cells (*Picea abies* L. Karst.) to heavy metals in pure mixture and in soil eluates. — *Environmental Science and Pollution Research* 10, 225-234.
- SEREGIN, I. V. & IVANOV, V. B. (2001). Physiological aspects of cadmium and lead toxic effects on higher plants. — *Russian Journal of Plant Physiology* 48, 523-544.
- SHARMA, S. S. & DIETZ, K. J. (2006). The significance of amino acids and amino acid-derived molecules in plant responses and adaptation to heavy metal stress. — *Journal of Experimental Botany* 57, 711-726.
- SIEDLECKA, A. & BASZYNSKI, T. (1993). Inhibition of electron flow around photosystem I in chloroplasts of Cd-treated maize plants is due to Cd-induced iron-deficiency. — *Physiologia Plantarum* 87, 199-202.
- SMEETS, K., CUYPERS, A., SEMANE, B., VANGRONSVELD, J., LAMBRECHTS, A., VAN LAERE, A. & HOET, P. (2005). Induction of oxidative stress and antioxidative mechanisms in *Phaseolus vulgaris* after Cd application. — *Plant Physiology and Biochemistry* 43, 437-444.
- SMITH, F. W., HAWKESFORD, M. J., EALING, P. M., CLARKSON, D. T., VANDEN BERG, P. J., BELCHER, A. R. & WARRILOW, A. G. S. (1997). Regulation of expression of a cDNA from barley roots encoding a high affinity sulphate transporter. — *Plant Journal* 12, 875-884.
- STEPHEN, D. W. S. & JAMIESON, D. J. (1997). Amino acid-dependent regulation of the *Saccharomyces cerevisiae* GSH1 gene by hydrogen peroxide. — *Molecular Microbiology* 23, 203-210.
- SUN, Q., WANG, X. R., DING, S. M. & YUAN, X. F. (2005a). Effects of interactions between cadmium and zinc on phytochelatin and glutathione production in wheat (*Triticum aestivum* L.). — *Environmental Toxicology* 20, 195-201.
- SUN, X., SUN, X.-M., YANG, Z.-M., LI, S.-Q., WANG, J. & WANG, S.-H. (2005b). Expression of *Brassica napus* L. γ -glutamylcysteine synthetase and low- and high-affinity sulfate transporters in response to excess cadmium. — *Journal of Integrative Plant Biology* 47, 243-250.
- SUTTER, K. (2000). Untersuchungen zur Akkumulation und physiologisch-biochemischen Wirkung von Schwermetallen im Wassermoos *Fontinalis antipyretica* L. ex Hedw. — Dissertation, Martin-Luther-Universität.
- TAKAHASHI, H., WATANABE-TAKAHASHI, A., SMITH, F. W., BLAKE-KALFF, M., HAWKESFORD, M. J. & SAITO, K. (2000). The roles of three functional sulphate transporters involved in uptake and translocation of sulphate in *Arabidopsis thaliana*. — *Plant Journal* 23, 171-82.
- TOMMEY, A. M., SHI, J., LINDSAY, W. P., URWIN, P. E. & ROBINSON, N. J. (1991). Expression of the pea gene PsMTA in *E. coli*. Metal-binding properties of the expressed protein. — *FEBS Letters* 292, 48-52.

- UNYAYAR, S., CELIK, A., CEKIC, F. O. & GOZEL, A. (2006). Cadmium-induced genotoxicity, cytotoxicity and lipid peroxidation in *Allium sativum* and *Vicia faba*. — *Mutagenesis* 21, 77-81.
- VAN ASSCHE, F., CLIJSTERS, H. (1990). A biological test system for the evaluation of the phytotoxicity of metal-contaminated soils. — *Environmental Pollution* 66, 157-172.
- VAN DUIJVENDIJK-MATTEOLI, M. A. & DESMETA, G. M. (1975). On the inhibitory site of PSII in isolated chloroplasts. — *Biochimica and Biophysica Acta* 408, 164-169.
- VAN HOOFF, N. A. L. M., HASSINEN, V. H., HAKVOORT, H. W. J., BALLINTIJN, K. F., SCHAT, H., VERKLEIJ, J. A. C., ERNST, W. H. O., KARENLAMPI, S. O. & TERVAHAUTA, A. I. (2001). Enhanced copper tolerance in *Silene vulgaris* (Moench) Garcke populations from copper mines is associated with increased transcript levels of a 2b-type metallothionein gene. — *Plant Physiology* 126, 1519-1526.
- VASSILEV, A., YORDANOV, I. & TSONEV, T. (1997). Effects of Cd²⁺ on the physiological state and photosynthetic activity of young barley plants. — *Photosynthetica* 34, 293-302.
- VATAMANIUK, O. K., BUCHER, E. A., WARD, J. T. & REA, P. A. (2001). A new pathway for heavy metal detoxification in animals. Phytochelatin synthase is required for cadmium tolerance in *Caenorhabditis elegans*. — *Journal of Biological Chemistry* 276, 20817-20820.
- VATAMANIUK, O. K., MARI, S., LANG, A., CHALASANI, S., DEMKIV, L. O. & REA, P. A. (2004). Phytochelatin synthase, a dipeptidyltransferase that undergoes multisite acylation with gamma-glutamylcysteine during catalysis: Stoichiometric and site-directed mutagenic analysis of *Arabidopsis thaliana* PCS1-catalyzed phytochelatin synthesis. — *Journal of Biological Chemistry* 279, 22449-22460.
- VATAMANIUK, O. K., MARI, S., LU, Y.-P. & REA, P. A. (1999). AtPCS1, a phytochelatin synthase from *Arabidopsis*: Isolation and in vitro reconstitution. — *Proceedings of the National Academy of Sciences of the United States of America* 96, 7110-7115.
- VAUCLARE, P., KOPRIVA, S., FELL, D., SUTER, M., STICHER, L., VON BALLMOOS, P., KRAHENBUHL, U., DEN CAMP, R. O. & BRUNOLD, C. (2002). Flux control of sulphate assimilation in *Arabidopsis thaliana*: adenosine 5'-phosphosulphate reductase is more susceptible than ATP sulphurylase to negative control by thiols. — *Plant Journal* 31, 729-740.
- VIDO, K., SPECTOR, D., LAGNIEL, G., LOPEZ, S., TOLEDANO, M. B. & LABARRE, J. (2001). A proteome analysis of the cadmium response in *Saccharomyces cerevisiae*. — *Journal of Biological Chemistry* 276, 8469-8474.
- VOLKOV, R. A., PANCHUK, I. I. & SCHOFFL, F. (2003). Heat-stress-dependency and developmental modulation of gene expression: the potential of house-keeping genes as internal standards in mRNA expression profiling using real-time RT-PCR. — *Journal of Experimental Botany* 54, 2343-2349.
- WACHTER, A., WOLF, S., STEININGER, H., BOGS, J. & RAUSCH, T. (2005). Differential targeting of GSH1 and GSH2 is achieved by multiple transcription initiation: implications for the compartmentation of glutathione biosynthesis in the *Brassicaceae*. — *Plant Journal* 41, 15-30.
- WEBER, M., HARADA, E., VESS, C., ROEPENACK-LAHAYE, E. V. & CLEMENS, S. (2004). Comparative microarray analysis of *Arabidopsis thaliana* and *Arabidopsis halleri* roots identifies nicotianamine synthase, a ZIP transporter and other genes as potential metal hyperaccumulation factors. — *Plant Journal* 37, 269-281.
- WÓJCIK, M. & TUKIENDORF, A. (2004). Phytochelatin synthesis and cadmium localization in wild type of *Arabidopsis thaliana*. — *Plant Growth Regulation* 44, 71-80.
- WÓJCIK, M., VANGRONSVELD, J., D'HAEN, J. & TUKIENDORF, A. (2005). Cadmium tolerance in *Thlaspi caerulescens* - II. Localization of cadmium in *Thlaspi caerulescens*. — *Environmental and Experimental Botany* 53, 163-171.

- WORMS, I., SIMON, D. F., HASSLER, C. S. & WILKINSON, K. J. (2006). Bioavailability of trace metals to aquatic microorganisms: importance of chemical, biological and physical processes on biouptake. — *Biochimie* 88, 1721-1731.
- WU, F. B., DONG, J., CHEN, F. & ZHANG, G. P. (2005). Response of cadmium uptake in different barley genotypes to cadmium level. — *Journal of Plant Nutrition* 28, 2201-2209.
- XIANG, C. & OLIVER, D. J. (1998). Glutathione metabolic genes coordinately respond to heavy metals and jasmonic acid in *Arabidopsis*. — *Plant Cell* 10, 1539-1550.
- XUE, H. B. & SIGG, L. (1998). Cadmium speciation and complexation by natural organic ligands in fresh water. — *Analytica Chimica Acta* 363, 249-259.
- YANG, X. E., JIN, X. F., FENG, Y. & ISLAM, E. (2005). Molecular mechanisms and genetic basis of heavy metal tolerance/hyperaccumulation in plants. — *Journal of Integrative Plant Biology* 47, 1025-1035.
- ZHU, Y. L., PILON-SMITS, E. A. H., TARUN, A. S., WEBER, S. U., JOUANIN, L. & TERRY, N. (1999). Cadmium tolerance and accumulation in indian mustard is enhanced by overexpressing γ -glutamylcysteine synthetase. — *Plant Physiology* 121, 1169-1177.
- ZIMERI, A. M., DHANKHER, O. P., MCCAIG, B. & MEAGHER, R. B. (2005). The plant MT1 metallothioneins are stabilized by binding cadmiums and are required for cadmium tolerance and accumulation. — *Plant Molecular Biology* 58, 839-55.