

## 6 Literaturverzeichnis

- 1 Bodo, A., Bakos, E., Szeri, F., Varadi, A. & Sarkadi, B., **2003**. *The role of multidrug transporters in drug availability, metabolism and toxicity*. Toxicol. Lett., 11, 133-143.
- 2 Sai, Y. & Tsuji, A., **2004**. *Transporter-mediated drug delivery: recent progress and experimental approaches*. Drug Discov.Today, 9, 712-720.
- 3 Kubinyi, H., **1999**. *Chance favors the prepared mind--from serendipity to rational drug design*. J. Recept. Signal Transduct. Res., 19, 15-39.
- 4 Ganapathy, V., Brandsch, M. & Leibach, F. H., **1994**. *Intestinal transport of amino acids and peptides.*, in *Physiology of the gastrointestinal tract.*, L.R. Johnson (Hrsg.). Raven Press: Ltd., New York. 1773-1794.
- 5 Daniel, H., **1996**. *Function and molecular structure of brush border membrane peptide/H<sup>+</sup> symporters*. J. Membrane Biol., 154, 197-203.
- 6 Ganapathy, V. & Leibach, F. H., **1996**. *Peptide transporters*. Curr. Opin. Nephrol. Hypertens, 5, 395-400.
- 7 Adibi, S. A., **1997**. *Renal assimilation of oligopeptides: physiological mechanisms and metabolic importance*. Am. J. Physiol., 272, E723-E736.
- 8 Brandsch, M., Knütter, I. & Leibach, F. H., **2004**. *The intestinal H<sup>+</sup>/peptide symporter PEPT1: structure-affinity relationships*. Eur. J. Pharm. Sci., 21, 53-60.
- 9 Ganapathy, M. E., Brandsch, M., Prasad, P. D., Ganapathy, V. & Leibach, F. H., **1995**. *Differential recognition of  $\beta$ -lactam antibiotics by intestinal and renal peptide transporters, PEPT 1 and PEPT 2*. J. Biol. Chem., 270, 25672-25677.
- 10 Brandsch, M., Knütter, I., Hartrodt, B., Gebauer, S., Theis, S., Boll, M., Rubio-Aliaga, I., Born, I., Thondorf, I., Daniel, H. & Neubert, K., **2003**. *New insights into substrate specificity, inhibitors, pharmacophore structure and expression of the mammalian H<sup>+</sup>/peptide transporters*. Nova Acta Leopold., 87, 75-85.
- 11 Rubio-Aliaga, L. & Daniel, H., **2002**. *Mammalian peptide transporters as targets for drug delivery*. Trends Pharmacol. Sci., 23, 434-440.
- 12 Groneberg, D. A., Fischer, A., Chung, F. & Daniel, H., **2004**. *Molecular mechanisms of pulmonary peptidomimetic drug and peptide transport*. Am. J. Respir. Cell Mol. Biol., 30, 251-260.
- 13 Chang, C. & Swaan, P. W., **2006**. *Computational approaches to modeling drug transporters*. Eur. J. Pharm. Sci., 27, 411-424.
- 14 Gebauer, S., Knütter, I., Hartrodt, B., Brandsch, M., Neubert, K. & Thondorf, I., **2003**. *Three-dimensional quantitative structure-activity relationship analyses of peptide substrates of the mammalian H<sup>+</sup>/peptide cotransporter PEPT1*. J. Med. Chem., 46, 5725-5734.
- 15 Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Shindyalov, I. N. & Bourne, P. E., **2000**. *The protein data bank*. Nucleic Acids Res., 28, 235-242.

- 
- 16 Böhm, H.-J., Klebe, G. & Kubinyi, H., **1996**. *Wirkstoffdesign*. Heidelberg - Berlin - Oxford: Spektrum Akademischer Verlag GmbH.
- 17 Klebe, G., **1993**. *Structural alignment of molecules.*, in *3D-QSAR in drug design.*, H. Kubinyi (Hrsg.). ESCOM: Leiden. 173-199.
- 18 Wermuth, C.-G. & Langer, T., **1993**. *Pharmacophore identification.*, in *3D QSAR in drug design.*, H. Kubinyi (Hrsg.). ESCOM: Leiden. 117-136.
- 19 Klebe, G., **1998**. *Comparative molecular similarity indices analysis: CoMSIA*. *Perspect. Drug Discov. Des.*, 12, 87-104.
- 20 Cramer III, R. D., DePriest, S. A., Patterson, D. E. & Hecht, P., **1993**. *The developing practice of comparative molecular field analysis.*, in *3D QSAR in drug design*, H. Kubinyi (Hrsg.). ESCOM: Leiden. 443-485.
- 21 Kim, K. H., **2001**. *3D-QSAR analysis of 2,4,5- and 2,3,4,5-substituted imidazoles as potent and nontoxic modulators of P-glycoprotein mediated MDR*. *Bioorg. Med. Chem.*, 9, 1517-1523.
- 22 Yates, C. R., Chang, C., Kearbey, J. D., Yasuda, K., Schuetz, E. G., Miller, D. D., Dalton, J. T. & Swaan, P. W., **2003**. *Structural determinants of P-glycoprotein-mediated transport of glucocorticoids*. *Pharm. Res.*, 20, 1794-1803.
- 23 Yarim, M., Moro, S., Huber, R., Meier, P. J., Kaseda, C., Kashima, T., Hagenbuch, B. & Folkers, G., **2005**. *Application of QSAR analysis to organic anion transporting polypeptide 1a5 (Oatp1a5) substrates*. *Bioorg. Med. Chem.*, 13, 463-471.
- 24 Suhre, W. M., Ekins, S., Chang, C., Swaan, P. W. & Wright, S. H., **2005**. *Molecular determinants of substrate/inhibitor binding to the human and rabbit renal organic cation transporters hOCT2 and rbOCT2*. *Mol. Pharmacol.*, 67, 1067-1077.
- 25 Viswanadhan, V. N., Ghose, A. K. & Weinstein, J. N., **1990**. *Mapping the binding site of the nucleoside transporter protein: a 3D-QSAR study*. *Biochim. Biophys. Acta*, 1039, 356-366.
- 26 Hu, H., Endres, C. J., Chang, C., Umapathy, N. S., Lee, E. W., Fei, Y. J., Itagaki, S., Swaan, P. W., Ganapathy, V. & Unadkat, J. D., **2006**. *Electrophysiological characterization and modeling of the structure activity relationship of the human concentrative nucleoside transporter 3 (hCNT3)*. *Mol. Pharmacol.*, 69, 1542-1553.
- 27 Baringhaus, K.-H., Matter, H., Stengelin, S. & Kramer, W., **1999**. *Substrate specificity of the ileal and the hepatic Na<sup>+</sup>/bile acid cotransporters of the rabbit. II. A reliable 3D QSAR pharmacophore model for the ileal Na<sup>+</sup>/bile acid cotransporter*. *J. Lipid Res.*, 40, 2158-2168.
- 28 Folkers, G., Merz, A. & Rognan, D., **1993**. *CoMFA: Scope and limitations.*, in *3D QSAR in drug design: theory, methods and applications*, H. Kubinyi (Hrsg.). ESCOM: Leiden, The Netherlands. 583-618.
- 29 Kim, K. H., Greco, G. & Novellino, E., **1998**. *A critical review of recent CoMFA applications*. *Perspect. Drug Discov. Des.*, 12-14, 257-315.
- 30 Weber, C., Wider, G., von Freyberg, B., Traber, R., Braun, W., Widmer, H. & Wüthrich, K., **1991**. *The NMR structure of cyclosporin A bound to cyclophilin in aqueous solution*. *Biochemistry*, 30, 6563-6574.

- 31 Nikiforovich, G. V., **1994**. *Computational molecular modeling in peptide drug design*. Int. J. Peptide Protein Res., 44, 513-531.
- 32 Leach, A. R., **1996**. *Molecular modelling - principles and applications*. Harlow: Addison Wesley Longman Limited.
- 33 Marshall, N. J., **1987**. *Computer-aided drug design*. Annu. Rev. Pharmacol. Toxicol., 27, 193-213.
- 34 Marshall, N. J., Barry, C. D., Bosshard, H. E., Dammkoehler, R. A. & Dunn, D. A., **1979**. *The conformational parameter in drug design: the active analog approach, in Computer-assisted drug design, ACS Symp. Series 112*, E.C. Olsen & R.E. Christofersen (Hrsg.). American Chemical Society: Washington, DC. 205-226.
- 35 Cramer III, R. D., Patterson, D. E. & Bunce, J. D., **1989**. *Recent advances in comparative molecular field analysis (CoMFA)*. Prog. Clin. Biol. Res. , 291, 161-165.
- 36 Gohlke, H. & Klebe, G., **2002**. *Ansätze zur Beschreibung und Vorhersage der Bindungsaffinität niedermolekularer Liganden an makromolekulare Rezeptoren*. Angew. Chem. Weinheim Bergstr. Ger., 114, 2764-2798.
- 37 Wold, S., Johansson, E. & Cocchi, M., **1993**. *PLS-partial least-squares projections to latent structures.*, in *3D QSAR in drug design.*, H. Kubinyi (Hrsg.). ESCOM: Leiden. 523-550.
- 38 Newey, H. & Smyth, D. H., **1959**. *The intestinal absorption of some dipeptides*. J. Physiol., 4, 48-56.
- 39 Newey, H. & Smyth, D. H., **1962**. *Cellular mechanisms in intestinal transfer of amino acids*. J. Physiol., 164, 527-551.
- 40 Addison, J. M., Burston, D. & Matthews, D. M., **1972**. *Evidence for the active transport of the dipeptide glycylsarcosine by hamster jejunum in vitro*. Clin. Sci., 43, 907-911.
- 41 Addison, J. M., Burston, D. & Matthews, D. M., **1973**. *Carnosine transport by hamster jejunum in vitro and its inhibition by other di- and tripeptides*. Clin. Sci. Mol. Med., 45, 3P-4P.
- 42 Penzotti, S. C., Jr. & Poole, J. W., **1974**. *Transport mechanisms of beta-lactam antibiotics across everted rat gut*. J. Pharm. Sci., 63, 1803-1806.
- 43 Dixon, C. & Mizen, L. W., **1977**. *Absorption of amino penicillins from everted rat intestine*. J. Physiol., 269, 549-559.
- 44 Fei, Y. J., Kanai, Y., Nussberger, S., Ganapathy, V., Leibach, F. H., Romero, M. F., Singh, S. K., Boron, W. F. & Hediger, M. A., **1994**. *Expression cloning of a mammalian proton-coupled oligopeptide transporter*. Nature, 368, 563-566.
- 45 Brandsch, M., Miyamoto, Y., Ganapathy, V. & Leibach, F. H., **1994**. *Expression and protein kinase C-dependent regulation of peptide/H<sup>+</sup> co-transport system in the Caco-2 human colon carcinoma cell line*. Biochem. J., 299, 253-260.
- 46 Benoit, F. L. & Watten, R. H., **1968**. *Renal tubular transport by hydroxyproline peptides: Evidence for reabsorption and secretion*. Metabolism, 17, 20-33.
- 47 Nutzenadel, W. & Scriver, C. R., **1976**. *Uptake and metabolism of  $\beta$ -alanine and L-carnosine by rat tissue in vitro: role in nutrition*. Am. J. Physiol., 230, 643-651.

- 
- 48 Inui, K., Okano, T., Takano, M., Saito, H. & Hori, R., **1984**. *Carrier-mediated transport of cephalixin via the dipeptide transport system in rat renal brush-border membrane vesicles*. *Biochim. Biophys. Acta*, 769, 449-454.
- 49 Inui, K., Okano, T., Takano, M., Kitazawa, S. & Hori, R., **1983**. *Carrier-mediated transport of amino-cephalosporins by brush border membrane vesicles isolated from rat kidney cortex*. *Biochem. Pharmacol.*, 32, 621-626.
- 50 Adibi, S. A., Krzysik, B. A. & Drash, A. L., **1977**. *Metabolism of intravenously administered dipeptides in rats: effects on amino acid pools, glucose concentration and insulin and glucagon secretion*. *Clin. Sci. Mol. Med.*, 52, 193-204.
- 51 Silbernagl, S., Ganapathy, V. & Leibach, F. H., **1987**. *H<sup>+</sup> gradient driven dipeptide reabsorption in proximal tubule of rat kidney. Studies in vivo and in vitro*. *Am. J. Physiol.*, 253, F448-F457.
- 52 Tirupathi, C., Ganapathy, V. & Leibach, F. H., **1990**. *Evidence for tripeptide-proton symport in renal brush border membrane vesicles*. *J. Biol. Chem.*, 265, 2048-2053.
- 53 Daniel, H. & Rubio-Aliaga, I., **2003**. *An update on renal peptide transporters*. *Am. J. Physiol. Renal Physiol.*, 284, F885-F892.
- 54 Ocheltree, S. M., Shen, H., Hu, Y., Keep, R. F. & Smith, D. E., **2005**. *Role and relevance of PEPT2 in the kidney and choroid plexus: in vivo studies with glycylsarcosine in wild-type and PEPT2 knockout mice*. *J. Pharmacol. Exp. Ther.*, 315, 240-247.
- 55 Frey, I. M., Rubio-Aliaga, I., Klempt, M., Wolf, E. & Daniel, H., **2006**. *Phenotype analysis of mice deficient in the peptide transporter PEPT2 in response to alterations in dietary protein intake*. *Pflugers Arch.*, V452, 300-306.
- 56 Ogihara, H., Saito, H., Shin, B. C., Terada, T., Takenoshita, S., Nagamachi, Y., Inui, K. & Takata, K., **1996**. *Immuno-localization of H<sup>+</sup>/peptide cotransporter in rat digestive tract*. *Biochim. Biophys. Res. Commun.*, 220, 848-852.
- 57 Bockman, D. E., Ganapathy, V., Oblak, T. G. & Leibach, F. H., **1997**. *Localization of peptide transporter in nuclei and lysosomes of the pancreas*. *Int. J. Pancreatol.*, 22, 221-225.
- 58 Thamotharan, M., Lombardo, Y. B., Bawani, S. Z. & Adibi, S. A., **1997**. *An active mechanism for completion of the final stage of protein degradation in the liver, lysosomal transport of dipeptides*. *J. Biol. Chem.*, 272, 11786-11790.
- 59 Shen, H., Smith, D. E., Yang, T., Huang, Y. G., Schnermann, J. B. & Brosius, F. C., 3rd., **1999**. *Localization of PEPT1 and PEPT2 proton-coupled oligopeptide transporter mRNA and protein in rat kidney*. *Am. J. Physiol.*, 276, F658-F665.
- 60 Zhu, T., Cheng, X. Z., Steel, A., Hediger, M. A. & Smith, D. E., **2000**. *Differential recognition of ACE inhibitors in Xenopus laevis oocytes expressing rat PEPT1 and PEPT2*. *Pharm. Res.*, 17, 526-532.
- 61 Chen, X. Z., Zhu, T., Smith, D. E. & Hediger, M. A., **1999**. *Stoichiometry and kinetics of the high-affinity H<sup>+</sup>-coupled peptide transporter PepT2*. *J. Biol. Chem.*, 274, 2773-2779.

- 62 Knütter, I., Rubio-Aliaga, I., Boll, M., Hause, G., Daniel, H., Neubert, K. & Brandsch, M., **2002**. *H<sup>+</sup>-peptide cotransport in the human bile duct epithelium cell line SK-ChA-1*. Am. J. Physiol. Gastrointest. Liver Physiol., 283, G222-G229.
- 63 Berger, U. V. & Hediger, M. A., **1999**. *Distribution of peptide transporter PEPT2 mRNA in the rat nervous system*. Anat. Embryol., 199, 439 - 449.
- 64 Groneberg, D. A., Döring, F., Nickolaus, M., Daniel, H. & Fischer, A., **2001**. *Expression of PEPT2 peptide transporter mRNA and protein in glial cells of rat dorsal root ganglia*. Neurosci. Lett., 304, 181-184.
- 65 Groneberg, D. A., Nickolaus, M., Springer, J., Döring, F., Daniel, H. & Fischer, A., **2001**. *Localization of the peptide transporter PEPT2 in the lung: implications for pulmonary oligopeptide uptake*. Am. J. Pathol., 158, 707-714.
- 66 Groneberg, D. A., Döring, F., Theis, S., Nickolaus, M., Fischer, A. & Daniel, H., **2002**. *Peptide transport in the mammary gland: expression and distribution of PEPT2 mRNA and protein*. Am. J. Physiol. Endocrinol. Metab., 282, E1172 - E1179.
- 67 Ocheltree, S. M., Keep, R. F., Shen, H., Yang, D., Hughes, B. A. & Smith, D. E., **2003**. *Preliminary investigation into the expression of proton-coupled oligopeptide transporters in neural retina and retinal pigment epithelium (RPE): lack of functional activity in RPE plasma membranes*. Pharm. Res., 9, 1364-1372.
- 68 Fujita, T., Kishida, T., Wada, M., Okada, N., Yamamoto, A., Leibach, F. H. & Ganapathy, V., **2004**. *Functional characterization of brain peptide transporter in rat cerebral cortex: identification of the high-affinity type H<sup>+</sup>/peptide transporter PEPT2*. Brain Res., 997, 52-61.
- 69 Lu, H. & Klaassen, C., **2005**. *Tissue distribution and thyroid hormone regulation of Pept1 and Pept2 mRNA in rodents*. Peptides, 27, 850-857.
- 70 Rühl, A., Hoppe, S., Frey, I., Daniel, H. & Schemann, M., **2005**. *Functional expression of the peptide transporter PEPT2 in the mammalian enteric nervous system*. J. Comp. Neurol., 490, 1-11.
- 71 Lin, H. & King, N., **2006**. *Demonstration of functional dipeptide transport with expression of PEPT2 in guinea pig cardiomyocytes*. Pflugers Arch., 453, 915-922.
- 72 Dringen, R., Hamprecht, B. & Bröer, S., **1998**. *The peptide transporter PEPT2 mediates the uptake of the glutathione precursor Cys-Gly in astroglia-rich primary cultures*. J. Neurochem., 71, 388-393.
- 73 Dieck, T. S., Heuer, H., Ehrchen, J., Otto, C. & Bauer, K., **1999**. *The peptide transporter PepT2 is expressed in rat brain and mediates the accumulation of the fluorescent dipeptide derivative  $\beta$ -Ala-Lys-N<sub>ε</sub>-AMCA in astrocytes*. Glia, 25, 10-20.
- 74 Teuscher, N. S., Keep, R. F. & Smith, D. E., **2001**. *PEPT2-mediated uptake of neuropeptides in rat choroid plexus*. Pharm. Res., 18, 807-813.
- 75 Shu, C., Shen, H., Teuscher, N. S., Lorenzi, P. J., Keep, R. F. & Smith, D. E., **2002**. *Role of PEPT2 in peptide/mimetic trafficking at the blood-cerebrospinal fluid barrier: studies in rat choroid plexus epithelial cells in primary culture*. J. Pharmacol. Exp. Ther., 301, 820-829.

- 
- 76 Hu, Y., Ocheltree, S. M., Xiang, J., Keep, R. F. & Smith, D. E., **2005**. *Glycyl-L-glutamine disposition in rat choroid plexus epithelial cells in primary culture: role of PEPT2*. *Pharm. Res.*, 22, 1281-1286.
- 77 Shen, H., Keep, R. F., Hu, Y. & Smith, D. E., **2005**. *PEPT2 (Slc15a2)-mediated unidirectional transport of cefadroxil from CSF into choroid plexus*. *J. Pharmacol. Exp. Ther.*, 315, 1101-1108.
- 78 Rubio-Aliaga, I., Frey, I., Boll, M., Groneberg, D. A., Eichinger, H. M., Balling, R. & Daniel, H., **2003**. *Targeted disruption of the peptide transporter Pept2 gene in mice defines its physiological role in the kidney*. *Mol. Cell. Biol.*, 23, 3247-3252.
- 79 Shen, H., Smith, D. E., Keep, R. F., Xiang, J. & Brosius, F. C. r., **2003**. *Targeted disruption of the PEPT2 gene markedly reduces dipeptide uptake in choroid plexus*. *J. Biol. Chem.*, 278, 4786-4791.
- 80 Lucas, M., **1983**. *Determination of acid surface pH in vivo in rat proximal jejunum*. *Gut*, 24, 734-739.
- 81 Daniel, H., Fett, C. & Kratz, A., **1989**. *Demonstration and modification of intervillous pH profiles in rat small intestine in vitro*. *Am. J. Physiol.*, 257, G489-G495.
- 82 McKay, D. M. & Baird, A. W., **1999**. *Cytokine regulation of epithelial permeability and ion transport*. *Gut*, 44, 283-289.
- 83 Mackenzie, B., Fei, Y. J., Ganapathy, V. & Leibach, F. H., **1996**. *The human intestinal H<sup>+</sup>/peptide cotransporter hPEPT1 transports differentially-charged dipeptides with identical electrogenic properties*. *Biochim. Biophys. Acta*, 1284, 125-128.
- 84 Thwaites, D. T., Hirst, B. H. & Simmons, N. L., **1993**. *Direct assessment of dipeptide/H<sup>+</sup> symport in intact human intestinal (Caco-2) epithelium: a novel method utilizing continuous intracellular pH measurement*. *Biochem. Biophys. Res. Commun.*, 194, 432-438.
- 85 Kottra, G., Stamford, A. & Daniel, H., **2002**. *PEPT1 as a paradigm for membrane carriers that mediate electrogenic bidirectional transport of anionic, cationic and neutral substrates*. *J. Biol. Chem.*, 277, 32683-32691.
- 86 Irie, M., Terada, T., Katsura, T., Matsuoka, S. & Inui, K., **2005**. *Computational modelling of H<sup>+</sup>-coupled peptide transport via human PEPT1*. *J. Physiol. (Lond.)*, 565, 429-439.
- 87 Leibach, F. H. & Ganapathy, V., **1996**. *Peptide transport in the intestine and the kidney*. *Annu. Rev. Nutr.*, 16, 99-119.
- 88 Meredith, D. & Boyd, C. A. R., **2000**. *Structure and function of eucaryotic peptide transporters*. *Cell. Mol. Life Sci.*, 57, 754-778.
- 89 Herrera-Ruiz, D. & Knipp, G. T., **2003**. *Current perspectives on established and putative mammalian oligopeptide transporters*. *J. Pharm. Sci.*, 92, 691-714.
- 90 Daniel, H. & Kottra, G., **2004**. *The proton oligopeptide cotransporter family SLC15 in physiology and pharmacology*. *Pflugers Arch.*, 447, 610-618.
- 91 Terada, T. & Inui, K., **2004**. *Peptide transporters: structure, function, regulation and application for drug delivery*. *Curr. Drug Metab.*, 5, 85-94.

- 92 Boll, M., Markovich, D., Weber, W. M., Korte, H., Daniel, H. & Murer, H., **1994**. *Expression cloning of a cDNA from rabbit small intestine related to proton-coupled transport of peptides,  $\beta$ -lactam antibiotics and ACE-inhibitors*. Pflugers Arch., 429, 146-149.
- 93 Boll, M., Herget, M., Wagener, M., Weber, W. M., Markovich, D., Biber, J., Clauss, W., Murer, H. & Daniel, H., **1996**. *Expression cloning and functional characterization of the kidney cortex high-affinity proton-coupled peptide transporter*. Proc. Natl. Acad. Sci. USA, 93, 284-289.
- 94 Liang, R., Fei, Y. J., Prasad, P. D., Ramamoorthy, S., Han, H., Yang-Feng, T. L., Hediger, M. A., Ganapathy, V. & Leibach, F. H., **1995**. *Human intestinal  $H^+$ /peptide cotransporter. Cloning, functional expression, and chromosomal localization*. J. Biol. Chem., 270, 6456-6463.
- 95 Liu, W., Liang, R., Ramamoorthy, S., Fei, Y.-J., Ganapathy, M. E., Hediger, M. A., Ganapathy, V. & Leibach, F. H., **1995**. *Molecular cloning of PEPT2, a new member of the  $H^+$ /peptide cotransporter family, from human kidney*. Biochim. Biophys. Acta, 1235, 461-466.
- 96 Verri, T., Kottra, G., Romano, A., Tiso, N., Peric, M., Maffia, M., Boll, M., Argenton, F., Daniel, H. & Storelli, C., **2003**. *Molecular and functional characterisation of the zebrafish (*Danio rerio*) PEPT1-type peptide transporter1*. FEBS Letters, 549, 115-122.
- 97 Romano, A., Kottra, G., Barca, A., Tiso, N., Maffia, M., Argenton, F., Daniel, H., Storelli, C. & Verri, T., **2006**. *High-affinity peptide transporter PEPT2 (SLC15A2) of the zebrafish *Danio rerio*: functional properties, genomic organization, and expression analysis*. Physiol. Genomics, 24, 207-217.
- 98 Terada, T., Saito, H., Mukai, M. & Inui, K., **1997**. *Characterization of stably transfected kidney epithelial cell line expressing rat  $H^+$ /peptide cotransporter PEPT1: localization of PEPT1 and transport of  $\beta$ -lactam antibiotics*. J. Pharmacol. Exp. Ther., 281, 1415-1421.
- 99 Saito, H., Terada, T., Okuda, M., Sasaki, S. & Inui, K., **1996**. *Molecular cloning and tissue distribution of rat peptide transporter PEPT2*. Biochim. Biophys. Acta, 1280, 173-177.
- 100 Rubio-Aliaga, I., Boll, M. & Daniel, H., **2000**. *Cloning and characterization of the gene encoding the mouse peptide transporter PEPT2*. Biochem. Biophys. Res. Commun., 276, 734-741.
- 101 Fei, Y.-J., Sugawara, M., Liu, J.-C., Li, H. W., Ganapathy, V., Ganapathy, M. E. & Leibach, F. H., **2000**. *cDNA structure, genomic organization, and promoter analysis of the mouse intestinal peptide transporter PEPT1*. Biochim. Biophys. Acta 1492, 145-154.
- 102 Klang, J. E., Burnworth, L. A., Pan, Y. X., Webb, K. E., Jr. & Wong, E. A., **2005**. *Functional characterization of a cloned pig intestinal peptide transporter (pPepT1)*. J. Anim. Sci., 83, 172-181.
- 103 Zhang, E. Y., Emerick, R. M., Pak, Y. A., Wrighton, S. A. & Hillgren, K. M., **2004**. *Comparison of human and monkey peptide transporters: PEPT1 and PEPT2*. Mol. Pharm., 1, 210-210.

- 
- 104 Van, L., Pan, Y. X., Bloomquist, J. R., Webb, K. E., Jr. & Wong, E. A., **2005**. *Developmental regulation of a turkey intestinal peptide transporter (PepT1)*. *Poult. Sci.*, 84, 75-82.
- 105 Fei, Y. J., Ganapathy, V. & Leibach, F. H., **1998**. *Molecular and structural features of the proton-coupled oligopeptide transporter superfamily*. *Prog. Nucleic Acid Res. Mol. Biol.*, 58, 239-261.
- 106 Tame, J. R., Dodson, E. J., Murshudov, G., Higgins, C. F. & Wilkinson, A. J., **1995**. *The crystal structures of the oligopeptide-binding protein OppA complexed with tripeptide and tetrapeptide ligands*. *Structure*, 15, 1395-1406.
- 107 Dunten, P. & Mowbray, S. L., **1995**. *Crystal structures of the dipeptide binding protein from Escherichia coli involved in active transport and chemotaxis*. *Protein Sci.*, 4, 2327-2334.
- 108 Payne, J. W., Grail, B. M. & Marshall, N. J., **2000**. *Molecular recognition templates of peptides: driving force for molecular evolution of peptide transporters*. *Biochem. Biophys. Res. Commun.*, 267, 283-289.
- 109 Payne, J. W., Grail, B. M., Gupta, S., Ladbury, J. E., Marshall, N. J., O'Brien, R. & Payne, G. M., **2000**. *Structural basis for recognition of dipeptides by peptide transporters*. *Arch. Biochem. Biophys.*, 384, 9-23.
- 110 Fei, Y. J., Liu, W., Prasad, P. D., Kekuda, R., Oblak, T. G., Ganapathy, V. & Leibach, F. H., **1997**. *Identification of the histidyl residue obligatory for the catalytic activity of the human H<sup>+</sup>/peptide cotransporters PEPT1 and PEPT2*. *Biochemistry*, 36, 452-460.
- 111 Terada, T., Saito, H., Mukai, M. & Inui, K., **1996**. *Identification of the histidine residues involved in substrate recognition by a rat H<sup>+</sup>/peptide cotransporter, PEPT1*. *FEBS Lett.*, 394, 196-200.
- 112 Bolger, M. B., Haworth, I. S., Yeung, A. K., Ann, D., von Grafenstein, H., Hamm-Alvarez, S., Okamoto, C. T., Kim, K.-J., Basu, S. K., Wu, S. & Lee, V. H., **1998**. *Structure, function, and molecular modeling approaches to the study of the intestinal dipeptide transporter PepT1*. *J. Pharm. Sci.*, 87, 1286-1291.
- 113 Yeung, A. K., Basu, S. K., Wu, S. K., Chu, C., Okamoto, C. T., Hamm-Alvarez, S. F., von Grafenstein, H., Shen, W.-C., Kim, K.-J., Bolger, M. B., Haworth, I. S., Ann, D. K. & Lee, V. H. L., **1998**. *Molecular identification of a role for tyrosine 167 in the function of the human intestinal proton-coupled dipeptide transporter (hPepT1)*. *Biochem. Biophys. Res. Commun.*, 250, 103-107.
- 114 Döring, F., Martini, C., Walter, J. & Daniel, H., **2002**. *Importance of a small N-terminal region in mammalian peptide transporters for substrate affinity and function*. *J. Membr. Biol.*, 186, 55-62.
- 115 Meredith, D., **2004**. *Site-directed mutation of arginine 282 to glutamate uncouples the movement of peptides and protons by the rabbit proton-peptide cotransporter PepT1*. *J. Biol. Chem.*, 279, 15795-15798.
- 116 Kulkarni, A. A., Davies, D. L., Links, J. S., Patel, L. N., Lee, V. H. L. & Haworth, I. S., **2007**. *A charge pair interaction between Arg282 in transmembrane segment 7 and Asp341 in transmembrane segment 8 of hPepT1*. *Pharm. Res.*, 24, 66-72.



- 117 Vig, B. S., Stouch, T. R., Timoszyk, J. K., Quan, Y., Wall, D. A., Smith, R. L. & Faria, T. N., **2006**. *Human PEPT1 pharmacophore distinguishes between dipeptide transport and binding*. J. Med. Chem., 49, 3636-3644.
- 118 Kararli, T. T., **1989**. *Gastrointestinal absorption of drugs*. Crit. Rev. Ther. Drug Carrier Syst., 6, 39-86.
- 119 Chesney, R. W., Jones, D. & Zelikovic, I., **1993**. *Renal amino acid transport: cellular and molecular events from clearance studies to frog eggs*. Pediatr. Nephrol., 7, 574-584.
- 120 Hidalgo, I. J., Raub, T. J. & Borchard, R. T., **1989**. *Characterization of the human colon carcinoma cell line (Caco-2) as a model system for intestinal epithelial permeability*. Gastroenterology, 96, 736-749.
- 121 Delie, F. & Rubas, W., **1997**. *A human colonic cell line sharing similarities with enterocytes as a model to examine oral absorption: advantages and limitations of the Caco-2 model*. Crit. Rev. Ther. Drug Carrier Syst., 14, 221-286.
- 122 Kimmich, G. A., **1990**. *Isolation of intestinal epithelial cells and evaluation of transport functions*. Methods Enzymol., 192, 324-340.
- 123 Ganapathy, V., Mendicino, J. F. & Leibach, F. H., **1981**. *Transport of glycyl-L-proline into intestinal and renal brush border vesicles from rabbit*. J. Biol. Chem., 256, 118-124.
- 124 Kramer, W., Leipe, I., Petzoldt, E. & Girbig, F., **1988**. *Characterization of the transport system for  $\beta$ -lactam antibiotics and dipeptides in rat renal brush-border membrane vesicles by photoaffinity labeling*. Biochim. Biophys. Acta, 939, 167-172.
- 125 Fogh, J., Fogh, J. M. & Orfeo, T., **1977**. *One hundred and twenty-seven cultured human tumor cell lines producing tumors in nude mice*. J. Natl. Cancer Inst., 59, 221-226.
- 126 Brandsch, M., Brandsch, C., Prasad, P. D., Ganapathy, V., Hopper, U. & Leibach, F. H., **1995**. *Identification of a renal cell line that constitutively expresses the kidney-specific high-affinity  $H^+$ /peptide cotransporter*. FASEB J., 9, 1489-1496.
- 127 Döring, F., Michel, T., Rosel, A., Nickolaus, M. & Daniel, H., **1998**. *Expression of the mammalian renal peptide transporter PEPT2 in the yeast Pichia pastoris and applications of the yeast system for functional analysis*. Mol. Membr. Biol., 15, 79-88.
- 128 Liu, W., Liang, R., Ramamoorthy, S., Fei, Y.-J., Ganapathy, M. E., Hediger, M. A., Ganapathy, V. & Leibach, F. H., **1995**. *Molecular cloning of PEPT2, a new member of the  $H^+$ /peptide cotransporter family, from human kidney*. Biochim Biophys Acta, 1235, 461-466.
- 129 Swaan, P. W. & Tukker, J. J., **1997**. *Molecular determinants of recognition for the intestinal peptide carrier*. J. Pharm. Sci., 86, 596-602.
- 130 Bailey, P. D., Boyd, C. A. R., Collier, I. D., George, J. P., Kellett, G. L., Meredith, D., Morgan, K. M., Pettecrew, R. & Price, R. A., **2006**. *Affinity prediction for substrates of the peptide transporter PepT1*. Chem. Commun. (Camb.), 21, 323-325.
- 131 Vabeno, J., Nielsen, C. U., Steffansen, B., Lejon, T., Sylte, I., Jorgensen, F. S. & Luthman, K., **2005**. *Conformational restrictions in ligand binding to the human intesti-*

- nal di-/tripeptide transporter: implications for design of hPEPT1 targeted prodrugs. Bioorg. Med. Chem.*, 13, 1977-1988.
- 132 Bailey, P. D., Boyd, C. A. R., Bronk, J. R., Collier, I. D., Meredith, D., Morgan, K. M. & Temple, C. S., **2000**. *How to make drugs orally active: a substrate template for peptide transporter PEPT1. Angew. Chem., Int. Ed. Engl.*, 39, 505-508.
- 133 Andersen, R., Jorgensen, F. S., Olsen, L., Vabeno, J., Thorn, K., Nielsen, C. U. & Steffansen, B., **2006**. *Development of a QSAR model for binding of tripeptides and tripeptidomimetics to the human intestinal di-/tripeptide transporter hPEPT1. Pharm. Res.*, 23, 483-492.
- 134 Tukker, J. J. & Swaan, P. W., **1992**. *Molecular features essential for active peptide transport. Pharm. Res.*, 9, 180.
- 135 Marshall, N. J., Grail, B. M. & Payne, J. W., **2001**. *Predominant torsional forms adopted by oligopeptide conformers in solution: Parameters for molecular recognition. J. Pept. Sci.*, 7, 175-189.
- 136 Gupta, S. & Payne, J. W., **2001**. *Evaluation of the conformational propensities of peptide isosteres as a basis for selecting bioactive pseudopeptides. J. Peptide Res.*, 58, 546-561.
- 137 Li, J. & Hidalgo, I. J., **1996**. *Molecular modeling study of structural requirements for the oligopeptide transporter. J. Drug Target.*, 4, 9-17.
- 138 Swaan, P. W., Stehouwer, M. C. & Tukker, J. J., **1995**. *Molecular mechanism for the relative binding affinity to the intestinal peptide carrier. Comparison of three ACE-inhibitors: enalapril, enalaprilat, and lisinopril. Biochim. Biophys. Acta*, 1236, 31-38.
- 139 Li, J., Tamura, K., Lee, C. P., Smith, P. L., Borchardt, R. T. & Hidalgo, I. J., **1998**. *Structure-affinity relationships of Val-Val and Val-Val-Val stereoisomers with the apical oligopeptide transporter in human intestinal Caco-2 cells. J. Drug Target.*, 5, 317-327.
- 140 Ekins, S., Johnston, J. S., Bahadduri, P. M., D'Souza, V. M., Ray, A., Chang, C. & Swaan, P. W., **2005**. *In vitro and pharmacophore-based discovery of novel hPEPT1 inhibitors. Pharm. Res.*, 22, 512-517.
- 141 Swaan, P. W., Koops, B. C., Moret, E. E. & Tukker, J. J., **1998**. *Mapping the binding site of the small intestinal peptide carrier (PepT1) using comparative molecular field analysis. Recept. Channels*, 6, 189-200.
- 142 Wanchana, S., Yamashita, F., Hara, H., Fujiwara, S.-I., Akamatsu, M. & Hashida, M., **2004**. *Two- and three-dimensional QSAR of carrier-mediated transport of  $\beta$ -lactam antibiotics in Caco-2 cells. J. Pharm. Sci.*, 93, 3057-3065.
- 143 Cruciani, G., Pastor, M. & Guba, W., **2000**. *VolSurf: a new tool for the pharmacokinetic optimization of lead compounds. Eur. J. Pharm. Sci.*, 11, S29-39.
- 144 Luckner, P. & Brandsch, M., **2005**. *Interaction of 31  $\beta$ -lactam antibiotics with the  $H^+$ /peptide symporter PEPT2: analysis of affinity constants and comparison with PEPT1. Eur. J. Pharm. Biopharm.*, 59, 17-24.
- 145 Bretschneider, B., Brandsch, M. & Neubert, R., **1999**. *Intestinal transport of  $\beta$ -lactam antibiotics: analysis of the affinity at the  $H^+$ /peptide symporter (PEPT1), the uptake into Caco-2 cell monolayers and the transepithelial flux. Pharm. Res.*, 16, 55-61.

- 146 Brandsch, M., Knütter, I., Thunecke, F., Hartrodt, B., Born, I., Börner, V., Hirche, F., Fischer, G. & Neubert, K., **1999**. *Decisive structural determinants for the interaction of proline derivatives with the intestinal H<sup>+</sup>/peptide symporter*. Eur. J. Biochem., 266, 502-508.
- 147 Brandsch, M., Thunecke, F., Küllertz, G., Schutkowski, M., Fischer, G. & Neubert, K., **1998**. *Evidence for the absolute conformational specificity of the intestinal H<sup>+</sup>/peptide Symporter, PEPT1*. J. Biol. Chem., 273, 3861-3864.
- 148 Hartrodt, B., Theis, S., Knütter, I., Börner, V., Born, I., Brandsch, M., Daniel, H. & Neubert, K. *New insights into the stereospecificity of the intestinal H<sup>+</sup>/peptide symporter*. in *Peptides 2000*. **2001** Montpellier, France: EDK.
- 149 Daniel, H., Morse, E. L. & Adibi, S. A., **1992**. *Determination of substrate affinity for the oligopeptide/H<sup>+</sup> symporter in the renal brush border membrane*. J. Biol. Chem., 267, 9565-9573.
- 150 Terada, T., Sawada, K., Irie, M., Saito, H., Hashimoto, Y. & Inui, K., **2000**. *Structural requirements for determining the substrate affinity of peptide transporters PEPT1 and PEPT2*. Pflugers Arch., 440, 679-684.
- 151 Meredith, D., Temple, C. S., Guha, N., Sword, C. J., Boyd, C. A. R., Collier, I. D., Morgan, K. M. & Bailey, P. D., **2000**. *Modified amino acids and peptides as substrates for the intestinal peptide transporter PepT1*. Eur. J. Biochem., 267, 3723-3728.
- 152 Snyder, N. J., Tabas, L. B., Berry, D. M., Duckworth, D. C., Spry, D. O. & Dantzig, A. H., **1997**. *Structure-activity relationship of carbacephalosporins and cephalosporins: antibacterial activity and interaction with the intestinal proton-dependent dipeptide transport carrier of Caco-2 cells*. Antimicrob. Agents Chemother., 41, 1649-1657.
- 153 Okano, T., Inui, K., Takano, M. & Hori, R., **1986**. *H<sup>+</sup> gradient-dependent transport of aminocephalosporins in rat intestinal brush-border membrane vesicles. Role of dipeptide transport system*. Biochem. Pharmacol., 35, 1781-1786.
- 154 Wenzel, U., Gebert, I., Weintraut, H., Weber, W. M., Clauss, W. & Daniel, H., **1996**. *Transport characteristics of differently charged cephalosporin antibiotics in oocytes expressing the cloned intestinal peptide transporter PepT1 and in human intestinal Caco-2 cells*. J. Pharmacol. Exp. Ther., 277, 831-839.
- 155 Daniel, H. & Adibi, S. A., **1993**. *Transport of  $\beta$ -lactam antibiotics in kidney brush border membrane. Determinants of their affinity for the oligopeptide/H<sup>+</sup> symporter*. J. Clin. Invest., 92, 2215-2223.
- 156 Tamai, I. & Tsuji, A., **1987**. *Transport mechanism of cephalixin in isolated hepatocytes*. J. Pharmacobiodyn., 10, 632-638.
- 157 Muranushi, N., Horie, K., Masuda, K. & Hirano, K., **1994**. *Characteristics of ceftibuten uptake into Caco-2 cells*. Pharm. Res., 11, 1761-1765.
- 158 Hidalgo, I. J., Bhatnagar, P., Lee, C. P., Miller, J., Cucullino, G. & Smith, P. L., **1995**. *Structural requirements for interaction with the oligopeptide transporter in Caco-2 cells*. Pharm. Res., 12, 317-319.
- 159 Terada, T., Saito, H., Mukai, M. & Inui, K., **1997**. *Recognition of  $\beta$ -lactam antibiotics by rat peptide transporters, PEPT1 and PEPT2, in LLC-PK<sub>1</sub> cells*. Am. J. Physiol. Renal Physiol., 273, F706-F711.

- 
- 160 Eddy, E. P., Wood, C., Miller, J., Wilson, G. & Hidalgo, I. J., **1995**. *A comparison of the affinities of dipeptides and antibiotics for the di-/tripeptide transporter in Caco-2 cells*. *Int. J. Pharm.*, 115, 79-86.
- 161 Bai, J. P. F. & Amidon, G. L., **1992**. *Structural specificity of mucosal-cell transport and metabolism of peptide drugs: implication for oral peptide drug delivery*. *Pharm. Res.*, 9, 969-978.
- 162 Shu, C., Shen, H., Hopfer, U. & Smith, D. E., **2001**. *Mechanism of intestinal absorption and renal reabsorption of an orally active ACE inhibitor: uptake and transport of fosinopril in cell cultures*. *Drug. Metab. Dispos.*, 29, 1307-1315.
- 163 Ganapathy, M. E., Huang, W., Wang, H., Ganapathy, V. & Leibach, F. H., **1998**. *Valacyclovir: a substrate for the intestinal and renal peptide transporters PEPT1 and PEPT2*. *Biochem. Biophys. Res. Commun.*, 246, 470-475.
- 164 Sugawara, M., Huang, W., Fei, Y.-J., Leibach, F. H., Ganapathy, V. & Ganapathy, M. E., **2000**. *Transport of valganciclovir, a ganciclovir prodrug, via peptide transporters PEPT1 and PEPT2*. *J. Pharm. Sci.*, 89, 781-789.
- 165 Döring, F., Walter, J., Will, J., Föcking, M., Boll, M., Amasheh, S., Clauss, W. & Daniel, H., **1998**. *Delta-aminolevulinic acid transport by intestinal and renal peptide transporters and its physiological and clinical implications*. *J. Clin. Invest.*, 101, 2761-2767.
- 166 Bravo, S. A., Nielsen, C. U., Frokjaer, S. & Brodin, B., **2005**. *Characterization of rPEPT2-mediated Gly-Sar transport parameters in the rat kidney proximal tubule cell line SKPT-0193 cl.2 cultured in basic growth media*. *Mol. Pharm.*, 2, 98-108.
- 167 Neumann, J., Bruch, M., Gebauer, S. & Brandsch, M., **2004**. *Transport of the phosphonodipeptide alafosfalin by the H<sup>+</sup>/peptide cotransporter PEPT1 and PEPT2 in intestinal and renal epithelial cells*. *Eur. J. Biochem.*, 271, 2012-2017.
- 168 Theis, S., Hartrodt, B., Kottra, G., Neubert, K. & Daniel, H., **2002**. *Defining minimal structural features in substrates of the H<sup>+</sup>/peptide cotransporter PEPT2 using novel amino acid and dipeptide derivatives*. *Mol. Pharm.*, 61, 214-221.
- 169 Döring, F., Will, J., Amasheh, S., Clauss, W., Ahlbrecht, H. & Daniel, H., **1998**. *Minimal molecular determinants of substrates for recognition by the intestinal peptide transporter*. *J. Biol. Chem.*, 273, 23211-23218.
- 170 Bill, R. M., **2001**. *Yeast - a panacea for the structure-function analysis of membrane proteins?* *Curr. Genet.*, 40, 157-171.
- 171 Cheng, Y. & Prusoff, W. H., **1973**. *Relationship between the inhibition constant (K<sub>i</sub>) and the concentration of inhibitor which causes 50 per cent inhibition (I<sub>50</sub>) of an enzymatic reaction*. *Biochem. Pharmacol.*, 22, 3099-3108.
- 172 SYBYL 6.9 and 7.0, Tripos Associates, Inc.: St. Louis, USA.
- 173 Cohen, N. C., **1983**. *β-Lactam antibiotics: geometrical requirements for antibacterial activities*. *J. Med. Chem.*, 26, 259-264.
- 174 Allen, F. H., Davies, J. E., Galloy, J. J., Jonson, O., Kennard, O., Macrae, C. F., Mitchell, E. M., Mitchell, G. F., Smith, J. M. & Watson, D. G., **1991**. *The development*

- of versions 3 and 4 of the Cambridge Structural Database System. J. Chem. Inf. Comput. Sci.*, 31, 187-204.
- 175 Muranushi, N., Yoshikawa, T., Yoshida, M., Oguma, T., Hirano, K. & Yamada, H., **1989**. *Transport characteristics of ceftibuten, a new oral cephem, in rat intestinal brush-border membrane vesicles: relationship to oligopeptide and amino  $\beta$ -lactam transport. Pharm. Res.*, 6, 308-312.
- 176 Gasteiger, J. & Marsili, M., **1980**. *Iterative partial equalization of orbital electronegativity—a rapid access to atomic charges. Tetrahedron*, 36, 3219-3222.
- 177 Clark, M., Cramer III, R. D. & Van Opdenbosch, N., **1989**. *Validation of the general purpose tripos 5.2 force field. J. Comput. Chem.*, 10, 982-1012.
- 178 Marshall, N. J. & Payne, J. W., **2001**. *The importance of electrostatic charge and dielectric constant in conformational analysis of biologically active dipeptides. J. Mol. Model.*, 7, 112-119.
- 179 Schinke, H., **1995**. Dissertation, Martin-Luther-University Halle-Wittenberg.
- 180 Böhm, M., Stürzebecher, J. & Klebe, G., **1999**. *Three-dimensional quantitative structure-activity relationship analyses using comparative molecular field analysis and comparative molecular similarity indices analysis to elucidate selectivity differences of inhibitors binding to trypsin, thrombin and factor Xa. J. Med. Chem.*, 42, 458-477.
- 181 Brandsch, M., Brandsch, C., Ganapathy, M. E., Chew, C. S., Ganapathy, V. & Leibach, F. H., **1997**. *Influence of proton and essential histidyl residues on the transport kinetics of the  $H^+$ /peptide cotransport systems in intestine (PEPT1) and in kidney (PEPT2). Biochim. Biophys. Acta*, 1324, 251-262.
- 182 Ganapathy, M. E., Prasad, P. D., Mackenzie, B., Ganapathy, V. & Leibach, F. H., **1997**. *Interaction of anionic cephalosporines with the intestinal and renal peptide transporters PEPT1 and PEPT2. Biochim. Biophys. Acta*, 1324, 296-308.
- 183 Knütter, I., Hartrodt, B., Theis, S., Foltz, M., Rastetter, M., Daniel, H., Neubert, K. & Brandsch, M., **2004**. *Analysis of the transport properties of side chain modified dipeptides at the mammalian peptide transporter PEPT1. Eur. J. Pharm. Sci.*, 21, 61-47.
- 184 Biegel, A., **2002**. *Struktur-Wirkungsuntersuchungen von Substraten des intestinalen Peptidtransporters PEPT1*. Diplomarbeit, Institut für Biochemie, Martin-Luther-Universität Halle-Wittenberg.
- 185 Friedmann, D. I. & Amidon, G. L., **1989**. *Passive and carrier-mediated intestinal absorption components of two angiotensin converting enzyme (ACE) inhibitor prodrugs in rats: enalapril and fosinopril. Pharm. Res.*, 12, 1043-1047.
- 186 Lin, C. J., Akarawut, W. & Smith, D. E., **1999**. *Competitive inhibition of glycylsarcosine transport by enalapril in rabbit renal brush border membrane vesicles: interaction of ACE inhibitors with high-affinity  $H^+$ /peptide symporter. Pharm. Res.*, 16, 609-615.
- 187 Thwaites, D. T., Cavet, M., Hirst, B. H. & Simmons, N. L., **1995**. *Angiotensin-converting enzyme (ACE) inhibitor transport in human intestinal epithelial (Caco-2) cells. Br. J. Pharmacol.*, 114, 981-986.
- 188 Belpoggi, F., Soffritti, M., Padovani, M., Esposti, D. D., Lauriola, M. & Minardi, F., **2006**. *Results of long-term carcinogenicity bioassay on sprague-dawley rats exposed to aspartame administered in feed. Ann. N. Y. Acad. Sci.*, 1076, 559-577.

- 
- 189 Boudes, P. F., **2006**. *The challenges of new drugs benefits and risks analysis: lessons from the ximelagatran FDA Cardiovascular Advisory Committee*. *Contemp. Clin. Trials*, 5, 432-440.
- 190 Gustafsson, D., Nystrom, J., Carlsson, S., Bredberg, U., Eriksson, U., Gyzander, E., Elg, M., Antonsson, T., Hoffmann, K., Ungell, A., Sorensen, H., Nagard, S., Abrahamsson, A. & Bylund, R., **2001**. *The direct thrombin inhibitor melagatran and its oral prodrug H 376/95: intestinal absorption properties, biochemical and pharmacodynamic effects*. *Thromb. Res.*, 101, 171-181.
- 191 Börner, V., Fei, Y.-J., Hartrodt, B., Ganapathy, V., Leibach, F. H., Neubert, K. & Brandsch, M., **1998**. *Transport of amino acid aryl amides by the intestinal H<sup>+</sup>/peptide cotransporter system, PEPT1*. *Eur. J. Biochem.*, 255, 698-702.
- 192 Martin, Y. C., Bures, M. G., Danaher, E. A., DeLazzer, J., Lico, I. & Pavlik, P. A., **1993**. *A fast new approach to pharmacophore mapping and its application to dopaminergic and benzodiazepine agonists*. *J. Comput. Aided Mol. Des.*, 7, 83-102.
- 193 Meredith, D., Boyd, C. A. R., Bronk, J. R., Bailey, P. D., Morgan, K. M., Collier, I. D. & Temple, C. S., **1998**. *4-Aminomethylbenzoic acid is a non-translocated competitive inhibitor of the epithelial peptide transporter PepT1*. *J. Physiol.*, 512, 629-634.
- 194 Temple, C. S., Stewart, A. K., Meredith, D., Lister, N. A., Morgan, K. M., Collier, I. D., Vaughan-Jones, R. D., Boyd, C. A. R., Bailey, P. D. & Bronk, J. R., **1998**. *Peptide mimics as substrates for the intestinal peptide transporter*. *J. Biol. Chem.*, 273, 20-22.
- 195 Terada, T., Saito, H. & Inui, K., **1998**. *Interaction of  $\beta$ -lactam antibiotics with histidine residue of rat H<sup>+</sup>/peptide cotransporters, PEPT1 and PEPT2*. *J. Biol. Chem.*, 273, 5582-5585.
- 196 Tamura, K., Lee, C.-P., Smith, P. L. & Borchardt, R. T., **1996**. *Metabolism, uptake, and transepithelial transport of the stereoisomers of Val-Val-Val in the human intestinal cell line, Caco-2*. *Pharm. Res.*, 13, 1663-1667.
- 197 Li, F., Hong, L., Mau, C.-I., Chan, R., Hendricks, T., Dvorak, C., Yee, C., Harris, J. & Alfredson, T., **2006**. *Transport of levovirin prodrugs in the human intestinal Caco-2 cell line*. *J. Pharm. Sci.*, 95, 1318-1325.