

Development and Formulation of Carbomer 934P-containing

Mucoadhesive pellets by Fluid-bed Techniques

Von der Naturwissenschaftlichen Fakultät I- Biowissenschaften
Institut für Pharmazie
der Martin-Luther-Universität Halle-Wittenberg
genehmigte

Dissertation

zur Erlangung des akademischen Grades

Doctor rerum naturalium (Dr. rer. nat.)

vorgelegt

von
Frau Im-Jak Jeon

geb. am: 27.04.1974 in: Munkyeong, Korea

Gutachter

1. Prof. Dr. Dr. Reinhard Neubert
2. Prof. Dr. Wolfgang Süß
3. Prof. Dr. Peter Kleinebudde

Tag der Verteidigung: 27. August 2007

urn:nbn:de:gbv:3-000012267

[<http://nbn-resolving.de/urn/resolver.pl?urn=nbn%3Ade%3Agbv%3A3-000012267>]

TABLE OF CONTENTS

Table of contents		I
Abbreviations index		V
1.	Introduction and Objectives	1
1.1	Introduction	1
1.2	Objectives	2
2.	Theoretical overview	4
2.1	Basics of bioadhesion	4
2.1.1	Advantages and applications of bioadhesive dosage forms	4
2.1.2	Bioadhesive polymers	5
2.2	Theory of granule formation	6
2.2.1	Methods of granulation	6
2.2.2	Fluid-bed granulation	7
2.2.2.1	System description	7
2.2.2.2	Variables in the fluid-bed granulation process	8
2.3	Dry-coating technique	11
2.3.1	Concept and advantages	11
2.3.2	Applications of dry particle coating	12
2.3.3	Dry-coating by fluid-bed coater	12
2.3.3.1	System description	13
2.3.3.2	Procedures	13
2.3.3.3	Important process parameters	14
3.	Development of Carbomer 934P-containing mucoadhesive pellets through Fluid-bed granulation	15
3.1	Influence of other excipients on the behavior of Carbomer 934P	15

3.1.1	General	15
3.1.2	Behavior of carbomer 934P-aqueous dispersion with salts	15
3.1.2.1	Viscosimmetrical investigations	15
3.1.2.2	Turbidity test	16
3.1.3	Behavior of carbomer 934P/MCC-mixture with salts	17
3.1.3.1	Investigations of cohesiveness	17
3.1.3.2	Investigations of adhesion	20
3.1.3.3	Granulation process through the fluid-bed granulation	22
3.1.4	Behavior of carbomer 934P with various other excipients	24
3.1.4.1	Investigations of water uptake	24
3.1.4.2	Investigations of cohesiveness	26
3.1.4.3	Behavior of 20%-carbomer 934P with various other excipients	32
3.1.4.3.1	Investigations of water uptake	32
3.1.4.3.2	Investigations of cohesiveness and adhesion	36
3.1.4.3.3	Investigations through the fluid-bed granulation	44
3.1.4.4	Investigations of the anti-tack mechanism of some excipients	47
3.2	Influence of process parameter on the produced pellets	49
3.2.1	Investigations through a factorial design	49
3.2.2	Results	51
3.2.2.1	Influence on the yield of 500 – 1180 μm fraction	53
3.2.2.2	Influence on the pellet size	54
3.2.2.3	Influence on the oversized ($> 2000 \mu\text{m}$)	56
3.2.2.4	Influence on the fines ($< 250 \mu\text{m}$)	57
3.2.2.5	Influence on the sphericity, aspect ratio and roughness	58
3.2.2.6	Influence on the friability and hardness	62
4.	Development of Carbomer 934P-containing mucoadhesive pellets through Dry-coating technique	65
4.1	General	65
4.2	Preliminary investigations in a fluid-bed equipment	65
4.3	Characterization of powder	66
4.3.1	Influence of other excipients on the flow property of carbomer 934P	66
4.3.2	Influence of other excipients on the water uptake of carbomer 934P	73

4.4	Investigations in a fluid-bed equipment	77
4.4.1	Preparation of core pellets	77
4.4.2	Dry-coating of core pellets with carbomer 934P powder	77
4.4.2.1	Establishment of appropriate process parameters	78
4.4.2.2	Production of trial batches	78
4.4.3	Influence of process parameters on the coated pellets	79
4.4.3.1	Investigations through a factorial design	79
4.4.3.2	Results	80
4.4.3.2.1	Influence on the yield (%)	81
4.4.3.2.2	Influence on the powder layering efficiency (%)	83
4.4.3.2.3	Influence on the sphericity, roughness and aspect ratio	84
5.	Investigations of Mucoadhesion and Dissolution	88
5.1	General	88
5.2	Determination of mucoadhesion	88
5.2.1	Influence of carbomer 934P content on the mucoadhesion	89
5.2.2	Influence of pH value on the mucoadhesion	90
5.2.3	Influence of excipients on the mucoadhesion	92
5.2.4	Influence of salts on the mucoadhesion	93
5.3	Dissolution test	95
5.3.1	Pellets produced by the spraying of salt solution	95
5.3.2	Pellets produced with carbomer 934P/ theophylline/ MCC/ tri-calcium phosphate	97
5.3.2.1	Influence of carbomer 934P	97
5.3.2.2	Influence of pH value	98
5.3.3	Pellets produced through dry-coating technique	99
5.3.3.1	Influence of coating level	99
5.3.3.2	Influence of pH value	100
6.	Summary	103

Appendix I Materials and Methods

I.1 Related materials

- I.1.1 Carbomer 934P
- I.1.2 Microcrystalline cellulose
- I.1.3 Other substances

I.2 Methods

- I.2.1 Chelate titration method
- I.2.2 Determination of flow rate of powder
- I.2.3 Determination of angle of repose of powder
- I.2.4 Determination of enslin number of powder
- I.2.5 Evaluation of pellets
 - I.2.5.1 Sieve analysis
 - I.2.5.2 Image analysis
 - I.2.5.3 Determination of density
 - I.2.5.4 Friability
 - I.2.5.5 Hardness
 - I.2.5.6 Moisture content
 - I.2.5.7 Powder layering efficiency
 - I.2.5.8 Assay of drug content
 - I.2.5.9 Dissolution test
 - I.2.5.9.1 Standard curve of model drug (theophylline)
 - I.2.5.9.2 Dissolution test
 - I.2.5.9.3 Preparation of buffer solution

Appendix II References

ABBREVIATIONS INDEX

<i>AR</i>	Aspect Ratio
<i>AOR</i>	Angle of repose
<i>Cl-PVP</i>	Cross-linked Polyvinyl pyrrolidone
<i>CP</i>	Carbomer 934P
<i>Fig.</i>	Figure
<i>GI-Tract</i>	Gastro-Intestinal-Tract
<i>GMP</i>	Good manufacturing Practice
<i>HPMC</i>	Hydroxypropylmethylcellulose
<i>MCC</i>	Microcrystalline Cellulose
<i>M_w</i>	Molecular weight
<i>PEG</i>	Polyethylen glycol
<i>PVA</i>	Polyvinyl alcohol
<i>PVP</i>	Polyvinyl pyrrolidone
<i>Tab.</i>	Table
ρ	Density
η	Dynamic viscosity