

9. Literaturverzeichnis

1. Adam J: Statistisches Know-how in der medizinischen Forschung. Ullstein Mosby, Berlin, 1992, S 96-141, S 447-452
2. Agelaki S, Bania H, Kouroussis C, Blazoyiannakis G, Souglakos J, Tsiadaki X, Kalbakis K, Rapti A, Androulakis N, Georgoulas V and Papadakis E: Second-line treatment with vinorelbine and carboplatin in patients with advanced non-small cell lung cancer. A multicenter phase II study. *Lung Cancer* 34 (2001) 77-80
3. Albain KS, Crowley JJ, LeBlanc MN: Survival in extensive non-small cell lung cancer: The southwest oncology group experience. *J Clin Oncol* 9 (1991) 1618
4. Alberola V, Camps C, Provencia M, Isla D, Rosell R, Vadell C, Sanchez JJ: Cisplatin/gemcitabine versus cisplatin/gemcitabine/vinorelbine versus sequential doublets of gemcitabine/vinorelbine followed by ifosfamide/vinorelbine in advanced non-small-cell lung cancer. *Proc Am Soc Clin Oncol* (2001) Abst. 1229
5. Alberto P, Brunner KW, Martz G: Treatment of bronchogenic carcinoma with simultaneous or sequential combination chemotherapy, including methotrexate, cyclophosphamide, procarbazine and vincristine. *Cancer* 38 (1976) 406-413
6. Aumiller J, Zorn H: Nachrichten von der 32. Jahrestagung der American Society of Clinical Oncology (ASCO) in Philadelphia. *MMW* 7 (1996) 10-11
7. Baas P, Codrington H, Muller M: Second line gemcitabine (GEM) therapy in non-small-cell lung cancer (NSCLC) stage IIIB and IV. *Proc Am Soc Clin Oncol* 18 (1999) 495
8. Belani CP: Single agents in the second-line treatment of non-small cell lung cancer. *Semin Oncol* 25 (1998) 10-4
9. Belani CP, Barstis J, Perry MC, La Rocca RV, Nattam SR, Rinaldi D, Clark R, Mills GM: Multicenter, randomized trial for stage IIIB or IV non-small-cell lung cancer

using weekly paclitaxel and carboplatin followed by maintenance weekly paclitaxel or observation. *J Clin Oncol* 15 (2003) 2933-2939

10. Biesma B, Smit EF, Postmus PE: A dose and schedule finding study of gemcitabine and etoposide in patients with progressive non-small cell lung cancer after platinum containing chemotherapy. *Lung Cancer* 24 (1999) 115-121
11. Bonomi P, Kim K, Fairclough D, Cella D, Kugler J, Rowinsky E, Jiroutek M, Johnson D: Comparison of survival and quality of life in advanced non-small cell lung cancer patients treated with two dose levels of paclitaxel combined with cisplatin versus etoposide with cisplatin: results of an Eastern Cooperative Oncology Group Trial. *J Clin Oncol* 18 (2000) 623-631
12. Borges M, Sculier JP, Paesmans M, Richez M, Bureau G, Dabouis G, Lecomte J, Michel J, Van Cutsem O, Schmerber J, Giner V, Berchier MC, Sergysels R, Mommen P, Klastersky J: Prognostic factors for response to chemotherapy containing platinum derivatives in patients with unresectable non-small cell lung cancer (NSCLC). *Lung Cancer* 16 (1996) 21-33
13. Boyle P, Maisonneuve P: Lung cancer and tobacco smoking. *Lung Cancer* 12 (1995) 167-181
14. Capewell S, Sudlo MF: Performance and prognosis in patients with lung cancer. The Edinburgh Lung Cancer Group *Thorax* 45 (1990) 951
15. Clinical practice guidelines for the treatment of unresectable non-small-cell lung cancer. Adopted on May 16, 1997 by the American Society of Clinical Oncology. *J Clin Oncol* 16 (1997) 2996-3018
16. Crino L, Mosconi AM, Scagliotti G, Tonato M et al.: Gemcitabine as second line treatment for advanced non-small cell lung cancer: A phase II trial. *J Clin Oncol* 17 (1999) 2081–2085

17. Cullen MH, Billingham LJ, Woodroffe CM et al: Mitomycin, ifosfamide and cisplatin in unresectable non-small-cell lung cancer: Effects on survival and quality of life. *J Clin Oncol* 17 (1999) 3188-3194

18. Dancey J, Shepherd FA, Gralla RJ, Kim YS: Quality of life assessment of second-line docetaxel versus best supportive care in patients with non-small-cell lung cancer previously treated with platinum-based chemotherapy: results of a prospective, randomized phase III trial. *Lung Cancer* 43 (2004) 183-194

19. Doll R, Peto R: Mortality in relation to smoking: 20 years' observations on male British doctors. *Br Med J* 2 (1976) 1525-1536

20. Doll R, Peto R: The causes of cancer: Quantitative estimates of avoidable risk of cancer in the United States today. *J Nat Cancer Inst* 66 (1991) 1191-1308

21. Forth W, Henschler D, Rummel W et al.: Allgemeine und spezielle Pharmakologie und Toxikologie. 8.Auflage, Urban & Fischer, München, Jena, 2001, S 959-960, S 966-968

22. Fossella FV, Lee JS, Berille J, Hong WK: Summary of phase II data of docetaxel (Taxotere), an active agent in the first- and second-line treatment of advanced non-small cell lung cancer. *Semin Oncol* 22 (1995) 22-29

23. , Shin DM, Calayag M, Huber M, Perez-Soler R, Murphy WK, Lippman S, Benner S, Glisson B: Fossella FV, Lee JS Phase II study of docetaxel for advanced or metastatic platinum-refractory non-small-cell lung cancer. *J Clin Oncol* 13 (1995) 645– 651

24. Fossella FV, DeVore R, Kerr RN, et al.: Phase III trial of docetaxel versus vinorelbine or ifosfamide in patients with advanced non-small-cell lung cancer previously treated with platinum-containing chemotherapy regimens. *J Clin Oncol* 18 (2000) 2354-2362

25. Fukuoka M, Yano S, Giaccone G, Tamura T, Nakagawa K, Douillard JY, Nishiwaki Y, Vansteenkiste J, Kudoh S, Rischin D, Eek R, Horai T, Noda K, Takata I, Smit E, Averbuch S, Macleod A, Feyereislova A, Dong RP and Baselga J: Multi-Institutional

- randomized phase II trial of gefitinib for previously treated patients with advanced non-small-cell lung cancer. *J Clin Oncol* 21 (2003) 2237-2246
26. Georgoulas V, Pallis AG, Kourousis C, Alexopoulos A, Ardavanis A, Agelidou A, Agelidou M, Toumbis M, Tzannes S, Pavlakou G, Tselepatiotis E: Docetaxel versus docetaxel/cisplatin in patients with advanced non-small-cell lung cancer: Preliminary analysis of a multicenter randomised phase III study. *Clin Lung Cancer* 4 (2003) 5288-5293
27. Georgoulas V, Ardavanis A, Tsiafaki X, Agelidou A, Mixalopoulou P, Anagnostopoulou O, Ziotopoulos P, Toubis M: Vinorelbine plus cisplatin versus docetaxel plus gemcitabine in advanced non-small-cell lung cancer: A phase III randomized trial. *J Clin Oncol* 23 (2005) 2937-2945
28. Georgoulas V, Agelidou A, Syrigos K, Rapti A, Agelidou M, Nikolakopoulos J, Polyzos A, Athanasiadis A, Tselepatiotis E, Androulakis N, Kalbakis K, Samonis G and Mavroudis D: Second-line treatment with irinotecan plus cisplatin vs cisplatin of patients with advanced non-small-cell lung cancer pretreated with taxanes and gemcitabine: a multicenter randomised phase II study. *British Journal of Cancer* 93 (2005) 763-769
29. Giaccone G, Manegold C, Rosell R, et al.: An update on European randomized studies in non-small cell lung cancer. *Semin Oncol* 25 (1998) 11-17
30. Giaccone G; European Organization for Research and Treatment of Cancer Group: Early results of a randomized phase III trial of platinum-containing doublets versus a nonplatinum doublet in the treatment of advanced non-small cell lung cancer: European Organization for Research and Treatment of Cancer 08975. *Semin Oncol* 29 (2002) 47-49
31. Hainsworth JD, Greco FA: Paclitaxel in lung cancer: 1-hour infusions given alone or in combination chemotherapy. *Semin Oncol* 22 (1995) 45-49

32. Hanna N, Shepherd FA, Rossel R, Pereira JR, De Marinis F, Fossella FV, Kayitalire L, Paul S, Einhorn L, Bunn PA: A phase III study of pemetrexed versus docetaxel in patients with recurrent non-small-cell lung cancer (NSCLC) who were previously treated with chemotherapy. *Proc Am Soc Clin Oncol* 22 (2003) 622
33. Hanna N. : Advances in the treatment of second-line non-small-cell lung cancer. *Lung Cancer* 50 (2005) 15-17
34. Herrero CC, Martinez EN, Jaime AB: Second-line treatment with gemcitabine and vinorelbine in non-small cell lung cancer cisplatin failures: A pilot study. *Lung Cancer* 27 (2000) 47-53
35. Horch R, Krönung G: *Das Bronchialkarzinom. 2.Auflage*, R.G. Fischer Verlag, Frankfurt, 1992, S 11-14, S 19-21
36. Huisman C, Smit EF, Giaccone G, and Postmus PE: Second-line chemotherapy in relapsing or refractory non-small-cell lung cancer: A review. *J Clin Oncol* 18 (2000) 3722-3730
37. Kelly K, Crowley J, Bunn PA, Presant CA, Grevstad PK, Moinpour CM, Ramsey SD: Randomised phase III trial of paclitaxel plus carboplatin versus vinorelbine plus cisplatin in the treatment of patients with advanced non-small-cell lung cancer: a southwest Oncology Group Trial. *J Clin Oncol* 19 (2001) 3210-3218
38. Klastersky J, Sculier JP, Lacroix H, Dabouis G, Bureau G, Libert P, Richez M, Ravez P, Vandermoten G, Thiriaux J: A randomised study comparing cisplatin or carboplatin with etoposide in patients with advanced non-small-cell lung cancer: European Organization for Research and Treatment of Cancer Protocol 07861. *J Clin Oncol* 8 (1990) 1556-1562
39. Krebsregister Saarland: Inzidenz des Bronchialkarzinom 1999
40. Kunitoh H: Non-surgical treatment of advanced non-small cell lung cancer in Japan. *Respirology* 3 (1998) 167-174

41. Lai CL, Tsai CM, Chiu CH, Wang GS, Su WJ, Chen YM, Perng RP.: Phase II Randomized Trial of Tri-weekly Versus Days 1 and 8 Weekly Docetaxel as a Second-line Treatment of Advanced Non-small Cell Lung Cancer. *Jpn J Clin Oncol* 35 (2005) 700-706
42. Law MR, Hackshaw A: Environmental tobacco smoke. *British Medical Bulletin* 52 (1996) 22-34
43. LeChevalier T, Brown A, Natale R, Scagliotti G, Schiller J et al.: Gemcitabine in the treatment of NSCLC: A metaanalysis of survival and progression free survival data. *Lung Cancer* 41 (2003) 239
44. Lilenbaum RC, Chen CS, Chidiac T, Schwarzenberger PO, Thant M, Versola & Lane SR: Phase II randomized trial of vinorelbine and gemcitabine versus carboplatin and paclitaxel in advanced non-small-cell lung cancer. *Annals of Oncology* 16 (2005) 97-101
45. Lilenbaum RC, Herndon JE, List MA, Desch C, Watson DM, Miller AA, Graziano SL, Perry MC, Saville W, Chahinian P, Weeks JC, Holland JC, Green MR: Single-agent versus combination chemotherapy in advanced non-small-cell lung cancer: the cancer and leukemia group B (study 9730). *J Clin Oncol* 23 (2005) 190-196
46. Mazzanti P, Massacesi C, Rocchi MB, Mattioli R, Lippe P, Trivisonne R, Buzzi F: Randomized, multicenter, phase II study of Gemcitabine plus cisplatin versus gemcitabine plus carboplatin in patients with advanced non-small-cell lung cancer. *Lung Cancer* 41 (2003) 81-89
47. Mountain CF: Revisions in the International System for Staging Lung Cancer. *Chest* 111 (1997) 1710-1717
48. Non-small Cell Lung Cancer Collaborative Group: Chemotherapy in non-small cell lung cancer: a metaanalysis using updated data on individual patients from 52 randomised clinical trials. *Br Med J* 311 (1995) 899-909

49. Nowack D, Magnussen H, Rüdiger HW: Exposition und Disposition in der Genese des Bronchialkarzinoms. *Pneumol* 43 (1989) 135-146
50. Olsen JH: Epidemiology of lung cancer. *Eur Respir Mon* 1.1 (1995) 1-17
51. Parker SL, Tang T, Bolden S, Wingo PA: Cancer statistics. *Cancer* 47 (1997) 5-27
52. Parkin DM, Pisani P, Ferlay J: Estimates of the world wide incidence of eighteen major cancer in 1985. *Int J Cancer* 54 (1993) 594-606
53. Parkin DM, Pisani P, Ferlay J: Global cancer statistics. *Cancer J Clin* 49 (1999) 33-64
54. Pectasides D, Pectasides M, Farmakis D, Kostopoulou V, Nikolaou M, Gaglia A, Koumpou M, Mylonakis N, Xiros N, Economopoulos T & Raptis S.A.: Comparison of docetaxel and docetaxel-irinotecan combination as second-line chemotherapy in advanced non-small-cell lung cancer: a randomized phase II trial. *Annals of Oncology* 16 (2005) 294-299
55. Pfister DG, Johnson DH, Azzoli CG, Sause W, Smith TJ, Baker JS, Olak J, Stover D, Strawn JR, Turrisi AT and Somerfield MR: American society of clinical oncology treatment of unresectable non-small-cell lung cancer guideline: Update 2003; . *J Clin Oncol* 22 (2004) 330-353
56. Raez LE, Lilenbaum R: Chemotherapy for advanced non-small-cell lung cancer. *Clin Adv Hematol Oncol* 2 (2004) 173-178
57. Ray P, Quantin X, Grenier J, Pujol JL: Predictive factors of tumor response and prognostic factors of survival during lung cancer chemotherapy. *Cancer Detect Prev* 22 (1998) 293-304
58. Rollins KD, Lindley C: Pemetrexed: a multitargeted antifolate. *Clin Ther* 27 (2005) 1343-1382

59. Rudd RM, Gower NH, James LE, Gregory W, Eisen T, Lee SM, Harper PG, Spiro SG: Phase III randomised comparison of gemcitabine and carboplatin with mitomycin, ifosfamide and cisplatin in advanced non-small cell lung cancer (NSCLC). Proc Am Soc Clin Oncol 20 (2002) abstr 1164
60. Samett JM: The epidemiology of lung cancer. Chest 103 (1993) 20
61. Sasco AJ, Secretan MB, Straif K.: Tobacco smoking and cancer: a brief review of recent epidemiological evidence. Lung Cancer 45 (2004) 3-9
62. Scagliotti GV, De Marinis F, Rinaldi M, Crino L, Gridelli C, Ricci S, Matano E, Boni C, Marangolo M, Failla G, Altavilla G, Adamo V, Ceribelli A, Clerici M, Di Costanzo F, Frontini L, Tonato M; Italian Lung Cancer Project: Phase III randomized trial comparing three platinum-based doublets in advanced non-small-cell lung cancer. J Clin Oncol 20 (2002) 4285-4291
63. Schiller JH, Harrington D, Belani CP, Langer C, Sandler A, Krook J, Zhu J, Johnson DH; Eastern Cooperative Oncology Group: Comparison of four chemotherapy regimens for advanced non-small-cell lung cancer. N Engl J Med 346 (2002) 92-98
64. Schmoll H-J, Höffken K, Possinger (Hrsg.): Kompendium Internistische Onkologie. 3.Auflage, Springer, Berlin, Heidelberg, New York, 1999, Teil 2, S 941-1039
65. Scholz H, Schwabe U: Taschenbuch der Arzneibehandlung. 12.Auflage, Urban & Fischer, München, Jena, 2000, S 260-270, S 674-675
66. Schuette W, Nagel S, Blankenburg T, Lautenschlaeger C, Hans K, Schmidt EW, Dittrich I, Schweisfurth H, von Weikersthal LF, Raghavachar A, Reissig A, Serke M: Phase III study of second-line chemotherapy for advanced non-small-cell lung cancer with weekly compared with 3-weekly docetaxel. J Clin Oncol 23 (2005) 8389-8395
67. Schuette W, Blankenburg T, Guschall W, Dittrich I, Schroeder M, Schweisfurth H, Chemaissani A, Schumann C, Dickgreber N, Appel T, Ukena D: Multicenter

- Randomized Trial for Stage IIIB/IV Non-Small-Cell Lung Cancer Using Every-3-Week Versus Weekly Paclitaxel/Carboplatin. *Clin Lung Cancer* 7 (2006) 338-343
68. Schütte W, Blankenburg T: Diagnostische und therapeutische Konzepte bei Patienten mit Bronchialkarzinom und malignem Pleuramesotheliom. 2.Auflage, Uni-Med, Bremen, London, Boston, 2005, S 7
69. Sederholm C: Gemcitabine (G) compared with gemcitabine plus carboplatin (GC) in advanced non-small cell lung cancer (NSCLC): a phase III study by the Swedish Lung Cancer Study Group (SLUSG). *Proc Am Soc Clin Oncol* (2002) abstr 1162
70. Seeber S: Therapiekonzepte Onkologie. 2. Auflage, Springer, Berlin, 1995, S. 4-7
71. Senn HJ, Drings P, Glaus A, Jungi WF, Sauer R, Schlag P: Checkliste Onkologie. 3.Auflage, Georg Thieme, Stuttgart, New York, 1992, S. 13-16
72. Shepherd FA, Dancey J, Ramlau R, et al: Prospective randomized trial of docetaxel versus best supportive care in patients with non-small-cell lung cancer previously treated with platinum-based chemotherapy. *J Clin Oncol* 18 (2000) 2095-2103
73. Shepherd FA, Fossella FV, Lynch T, Armand JP, Rigas JR, Kris MG: Docetaxel (Taxotere) shows survival and quality-of-life benefits in the second-line treatment of non-small cell lung cancer: a review of two phase III trials. *Semin Oncol* 28 (2001) 4-9
74. Shepherd FA, Rodrigues Pereira J, Ciuleanu T, Tan EH, Hirsh V, Thongprasert S, Campos D, Maoleekoonpiroj S, Smylie M, Martins R, van Kooten M, Dediu M, Findlay B, Tu D, Johnston D, Bezjak A, Clark G, Santabarbara P, Seymour L; National cancer institute of canada clinical trials group: Erlotinib in previously treated non-small-cell lung cancer. *N Engl J Med* 353 (2005) 123-132
75. Silvestri G, Pritchard R, Welch HG.: Preferences for chemotherapy in patients with advanced non-small cell lung cancer: descriptive study based on scripted interviews. *Br Med J* 317 (1998) 771-775

76. Slevin ML, Stubbs L, Plant HJ, Wilson P, Gregory W, Armes PJ, et al.: Attitudes to chemotherapy; comparing views of patients with cancer with those of doctors, nurses, and general public. *Br Med J* 300 (1990) 1458–1460
77. Smith IE, O'Brian MER, Talbot DC, et al: Duration of chemotherapy in advanced non-small-cell lung cancer: A randomized trial of three versus six courses of mitomycin, vinblastine, and cisplatin. *J Clin Oncol* 19 (2001) 1336-1343
78. Socinski MA, Schell MJ, Peterman A, Bakri K, Yates S, Gitten R, Unger P, Lee J, Lee JH, Tynan M, Moore M, Kies MS: Phase III trial comparing a defined duration of therapy versus continuous therapy followed by second-line therapy in advanced-stage IIIB/IV non-small-cell lung cancer. *J Clin Oncol* 20 (2002) 1335-1343
79. Socinski MA, Baggstrom MQ, Hensing TA: Duration of therapy in advanced, metastatic non-small-cell lung cancer. *Clin Adv Hematol Oncol* 1 (2003) 33-38
80. Souquet PJ, Chauvin F, Boissel JP, et al.: Polychemotherapy in advanced non small cell lung cancer: A meta-analysis. *Lancet* 342 (1993) 19-21
81. Statistisches Jahrbuch für die Bundesrepublik Deutschland. Kohlhammer, Stuttgart, 1996, S. 430-433
82. Thun M, Lally C, Flannery J, Calle E, Heath C: Cigarette smoking and changes in the histopathology of lung cancer. *J Natl Cancer Inst* 89 (1997) 1580-1586
83. Travis WD, Travis LB, Devesa SS: Lung cancer. *Cancer* 75 (1995) 191-202
84. Wouters FM, Groen HJM, Biesma B, Schramel FMNH, Postmus PE, Stigt JA and Smit EF: A randomised phase II trial of docetaxel versus docetaxel and irinotecan in patients with stage IIIB–IV non-small-cell lung cancer who failed first-line treatment. *British Journal of Cancer* 92 (2005) 15-20

85. Waechter F, Passweg J, Tamm M, Brutsche M, Herrmann R, Pless M: Significant progress in palliative treatment of non-small cell lung cancer in the past decade. *Chest* 127 (2005) 738-747
86. WHO-Handbook for reporting results of cancer treatment. No. 148, WHO-Offset Publication, Geneva, 1979, S 12-30
87. Winter M: Bronchialkarzinom ist Tumor mit der höchsten Inzidenz. *Ärzte-Zeitung* 113 (1996) 12
88. Zatloukal P, Novakova L, Petruzelka L, Zemanova M: Gemcitabine plus cisplatin versus gemcitabine plus carboplatin in patients with stage IIIB and IV non-small-cell lung cancer (NSCLC): final results of Czech Lung Cancer Cooperative Group phase III randomized trial. *Proc Am Soc Clin Oncol* 20 (2002) abstr 1225