

7. Literaturverzeichnis

1. Ellis, A., The pathologic anatomy of bronchial asthma. Am. J. Med. Sci., 1908. 136: p. 407-10.
2. Cohn, L., J. Elias, and G. Chupp, Asthma: mechanisms of disease persistence and progression. Annu Rev Immunol, 2004. 22: p. 789-815.
3. Dubois, P., E. Degrave, and O. Vandenplas, Asthma and airway hyperresponsiveness among Belgian conscripts, 1978-91. Thorax, 1998. 53(2): p. 101-5.
4. Barnes, P., Current therapies for asthma. Promise and limitations. Chest, 1997. 111: p. 17-26.
5. Hawrylowicz, C. and A. O'Garra, Potential role of interleukin-10-secreting regulatory T cells in allergy and asthma. Nat Rev Immunol, 2005. 5(4): p. 271-283.
6. Cookson, W. and M. Moffatt, Making sense of asthma genes. N Engl J Med, 2004. 351(17): p. 1794-1796.
7. Chatila, T., et al., JM2, encoding a fork head-related protein, is mutated in X-linked autoimmunity-allergic disregulation syndrome. J Clin Invest, 2000. 106(12): p. R75-81.
8. Kabesch, M., Asthma und Allergie Genetische Prädisposition und Umweltfaktoren. Monatsschrift Kinderheilkunde., 2001. 149 (2): p. 94-105.
9. McIntire, J.J., D.T. Umetsu, and R.H. DeKruyff, TIM-1, a novel allergy and asthma susceptibility gene. Immunopathol, 2004. 25 (3-4): p. 335-348.
10. Kabesch, M., Genetik von Asthma bronchiale und Atopie. Monatsschrift Kinderheilkunde., 2004. 152 (11): p. 1202-1210.
11. Wills-Karp, M., J. Santeliz, and C. Karp, The germless theory of allergic disease: revisiting the hygiene hypothesis. Nat Rev Immunol, 2001. 1(1): p. 69-75.
12. Homer, R. and J. Elias, Consequences of long-term inflammation. Airway remodeling. Clin Chest Med, 2000. 21(2): p. 331-43.
13. Bernstein, L., et al., NHLBI Summary and recommendations of a workshop on the investigative use of fiberoptic bronchoscopy and bronchoalveolar lavage in asthmatics. Am. Rev. of Respir. Dis., 1985. 132: p. 180-2.
14. Corry, D. and F. Kheradmand, Induction and regulation of the IgE response. Nature, 1999. 402: p. 18-23.
15. Hansen, G., Das Th1/ Th2-Paradigma beim allergischen Asthma bronchiale. Monatsschr Kinderheilkd, 2001. 149: p. 112-119.
16. Corrigan, C., A. Hartnell, and A. Kay, T lymphocyte activation in acute severe asthma. Lancet, 1988. 1(8595): p. 1129-32.
17. Nakamura, Y., et al., Gene expression of the GATA-3 transcription factor is increased in atopic asthma. Allergy Clin Immunol, 1999. 103: p. 215-22.
18. Cohn, L., J.S. Tepper, and K. Bottomly, IL-4-independent induction of airway hyperresponsiveness by Th2, but not Th1 cells. J Immunol, 1998. 161(8): p. 3813-6.
19. Moller, G., et al., Increased numbers of dendritic cells in the bronchial mucosa of atopic asthmatic patients: downregulation by inhaled corticosteroids. Clin Exp Allergy, 1996. 26(5): p. 517-24.
20. Tunon-De-Lara, J., et al., Dendritic cells in normal and asthmatic airways: expression of the alpha subunit of the high affinity immunoglobulin E receptor (Fc epsilon RI -alpha). Clin Exp Allergy, 1996. 26(6): p. 648-55.
21. Huh, J., et al., Bidirectional interactions between antigen-bearing respiratory tract dendritic cells (DCs) and T cells precede the late phase reaction in experimental asthma: DC activation occurs in the airway mucosa but not in the lung parenchyma. J Exp Med, 2003. 198(1): p. 19-30.
22. Celli, M., et al., Ligation of CD40 on dendritic cells triggers production of high levels of interleukin-12 and enhances T cell stimulatory capacity: T-T help via APC activation. J Exp Med, 1996. 184(2): p. 747-52.
23. Julia, V., et al., A restricted subset of dendritic cells captures airborne antigens and remains able to activate specific T cells long after antigen exposure. Immunity, 2002. 16(2): p. 271-83.
24. Salek-Ardakani, S., et al., OX40 (CD134) controls memory T helper 2 cells that drive lung inflammation. J Exp Med, 2003. 198(2): p. 315-24.
25. Gonzalo, J., et al., ICOS is critical for T helper cell-mediated lung mucosal inflammatory responses. Nat Immunol, 2001. 2(2): p. 597-604.
26. Finotto, S., P.R. Galle, and M.F. Neurath, Immunopathogenesis of bronchial asthma. Pneumologie, 2000. 54 (9): p. 412-418.
27. Kirchner, H., et al., Cytokine und Interferone. Spektrum Akademischer Verlag, 1993.
28. Janeway, C.A., et al., Immunobiology. New York, Garland Science Publishing, 6. Auflage, 2005.

29. Constant, S. and K. Bottomly, Induction of Th1 and Th2 CD4⁺ Tcell responses: the alternative approaches. *Annu Rev Immunol*, 1997. 15: p. 297-322.
30. Swain, S.L., Helper T cell differentiation. *Curr Opin Immunol*, 1999. 11: p. 180-185.
31. Chung, K.F. and P.J. Barnes, Cytokines in asthma. *Thorax*, 1999. 54(9): p. 825-57.
32. Riffó-Vasquez, Y., S. Pitchford, and D. Spina, Cytokines in airway inflammation. *Int J Biochem Cell Biol*, 2000. 32: p. 833-853.
33. Grunig, G., et al., Requirement for IL-13 indepently of IL-4 in experimental asthma. *Science*, 1998. 282: p. 2261-2263.
34. Wills-Karp, M., et al., Interleukin-13: central mediator of allergic asthma. *Science*, 1998. 282(5397): p. 2258-61.
35. Elias, J., et al., New insights into the pathogenesis of asthma. *J Clin Invest*, 2003. 111(3): p. 291-7.
36. Kaliner, Pathogenesis of asthma. *Clinical Immunology*, 1996: p. 909-923.
37. Lee, C., et al., Transgenic overexpression of interleukin (IL)-10 in the lung causes mucus metaplasia, tissue inflammation, and airway remodeling via IL-13-dependent and -independent pathways. *J Biol Chem*, 2002. 277(38): p. 35466-74.
38. Whittaker, L., et al., Interleukin-13 mediates a fundamental pathway for airway epithelial mucus induced by CD4 T cells and interleukin-9. *Am J Respir Cell Mol Biol*, 2002. 27(5): p. 593-602.
39. Rothenberg, M., Eosinophilia. *N Engl J Med*, 1998. 338(22): p. 1592-600.
40. Mattes, J., et al., Intrinsic defect in T cell production of interleukin (IL)-13 in the absence of both IL-5 and eotaxin precludes the development of eosinophilia and airways hyperreactivity in experimental asthma. *J Exp Med*, 2002. 195(11): p. 1433-44.
41. Ying, S., et al., Phenotype of cells expressing mRNA for TH2-type (interleukin 4 and interleukin 5) and TH1-type (interleukin 2 and interferon gamma) cytokines in bronchoalveolar lavage and bronchial biopsies from atopic asthmatic and normal control subjects. *Am J Respir Cell Mol Biol*, 1995. 12(5): p. 477-87.
42. Ferrick, D.A., et al., Differential production of interferon-gamma and interleukin-4 in response to Th1- and Th2-stimulating pathogens by gamma delta T cells in vivo. *Nature*, 1995. 373: p. 255-7.
43. Yoshimoto, T., et al., Role of NK1.1+ T cells in a TH2 response and in immunoglobulin E production. *Science*, 1995. 270(5243): p. 1845-7.
44. Hoshino, T., et al., IL-13 production by NK cells: IL-13-producing NK and T cells are present in vivo in the absence of IFN-gamma. *J Immunol*, 1999. 162(1): p. 51-9.
45. Fort, M., et al., IL-25 induces IL-4, IL-5, and IL-13 and Th2-associated pathologies in vivo. *Immunity*, 2001. 15(6): p. 985-95.
46. Oro, A.S., et al., Regulation of disease susceptibility: decreased prevalence of IgE- mediated allergic disease in patients with multiple sclerosis [see comments]. *J Allergy Clin Immunol*, 1996. 97(6): p. 1402-8.
47. Shirakawa, T., et al., The inverse association between tuberculin responses and atopic disorder [see comments]. *Science*, 1997. 275(5296): p. 77-9.
48. Szabo, S.J., et al., Regulation of the interleukin (IL)-12R beta 2 subunit expression in developing T helper 1 (Th1) and Th2 cells. *J Exp Med*, 1997. 185: p. 817-824.
49. Wagner, H., Interactions between bacterial CpG-DNA and TLR9 bridge innate and adaptive immunity. *Curr Opin Microbiol*, 2002. 5(1): p. 62-9.
50. Krieg AM, CpG motifs in bacterial DNA and their immune effects. *Annu Rev Immunol*, 2002. 20: p. 709-60.
51. Broide, D., et al., Immunostimulatory DNA sequences inhibit IL-5, eosinophilic inflammation, and airway hyperresponsiveness in mice. *J Immunol*, 1998. 161(12): p. 7054-62.
52. Kline, J., et al., Modulation of airway inflammation by CpG oligodeoxynucleotides in a murine model of asthma. *J Immunol*, 1998. 160: p. 2555-2559.
53. Sur, S., et al., Long term prevention of allergic lung inflammation in a mouse model of asthma by CpG oligodeoxynucleotides. *J Immunol*, 1999. 162: p. 6284-6293.
54. Klinman, D.M., Immunotherapeutic uses of CpG oligodeoxynucleotides. *Nat Rev Immunol*, 2004. 4(4): p. 249-58.
55. Donnelly, J.J., et al., DNA vaccines. *Annu Rev Immunol*, 1997. 15: p. 617-48.
56. Hansen, G., et al., Allergen-specific Th1 cells fail to counterbalance Th2 cell-induced airway hyperreactivity but cause severe airway inflammation. *J Clin Invest*, 1999. 103(2): p. 175-83.
57. Randolph, D.A., et al., Modulation of airway inflammation by passive transfer of allergen-specific Th1 and Th2 cells in a mouse model of asthma. *J Immunol*, 1999. 162(4): p. 2375-83.
58. Li, Y., F.E. Simons, and K.T. HayGlass, Environmental antigen-induced IL-13 responses are elevated among subjects with allergic rhinitis, are independent of IL-4, and are inhibited by endogenous IFN-gamma synthesis. *J Immunol*, 1998. 161(12): p. 7007-14.

59. Cohn, L., et al., T helper 1 cells and interferon gamma regulate allergic airway inflammation and mucus production. *J Exp Med*, 1999. 190(9): p. 1309-18.
60. Blyth, D., et al., Airway subepithelial fibrosis in a murine model of atopic asthma: suppression by dexamethasone or anti-interleukin-5 antibody. *Am J Respir Cell Mol Biol*, 2000. 23(2): p. 241-6.
61. Renz, H., et al., Inhibition of IgE production and normalisation of airways responsiveness by sensitized CD8 T cells in a mouse model of allergen-induced sensitization. *J Immunol*, 1994. 152: p. 351-360.
62. Iwamoto, I., et al., Interferon gamma regulates antigen-induced eosinophil recruitment into the mouse airways by inhibiting the infiltration of CD4⁺ T cells. *J Exp Med*, 1993. 177(2): p. 573-6.
63. Hofstra, C., et al., Differential effects of endogenous and exogenous interferon-gamma on immunoglobulin E, cellular infiltration, and airway responsiveness in a murine model of allergic asthma. *Am J Respir Cell Mol Biol*, 1998. 19(5): p. 826-35.
64. Holtzman, M., et al., The one-two of T helper cells: does interferon-gamma knock out the Th2 hypothesis for asthma? *Am J Respir Cell Mol Biol*, 1996. 14(4): p. 316-8.
65. Cohn, L., et al., Induction of airway mucus production By T helper 2 (Th2) cells: a critical role for interleukin 4 in cell recruitment but not mucus production. *J Exp Med* 1997 Nov 17;186(10):1737-47. *J. Exp. Med.*, 1997. 186: p. 1737-47.
66. Wohlleben, G. and K.J. Erb, Atopic disorders: a vaccine around the corner? *Trends Immunol*, 2001. 22(11): p. 618-26.
67. Green, E., et al., CD4⁺CD25⁺ T regulatory cells control anti-islet CD8⁺ T cells through TGF-beta-TGF-beta receptor interactions in type 1 diabetes. *Proc Natl Acad Sci USA*, 2003. 100(19): p. 10878-83.
68. Maloy, K. and F. Powrie, Regulatory T cells in the control of immune pathology. *Nat Immunol*, 2001. 2(9): p. 816-22.
69. Annacker, O., et al., CD25⁺ CD4⁺ T cells regulate the expansion of peripheral CD4 T cells through the production of IL-10. *J Immunol*, 2001. 166(5): p. 3008-18.
70. Asseman, C., et al., An essential role for interleukin 10 in the function of regulatory T cells that inhibit intestinal inflammation. *J Exp Med*, 1999. 190(4): p. 995-1004.
71. Xu, D., et al., CD4⁺CD25⁺ regulatory T cells suppress differentiation and functions of Th1 and Th2 cells, Leishmania major infection, and colitis in mice. *J Immunol*, 2003. 170(1): p. 394-9.
72. Stassen, M., et al., Differential regulatory capacity of CD25⁺ T regulatory cells and preactivated CD25⁺ T regulatory cells on development, functional activation, and proliferation of Th2 cells. *J Immunol*, 2004. 173(1): p. 267-74.
73. Tsitoura, D., et al., Intranasal exposure to protein antigen induces immunological tolerance mediated by functionally disabled CD4⁺ T cells. *J Immunol*, 1999. 163(5): p. 2592-600.
74. McMenamin, C., et al., Regulation of IgE responses to inhaled antigen in mice by antigen-specific gamma delta T cells. *Science*, 1994. 265(5180): p. 1869-71.
75. Asseman, C., S. Read, and F. Powrie, Colitogenic Th1 cells are present in the antigen-experienced T cell pool in normal mice: control by CD4⁺ regulatory T cells and IL-10. *J Immunol*, 2003. 171(2): p. 971-8.
76. Powrie, F., et al., Inhibition of Th1 responses prevents inflammatory bowel disease in scid mice reconstituted with CD45RBhi CD4⁺ T cells. *Immunity*, 1994. 1(7): p. 553-62.
77. Lahn, M., et al., Negative regulation of airway responsiveness that is dependent on gammadelta T cells and independent of alphabeta T cells. *Nat Med*, 1999. 5: p. 1150-1156.
78. Cottrez, F., et al., T regulatory cells 1 inhibit a Th2-specific response in vivo. *J Immunol*, 2000. 165: p. 4848-4853.
79. Pretolani, M. and M. Goldman, IL-10: a potential therapy for allergic inflammation? *Immunol Today*, 1997. 18(6): p. 277-80.
80. Hansen, G., et al., CD4(+) T helper cells engineered to produce latent TGF-beta1 reverse allergen-induced airway hyperreactivity and inflammation [In Process Citation]. *J Clin Invest*, 2000. 105(1): p. 61-70.
81. Kaya, Z., et al., Cutting edge: a critical role for IL-10 in induction of nasal tolerance in experimental autoimmune myocarditis. *J Immunol*, 2002. 168(4): p. 1552-1556.
82. Akbari, O., R. DeKruyff, and D. Umetsu, Pulmonary dendritic cells producing IL-10 mediate tolerance induced by respiratory exposure to antigen. *Nat Immunol*, 2001. 2(8): p. 725-31.
83. Haneda, K., et al., Transforming growth factor-beta secreted from CD4(+) T cells ameliorates antigen-induced eosinophilic inflammation. A novel high-dose tolerance in the trachea. *Am J Respir Cell Mol Biol*, 1999. 21(2): p. 268-74.
84. Akbari, O., et al., Antigen-specific regulatory T cells develop via the ICOS-ICOS-ligand pathway and inhibit allergen-induced airway hyperreactivity. *Nat Med*, 2002. 8(9): p. 1024-32.

85. Iwasaki, A. and B. Kelsall, Freshly isolated Peyer's patch, but not spleen, dendritic cells produce interleukin 10 and induce the differentiation of T helper type 2 cells. *J Exp Med*, 1999. 190(2): p. 229-39.
86. Stumbles, P., et al., Resting respiratory tract dendritic cells preferentially stimulate T helper cell type 2 (Th2) responses and require obligatory cytokine signals for induction of Th1 immunity. *J Exp Med*, 1998. 188(11): p. 2019-31.
87. Jonuleit, H., et al., Induction of interleukin 10-producing, nonproliferating CD4(+) T cells with regulatory properties by repetitive stimulation with allogeneic immature human dendritic cells. *J Exp Med*, 2000. 192(9): p. 1213-22.
88. O'Garra, A., et al., IL-10-producing and naturally occurring CD4⁺ Tregs: limiting collateral damage. *J Clin Invest*, 2004. 114(10): p. 1372-8.
89. Boussiotis, V., et al., IL-10-producing T cells suppress immune responses in anergic tuberculosis patients. *J Clin Invest*, 2000. 105(9): p. 1317-25.
90. Kullberg, M., et al., Bacteria-triggered CD4(+) T regulatory cells suppress Helicobacter hepaticus-induced colitis. *J Exp Med*, 2002. 196(4): p. 505-15.
91. Suto, A., et al., Role of CD4(+) CD25(+) regulatory T cells in T helper 2 cell-mediated allergic inflammation in the airways. *Am J Respir Crit Care Med*, 2001. 164(4): p. 680-7.
92. Jaffar, Z., T. Sivakuru, and K. Roberts, CD4⁺CD25⁺ T cells regulate airway eosinophilic inflammation by modulating the Th2 cell phenotype. *J Immunol*, 2004. 172(6): p. 3842-9.
93. Curotto de Lafaille, M., et al., Hyper immunoglobulin E response in mice with monoclonal populations of B and T lymphocytes. *J Exp Med*, 2001. 194(9): p. 1349-59.
94. Hadeiba, H. and R. Locksley, Lung CD25 CD4 regulatory T cells suppress type 2 immune responses but not bronchial hyperreactivity. *J Immunol*, 2003. 170(11): p. 5502-10.
95. Ostroukhova, M., et al., Tolerance induced by inhaled antigen involves CD4(+) T cells expressing membrane-bound TGF-beta and FOXP3. *J Clin Invest*, 2004. 114(1): p. 28-38.
96. Kehrl, J.H., et al., Transforming growth factor beta is an important immunomodulatory protein for human B lymphocytes. *J Immunol*, 1986. 137: p. 3855-3860.
97. Wahl, S.M., et al., Transforming growth factor-beta is a potent immunosuppressive agent that inhibits IL-1-dependent lymphocyte proliferation. *J Immunol*, 1988. 140: p. 3026-3032.
98. Espevik, T., et al., Inhibition of cytokine production by cyclosporin A and transforming growth factor beta. *J Exp Med*, 1987. 166: p. 571-576.
99. Barral-Netto, M., et al., Transforming growth factor-beta in leishmanial infection: a parasite escape mechanism. *Science*, 1992. 257(5069): p. 545-8.
100. Brandes, M.E., et al., Transforming growth factor beta 1 suppresses acute and chronic arthritis in experimental animals. *J Clin Invest*, 1991. 87(3): p. 1108-13.
101. Kuruvilla, A.P., et al., Protective effect of transforming growth factor beta 1 on experimental autoimmune diseases in mice. *Proc Natl Acad Sci U S A*, 1991. 88: p. 2918-2921.
102. Redington, A.E., et al., Transforming growth factor-beta 1 in asthma. Measurement in bronchoalveolar lavage fluid. *Am J Respir Crit Care Med*, 1997. 156: p. 642-647.
103. Moore, K.W., et al., Interleukin-10 and the interleukin-10 receptor. *Annu Rev Immunol*, 2001. 19: p. 683-765.
104. Borish, L., et al., Interleukin-10 regulation in normal subjects and patients with asthma. *J Allergy Clin Immunol*, 1996. 97(6): p. 1288-96.
105. Borish, L., IL-10: evolving concepts. *J Allergy Clin Immunol*, 1998. 101(3): p. 293-7.
106. Fiorentino, D.F., M.W. Bond, and T.R. Mosmann, Two types of mouse T helper cell. IV. Th2 clones secrete a factor that inhibits cytokine production by Th1 clones. *J. Exp. Med.*, 1989. 170: p. 2081-2095.
107. Grunig, G., et al., Interleukin-10 is a natural suppressor of cytokine production and inflammation in a murine model of allergic bronchopulmonary aspergillosis. *J Exp Med*, 1997. 185(6): p. 1089-99.
108. Akdis, M., et al., Immune responses in healthy and allergic individuals are characterized by a fine balance between allergen-specific T regulatory 1 and T helper 2 cells. *J Exp Med*, 2004. 199(11): p. 1567-1575.
109. Akdis, C.A., et al., Role of interleukin 10 in specific immunotherapy. *J Clin Invest*, 1998. 102(1): p. 98-106.
110. van den Biggelaar, A.H., et al., Decreased atopy in children infected with Schistosoma haematobium: a role for parasite-induced interleukin-10. *Lancet*, 2000. 356(9243): p. 1723-7.
111. Macaubas, C., et al., Regulation of T-helper cell responses to inhalant allergen during early childhood. *Clin Exp Allergy*, 1999. 29(9): p. 1223-31.
112. Gerard, C., et al., Interleukin 10 reduces the release of tumor necrosis factor and prevents lethality in experimental endotoxemia. *J Exp Med*, 1993. 177(2): p. 547-50.

113. Shanley, T.P., et al., Regulatory effects of intrinsic IL-10 in IgG immune complex-induced lung injury. *J Immunol*, 1995. 154(7): p. 3454-60.
114. Sawa, T., et al., IL-10 improves lung injury and survival in *Pseudomonas aeruginosa* pneumonia. *J Immunol*, 1997. 159(6): p. 2858-66.
115. van Scott, M.R., et al., IL-10 reduces Th2 cytokine production and eosinophilia but augments airway reactivity in allergic mice. *Am J Physiol Lung Cell Mol Physiol*, 2000. 278(4): p. L667-74.
116. Crisi, G.M., et al., Staphylococcal enterotoxin B and tumor-necrosis factor-alpha-induced relapses of experimental allergic encephalomyelitis: protection by transforming growth factor-beta and interleukin-10. *Eur J Immunol*, 1995. 25(11): p. 3035-40.
117. Oh, J.W., et al., CD4 T-helper cells engineered to produce IL-10 prevent allergen-induced airway hyperreactivity and inflammation. *J Allergy Clin Immunol*, 2002. 110(3): p. 460-8.
118. Kuhn, R., et al., Interleukin-10-deficient mice develop chronic enterocolitis. *Cell*, 1993. 75(2): p. 263-74.
119. Jeannin, P., et al., IgE versus IgG4 production can be differentially regulated by IL-10. *J Immunol*, 1998. 160(7): p. 3555-61.
120. Takahashi, I., et al., Clonal expansion of CD4⁺ TCRbetabeta+ T cells in TCR alpha-chain-deficient mice by gut-derived antigens. *J Immunol*, 1999. 162(3): p. 1843-50.
121. Stampfli, M.R., et al., Interleukin-10 gene transfer to the airway regulates allergic mucosal sensitization in mice. *Am J Respir Cell Mol Biol*, 1999. 21(5): p. 586-96.
122. Zuany-Amorim, C., et al., Interleukin-10 inhibits antigen-induced cellular recruitment into the airways of sensitized mice. *J Clin Invest*, 1995. 95(6): p. 2644-51.
123. Gurunathan, S., D.M. Klinman, and R.A. Seder, DNA vaccines: immunology, application, and optimization. *Annu Rev Immunol*, 2000. 18: p. 927-74.
124. Ball, T.M., et al., Siblings, day-care attendance, and the risk of asthma and wheezing during childhood. *N Engl J Med*, 2000. 343(8): p. 538-43.
125. Riedler, J., et al., Exposure to farming in early life and development of asthma and allergy: a cross-sectional survey. *Lancet*, 2001. 358(9288): p. 1129-33.
126. Shull, M.M., et al., Targeted disruption of the mouse transforming growth factor-beta 1 gene results in multifocal inflammatory disease. *Nature*, 1992. 359(6397): p. 693-9.
127. Kulkarni, A.B. and S. Karlsson, Transforming growth factor-beta 1 knockout mice. A mutation in one cytokine gene causes a dramatic inflammatory disease. *Am J Pathol*, 1993. 143(1): p. 3-9.
128. Neurath, M.F., S. Finotto, and L.H. Glimcher, The role of Th1/Th2 polarization in mucosal immunity. *Nat Med*, 2002. 8(6): p. 567-73.
129. Raz, E., et al., Preferential induction of a Th1 immune response and inhibition of specific IgE antibody formation by plasmid DNA immunization. *Proc Natl Acad Sci U S A*, 1996. 93(10): p. 5141-5.
130. Hsu, C.H., et al., Immunoprophylaxis of allergen-induced immunoglobulin E synthesis and airway hyperresponsiveness in vivo by genetic immunization. *Nat Med*, 1996. 2(5): p. 540-4.
131. Hsu, C.H., et al., Inhibition of specific IgE response in vivo by allergen-gene transfer. *Int Immunol*, 1996. 8(9): p. 1405-11.
132. Roy, K., et al., Oral gene delivery with chitosan—DNA nanoparticles generates immunologic protection in a murine model of peanut allergy. *Nat Med*, 1999. 5(4): p. 387-91.
133. Maecker, H.T., et al., Vaccination with allergen-IL-18 fusion DNA protects against, and reverses established, airway hyperreactivity in a murine asthma model. *J Immunol*, 2001. 166(2): p. 959-65.
134. Li, X.M., et al., Mucosal IFN-gamma gene transfer inhibits pulmonary allergic responses in mice. *J Immunol*, 1996. 157(8): p. 3216-9.
135. Xu, D., et al., Selective expression and functions of interleukin 18 receptor on T helper (Th) type 1 but not Th2 cells. *J Exp Med*, 1998. 188(8): p. 1485-92.
136. Koning, H., et al., T cells subsets and cytokines in allergic and non-allergic children. II. Analysis and IL-5 and IL-10 mRNA expression and protein production. *Cytokine*, 1997. 9(6): p. 427-36.
137. Hobbs, K., et al., Interleukin-10 and transforming growth factor-beta promoter polymorphisms in allergies and asthma. *Am J Respir Crit Care Med*, 1998. 158(6): p. 1958-62.
138. Matsumoto, K., et al., Decrease of interleukin-10-producing T cells in the peripheral blood of severe unstable atopic asthmatics. *Int Arch Allergy Immunol*, 2004. 134(4): p. 295-302.
139. Vissers, J., et al., Allergen immunotherapy induces a suppressive memory response mediated by IL-10 in a mouse asthma model. *J Allergy Clin Immunol*, 2004. 113(6): p. 1204-1210.
140. Makela, M.J., et al., IL-10 is necessary for the expression of airway hyperresponsiveness but not pulmonary inflammation after allergic sensitization. *Proc Natl Acad Sci U S A*, 2000. 97(11): p. 6007-12.

141. Ameredes, B., et al., Enhanced nitric oxide production associated with airway hyporesponsiveness in the absence of IL-10. *Am J Physiol Lung Cell Mol Physiol*, 2004. 288(5): p. 868-873.
142. Seder, R., et al., Factors involved in the differentiation of TGF-beta-producing cells from naive CD4⁺ T cells: IL-4 and IFN-gamma have opposing effects, while TGF-beta positively regulates its own production. *J Immunol*, 1998. 160(12): p. 5719-5728.
143. De Winter, H., et al., Regulation of mucosal immune responses by recombinant interleukin 10 produced by intestinal epithelial cells in mice. *Gastroenterology*, 2002. 122(7): p. 1829-1841.
144. Lee, H.W., et al., 4-1BB promotes the survival of CD8⁺ T lymphocytes by increasing expression of Bcl-xL and Bfl-1. *J Immunol*, 2002. 169(9): p. 4882-8.
145. Kramer, U., et al., Age of entry to day nursery and allergy in later childhood. *Lancet*, 1999. 353(9151): p. 450-4.
146. Firestein, G.S., et al., A new murine CD4⁺ T cell subset with an unrestricted cytokine profile. *J. Immunol.*, 1989. 83: p. 518-525.
147. Groux, H., et al., A CD4⁺ T-cell subset inhibits antigen-specific T-cell response and prevents colitis. *Nature*, 1997. 389: p. 737-742.
148. Chen, Y., et al., Regulatory T cell clones induced by oral tolerance: suppression of autoimmune encephalomyelitis. *Science*, 1994. 265: p. 1237-40.
149. Levings, M., et al., The role of IL-10 and TGF-beta in the differentiation and effector function of T regulatory cells. *Int Arch Allergy Immunol*, 2002. 129(4): p. 263-276.
150. Letterio, J. and A.B. Roberts, Regulation of immune responses by TGF-β. *Annu Rev Immunol*, 1998. 16: p. 137-161.
151. Thorbecke, G., et al., Involvement of endogenous tumor necrosis factor alpha and transforming growth factor beta during induction of collagen type II arthritis in mice. *Proc Natl Acad Sci U S A*, 1992. 89(16): (16): p. 7375-7379.
152. Kim, H., et al., NKT cells promote antibody-induced joint inflammation by suppressing transforming growth factor beta1 production. *J Exp Med*, 2005. 201(1): p. 41-47.
153. Strober, W., et al., Reciprocal IFN-gamma and TGF-beta responses regulate the occurrence of mucosal inflammation. *Immunol Today*, 1997. 18(2): p. 61-64.
154. Kalliomaki, M., et al., Transforming growth factor-beta in breast milk: a potential regulator of atopic disease at an early age. *J Allergy Clin Immunol*, 1999. 104(6): p. 1251-1257.
155. Kitani, A., et al., Treatment of experimental (Trinitrobenzene sulfonic acid) colitis by intranasal administration of transforming growth factor (TGF)-beta1 plasmid: TGF-beta1-mediated suppression of T helper cell type 1 response occurs by interleukin (IL)-10 induction and IL-12 receptor beta2 chain downregulation. *J Exp Med*, 2000. 192(1): p. 41-52.
156. Lee, C., et al., Early growth response gene 1-mediated apoptosis is essential for transforming growth factor beta1-induced pulmonary fibrosis. *J Exp Med*, 2004. 200(3): p. 377-389.
157. Kelly, M., et al., Epithelial expression of profibrotic mediators in a model of allergen-induced airway remodeling. *Am J Respir Cell Mol Biol*, 2005. 32(2): p. 99-107.
158. Lee, C., et al., Interleukin-13 induces tissue fibrosis by selectively stimulating and activating transforming growth factor beta(1). *J Exp Med*, 2001. 194(6): p. 809-821.
159. Chu, H., et al., Transforming growth factor-beta2 induces bronchial epithelial mucin expression in asthma. *Am J Pathol*, 2004. 165(4): p. 1097-1106.
160. Balzar, S., et al., Increased TGF-beta2 in severe asthma with eosinophilia. *J Allergy Clin Immunol*, 2005. 115(1): p. 110-117.
161. Wu, C., et al., Modulation of human IgE synthesis by transforming growth factor-beta. *Clin Immunol Immunopathol*, 1992. 62(3): p. 277-284.
162. Sugai, M., et al., Essential role of Id2 in negative regulation of IgE class switching. *Nat Immunol*, 2003. 4: p. 25-30.
163. Gorelik, L., R.A. Flavell, and . Transforming growth factor-beta in T-cell biology. *Nat Rev Immunol*, 2002. 2: p. 46-53.
164. Tang, B., et al., Transforming growth factor-beta1 is a new form of tumor suppressor with true haploid insufficiency. *Nat Med*, 1998. 4: p. 802-807.
165. Vignola, A.M., et al., Transforming growth factor-beta expression in mucosal biopsies in asthma and chronic bronchitis. *Am J Respir Crit Care Med*, 1997. 156: p. 591-599.
166. Minshall, E.M., et al., Eosinophil-associated TGF-beta1 mRNA expression and airways fibrosis in bronchial asthma. *Am J Respir Cell Mol Biol*, 1997(17): p. 326-333.
167. Chu, H.W., et al., Peripheral blood and airway tissue expression of transforming growth factor beta by neutrophils in asthmatic subjects and normal control subjects. *J Allergy Clin Immunol*, 2000. 106: p. 1115-1123.
168. Singer, A.J. and R.A. Clark, Cutaneous wound healing. *N Engl J Med*, 1999. 341: p. 738-746.
169. Branton, M.H. and J.B. Kopp, TGF-beta and fibrosis. *Microbes Infect*, 1999. 1: p. 1349-1365.

170. Schramm, C., et al., TGF-beta regulates airway responses via T cells. *J Immunol*, 2003. 170: p. 1313-1319.
171. Nakao, A., et al., Blockade of transforming growth factor beta/Smad signaling in T cells by overexpression of Smad7 enhances antigen-induced airway inflammation and airway reactivity. *J Exp Med*, 2000. 192: p. 151.
172. Luethviksson, B.R. and B. Gunnlaugsdottir, Transforming growth factorbeta as a regulator of site-specific T-cell inflammatory response. *Scand J Immunol*, 2003. 58: p. 129-138.
173. Bartram, U. and C.P. Speer, The role of transforming growth factor beta in lung development and disease. *Chest*, 2004. 125: p. 754-765.
174. Coker, R.K., et al., Diverse cellular TGF-beta 1 and TGF-beta 3 gene expression in normal human and murine lung. *Eur Respir J*, 1996. 9: p. 2501-2507.
175. Pelton, R.W., et al., Expression of transforming growth factor-beta 1, -beta 2, and -beta 3 mRNA and protein in the murine lung. *Am J Respir Cell Mol Biol*, 1991. 5: p. 522-530.
176. Magnan, A., et al., Transforming growth factor beta in normal human lung: preferential location in bronchial epithelial cells. *Thorax*, 1994. 49: p. 789-792.
177. de Boer, W.I., et al., Transforming growth factor beta1 and recruitment of macrophages and mast cells in airways in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*, 1998. 158: p. 1951-1957.
178. Khalil, N., et al., TGF-beta 1, but not TGF-beta 2 or TGF-beta 3, is differentially present in epithelial cells of advanced pulmonary fibrosis: an immunohistochemical study. *Am J Respir Cell Mol Biol*, 1996. 14: p. 131-138.
179. Jagirdar, J., et al., Immunohistochemical Localization of Transforming GrowthFactor Beta Isoforms in Asbestos-Related Diseases. *Environ Health Perspect*, 1997. 105S: p. 1197-1203.
180. Zhu, Z., et al., Pulmonary expression of interleukin-13 causes inflammation, mucus hypersecretion, subepithelial fibrosis, physiologic abnormalities, and eotaxin production. *J Clin Invest*, 1999. 103: p. 779-788.
181. Rankin, J.A., et al., Phenotypic and physiologic characterization of transgenic mice expressing interleukin 4 in the lung: lymphocytic and eosinophilic inflammation without airway hyperreactivity. *Proc Natl Acad Sci U S A*, 1996. 93: p. 7821-7825.
182. Longphre, M., et al., Allergen-induced IL-9 directly stimulates mucin transcription in respiratory epithelial cells. *J Clin Invest*, 1999. 104: p. 1375-1382.
183. Lee, J., et al., Interleukin-5 expression in the lung epithelium of transgenic mice leads to pulmonary changes pathognomonic of asthma. *J Exp Med*, 1997. 185: p. 2143-2156.
184. Straubinger, R., et al., Quantitative evaluation of inflammatory and immune responses in the early stages of chronic Helicobacter pylori infection. *Infect Immun*, 2003. 71(5):(5): p. 2693-2703.
185. Tournoy, K., J. Kips, and R. Pauwels, Endogenous interleukin-10 suppresses allergen-induced airway inflammation and nonspecific airway responsiveness. *Clin Exp Allergy*, 2000. 30(6): p. 775-783.
186. Blazar, B., et al., Engraftment of severe combined immune deficient mice receiving allogeneic bone marrow via In utero or postnatal transfer. *Blood*, 1998. 92(10): p. 3949-3959.
187. Bommireddy, R., et al., TGF-beta 1 regulates lymphocyte homeostasis by preventing activation and subsequent apoptosis of peripheral lymphocytes. *J Immunol*, 2003. 170(9): p. 4612-4622.
188. Finotto, S., et al., Treatment of allergic airway inflammation and hyperresponsiveness by antisense-induced local blockade of GATA-3 expression. *J Exp Med*, 2001. 193(11): p. 1247-1260.
189. Fuss, I., et al., The interrelated roles of TGF-beta and IL-10 in the regulation of experimental colitis. *J Immunol*, 2002. 168(2): p. 900-908.
190. Ashcroft, T., J. Simpson, and V. Timbrell, Simple method of estimating severity of pulmonary fibrosis on a numerical scale. *J Clin Pathol*, 1988. 41(4): p. 467-470.
191. Wang, J., et al., Endogenous and exogenous IL-6 inhibit aeroallergen-induced Th2 inflammation. *J Immunol*, 2000. 165(7): p. 4051-4061.
192. Hogan, S., et al., A novel T cell-regulated mechanism modulating allergen-induced airways hyperreactivity in BALB/c mice independently of IL-4 and IL-5. *J Immunol*, 1998. 161(3): p. 1501-1509.
193. Temann, U., P. Ray, and R. Flavell, Pulmonary overexpression of IL-9 induces Th2 cytokine expression, leading to immune pathology. *J Clin Invest*, 2002. 109(1): p. 29-39.
194. Hansen, G., et al., Vaccination with heat-killed Listeria as adjuvant reverses established allergen-induced airway hyperreactivity and inflammation: role of CD8⁺ T cells and IL-18. *J Immunol*, 2000. 164(1): p. 223-30.
195. Lizio, R., et al., Development of a new aerosol delivery system for systemic pulmonary delivery in anaesthetized and orotracheal intubated rats. *Lab Anim*, 2001. 35(3): p. 261-270.

196. Walter, D., et al., Critical role for IL-13 in the development of allergen-induced airway hyperreactivity. *J Immunol*, 2001. 167(8): p. 4668-4675.
197. Singer, M., et al., A MARCKS-related peptide blocks mucus hypersecretion in a mouse model of asthma. *Nat Med*, 2004. 10(2): p. 193-196.
198. Makela, M., et al., The failure of interleukin-10-deficient mice to develop airway hyperresponsiveness is overcome by respiratory syncytial virus infection in allergen-sensitized/challenged mice. *Am J Respir Crit Care Med*, 2002. 165(6): p. 824-831.
199. Finotto, S., Galle, P. R., Neurath, M. F., Immunopathogenesis of bronchial asthma. *Pneumologie*, 2000. 54 (9): p. 412-418.
200. Lambrecht BN., Dendritic cells and the regulation of the allergic immune response. *Allergy*, 2005. 60 (3): p. 271-82.
201. Lambrecht BN., Immunologists getting nervous: neuropeptides, dendritic cells and T cell activation. *Respir Res.*, 2001. 2(3): p. 133-8.
202. Polte T, Behrendt AK, Hansen G., Direct evidence for a critical role of CD30 in the development of allergic asthma. *J Allergy Clin Immunol*, 2006. 118(4): p. 942-8.
203. Polte T, Foell J, Werner C, Hoymann HG, Braun A, Burdach S, Mittler RS, Hansen G., CD137-mediated immunotherapy for allergic asthma. *J Clin Invest.*, 2006. 116(4): p. 1025-36.