

6 Literatur

- Anderson, P., and N. Kedersha. 2002a. Stressful initiations. *J Cell Sci.* 115:3227-34.
- Anderson, P., and N. Kedersha. 2002b. Visibly stressed: the role of eIF2, TIA-1, and stress granules in protein translation. *Cell Stress Chaperones.* 7:213-21.
- Anderson, P., and N. Kedersha. 2006. RNA granules. *J Cell Biol.* 172:803-8.
- Asano, K., J. Clayton, A. Shalev, and A.G. Hinnebusch. 2000. A multifactor complex of eukaryotic initiation factors, eIF1, eIF2, eIF3, eIF5, and initiator tRNA(Met) is an important translation initiation intermediate in vivo. *Genes Dev.* 14:2534-46.
- Atlas, R., L. Behar, E. Elliott, and I. Ginzburg. 2004. The insulin-like growth factor mRNA binding-protein IMP-1 and the Ras-regulatory protein G3BP associate with tau mRNA and HuD protein in differentiated P19 neuronal cells. *J Neurochem.* 89:613-26.
- Ausubel, S.M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G., Smith, J. A., Struhl, K. 1996. Current Protocols in Molecular Biology. Greene Publishing Associates and Wiley-Interscience, New York.
- Bertrand, E., P. Chartrand, M. Schaefer, S.M. Shenoy, R.H. Singer, and R.M. Long. 1998. Localization of ASH1 mRNA particles in living yeast. *Mol Cell.* 2:437-45.
- Birnboim, H.H., Doly, J. 1976. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acid Res.* 7:1513-1523.
- Bordeleau, M.E., R. Cencic, L. Lindqvist, M. Oberer, P. Northcote, G. Wagner, and J. Pelletier. 2006. RNA-mediated sequestration of the RNA helicase eIF4A by Pateamine A inhibits translation initiation. *Chem Biol.* 13:1287-95.
- Bordeleau, M.E., J. Matthews, J.M. Wojnar, L. Lindqvist, O. Novac, E. Jankowsky, N. Sonenberg, P. Northcote, P. Teesdale-Spittle, and J. Pelletier. 2005. Stimulation of mammalian translation initiation factor eIF4A activity by a small molecule inhibitor of eukaryotic translation. *Proc Natl Acad Sci U S A.* 102:10460-5.
- Chandel, N.S., E. Maltepe, E. Goldwasser, C.E. Mathieu, M.C. Simon, and P.T. Schumacker. 1998. Mitochondrial reactive oxygen species trigger hypoxia-induced transcription. *Proc Natl Acad Sci U S A.* 95:11715-20.
- Condeelis, J., and R.H. Singer. 2005. How and why does beta-actin mRNA target? *Biol Cell.* 97:97-110.
- Conroy, S.C., T.E. Dever, C.L. Owens, and W.C. Merrick. 1990. Characterization of the 46,000-dalton subunit of eIF-4F. *Arch Biochem Biophys.* 282:363-71.
- Dahm, R., and M. Kiebler. 2005. Cell biology: silenced RNA on the move. *Nature.* 438:432-5.

- DeChiara, T.M., E.J. Robertson, and A. Efstratiadis. 1991. Parental imprinting of the mouse insulin-like growth factor II gene. *Cell*. 64:849-59.
- Deshler, J.O., M.I. Highett, T. Abramson, and B.J. Schnapp. 1998. A highly conserved RNA-binding protein for cytoplasmic mRNA localization in vertebrates. *Curr Biol*. 8:489-96.
- Dever, T.E. 1999. Translation initiation: adept at adapting. *Trends Biochem Sci*. 24:398-403.
- Dewhirst, M.W., R. Oliver, C.Y. Tso, C. Gustafson, T. Secomb, and J.F. Gross. 1990. Heterogeneity in tumor microvascular response to radiation. *Int J Radiat Oncol Biol Phys*. 18:559-68.
- Doyle, G.A., N.A. Betz, P.F. Leeds, A.J. Fleisig, R.D. Prokipcak, and J. Ross. 1998. The c-myc coding region determinant-binding protein: a member of a family of KH domain RNA-binding proteins. *Nucleic Acids Res*. 26:5036-44.
- Duncan, R., S.C. Milburn, and J.W. Hershey. 1987. Regulated phosphorylation and low abundance of HeLa cell initiation factor eIF-4F suggest a role in translational control. Heat shock effects on eIF-4F. *J Biol Chem*. 262:380-8.
- Ederly, I., M. Humbelin, A. Darveau, K.A. Lee, S. Milburn, J.W. Hershey, H. Trachsel, and N. Sonenberg. 1983. Involvement of eukaryotic initiation factor 4A in the cap recognition process. *J Biol Chem*. 258:11398-403.
- Farina, K.L., S. Huttelmaier, K. Musunuru, R. Darnell, and R.H. Singer. 2003. Two ZBP1 KH domains facilitate beta-actin mRNA localization, granule formation, and cytoskeletal attachment. *J Cell Biol*. 160:77-87.
- Gallouzi, I.E., C.M. Brennan, M.G. Stenberg, M.S. Swanson, A. Eversole, N. Maizels, and J.A. Steitz. 2000. HuR binding to cytoplasmic mRNA is perturbed by heat shock. *Proc Natl Acad Sci U S A*. 97:3073-8.
- Garcia-Barros, M., F. Paris, C. Cordon-Cardo, D. Lyden, S. Rafii, A. Haimovitz-Friedman, Z. Fuks, and R. Kolesnick. 2003. Tumor response to radiotherapy regulated by endothelial cell apoptosis. *Science*. 300:1155-9.
- Gorski, D.H., M.A. Beckett, N.T. Jaskowiak, D.P. Calvin, H.J. Mauceri, R.M. Salloum, S. Seetharam, A. Koons, D.M. Hari, D.W. Kufe, and R.R. Weichselbaum. 1999. Blockage of the vascular endothelial growth factor stress response increases the antitumor effects of ionizing radiation. *Cancer Res*. 59:3374-8.
- Gradi, A., Y.V. Svitkin, H. Imataka, and N. Sonenberg. 1998. Proteolysis of human eukaryotic translation initiation factor eIF4GII, but not eIF4GI, coincides with the shutoff of host protein synthesis after poliovirus infection. *Proc Natl Acad Sci U S A*. 95:11089-94.
- Graham, F.L., J. Smiley, W.C. Russell, and R. Nairn. 1977. *J Gen Virol*. 59-74 pp.
- Grifo, J.A., S.M. Tahara, M.A. Morgan, A.J. Shatkin, and W.C. Merrick. 1983. New initiation factor activity required for globin mRNA translation. *J Biol Chem*. 258:5804-10.

- Gu, L., K. Shigemasa, and K. Ohama. 2004. Increased expression of IGF II mRNA-binding protein 1 mRNA is associated with an advanced clinical stage and poor prognosis in patients with ovarian cancer. *Int J Oncol.* 24:671-8.
- Han, A.P., C. Yu, L. Lu, Y. Fujiwara, C. Browne, G. Chin, M. Fleming, P. Leboulch, S.H. Orkin, and J.J. Chen. 2001. Heme-regulated eIF2alpha kinase (HRI) is required for translational regulation and survival of erythroid precursors in iron deficiency. *Embo J.* 20:6909-18.
- Hansen, T.V., N.A. Hammer, J. Nielsen, M. Madsen, C. Dalbaeck, U.M. Wewer, J. Christiansen, and F.C. Nielsen. 2004. Dwarfism and impaired gut development in insulin-like growth factor II mRNA-binding protein 1-deficient mice. *Mol Cell Biol.* 24:4448-64.
- Harding, H.P., I. Novoa, Y. Zhang, H. Zeng, R. Wek, M. Schapira, and D. Ron. 2000. Regulated translation initiation controls stress-induced gene expression in mammalian cells. *Mol Cell.* 6:1099-108.
- Havin, L., A. Git, Z. Elisha, F. Oberman, K. Yaniv, S.P. Schwartz, N. Standart, and J.K. Yisraeli. 1998. RNA-binding protein conserved in both microtubule- and microfilament-based RNA localization. *Genes Dev.* 12:1593-8.
- Heldin, C.H., A. Johnsson, S. Wennergren, C. Wernstedt, C. Betsholtz, and B. Westermark. 1986. A human osteosarcoma cell line secretes a growth factor structurally related to a homodimer of PDGF A-chains. *Nature.* 319:511-4.
- Hu, C.D., Y. Chinenov, and T.K. Kerppola. 2002. Visualization of interactions among bZIP and Rel family proteins in living cells using bimolecular fluorescence complementation. *Mol Cell.* 9:789-98.
- Hu, C.D., and T.K. Kerppola. 2003. Simultaneous visualization of multiple protein interactions in living cells using multicolor fluorescence complementation analysis. *Nat Biotechnol.* 21:539-45.
- Huttelmaier, S., S. Illenberger, I. Grosheva, M. Rudiger, R.H. Singer, and B.M. Jockusch. 2001. Raver1, a dual compartment protein, is a ligand for PTB/hnRNPI and microfilament attachment proteins. *J Cell Biol.* 155:775-86.
- Huttelmaier, S., D. Zenklusen, M. Lederer, J. Dichtenberg, M. Lorenz, X. Meng, G.J. Bassell, J. Condeelis, and R.H. Singer. 2005. Spatial regulation of beta-actin translation by Src-dependent phosphorylation of ZBP1. *Nature.* 438:512-515.
- Ioannidis, P., C. Kottaridi, E. Dimitriadis, N. Curtis, L. Mahaira, M. Talieri, A. Giannopoulos, K. Iliadis, D. Papaioannou, G. Nasioulas, and T. Trangas. 2004. Expression of the RNA-binding protein CRD-BP in brain and non-small cell lung tumors. *Cancer Lett.* 209:245-50.
- Ioannidis, P., L. Mahaira, A. Papadopoulou, M.R. Teixeira, S. Heim, J.A. Andersen, E. Evangelou, U. Dafni, N. Pandis, and T. Trangas. 2003. CRD-BP: a c-Myc mRNA stabilizing protein with an oncofetal pattern of expression. *Anticancer Res.* 23:2179-83.

- Ioannidis, P., T. Trangas, E. Dimitriadis, M. Samiotaki, I. Kyriazoglou, C.M. Tsiapalis, C. Kittas, N. Agnantis, F.C. Nielsen, J. Nielsen, J. Christiansen, and N. Pandis. 2001. C-MYC and IGF-II mRNA-binding protein (CRD-BP/IMP-1) in benign and malignant mesenchymal tumors. *Int J Cancer*. 94:480-4.
- Jonson, L., J. Vikesaa, A. Krogh, L.K. Nielsen, T.V. Hansen, R. Borup, A.H. Johnsen, J. Christiansen, and F.C. Nielsen. 2007. Molecular composition of IMP1 RNP granules. *Mol Cell Proteomics*.
- Kedersha, N., and P. Anderson. 2002. Stress granules: sites of mRNA triage that regulate mRNA stability and translatability. *Biochem Soc Trans*. 30:963-9.
- Kedersha, N., S. Chen, N. Gilks, W. Li, I.J. Miller, J. Stahl, and P. Anderson. 2002. Evidence that ternary complex (eIF2-GTP-tRNA(i)(Met))-deficient preinitiation complexes are core constituents of mammalian stress granules. *Mol Biol Cell*. 13:195-210.
- Kedersha, N., G. Stoecklin, M. Ayodele, P. Yacono, J. Lykke-Andersen, M.J. Fitzler, D. Scheuner, R.J. Kaufman, D.E. Golan, and P. Anderson. 2005. Stress granules and processing bodies are dynamically linked sites of mRNP remodeling. *J Cell Biol*. 169:871-84.
- Kedersha, N.L., M. Gupta, W. Li, I. Miller, and P. Anderson. 1999. RNA-binding proteins TIA-1 and TIAR link the phosphorylation of eIF-2 alpha to the assembly of mammalian stress granules. *J Cell Biol*. 147:1431-42.
- Kimball, S.R. 1999. Eukaryotic initiation factor eIF2. *Int J Biochem Cell Biol*. 31:25-9.
- Kislauskis, E.H., Z. Li, R.H. Singer, and K.L. Taneja. 1993. Isoform-specific 3'-untranslated sequences sort alpha-cardiac and beta-cytoplasmic actin messenger RNAs to different cytoplasmic compartments. *J Cell Biol*. 123:165-72.
- Kislauskis, E.H., X. Zhu, and R.H. Singer. 1994. Sequences responsible for intracellular localization of beta-actin messenger RNA also affect cell phenotype. *J Cell Biol*. 127:441-51.
- Kobel, M., D. Budianto, W.D. Schmitt, L. Borsi, A. Siri, and S. Hauptmann. 2005. Influence of various cytokines on adhesion and migration of the colorectal adenocarcinoma cell line HRT-18. *Oncology*. 68:33-9.
- Kobel, M., D. Weidensdorfer, C. Reinke, M. Lederer, W.D. Schmitt, K. Zeng, C. Thomssen, S. Hauptmann, and S. Huttelmaier. 2007. Expression of the RNA-binding protein IMP1 correlates with poor prognosis in ovarian carcinoma. *Oncogene*.
- Leeds, P., B.T. Kren, J.M. Boylan, N.A. Betz, C.J. Steer, P.A. Gruppuso, and J. Ross. 1997. Developmental regulation of CRD-BP, an RNA-binding protein that stabilizes c-myc mRNA in vitro. *Oncogene*. 14:1279-86.
- Leighton, P.A., J.R. Saam, R.S. Ingram, C.L. Stewart, and S.M. Tilghman. 1995. An enhancer deletion affects both H19 and Igf2 expression. *Genes Dev*. 9:2079-89.

- Lemm, I., and J. Ross. 2002. Regulation of c-myc mRNA decay by translational pausing in a coding region instability determinant. *Mol Cell Biol.* 22:3959-69.
- Li, Y.M., G. Franklin, H.M. Cui, K. Svensson, X.B. He, G. Adam, R. Ohlsson, and S. Pfeifer. 1998. The H19 transcript is associated with polysomes and may regulate IGF2 expression in trans. *J Biol Chem.* 273:28247-52.
- Liao, B., M. Patel, Y. Hu, S. Charles, D.J. Herrick, and G. Brewer. 2004. Targeted knockdown of the RNA-binding protein CRD-BP promotes cell proliferation via an insulin-like growth factor II-dependent pathway in human K562 leukemia cells. *J Biol Chem.* 279:48716-24.
- Livak, K.J., and T.D. Schmittgen. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods.* 25:402-8.
- Low, W.K., Y. Dang, T. Schneider-Poetsch, Z. Shi, N.S. Choi, W.C. Merrick, D. Romo, and J.O. Liu. 2005. Inhibition of eukaryotic translation initiation by the marine natural product pateamine A. *Mol Cell.* 20:709-22.
- Lu, L., A.P. Han, and J.J. Chen. 2001. Translation initiation control by heme-regulated eukaryotic initiation factor 2alpha kinase in erythroid cells under cytoplasmic stresses. *Mol Cell Biol.* 21:7971-80.
- Mazroui, R., M.E. Huot, S. Tremblay, C. Filion, Y. Labelle, and E.W. Khandjian. 2002. Trapping of messenger RNA by Fragile X Mental Retardation protein into cytoplasmic granules induces translation repression. *Hum Mol Genet.* 11:3007-17.
- Mazroui, R., R. Sukarieh, M.E. Bordeleau, R.J. Kaufman, P. Northcote, J. Tanaka, I. Gallouzi, and J. Pelletier. 2006. Inhibition of ribosome recruitment induces stress granule formation independently of eukaryotic initiation factor 2alpha phosphorylation. *Mol Biol Cell.* 17:4212-9.
- Meyer, S., C. Temme, and E. Wahle. 2004. Messenger RNA turnover in eukaryotes: pathways and enzymes. *Crit Rev Biochem Mol Biol.* 39:197-216.
- Moeller, B.J., Y. Cao, C.Y. Li, and M.W. Dewhirst. 2004. Radiation activates HIF-1 to regulate vascular radiosensitivity in tumors: role of reoxygenation, free radicals, and stress granules. *Cancer Cell.* 5:429-41.
- Mueller-Pillasch, F., B. Pohl, M. Wilda, U. Lacher, M. Beil, C. Wallrapp, H. Hameister, W. Knochel, G. Adler, and T.M. Gress. 1999. Expression of the highly conserved RNA binding protein KOC in embryogenesis. *Mech Dev.* 88:95-9.
- Munro, T.P., S. Kwon, B.J. Schnapp, and D. St Johnston. 2006. A repeated IMP-binding motif controls oskar mRNA translation and anchoring independently of Drosophila melanogaster IMP. *J Cell Biol.* 172:577-88.
- Nielsen, F.C., L. Ostergaard, J. Nielsen, and J. Christiansen. 1995. Growth-dependent translation of IGF-II mRNA by a rapamycin-sensitive pathway. *Nature.* 377:358-62.

- Nielsen, J., J. Christiansen, J. Lykke-Andersen, A.H. Johnsen, U.M. Wewer, and F.C. Nielsen. 1999. A family of insulin-like growth factor II mRNA-binding proteins represses translation in late development. *Mol Cell Biol.* 19:1262-70.
- Nielsen, J., M.A. Kristensen, M. Willemoes, F.C. Nielsen, and J. Christiansen. 2004. Sequential dimerization of human zipcode-binding protein IMP1 on RNA: a cooperative mechanism providing RNP stability. *Nucleic Acids Res.* 32:4368-76.
- Noubissi, F.K., I. Elcheva, N. Bhatia, A. Shakoory, A. Ougolkov, J. Liu, T. Minamoto, J. Ross, S.Y. Fuchs, and V.S. Spiegelman. 2006. CRD-BP mediates stabilization of betaTrCP1 and c-myc mRNA in response to beta-catenin signalling. *Nature.* 441:898-901.
- Nover, L., K.D. Scharf, and D. Neumann. 1989. Cytoplasmic heat shock granules are formed from precursor particles and are associated with a specific set of mRNAs. *Mol Cell Biol.* 9:1298-308.
- Oleynikov, Y., and R.H. Singer. 2003. Real-time visualization of ZBP1 association with beta-actin mRNA during transcription and localization. *Curr Biol.* 13:199-207.
- Pestova, T.V., and C.U. Hellen. 1999. Internal initiation of translation of bovine viral diarrhea virus RNA. *Virology.* 258:249-56.
- Phan, L., L.W. Schoenfeld, L. Valasek, K.H. Nielsen, and A.G. Hinnebusch. 2001. A subcomplex of three eIF3 subunits binds eIF1 and eIF5 and stimulates ribosome binding of mRNA and tRNA(i)Met. *Embo J.* 20:2954-65.
- Pillai, R.S., S.N. Bhattacharyya, and W. Filipowicz. 2007. Repression of protein synthesis by miRNAs: how many mechanisms? *Trends Cell Biol.* 17:118-26.
- Rackham, O., and C.M. Brown. 2004. Visualization of RNA-protein interactions in living cells: FMRP and IMP1 interact on mRNAs. *Embo J.* 23:3346-55.
- Rogers, G.W., Jr., A.A. Komar, and W.C. Merrick. 2002. eIF4A: the godfather of the DEAD box helicases. *Prog Nucleic Acid Res Mol Biol.* 72:307-31.
- Ross, A.F., Y. Oleynikov, E.H. Kislaukis, K.L. Taneja, and R.H. Singer. 1997. Characterization of a beta-actin mRNA zipcode-binding protein. *Mol Cell Biol.* 17:2158-65.
- Ross, J., I. Lemm, and B. Berberet. 2001. Overexpression of an mRNA-binding protein in human colorectal cancer. *Oncogene.* 20:6544-50.
- Runge, S., F.C. Nielsen, J. Nielsen, J. Lykke-Andersen, U.M. Wewer, and J. Christiansen. 2000. H19 RNA binds four molecules of insulin-like growth factor II mRNA-binding protein. *J Biol Chem.* 275:29562-9.
- Sambrook, J., Fritsch, E. F., Maniatis, T. 1989. Molecular Cloning. A Laboratory Manual. A Laboratory Manual. Cold Spring Harbor Laboratory, New York.

- Sheth, U., and R. Parker. 2003. Decapping and decay of messenger RNA occur in cytoplasmic processing bodies. *Science*. 300:805-8.
- Sparanese, D., and C.H. Lee. 2007. CRD-BP shields c-myc and MDR-1 RNA from endonucleolytic attack by a mammalian endoribonuclease. *Nucleic Acids Res.* 35:1209-21.
- Stohr, N., M. Lederer, C. Reinke, S. Meyer, M. Hatzfeld, R.H. Singer, and S. Huttelmaier. 2006. ZBP1 regulates mRNA stability during cellular stress. *J Cell Biol.*
- Tessier, C.R., G.A. Doyle, B.A. Clark, H.C. Pitot, and J. Ross. 2004. Mammary tumor induction in transgenic mice expressing an RNA-binding protein. *Cancer Res.* 64:209-14.
- Thomas, M.G., L.J. Martinez Tosar, M. Loschi, J.M. Pasquini, J. Correale, S. Kindler, and G.L. Boccaccio. 2005. Staufen recruitment into stress granules does not affect early mRNA transport in oligodendrocytes. *Mol Biol Cell.* 16:405-20.
- Tourriere, H., K. Chebli, L. Zekri, B. Courselaud, J.M. Blanchard, E. Bertrand, and J. Tazi. 2003. The RasGAP-associated endoribonuclease G3BP assembles stress granules. *J Cell Biol.* 160:823-31.
- Vikesaa, J., T.V. Hansen, L. Jonson, R. Borup, U.M. Wewer, J. Christiansen, and F.C. Nielsen. 2006. RNA-binding IMPs promote cell adhesion and invadopodia formation. *Embo J.* 25:1456-68.
- Weksberg, R., D.R. Shen, Y.L. Fei, Q.L. Song, and J. Squire. 1993. Disruption of insulin-like growth factor 2 imprinting in Beckwith-Wiedemann syndrome. *Nat Genet.* 5:143-50.
- Wilczynska, A., C. Aigueperse, M. Kress, F. Dautry, and D. Weil. 2005. The translational regulator CPEB1 provides a link between dcp1 bodies and stress granules. *J Cell Sci.* 118:981-92.
- Wilhelm, J.E., and C.A. Smibert. 2005. Mechanisms of translational regulation in *Drosophila*. *Biol Cell.* 97:235-52.
- Williams, B.R. 2001. Signal integration via PKR. *Sci STKE.* 2001:RE2.
- Yaniv, K., and J.K. Yisraeli. 2002. The involvement of a conserved family of RNA binding proteins in embryonic development and carcinogenesis. *Gene.* 287:49-54.
- Yisraeli, J.K. 2005. VICKZ proteins: a multi-talented family of regulatory RNA-binding proteins. *Biol Cell.* 97:87-96.
- Yoder-Hill, J., A. Pause, N. Sonenberg, and W.C. Merrick. 1993. The p46 subunit of eukaryotic initiation factor (eIF)-4F exchanges with eIF-4A. *J Biol Chem.* 268:5566-73.
- Zemel, S., M.S. Bartolomei, and S.M. Tilghman. 1992. Physical linkage of two mammalian imprinted genes, H19 and insulin-like growth factor 2. *Nat Genet.* 2:61-5.

- Zhang, J., and E.K. Chan. 2002. Autoantibodies to IGF-II mRNA binding protein p62 and overexpression of p62 in human hepatocellular carcinoma. *Autoimmun Rev.* 1:146-53.
- Zhang, J.Y., R. Megliorino, X.X. Peng, E.M. Tan, Y. Chen, and E.K. Chan. 2007. Antibody detection using tumor-associated antigen mini-array in immunodiagnosing human hepatocellular carcinoma. *J Hepatol.* 46:107-14.
- Zhang, Q., K. Yaniv, F. Oberman, U. Wolke, A. Git, M. Fromer, W.L. Taylor, D. Meyer, N. Standart, E. Raz, and J.K. Yisraeli. 1999. Vg1 RBP intracellular distribution and evolutionarily conserved expression at multiple stages during development. *Mech Dev.* 88:101-6.