

7. Literaturverzeichnis

- [1] A'bhaird N. and Ramsay R.R.: "Malonyl-CoA inhibition of peroxisomal carnitine octanoyltransferase." *Biochem. J.* (1992) pp. 637-640
- [2] Abo-Hashema K.A., Cake, M.H., Lukas, M.A., Kudsens,J.: "Evaluation of the affinity and turnover number of both hepatic mitochondrial and microsomal carnitine acyltransferases: relevance to intracellular partitioning of acyl-CoAs." *J.Biochemistry* 48 (1999) pp 15840-15847
- [3] Benett M.J. and Narayan S.B.: "Carnitine Palmitoyltransferase 1A Deficiency" www.genetests.org (2005)
- [4] Bieber L.L.: "Carnitine." *Annu. Rev. Biochem.* , 57 (1988) pp 261-283
- [5] Bird M.I., Munday L.A., Saggerson E.D., et al.: "Carnitine acyltransferase activities in rat brain mitochondria. Bimodal distribution, kinetic constants, regulation by malonyl-CoA and developmental pattern." *Biochem. J.* , 226 (1985) pp 323-330
- [6] Bird M.I. and Saggerson E.D.: "Binding of malonyl-CoA to isolated mitochondria. Evidence for high- and low-affinity sites in liver and heart and relationship to inhibition of carnitine palmitoyltransferase activity." *Biochem. J.*, 222 (1984) pp 639-647
- [7] Bonnefont Jp T.F., Cavadini P, Capanec C, Brivet M, Saudubray Jm, Leroux Jp, Demaugre F: "Molecular analysis of carnitine palmitoyltransferase II deficiency with hepatocardiomyocardial expression." *Am J Hum Genet* 58 (1996) pp. 971-978
- [8] Brady P.S., Ramsay,R.R., Brady, L.J.: "Regulation of the long chain carnitine acyltransferases." *FASEB, J.* 7 (1993) pp 1039-1044
- [9] Bremer J., Norum, R.: "The Mechanism of Substrate Inhibition of Palmitoyl Coenzyme A: Carnitine Palmitoyltransferase by Palmitoyl Coenzyme A" *J. Biol. Chem.* , 8 (1967) pp. 1744-1748

- [10] Bremer J., Woldegiorgis G., Schalinske K., et al.: "Carnitine palmitoyltransferase. Activation by palmitoyl-CoA and inactivation by malonyl-CoA." *Biochim. Biophys. Acta* , 833 (1985) pp 9-16
- [11] Brown N.F., Anderson R.C., Caplan S.L., et al.: "Catalytically important domains of rat carnitine palmitoyltransferase II as determined by site-directed mutagenesis and chemical modification. Evidence for a critical histidine residue." *J.Biol. Chem.* , 269 (1994) pp 19157-19162
- [12] Brown N.F., Esser V., Gonzalez A.D., et al.: "Mitochondrial import and processing of rat liver carnitine palmitoyltransferase II defines the amino terminus of the mature protein. Possibility of differential modification of the rat and human isoforms." *J. Biol. Chem.* 266 (1991) pp 15446-15449
- [13] Brown N.F., Weis B.C., Husti J., et al.: "Mitochondrial carnitine palmitoyltransferase I isoform switching in the developing rat heart." *J Biol Chem.*, 270 (1995) pp. 8952-8957
- [14] Campbell S.E., Tandon N.N., Woldegiorgis G., et al.: "A Novel Function for Fatty Acid Translocase (FAT)/ CD 36" *J.Biol. Chem.* , 279 (2004) pp 36235-36241
- [15] Casari G., Sander C. and Valencia A.: "A method to predict functional residues in proteins." *Nat. Struct. Biol.* , 2 (1995) pp 171-178
- [16] Chase J.F. and Tubbs P.K.: "Some kinetic studies on the mechanism of action of carnitine acetyltransferase" *Biochem J* 1 (1966) pp. 32-40
- [17] Chase J.F.A.: "The substrate specificity of carnitine acetyltransferase." *Biochem J.* 104 (1967) pp. 510-518
- [18] Coe N.R. and A.J. Smith B.I.F., P.A. Watkins and D.A. Bernlohr": "The fatty acid transport protein (FATP1) is a very long chain acyl-CoA synthetase." *J Biol Chem.* 274 (1999) pp. 36300-36304

- [19] Cook G.A.: "Differences in the sensitivity of carnitine palmitoyltransferase to inhibition by malonyl-CoA are due to differences in K_i values." *J. Biol. Chem.* , 259 (1984) pp 12030-12033
- [20] Cook G.A., Mynatt, R. L., and Kashfi, K.: "Yonetani-Theorell analysis of hepatic carnitine palmitoyltransferase-I inhibition indicates two distinct inhibitory binding sites." *J. Biol. Chem.* , 269 (1994) pp 8803-8807
- [21] Cronin C.N.: "The conserved serine-threonine-serine motif of the carnitine acyltransferases is involved in carnitine binding and transition-state stabilization: a site-directed mutagenesis study." *Biochem. Biophys. Res. Commun.* , 238 (1997) pp 784-789
- [22] Dai J., Zhu, H., Shi,J., Woldegiorgis, G.: "Identification by mutagenesis of conserved arginine and tryptophan residues in rat liver carnitine palmitoyltransferase I important for catalytic activity." *J.Biol. Chem.* 275 (2000) pp. 22020-22024
- [23] Dean D., Daugaard, J. R., Young, M. E., Saha, A., Vavvas, D., Asp, S., Kiens, B., Kim, K. H., Witters, L., Richter, E. A., and Ruderman, N.: "Exercise diminishes the activity of acetyl-CoA carboxylase in human muscle." *Diabetes* 49, (2000) pp. 1295-1300
- [24] Deschauer M W.T., Zierz S: " Muscle carnitine palmitoyltransferase II deficiency: clinical and molecular genetic features and diagnostic aspects." *Arch Neurol* 62 (2005) pp. 37-41
- [25] Dodson G., Wlodawer,A.: "Catalytic triads and their relatives." *Trends Biochem.Sci.* 23 (1998) pp. 347-352
- [26] Drynan L. and Zammit" P.A.Q.A.V.A.: "Flux control exerted by mitochondrial outer membrane carnitine palmitoyltransferase over beta-oxidation, ketogenesis and tricarboxylic acid cycle activity in hepatocytes isolated from rats in different metabolic states." *Biochem. J.*, 317 (1996) pp. 791-795
- [27] Eaton S.: "Control of mitochondrial β -oxidation flux." *Prog.Lipid.Res.* pp 97-239 (2002)

- [28] Esser V.B., C.H., Weis, B.C., Foster, D.W., McGarry, J.D.: "Cloning, sequencing, and expression of a cDNA encoding rat liver carnitine palmitoyltransferase I. Direct evidence that a single polypeptide is involved in inhibitor interaction and catalytic function." *J. Biol.Chem.*, 268 (1993) pp 5817-5822
- [29] Farrell S.O., Fiol, C.J., Reddy, J.K., Bieber, L.L.: "Properties of purified carnitine acyltransferases of mouse liver peroxisomes." *J.Biol.Chem.*, 259 (1984) pp13089-13095
- [30] Ferdinandusse S., Mulders, J., Ijlst, L., Denis, S., Dacremont, G., Waterham, H.R., Wanders, R.J.A.: "Molecular cloning and expression of human carnitine octanoyltransferase: evidence for its role in the peroxisomal beta-oxidation of branched-chain fatty acids." *J.Biochem.Biophys.Res.Comm.* 263 (1999) pp.213-218
- [31] Finocchiaro G., Taroni, F., Rocchii, M., Martin, A.L., Colombo, I., Tarelli, G.T., Didonato, S.: "cDNA cloning, sequence analysis, and chromosomal localization of the gene for human carnitine palmitoyltransferase." *Proc.Natl.Acad.Sci.U.S.A.*, 88 (1991) pp 661-665
- [32] Fiol C.J., Kerner, J., Bieber, L.L.: "Effect of malonyl-CoA on the kinetics and substrate cooperativity of membrane-bound carnitine palmitoyltransferase of rat heart mitochondria." *Biochim. Biophys. Acta*, 3 (1987) pp 482-492
- [33] Fraser F., Corstorphine, C. G., and Zammit, V. A: "Topology of carnitine palmitoyltransferase I in the mitochondrial outer membrane" *Biochem. J.*, 323 (1997) pp 711-718
- [34] Frohnert B.I.A.D.A.B.: "Regulation of fatty acid transporters in mammalian cells." *Prog Lipid Res.* 39 (2000) pp. 83-107
- [35] Fujino T. and K. Manjong H.M., H. Suzuki and T.T. Yamamoto: "Alternative translation initiation generates acyl-CoA synthetase 3 isoforms with heterogeneous amino termini." *J Biochem.* 122 (1997) pp. 212-216
- [36] Fujino T. and M.J. Kang H.S., H. Iijima and T. Yamamoto: "Molecular characterization and expression of rat acyl-CoA synthetase 3." *J Biol Chem.*, 271 (1996) pp. 16748-16752

- [37] Grantham B.D., and Zammit, V. A.: "Binding of [14C]malonyl-CoA to rat liver mitochondria after blocking of the active site of carnitine palmitoyltransferase I. Displacement of low-affinity binding by palmitoyl-CoA." *Biochem. J.*, 233 (1986) pp 589-593
- [38] Guzman M., Geelen, M.J.: "Activity of carnitine palmitoyltransferase in mitochondrial outer membranes and peroxisomes in digitonin-permeabilized hepatocytes. Selective modulation of mitochondrial enzyme activity by okadaic acid." *J Biochem.* 287 (1992) pp 487-492
- [39] Hamilton J.A.A.F.K.: "How are free fatty acids transported in membranes? Is it by proteins or by free diffusion through the lipids?" *Diabetes* 48 (1999) pp. 2255-2269
- [40] Harmon C.M. and P. Luce A.H.B.A.N.A.A.: "Labeling of adipocyte membranes by sulfo-N-succinimidyl derivatives of long-chain fatty acids: inhibition of fatty acid transport." *J Membr Biol.* , 121 (1991) pp. 261-268
- [41] Herrmann T. and F. Buchkremer I.G., A.M. Hall, D.A. Bernlohr and W. Stremmel: "Mouse fatty acid transport protein 4 (FATP4): characterization of the gene and functional assessment as a very long chain acyl-CoA synthetase." *Gene*, 270 (2001) pp. 31-40
- [42] Hertel K.: "Differenzierung von CPT I und CPT II in menschlichen Skelettmuskelbiopsien durch L-Aminocarnitin und Malonyl-CoA" *Aktuelle Neurologie* (1998)
- [43] Igal R.A. and Coleman P.W.A.R.A.: "Triacsin C blocks de novo synthesis of glycerolipids and cholesterol esters but not recycling of fatty acid into phospholipid: evidence for functionally separate pools of acyl-CoA." *Biochem. J.* 324 (1997) pp. 529-534
- [44] Isackson Pj B.M., Vladutiu Gd: "Identification of 16 new diseasecausing mutations in the CPT2 gene resulting in carnitine palmitoyltransferase II deficiency." *Mol Genet Metab* 89 (2006) pp. 323-331

- [45] Jackson V.N., Price, N. T., and Zammit, V. A.: "Specificity of the interactions between Glu-3, Ser-24, and Gln-30 within the N-terminal segment of rat liver mitochondrial overt carnitine palmitoyltransferase (L-CPT I) in determining the malonyl-CoA sensitivity of the enzyme." *Biochemistry* 40 (2001) pp. 14629-11463
- [46] Jackson V.N., Zammit, V. A., and Price, N. T.: "Identification of positive and negative determinants of malonyl-CoA sensitivity and carnitine affinity within the amino termini of rat liver- and muscle-type carnitine palmitoyltransferase I." *J. Biol. Chem.* 275, (2000) pp. 38410-38416
- [47] Jogl G., Tong, L.: "Crystal structure of carnitine acetyltransferase and implications for the catalytic mechanism and fatty acid transport." *Cell* , 112 (2003) pp 113-122
- [48] Jogl G., Hsiao, Y., Tong, L.: "Crystal Structure of Mouse Carnitine Octanoyltransferase and Molecular Determinants of Substrate Selectivity" *J.Biol.Chem.* , 280 (2004) pp 738-744
- [49] Kaikaus R.M., Sui, Z., Lysenko, N., Nan Yan Wu, Ortiz De Montellano, P.R., Ockner, R.K., Bass, N.M.: "Regulation of Pathways of Extramitochondrial Fatty Acid Oxidation and Liver Fatty Acid-binding Protein by Long-chain Monocarboxylic Fatty Acids in Hepatocytes." *J.Biol. Chem.* , 36 (1993) pp 26866-26871
- [50] Kaneoka H U.N., Moriguchi a, Hirose S, Takayanagi M, Yamaguchi S, Shigematsu Y, Yasuno and T S.Y., Saito T: "Carnitine palmitoyltransferase II deficiency due to a novel gene variant in a patient with rhabdomyolysis and ARF." *Am J Kidney Dis* 45 (2005) pp. 596-602
- [51] Kang M.J. and T. Fujino H.S., H. Minekura, N. Yabuki, H. Nagura, H. Iijima and T.T. Yamamoto: "A novel arachidonate-preferring acyl-CoA synthetase is present in steroidogenic cells of the rat adrenal, ovary, and testis." *Proc Natl Acad Sci.*, 94 (1997) pp. 2880-2884
- [52] Kashfi K., Mynatt, R. L., and Cook, G. A.: "Hepatic carnitine palmitoyltransferase-I has two independent inhibitory binding sites for regulation of fatty acid oxidation." *Biochim. Biophys. Acta* , 1212 (1994) pp 245-252
- [53] Kerner J. and Hoppel C.: "Fatty Acid Import into Mitochondria." *Biochem. Biophys. Acta* 1486 (2000) pp. 1-17

- [54] Kim J.H. and Coleman T.M.L.A.R.A.: "Expression and characterization of recombinant rat Acyl-CoA synthetases 1, 4, and 5. Selective inhibition by triacsin C and thiazolidinediones." *J Biol Chem.*, 276 (2001) pp. 24667-24673
- [55] Kornberg A.A.W.E.P.: "Enzymatic synthesis of the coenzyme A derivatives of long chain fatty acids." *J Biol Chem.*, 204 (1953) pp. 329-343
- [56] Lewin T.M. and J.H. Kim D.A.G., J.E. Vance and R.A. Coleman: "Acyl-CoA synthetase isoforms 1, 4, and 5 are present in different subcellular membranes in rat liver and can be inhibited independently." *J Biol Chem.*, 276 (2001) pp. 24674-24679
- [57] Lilly K., Bugaisky, G.E., Umeda, P.K., Bieber, L.L.: "The medium-chain carnitine acyltransferase activity associated with rat liver microsomes is malonyl-CoA sensitive." *Arch. Biochem. Biophys.* , 1 (1990) pp 167-174
- [58] Luiken J.J., Turcotte, L. P., and Bonen, A.: "Protein-mediated palmitate uptake and expression of fatty acid transport proteins in heart giant vesicles." *J. Lipid Res.* 40, (1999) pp. 1007-1016
- [59] Lupp D.: "Contribution of L-Carnitine in the Regulation of Metabolism of Lipids and Carbohydrates" *KCS* 5 (2004) pp. 25-34
- [60] McArthur M.J. and B.P. Atshaves A.F., W.D. Foxworth, A.B. Kier and F. Schroeder: "Cellular uptake and intracellular trafficking of long chain fatty acids." *J Lipid Res.* , 40 (1999) pp. 1371-1383
- [61] McGarry J.D., and Brown, N. F.: "The mitochondrial carnitine palmitoyltransferase system. From concept to molecular analysis." *Eur. J. Biochem.*, 244 (1997) pp 1-14
- [62] McGarry J.D., Leatherman, G. F., and Foster, D. W.: "Carnitine palmitoyltransferase I. The site of inhibition of hepatic fatty acid oxidation by malonyl-CoA." *J. Biol. Chem.* , 253 (1978) pp. 4128-4136

- [63] McGarry J.D., Sen, A., Brown, N.F., Esser, V., Weis, B.C., Foster, D.W.: "Current Concepts in Carnitine Research (Carter, A.L. ed)" CRC Press, Boca Raton, FL (1992) pp. 137-151
- [64] McGarry J.D., Woeltje, K.F., Kuwajima, M., and Foster, D. W.: "Regulation of ketogenesis and the renaissance of carnitine palmitoyltransferase." *Diabetes Metab Rev.* , 5 (1989) pp 271-284
- [65] McGarry J.D.A.F., D.W.: "Regulation of hepatic fatty acid oxidation and ketone body production." *Ann.Rev.Biochem.* , 49 (1980) pp. 395-420
- [66] Mcmillin J.B., Wang, D., Witter, L.A., Buja, L.M.: "Kinetic properties of carnitine palmitoyltransferase I in cultured neonatal rat cardiac myocytes." *Arch Biochem Biophys.* 312(2) (1994) pp. 375-384
- [67] Mills S.E., Foster, D. W., and McGarry, J. D.: "Effects of pH on the interaction of substrates and malonyl-CoA with mitochondrial carnitine palmitoyltransferase I." *Biochem. J.* 219, (1984) pp 601-608
- [68] Miyazawa S., Ozasa H., Furuta S., et al.: "Purification and properties of carnitine acetyltransferase from rat liver" *J Biochem (Tokyo)* 2 (1983) pp. 439-451
- [69] Morillas M., Clotet, J., Rubi, B., Serra, D., Arino, J., Hegardt, F., G., Asins, G.: "Inhibition by etomoxir of rat liver carnitine octanoyltransferase is produced through the co-ordinate interaction with two histidine residues." *Biochem.J.* 351 (2000) pp 495-502
- [70] Morillas M., Gomez-Puertas, P., Roca, ., Serra, D., Asins, G, R., Valencia, A., Hegardt, F.G . "Structural Model of Catalytic Core of Carnitine Palmitoyltransferase I and Carnitine Octanoyltransferase (COT)" *J. Biol. Chem.* , 276 (2001) pp 45001-45008
- [71] Morillas M., Gomez-Puertas, Rubi, B ., Clotet, J., Arino, J., Valencia, Alfonso, Hegardt, F.G . Serra, D., Asins, G, R.: "Structural Model of a Malonyl-CoA-binding Site of Carnitine Octanoyltransferase and Carnitine Palmitoyltransferase I" *J. Biol. Chem.* , 277 (2002) pp 11473-11480

- [72] Morillas M., Lopez-Vinas, E., Valencia, A., Serra, D., Gomez-Puertas, P., Hegardt, F.G., Asins, G.: "Structural model of carnitine palmitoyltransferase I based on the carnitine acetyltransferase crystal." *Biochem J.* , 379 (2004) pp 777-784
- [73] Muoio D.M. and T.M. Lewin P.W.A.R.A.C.: "Acyl-CoAs are functionally channeled in liver: potential role of acyl-CoA synthetase." *Am. J. Physiol.*, 279 (2000) pp. E1366-E1373
- [74] Murthy M.S.R., Bieber, L.L.: "Purification of the medium chain/ long chain (COT/CPT) carnitine acyltransferase of rat liver microsomes." *Protein Exp. Purif.* , 3 (1992) pp 75-79
- [75] Murthy M.S.R., Pande, S.V.: "Malonyl-CoA sensitive and -insensitive carnitine palmitoyltransferase activities of microsomes are due to two different proteins." *J. Biol. Chem.* , 269 (1994) pp 26443-26448
- [76] Norum K.R. and Bremer M.F.A.J.: "The submitochondrial distribution of acid:CoA ligase (AMP) and palmitoyl-CoA:carnitine palmitoyltransferase in rat liver mitochondria." *Biochem. Biophys. Res. Commun.*, 22 (1966) pp. 797-804
- [77] Odland L.M., Heigenhauser, G. J., Lopaschuk, G. D., and Spriet, L. L.: "Human skeletal muscle malonyl-CoA at rest and during prolonged submaximal exercise." *Am. J. Physiol.*, 270 (1996) pp E541-E544
- [78] Odland L.M., Heigenhauser, G. J., Wong, D., Hollidge-Horvat, M. G., and Spriet, L. L.: "Effects of increased fat availability on fat-carbohydrate interaction during prolonged exercise in men." *Am. J. Physiol.* 274 (1998) R894-R902
- [79] Oikawa E. and H. Iijima T.S., H. Sasano, H. Sato, A. Kamataki, H. Nagura, M.J. Kang, T. Fujino, H. Suzuki and T.T. Yamamoto: "A novel acyl-CoA synthetase, ACS5, expressed in intestinal epithelial cells and proliferating preadipocytes." *J Biochem.*, 124 (1998) pp. 679-685
- [80] Oram J.F. and Neely J.I.W.A.J.R.: "Regulation of long chain fatty acid activation in heart muscle." *J Biol Chem.* , 250 (1975) pp. 73-78

- [81] Pazos F., Sanchez-Pulido,L., Garcia-Ranea, J.A., Andrade, M.A., Atrian, S., Valencia, A. In Biocomputing and Emergent Computation (Lundh, D., Olsson, B., Narayanan, A.): "Biocomputing and Emergent Computation" World Scientific, Singapore (1997) pp.132-145
- [82] Price N.T., Van Der Leij, F.R., Jackson, V.N., Corstorphine, C.G., Thomson, R., Sorensen A., Zammit, V.A.: "A novel brain-expressed protein related to carnitine palmitoyltransferase I." *Genomics*, 80 (2002) pp 433-442
- [83] Ramsay R.R.: "The role of the carnitine system in peroxisomal fatty acid oxidation." *Am.J.Med.Sci.*, 318 (1999) pp 28-35
- [84] Saggerson E.D., and Carpenter, C. A.: "Effects of fasting and malonyl CoA on the kinetics of carnitine palmitoyltransferase and carnitine octanoyltransferase in intact rat liver mitochondria." *FEBS Lett.* , 132 (1981) pp.166-168
- [85] Schaefer J., Jackson, S., Taroni, F., Swift,P., Turnbull,D.M.: "Characterisation of carnitine palmitoyltransferases in patients with a carnitine palmitoyltransferase deficiency: implications for diagnosis and therapy" *J. Neurol Neurosurg Psychiatry* 62 (1997) pp 169-176
- [86] Schrag J.D., Li, Y.G., Wu,S., Cygler,M.: "Ser-His-Glu triad forms the catalytic site of the lipase from *Geotrichum candidum*." *Nature (London)* , 351 (1991) pp 761-764
- [87] Shi J., Zhu, H., Arvidson, D. N., and Woldegiorgis, G.: "A single amino acid change (substitution of glutamate 3 with alanine) in the N-terminal region of rat liver carnitine palmitoyltransferase I abolishes malonyl-CoA inhibition and high affinity binding." *J. Biol. Chem.* , 274 (1999) pp 9421-9426
- [88] Shi J., Zhu, H., Arvidson, D. N., and Woldegiorgis, G.: "The first 28 N-terminal amino acid residues of human heart muscle carnitine palmitoyltransferase I are essential for malonyl CoA sensitivity and high-affinity binding." *Biochemistry*, 39 (2000) pp 712-717
- [89] Shindo Y.A.T.H.: "Acyl-Coenzyme A synthetase and fatty acid oxidation in rat liver peroxisomes." *J Biochem.* , 84 (1978) pp. 1177-1181

- [90] Sigauke E R.D., Kitson K, Bennett Mj: "Carnitine palmitoyltransferase II deficiency: a clinical, biochemical, and molecular review." *Lab Invest* 83 (2003) 1543-1554
- [91] Singh H., Beckman, K., Poulos, A.: "Evidenz of two catalytically acitve medium/long chaine carnitine acyltransferases in rat liver peroxisomes" *J.Lipid Res.* , 37 (1996) pp 2616-2626
- [92] Spurway T.D., Sherratt, H.S.A., Pogson, C.I., Agius, L.: "The flux control coefficient of carnitine palmitoyltransferase I on palmitate á-oxidation in rat hepatocate cultures" *J. Biochem.* , 323 (1997) pp 119-122
- [93] Stahl A., R.E. Gimeno, L.A. Tartaglia and H.F. Lodish: "Fatty acid transport proteins: a current view of a growing family." *Trends Endocrinol Metab* , 12 (2001) pp. 266-273
- [94] Stremmel W. and G. Lotz G.S.A.P.D.B.: "Identification, isolation, and partial characterization of a fatty acid binding protein from rat jejunal microvillous membranes." *J Clin Invest.*, 75 (1985) pp. 1068-1076
- [95] Stremmel W. and G. Strohmeyer F.B., S. Kochwa and P.D. Berk: "Isolation and partial characterization of a fatty acid binding protein in rat liver plasma membranes." *Proc Natl Acad Sci.*, 82 (1985) pp. 4-8
- [96] Sussmann J.L., Harel,M., Frolow,F., Oefner, C., Goldmann,A., Toker, L., Silman, I.: "Atomic structure of acetylcholinesterase from *Torpedo californica*: a prototypic acetylcholine-binding protein." *Siience* , 253 (1991) pp 872-879
- [97] Swanson S.T., Foster, D. W., MCGarry, J. D., and Brown, N. F.: "Roles of the N- and C-terminal domains of carnitine palmitoyltransferase I isoforms in malonyl-CoA sensitivity of the enzymes: insights from expression of chimaeric proteins and mutation of conserved histidine residues." *Biochem. J.* , 335 (1998) pp 513-519
- [98] Taggart Rt S.D., Apolito C, Vladutiu Gd: "Novel mutations associated with carnitine palmitoyltransferase II deficiency." *Hum Mutat* 13 (1999) 210-220

- [99] Tanaka T., and Kawamura, K.: "Isolation of myocardial membrane long-chain fatty acid-binding protein: homology with a rat membrane protein implicated in the binding or transport of long-chain fatty acids." *J. Mol. Cell Cardiol.*, 27 (1995) pp 1613-1622
- [100] Tang P.Z. and Dufau C.H.T.-M.A.M.L.: "Cloning and characterization of a hormonally regulated rat long chain acyl-CoA synthetase." *Proc Natl Acad Sci.* , 98 (2001) pp. 6581-6586
- [101] Taroni F., Verderio E. and Al. E.: "Identification of a common mutation in the carnitine palmitoyltransferase II gene in familial recurrent myoglobinuria patients." *Nature genetics* 4 (1993) pp. 314-320
- [102] Thuillier L R.H., Droin V, Demaugre F, Brivet M, Kadhom N, Prip-Buus C, Gobin S, and Saudubray Jm B.J.: " Correlation between genotype, metabolic data, and clinical presentation in carnitine palmitoyltransferase 2 (CPT2) deficiency." *Hum Mutat* 21 (2003) pp. 493-501
- [103] Uchiyama A., T. Aoyama, K. Kamijo, Y. Uchida, N. Kondo, T. Orii and T. Hashimoto: "Molecular cloning of cDNA encoding rat very long-chain acyl-CoA synthetase." *J Biol Chem.* , 271 (1996) pp. 30360-30365
- [104] Valesco G., Gomez, D.P., Carling, D., Guzman, M.: "Evidenz that the AMP-activated protein kinase stimulates rat liver carnitine palmitoyltransferase I by phosphorylating cytoskeletal components." *FEBS. Lett.* , 439 (1998) pp 317-320
- [105] Vladutiu Gd Q.E., Hainline Be, Albers S, Smail Ds, Bennett Mj: "Lethal neonatal and severe late infantile forms of carnitine palmitoyltransferase II deficiency associated with compound heterozygosity for different protein truncation mutations." *J Pediatr* 141 (2002) 734-736
- [106] Weis B.C. and V. Esser D.W.F.A.J.D.M.: "Rat heart expresses two forms of mitochondrial carnitine palmitoyltransferase I. The minor component is identical to the liver enzyme." *J Biol Chem.* , 269 (1994) pp. 18712-18715
- [107] Wieser T.: "Carnitine Palmitoyltransferase II Deficiency" www.genetests.org (2004)

- [108] Wieser T D.M., Olek K, Hermann T, Zierz S: "Carnitine palmitoyltransferase II deficiency: molecular and biochemical analysis of 32 patients." *Neurology* 60 (2003) pp. 1351-1353
- [109] Woeltje K.F., Esser,V.,Weis, B.C.,Sen, A .,Cox, W.F.,Mcphaul, M.J.,Slaughter, C.A., Foster, D.W., McGarry, J.D.: "Cloning, Sequencing, and Expression of a cDNA encoding Rat Liver Mitochondrial Carnitine Palmitoyltransferase II" *J. Biol.Chem.* , 265 (1990) pp 10720-10725
- [110] Woeltje K.F., Kuwajima M., Foster, D.W., McGarry, J.D.: "Characterization of the Mitochondrial Carnitine Palmitoyltransferase Enzyme System." *J. Biol. Chem.* , 262 (1986) pp 9822-9827
- [111] Yamamoto F.A.T.: "Cloning and functional expression of a novel long-chain acyl-CoA synthetase expressed in brain." *J Biochem.*, 111 (1992) pp. 197-203
- [112] Yamamoto S A.H., Kohgo T, Ogawa a, Ohtake a, Hayashibe H, Sakuraba H, Suzuki Y, Aramaki and S T.M., Hasegawa S, Niimi H: "Two novel gene mutations (Glu174-->Lys, Phe383-->Tyr) causing the "hepatic" form of carnitine palmitoyltransferase II deficiency." *Hum Genet* 98 (1996) pp. 116-118
- [113] Yamazaki N., Shinohara, Y., Shima, A., Terada, H.: "High expression of a novel carnitine palmitoyltransferase I like protein in rat brown adipose tissue and heart: isolation and characterization of its cDNA clone." *FEBS Lett.* , 363 (1995) pp 41-45
- [114] Yu G.-S., Lu, Y.-C., Gulick, T.: "Co-regulation of tissue specific alternative human carnitine palmitoyltransferase 1 β gene promoters by fatty acid enzyme substrate." *J.Biol. Chem.* , 273 (1998) pp 32901-32909
- [115] Yu G.-S., Lu, Y.-C., Gulick, T.: "Expression of novel isoforms of carnitine palmitoyltransferase I (CPT I) generated by alternative splicing of the CPT I ? gene." *J. Biochem* , 334 (1998) pp 225-231
- [116] Yu G.-S., Lu, Y.-C., Gulick, T.: "Rat carnitine palmitoyltransferase 1? mRNA splicing isoforms." *Biochem. Biophys. Acta* , 1393 (1998) pp 166-172

- [117] Zammit V.A.: "Carnitine acyltransferases: functional significance of subcellular distribution and membrane topology." *Prog.Lipid. Res.* , 38 (1999) pp 199-224
- [118] Zammit V.A.: "The malonyl-CoA-long-chain acyl-CoA axis in the maintenance of mammalian cell function." *Biochem. J.* , 343 (1999) pp 505-515
- [119] Zammit V.A., Corstorphine, C. G., and Gray, S. R: "Changes in the ability of malonyl-CoA to inhibit carnitine palmitoyltransferase I activity and to bind to rat liver mitochondria during incubation in vitro. Differences in binding at 0 degree C and 37 degrees C with a fixed concentration of malonyl-CoA." *Biochem. J.* 222, (1984) pp 335-342
- [120] Zierz S., and Engel, A. G.: "Different sites of inhibition of carnitine palmitoyltransferase by malonyl-CoA, and by acetyl-CoA and CoA, in human skeletal muscle." *Biochem. J.* , 245 (1987) pp 205-209