

6 Literaturverzeichnis

Akiskal HS, Bourgeois ML, Angst J, Post R, Moller H, Hirschfeld R: Re-evaluating the prevalence of and diagnostic composition within the broad clinical spectrum of bipolar disorders. *J Affect Disord* 59 Suppl 1 (2000) 5-30

Akiskal HS, Brieger P, Mundt C, Angst J, Marneros A: Temperament und affektive Störungen. Die TEMPS-A-Skala als Konvergenz europäischer und US-amerikanischer Konzepte. *Nervenarzt* 73.3 (2002) 262-71

Akiskal HS, Djenderedjian AM, Rosenthal RH, Khani MK: Cyclothymic disorder: validating criteria for inclusion in the bipolar affective group. *Am J Psychiatry* 134.11 (1977) 1227-33

Akiskal HS, Hantouche EG, Allilaire JF, Sechter D, Bourgeois ML, Azorin JM, Chatenet-Duchene L, Lancrenon S: Validating antidepressant-associated hypomania (bipolar III): a systematic comparison with spontaneous hypomania (bipolar II). *J Affect Disorders* 73.1-2 (2003) 65-74

Akiskal HS, Khani MK, Scott-Strauss A: Cyclothymic temperamental disorders. *Psychiatr Clin North Am.* 2 (1979) 527-554

Akiskal HS, Pinto O: The evolving bipolar spectrum. Prototypes I, II, III, and IV. *Psychiatr Clin North Am.* 22.3 (1999) 517-34

Akiskal HS, Mallya G: Criteria for the "soft" bipolar spectrum: treatment implications. *Psychopharmacol Bull* 23.1 (1987) 68-73

Akiskal HS: The bipolar spectrum: New concepts in classification and diagnosis. In: Grinspoon L (Ed) *Psychiatry update: The American Psychiatric Association annual review.* American Psychiatric Press, Washington DC, 1983

Akiskal HS: The prevalent clinical spectrum of bipolar disorders: beyond DSM-IV. *J Clin Psychopharmacol* 16.2 Suppl 1 (1996a) 4-14

Akiskal HS: The temperamental foundations of affective disorders. In: Mundt C, Hahlweg K, Fiedler P (Eds) *Interpersonal Factors in the Origin and Course of Affective Disorders.* Gaskell, London, 1996

Allilaire JF, Hantouche EG, Sechter D, Bourgeois ML, Azorin JM, Lancrenon S, Chatenet-Duchene L, Akiskal HS: Frequency and clinical aspects of bipolar II disorder in a French multicenter study: EPIDEP *Encephale* 27.2 (2001) 149-58

Altman EG, Hedeker D, Peterson JL, Davis JM: The Altman Self-Rating Mania Scale. *Biol Psychiatry* 42.10 (1997) 948-55

Amelang M, Bartussek D: Differentielle Psychologie und Persönlichkeitsforschung. 5. Aufl. Kohlhammer, Stuttgart, Berlin, Köln, 2001

American Psychiatric Association: Diagnostisches und statistisches Manual psychischer Störungen DSM-IV. Hogrefe, Göttingen, Bern, Toronto (usw.), 1996

Angst J, Adolfsson R, Benazzi F, Gamma A, Hantouche E, Meyer TD, Skerpar P, Vieta E, Scott J: The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. *J Affect Disord* 88.2 (2005) 217-33

Angst J, Cassano G: The mood spectrum: improving the diagnosis of bipolar disorder. *Bipolar Disord* 7 Suppl 4 (2005) 4-12

Angst J, Gamma A, Benazzi F, Ajdacic V, Eich D, Rossler W: Diagnostic issues in bipolar disorder. *Eur Neuropsychopharmacol* 13 Suppl 2 (2003b) 43-50

Angst J, Gamma A, Benazzi F, Ajdacic V, Eich D, Rossler W: Toward a redefinition of subthreshold bipolarity: epidemiology and proposed criteria for bipolar-II, minor bipolar disorders and hypomania. *J Affect Disord* 73.1-2 (2003a) 133-46

Angst J, Gamma A: A new bipolar spectrum concept: a brief review. *Bipolar Disord* 4 Suppl 1 (2002) 11-14

Angst J, Marneros A: Bipolarity from ancient to modern times: conception, birth and rebirth. *J Affect Disord* 67 (2001) 3-19

Angst J: Depression and anxiety: implications for nosology, course, and treatment. *J Clin Psychiatry* 58 Suppl 8 (1997) 3-5

Angst J: Hypomania. Apropos of a cohort of young patients. *Encephale* 18.1 (1992) 23-29

Angst J: The emerging epidemiology of hypomania and bipolar II disorder. *J Affect Disord* 50.2-3 (1998) 143-51

Angst J: Zur Ätiologie und Nosologie endogener depressiver Psychosen. Eine genetische, soziologische und klinische Studie. Springer, Berlin, Heidelberg, New York, 1966

Bauer MS, Crits-Christoph P, Ball WA, Dewees E, McAllister T, Alahi P, Cacciola J, Whybrow PC: Independent assessment of manic and depressive symptoms by self-rating. Scale characteristics and implications for the study of mania. *Arch Gen Psychiatry* 48.9 (1991) 807-12

Bauer MS, Vojta C, Kinosian B, Altshuler L, Glick H: The Internal State Scale: replication of its discriminating abilities in a multisite, public sector sample. *Bipolar Disord* 2.4 (2000) 340-46

Benazzi F, Akiskal HS: The dual factor structure of self-rated MDQ hypomania: energized-activity versus irritable-thought racing. *J Affect Disord* 73.1-2 (2003a) 59-64

Benazzi F, Akiskal HS: Refining the evaluation of bipolar II: beyond the strict SKID-CV guidelines for hypomania. *J Affect Disord* 73.1-2 (2003b) 33-38

Benazzi F: Bipolar II depression in late life: prevalence and clinical features in 525 depressed outpatients. *J Affect Disord* 66.1 (2001a) 13-18

Benazzi F: Bipolar II disorder and major depressive disorder: continuity or discontinuity? *World J Biol Psychiatry* 4.4 (2003a) 166-71

Benazzi F: Improving the Mood Disorder Questionnaire to detect bipolar II disorder. *Can J Psychiatry* 48.11 (2003b) 770-71

Benazzi F: Is 4 days the minimum duration of hypomania in bipolar II disorder? *Eur Arch Psychiatry Clin Neurosci* 251.1 (2001b) 32-34

Benazzi F: Level of functioning in hypomania of bipolar II disorder. *Can J Psychiatry* 49.3 (2004a) 214-15

Benazzi F: Sensitivity and specificity of clinical markers for the diagnosis of bipolar II disorder. *Compr Psychiatry* 42.6 (2001c) 461-65

Benazzi F: Toward better probing for hypomania of bipolar-II disorder by using Angst's checklist. *Int J Methods Psychiatr Res* 13.1 (2004b) 1-9

Bleuler E: *Lehrbuch der Psychiatrie*, Berlin, Julius Springer: 1916

Bleuler E: *Lehrbuch der Psychiatrie*. 6. Aufl. Berlin; 1937

Braunig P, Shugar G, Kruger S: An investigation of the Self-Report Manic Inventory as a diagnostic and severity scale for mania. *Compr Psychiatry* 37.1 (1996) 52-55

Brieger P, Bloink R, Rottig S, Marneros A: Die vorzeitige Berentung von unipolar depressiv und bipolar affektiv Erkrankten. *Psychiatr Prax* 31.4 (2004) 203-06

Brieger P, Marneros A: Bipolar disorders – relation to personality and temperament. *Eur Psychiat* 17 Suppl 1 (2002) 65

Brugha TS, Jenkins R, Taub N, Meltzer H, Bebbington PE: A general population comparison of the Composite International Diagnostic Interview (CIDI) and the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). *Psychol Med* 31.6 (2001) 1001-13

Carta MG, Angst J: Epidemiological and clinical aspects of bipolar disorders: controversies or a common need to redefine the aims and methodological aspects of surveys. *Clin Pract Epidemiol Ment Health* 1.1 (2005) 4

Carta MG, Hardoy MC, Cadeddu M, Murru A, Campus A, Morosini PL, Gamma A, Angst J: The accuracy of the Italian version of the Hypomania Checklist (HCL-32) for the screening of bipolar disorders and comparison with the Mood Disorder Questionnaire (MDQ) in a clinical sample. *Clin Pract Epidemiol Ment Health* 2 (2006) 2

Cassano GB, Akiskal HS, Savino M, Musetti L, Pertugi G: Proposed subtypes of bipolar II and related disorders: with hypomanic episodes (or cyclothymia) and with hyperthymic temperament. *J Affect Disord* 26.2 (1992) 127-40

Cattell RB: The scree test for the number of factors. *Multivariate Behavioural Research* 1 (1966) 245-276

Dennehy EB, Suppes T, Crismon ML, Toprac M, Carmody TJ, Rush AJ: Development of the Brief Bipolar Disorder Symptom Scale for patients with bipolar disorder. *Psychiatry Res* 127.1-2 (2004) 137-45

Dunner DL, Gershon ES, Goodwin FK: Heritable factors in the severity of affective illness. *Biol Psychiatry* 11.1 (1976) 31-42

Dunner DL, Tay LK: Diagnostic reliability of the history of hypomania in bipolar II patients and patients with major depression. *Compr Psychiatry* 34.5 (1993) 303-07

Dunner DL: Clinical consequences of under-recognized bipolar spectrum disorder *Bipolar Disord*. 5.6 (2003) 456-63

FDA: US Department of Health and Human Services, Food and Drug Administration. Guidance for Industry Patient-Reported Outcome Measures: Use in Medical Product Development to Support Labeling Claims
<http://www.fda.gov/cder/guidance/5460dft.htm> (03.03.2006)

First MB, Spitzer RL, Gibbon M, Williams JBW: Structured Clinical Interview for DSM-IV Axis I Disorders, Clinical Version (SKID-CV). American Psychiatric Press, Inc., Washington DC, 1996

Fritze F, Ehrt U, Brieger P: Zum Konzept der Hyperthymie. Fortschr Neurol Psychiatr 70 (2002) 117-25

Fritze F: Zum Konzept der Hyperthymie. Historische Entwicklung und aktuelle Ansichten. (Dissertation) Halle/Saale, 2001

Ghaemi SN, Ko JY, Goodwin FK: "Cade's disease" and beyond: misdiagnosis, antidepressant use, and a proposed definition for bipolar spectrum disorder. Can J Psychiatry 47.2 (2002) 125-34

Goethe JWv: Egmont: Trauerspiel. Göschen, Leipzig, 1788

Griesinger W: Die Pathologie und Therapie der psychischen Krankheiten, für Aerzte und Studierende. Adolph Krabbe, Stuttgart, 1845

Griesinger W: Die Pathologie und Therapie der psychischen Krankheiten. 2.Aufl. Adolph Krabbe, Stuttgart, 1867

Grunze H, Sasse J, Forsthoff A, Bauer M: Bei jeder Depression immer auch an bipolare Erkrankungen denken. Die verkannte Manie. MMW Fortschr Med 146 Sonderheft 2 (2004) 4-8

Hantouche EG, Akiskal HS, Lancrenon S, Allilaire JF, Sechter D, Azorin JM, Bourgeois M, Fraud JP, Chatenet-Duchene L: Systematic clinical methodology for validating bipolar-II disorder: data in mid-stream from a French national multi-site study (EPIDEP). J Affect Disord 50.2-3 (1998) 163-73

Hantouche EG, Kochman F, Demonfaucon C, Barrot I, Millet B, Lancrenon S, Akiskal HS: Bipolar obsessive-compulsive disorder: confirmation of results of the "ABC-OCD" survey in 2 populations of patient members versus non-members of an association. Encephale 28.1 (2002) 21-28

Hirschfeld RM, Calabrese JR, Weissman MM, Reed M, Davies MA, Frye MA, Keck PE Jr, Lewis L, McElroy SL, McNulty JP, Wagner KD: Screening for bipolar disorder in the community. J Clin Psychiatry (2003b) 64.1 53-9

Hirschfeld RM, Holzer C, Calabrese JR, Weissman M, Reed M, Davies M, Frye MA, Keck P, McElroy S, Lewis L, Tierce J, Wagner KD, Hazard E: Validity of the mood disorder questionnaire: a general population study. *Am J Psychiatry* 160.1 (2003a) 178-80

Hirschfeld RM, Lewis L, Vornik LA: Perceptions and impact of bipolar disorder: how far have we really come? Results of the national depressive and manic-depressive association 2000 survey of individuals with bipolar disorder. *J Clin Psychiatry* 64.2 (2003c) 161-74

Hirschfeld RM, Williams JB, Spitzer RL, Calabrese JR, Flynn L, Keck PE Jr, Lewis L, McElroy SL, Post RM, Rappaport DJ, Russell JM, Sachs GS, Zajecka J: Development and validation of a screening instrument for bipolar spectrum disorder: the Mood Disorder Questionnaire. *Am J Psychiatry* 157.11 (2000) 1873-75

Hitzig E: Ueber die nosologische Auffassung und über die Therapie der periodischen Geistesstörungen. *Berliner Klinische Wochenschrift*. 3 (1898) 53-56

Hoche A: Über die leichteren Formen des periodischen Irreseins. Carl Meinhold, Halle/Saale, 1897

Hunter EE, Powell BJ, Penick EC, Nickel EJ, Othmer E, DeSouza C: Development and Validation of a Mania Scale for the Symptom Checklist 90. *J Nerv Ment Dis* 188.3 (2000) 176-179

Jamison KR: Touched with fire. Manic-depressive illness and the artistic temperament. Free Press, New York, London, Toronto (usw.), 1994

Joyce PR: Age of onset in bipolar affective disorder and misdiagnosis as schizophrenia. *Psychol Med* 14.1 (1984) 145-49

Judd LL, Akiskal HS: The prevalence and disability of bipolar spectrum disorders in the US population: re-analysis of the ECA database taking into account subthreshold cases. *J Affect Disord* 73.1-2 (2003) 123-31

Jung CG: Über manische Verstimmung. *Allg Z Psychiatr* LXI (1903) 15-39

Kahlbaum K: Über cyclisches Irresein. *Allg Z Psychiatr* 40 (1884) 405-406

Kawa I, Carter JD, Joyce PR, Doughty CJ, Frampton CM, Wells JE, Walsh AE, Olds RJ: Gender differences in bipolar disorder: age of onset, course, comorbidity, and symptom presentation¹. *Bipolar Disord* 7.2 (2005) 119-25

Kessler RC, McGonagle KA, Zhao S, Nelson CB, Hughes M, Eshleman S, Wittchen HU, Kendler KS: Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the National Comorbidity Survey. *Arch Gen Psychiatry* 51.1 (1994) 8-19

Kirn L: Die periodischen Psychosen. Eine Abhandlung. Enke, Stuttgart, 1878

Klerman GL: The spectrum of mania. *Compr Psychiatry* 22 (1981) 11-20

Kraepelin E: Die klinische Stellung der Melancholie. *Mschr Psychiatr Neurol* 6 (1899b) 325-335

Kraepelin E: Psychiatrie. 6. Aufl. Barth, Leipzig, 1899a

Kraepelin E: Psychiatrie. Ein Lehrbuch für Studierende und Ärzte. III. Bd. Klinische Psychiatrie. II. Teil 8. Aufl. Johann Ambrosius Barth, Leipzig, 1913

Langer B: Die Entwicklung des Bipolaritätsbegriffes. (Dissertation), Halle/Saale, 1994

Leckman JF, Sholomskas D, Thompson WD, Belanger A, Weissman MM: Best estimate of lifetime psychiatric diagnosis: a methodological study. *Arch Gen Psychiatry* 39.8 (1982) 879-83

Leonhard K: Aufteilung der endogenen Psychosen und ihre differenzierte Ätiologie. Akademie-Verlag, Berlin, 1957

Leonhard K: Differenzierte Diagnostik der endogenen Psychosen, abnormen Persönlichkeitsstrukturen und neurotischen Entwicklungen. Volk und Gesundheit, Berlin, 1964

Lish JD, Dime-Meenan S, Whybrow PC, Price RA, Hirschfeld RM: The National Depressive and Manic-depressive Association (DMDA) survey of bipolar members. *J Affect Disord*, 31.4 (1994) 281-94

Mago R: Bipolar disorder questionnaire. *Am J Psychiatry* 158.10 (2001) 1743-44

Manning JS, Haykal RF, Akiskal HS: The role of bipolarity in depression in the family practice setting. *Psychiatr Clin North Am* 22.3 (1999) 689-703

Manning JS, Haykal RF, Connor PD, Akiskal HS: On the nature of depressive and anxious states in a family practice setting: the high prevalence of bipolar II and related disorders in a cohort followed longitudinally. *Compr Psychiatry* 38.2 (1997) 102-08

Marneros A, Angst J: Bipolar disorder: roots and evolution. In: Marneros A, Angst J (Hrsg): Bipolar disorders: 100 years after manic-depressive insanity. Kluwer Academic Publishers, Dodrecht, Boston, London, 2000

Marneros A, Deister A, Rohde A: Affektive, schizoaffektive und schizophrene Psychosen. Eine vergleichende Langzeitstudie. Springer-Verlag, Berlin, Heidelberg, New York, 1991

Marneros A: Das Neue Handbuch der Bipolaren und Depressiven Erkrankungen. Georg Thieme Verlag, Stuttgart, New York, 2004

Marneros A: Origin and development of concepts of bipolar mixed states. *J Affect Disord* 67.1-3 (2001) 229-240

Mendel E: Die Manie. Eine Monographie. Urban & Schwarzenberg, Wien, 1881

Merikangas KR, Spence MA, Kupfer DJ: Linkage studies of bipolar disorder: methodologic and analytic issues. Report of MacArthur Foundation Workshop on Linkage and Clinical Features in Affective Disorders. *Arch.Gen.Psychiatry* 46.12 (1989) 1137-41

Parker G, Hadzi-Pavlovic D: Is the female preponderance in major depression secondary to a gender difference in specific anxiety disorders? *Psychol Med* 34.3 (2004) 461-70

Perris C: A study of bipolar (manic-depressive) and unipolar recurrent depressive psychoses. *Acta Psychiatr Scand* 194 Suppl (1966) 9-14

Perugi G, Akiskal HS, Lattanzi L, Cecconi D, Mastrocinque C, Patronelli A, Vignoli S, Bemi E: The high prevalence of "soft" bipolar (II) features in atypical depression. *Compr Psychiatry* 39.2 (1998a) 63-71

Perugi G, Akiskal HS, Rossi L, Paiano A, Quilici C, Madaro D, Musetti L, Cassano GB: Chronic mania. Family history, prior course, clinical picture and social consequences. *Br J Psychiatry* 173 (1998b) 514-518

Peselow ED, Dunner DL, Fieve RR, Deutsch SI, Rubinstein ME: Age of onset of affective illness. *Psychiatr Clin (Basel)* 15.3 (1982) 124-32

Pichot P: The birth of the bipolar disorder. *Eur Psychiatry* 10 (1995) 1-10

Ramirez Basco M, Bostic JQ, Davies D, Rush AJ, Witte B, Hendrickse W, Barnett V: Methods to improve diagnostic accuracy in a community mental health setting. *Am J Psychiatry* 157.10 (2000) 1599-605

Regier DA, Boyd JH, Burke JD Jr, Rae DS, Myers JK, Kramer M, Robins LN, George LK, Karno M, Locke BZ: One-month prevalence of mental disorders in the United States. Based on five Epidemiologic Catchment Area sites. *Arch Gen Psychiatry* 45.11 (1988) 977-86

Rouillon F: Epidemiology of bipolar disorders. *Current studies Encephale* 23 Spec No 1 (1997) 7-11

Roy MA, Lanctot G, Merette C, Cliché D, Fournier JP, Boutin P, Rodrigue C, Charron L, Turgeon M, Hamel M, Montgrain N, Nicole L, Pires A, Wallot H, Ponton AM, Garneau Y, Dion C, Lavallee JC, Potvin A, Szatmari P, Maziade M: Clinical and methodological factors related to reliability of the best-estimate diagnostic procedure. *Am J Psychiatry* 154.12 (1997) 1726-33

Runge C, Grunze H: Jährliche Krankheitskosten Bipolarer Störungen in Deutschland. *Nervenarzt* 75.9 (2004) 896-903

Shugar G, Schertzer S, Toner BB, Di Gasbarro I: Development, use, and factor analysis of a self-report inventory for mania. *Compr Psychiatry* 33.5 (1992) 325-31

Simpson SG, McMahon FJ, McInnis MG, MacKinnon DF, Edwin D, Folstein SE, DePaulo JR: Diagnostic reliability of bipolar II disorder. *Arch Gen Psychiatry* 59.8 (2002) 736-40

Stark DKW: Allgemeine Pathologie oder allgemeine Naturlehre der Krankheiten. 2.Aufl. Breitkopf und Härtel, Leipzig, 1845

Steiner JL, Tebes JK, Sledge,WH, Walker ML: A comparison of the structured clinical interview for DSM-III-R and clinical diagnoses. *J Nerv Ment Dis* 183.6 (1995) 365-69

Tohen M, Goodwin FK: Epidemiology of bipolar disorder. In: Tsuang MT, Tohen M, Zahner GEP (Eds): *Textbook in Psychiatric Epidemiology*. Wiley Liss, New York, Chichester, Brisbane (usw.), 1995

Vieta E, Reinares M, Bourgeois ML: Bipolar I and bipolar II: a dichotomy. In: Marneros A, Goodwin FK (Hrsg): *Mixed states, rapid cycling and atypical bipolar disorders*. University Press, Cambridge, 2004

Weissman MM, Bland R, Joyce PR, Newman S, Wells JE, Wittchen HU: Sex differences in rates of depression: cross-national perspectives. *J Affect Disord* 29.2-3 (1993) 77-84

Weissman MM, Bland RC, Canino GJ, Faravelli C, Greenwald S, Hwu HG, Joyce PR, Karam EG, Lee CK, Lellouch J, Lepine JP, Newman SC, Rubio-Stipec M, Wells JE, Wickramaratne PJ, Wittchen H, Yeh EK: Cross-national epidemiology of major depression and bipolar disorder. *JAMA* 276.4 (1996) 293-99

Weissman MM, Merikangas KR, John K, Wickramaratne P, Prusoff BA, Kidd KK: Family-genetic studies of psychiatric disorders. Developing technologies. *Arch.Gen.Psychiatry* 43.11 (1986) 1104-16

Wernicke C: Grundriss der Psychiatrie. Thieme, Leipzig, 1900

Wicki W, Angst J: The Zurich Study. X. Hypomania in a 28- to 30-year-old cohort. *Eur Arch Psychiatry Clin Neurosci* 240.6 (1991) 339-48

World Health Organisation: ICD.10 classification of mental and behavioural disorders. WHO, Geneva, 1992

Zimmerman M, Posternak MA, Chelminsky I, Solomon DA: Using questionnaires to screen for psychiatric disorders: a comment on a study of screening for Bipolar Disorder in the Community. *J Clin Psychiatry* 65.5 (2004) 605-610