

8. Bibliographie

1. Abraham MC, Shaham S. Death without caspases, caspases without death. *Trends Cell Biol.* 14 (2004) 184-193.
2. Adams JM, Cory S. Life-or-death decisions of the Bcl-2 protein family. *Trends Biochem Sci* 26 (2001) 61-66.
3. Adachi M, Suematsu S, Suda T, Watanabe D, Fukuyama H, Ogasawara J, Tanaka T, Yoshida N, Nagata S. Enhanced and accelerated lymphoproliferation in Fas-null mice. *Proc Natl Acad Sci U.S.A.* 93 (1996) 2131-2136.
4. Adrain C, Creagh EM, Martin SJ. Defying death: showing Bcl-2 the way home. *Nat Cell Biol* 5 (2003) 9-11.
5. Ai Z, Yin L, Zhou X, Zhu Y, Zhu D, Yu Y, Feng Y. Inhibition of surviving reduces cell proliferation and induces apoptosis in human endometrial cancer. *Cancer* 107 (2006) 746-756.
6. Alberts B, Johnson A, Lewis J, Raff M, Roberts K, Walter P. *Molecular Biology of The Cell* 4th edition, Garland Science 2002 ISBN 0-8153-4072-9.
7. Alnemri ES, Livingston DJ, Nicholson DW, Salvesen G, Thornberry NA, Wong WW, Yuan J. Human ICE/CED-3 protease nomenclature. *Cell* 87 (1996) 171.
8. Ambrosini G, Adida C, Altieri DC. A novel anti-apoptosis gene, survivin, expressed in cancer and lymphoma. *Nat. Med.* 3 (1997) 917-921.
9. Antonsson B, Montessuit S, Lauper S, Eskes R, Martinou JC. Bax oligomerization is required for channel-forming activity in liposomes and to trigger cytochrome c release from mitochondria. *Biochem J.* 345 (2000) 271-278.
10. Antonsson B, Montessuit S, Sanchez B, Martinou JC. Bax is present in a high molecular weight oligomer/complex in the mitochondrial membrane of apoptotic cells. *J. Biol. Chem.* 276 (2001) 11615-11623.
11. Anversa P. Myocyte Death in the pathological heart. *Circ Res.* 86 (2000) 121-124.
12. Anversa P, Kajstura J, Leri A, Bolli R. Life and death of cardiac stem cells: a Paradigm shift in cardiac biology. *Circulation* 113 (2006) 1451-1463.
13. Anversa P, Leri A, Kajstura J, Nadal-Ginard B. Myocyte growth and cardiac repair *J Mol Cell Cardiol* 34 (2002) 91-105.
14. Anversa P, Nadal-Ginard B. Myocyte renewal and ventricular remodelling. *Nature* 415 (2002) 240-243.
15. Ashkenazi A, Dixit VM. Death receptors: signaling and modulation. *Science* 281 (1998) 1305-1308.

16. Ashkenazi A, Dixit VM. Apoptosis control by death and decoy receptors. *Curr Opin Cell Biol* 11 (1999) 255-260.
17. Baker SJ, Reddy EP. Modulation of life and death by the TNF receptor superfamily. *Oncogene* 17 (1998) 3261-3270.
18. Bartke T, Pohl C, Pyrowolakis G, Jentsch S. Dual role of BRUCE as an antiapoptotic IAP and a chimeric E2/E3 ubiquitin ligase. *Mol Cell* 14 (2004) 801-811.
19. Bergmann MW, Loser P, Dietz R, von Harsdorf R. Effect of NF- κ B inhibition on TNF- α -induced apoptosis and downstream pathways of cardiomyocytes. *J Mol Cell Cardiol* 33 (2001) 1223-1232.
20. Birnbaum MJ, Clem RJ, Miller LK. An apoptosis-inhibiting gene from a nuclear polyhedrosis virus encoding a polypeptide with Cys/His sequence motifs. *J. Virol.* 68 (1994) 2521-2528.
21. Broeker LE, Kruyt FAE, Giaccone G. Cell Death independent of Caspases. *Clin Cancer Res.* 11 (2005) 3155-3162.
22. Bubici P, Papa S, Pham CG, Zazzeroni F, Franzoso G. NF- κ B and JNK: an intricate affair. *Cell Cycle* 3 (2004) 1524-1529.
23. Byun SS, Yeo WG, Lee SE, Lee E. Expression of surviving in renal cell carcinomas: association with pathologic features and clinical outcome. *Urology* 69 (2007) 34-37.
24. Chai J, Shiozaki E, Srinivasula SM, Wu Q, Datta P, Alnemri ES, Shi Y. Structural basis of caspase-7 inhibition by XIAP. *Cell* 104 (2001) 769-780.
25. Chen Z, Naito M, Hori S, Mashima T, Yamori T, Tsuruo T. A human IAP-family gene, apollon, expressed in human brain cancer cells. *Biochem Biophys Res Commun.* 264 (1999) 847-854.
26. Chinnaiyan AM, O'Rourke K, Tewari M, Dixit VM. FADD, a novel death domain-containing protein, interacts with the death domain of Fas and initiates apoptosis. *Cell* 81 (1995) 505-512.
27. Chirgwin JM, Przybyla AE, MacDonald RJ, Rutter WJ. Isolation of biologically active ribonucleic acid isolated from sources enriched in ribonuclease. *Biochemistry* 18 (1979) 5294-5299.
28. Chipuk JE, Green DR. Do inducers of apoptosis trigger caspase-independent cell death? *Nat Rev Mol Cell Biol.* 6 (2005) 268-275.
29. Chipuk JE, Bouchier-Hayes L, Kuwana T, Newmeyer DD, Green DR. PUMA couples the nuclear and cytoplasmic proapoptotic function of p53. *Science* 309 (2005) 1732-1735.
30. CIBIS Investigators and Committee. The Cardiac Insufficiency Bisoprolol Study II (CIBIS II): a randomized trial. *Lancet* 353 (1999) 9-13.

31. Chua CC, Gao J, Ho YS, Xiong Ym Chen Z, Hamdy RC, Chua BH. Overexpression of IAP-2 attenuates apoptosis and protects against myocardial ischemia/reperfusion injury in transgenic mice. *Biochim Biophys Acta* 1773 (2007) 577-83.
32. Clerk A, Cole SM, Cullingford TE, Harrison JG, Jormakka M, Valks DM. Regulation of cardiac myocyte cell death. *Pharm Ther* 97 (2003) 223-261.
33. Crook NE, Clem RJ, Miller LK. An apoptosis-inhibiting baculovirus gene with a zinc finger-like motif. *J. Virol.* 67 (1993) 2168-2174.
34. Cohen GM, Sun XM, Farnhead H, MacFarlane M, Brown DG, Snowden RT, Dinsdale D. Formation of large molecular weight fragments of DNA is a key committed step of apoptosis in thymocytes *J.Immunol* 153 (1994) 507-516.
35. Communal C, Sumandea M, de Tombe P, Narula J, Solaro RJ, Hajjar RJ. Functional consequences of caspase activation in cardiac myocytes. *Proc. Natl. Acad. Sci. USA* 99 (2002) 6252-6256.
36. Consensus Trial Study Group. Effects of enalapril on mortality in severe congestive heart failure. Results of the Cooperative North Scandinavian Enalapril Survival Study. *N Engl J Med* 316 (1987) 1429-1435.
37. Cotman CW, Anderson AJ. A potential role for apoptosis in neurodegeneration and Alzheimers's disease. *Mol Neurobiol.* 10 (1995) 19-45.
38. Crow MT, Mani K, Nam YJ, Kitsis RN. The mitochondrial death pathway and cardiac myocyte apoptosis. *Circ. Res.* 95 (2004) 957-970.
39. Dai Y, Rahmani M, Dent P, Grant S. Blockade of histone deacetylase inhibitor-induced RelA/p65 acetylation and NF-kappaB activation potentiates apoptosis in leukaemia cells through a process mediated by oxidative damage, XIAP downregulation, and c-Jun N-terminal kinase 1 activation. *MolCell Biol.* 25 (2005) 5429-5444.
40. Davoodi J, Lin L, Kelly J, Liston P, MacKenzie AE. Neuronal apoptosis-inhibitory protein does not interact with Smac and requires ATP to bind caspase-9. *J Biol Chem* 279 (2004) 40622-40628.
41. De Moisaac D, Gurevich RM, Zheng H, Singal PK, Kirshenbaum LA. Caspase activation and mitochondrial cytochrome c release during hypoxia-mediated apoptosis of adult ventricular myocytes. *J Mol Cell Cardiol* 32 (2000) 53-63.
42. Deveraux, QL., Leo E, Stennicke HR, Welsh K, Salvesen GS, Reed JC. Cleavage of human inhibitor of apoptosis protein XIAP results in fragments with distinct specificities for caspases. *EMBO J.* 18 (1999) 5242-5251.
43. Deveraux QL, Roy N, Stennicke HR, Van Arsdale T, Zhou Q, Srinivasula SM, Alnemri ES, Salvesen GS, Reed JC. IAPs block apoptotic events induced by caspase-8 and cytochrome c by direct inhibition of distinct caspases. *EMBO J.* 17 (1998) 2215-2223.
44. Deveraux QL, Takahashi R, Salvesen GS, Reed JC. X-linked IAP is a direct inhibitor of cell-death proteases. *Nature* 388 (1997) 300-304.

45. Du C, Fang M, Li Y, Li L, Wang X. Smac, a mitochondrial protein that promotes cytochrome c-dependent caspase activation by eliminating IAP inhibition. *Cell* 102 (2000) 33-42.
46. Duckett CS, Li F, Wang Y, Tomaselli KJ, Thompson CB, Armstrong RC. Human IAP-like protein regulates programmed cell death downstream of Bcl-xL and cytochrome c. *Mol Cell Biol.* 18 (1998) 608-615.
47. Duckett CS, Nava VE, Gedrich RW, Clem RJ, Van Dongen JL, Gilfillan MC, Shiels H, Hardwick JM, Thompson CB. A conserved family of cellular genes related to the baculovirus iap gene and encoding apoptosis inhibitors. *EMBO J.* 15 (1996) 2685-94.
48. Erlacher M, Michalak EM, Kelly PN, Labi V, Niederegger H, Coultas L, Adams JM, Strasser A, Villunger A. BH-3 only proteins Puma and Bim are rate-limiting for gamma-radiation- and glucocorticoid-induced apoptosis of lymphoid cells in vivo. *Blood* 106 (2005) 4131-4138.
49. Freude B, Masters TN, Robicsek F, Fokin A, Kostin S, Zimmermann R, Ullmann C, Lorenz-Meyer S, Schaper J. Apoptosis is initiated by myocardial ischemia and executed during reperfusion. *J Mol Cell Cardiol* 32 (2000) 197-208.
50. Förster E. An improved general method to generate internal standards for competitive PCR. *Biotechniques* 16 (1994) 18-20.
51. Foo RS, Mani K, Kitsis RN. Death begets failure in the heart. *J Clin Invest* 115 (2005) 567-561.
52. Furusu A, Nakayama K, Xu Q, Konta T, Kitamura M. MAP kinase-dependent, NF-kappaB-independent regulation of apoptosis protein genes bei TNF-alpha. *J Cell Physiol.* 210 (2007) 703-710.
53. Garg S, Narula J, Chandrashekhar Y. Apoptosis and heart failure: clinical relevance and therapeutic target *J Mol Cell Cardiol* 38 (2005) 73-79.
54. Gill C, Mestril R, Samali A. Losing heart: the role of apoptosis in heart disease – a novel therapeutic target? *FASEB J* 16 (2002) 135-146.
55. Giroir BP, Johnson JH, Brown T, Allen GL, Beutler B. The tissue distribution of tumor necrosis factor biosynthesis during endotoxemia. *J Clin Invest.* 90 (1992) 693-698.
56. Goldstein DB, Tate SK, Sisodiya SM. Pharmacogenetics goes genomic *Nat. Rev. Genet.* 4 (2003) 937-947.
57. Gori T, Daiber A, Di Stolfo G, Sicuro S, Dragoni S, Lisi M, Münzel T, Forconi S, Parker JD. Nitroglycerine causes mitochondrial reactive oxygen species production: in vitro mechanistic insights. *Can J Cardiol.* 23 (2007) 990-992.
58. Gori T, Mak SS, Kelly S, Parker JD. Evidence supporting abnormalities in nitric oxide synthase function induced by nitroglycerin in humans. *J Am Coll Cardiol.* 38 (2001) 1102-1105.

59. Goyal L. Cell death inhibition: keeping Caspases in check *Cell* 104 (2001) 805-808.
60. Green DR, Apoptotic pathways: Paper wraps stone blunts scissors. *Cell* 102 (2001) 1-4.
61. Green D, Kroemer G. The central executioners of apoptosis: caspases or mitochondria? *Trends Cell Biol* 7 (1998) 267-271.
62. Green DR, Reed JC. Mitochondria and apoptosis. *Science* 281 (1998) 1309-1312.
63. Guerra S, Leri A, Wang X, Finato N, Di Loreto C, Beltrami CA, Kajstura J, Anversa P. Myocyte death in the failing human heart is gender dependent. *Circ. Res.* 85 (1999) 856-866.
64. Gulbins E, Coggeshall KM, Brenner B, Schlottmann K, Linderkamp O, Lang F. Fas-induced apoptosis is mediated by activation of a Ras and Rac protein-regulated signalling pathway. *J Biol Chem* 271 (1996) 26389-26394.
65. Gupta S. Molecular steps of tumor necrosis factor receptor-mediated apoptosis. *Curr Mol Med* 1 (2001) 317-324.
66. Gupta S, Sen S. Role of the NF- κ B signalling cascade and NF- κ B-targeted genes in failing human hearts. *J Mol Med* 83 (2005) 993-1004.
67. Gupta S, Young D, Maitra RK, Gupta A, Popovic ZB, Yong SL, Mahajan A, Wang Q, Sen S. Prevention of cardiac hypertrophy and heart failure by silencing NF- κ B. *J Mol Biol.* 375 (2008) 637-649.
68. Hao Y, Sekine H, Kawabata A, Nakamura H, Ishioka T, Ohata H, Katayama R, Hashimoto C, Zhang X, Noda T, Tsuruo T, Naito M. Apollon ubiquitinates Smac and caspase-9 and has an essential cytoprotection function. *Nat Cell Biol* 6 (2004) 849-860.
69. Harlin H, Reffey SB, Duckett CS, Lindsten T, Thompson CB. Characterization of XIAP-deficient mice. *Mol Cell Biol* 21 (2001) 3604-3608.
70. Haudek SB, Taffet GE, Schneider MD, Mann DL. TNF provokes cardiomyocyte apoptosis and cardiac remodelling through activation of multiple cell death pathways. *J.Clin. Invest.* 117 (2007) 2692-2701.
71. Hauser HP, Bardroff M, Pyrowolakis G, Jentsch S. A giant ubiquitin-conjugating enzyme related to IAP apoptosis inhibitors. *J Cell Biol.* 141 (1998) 1415-1422.
72. Hayakawa K, Takemura G, Kanoh M, Li Y, Koda M, Kawase Y, Maruyama R, Okada H, Minatoguchi S, Fujiwara T, Fujiwara H. Inhibition of granulation tissue cell apoptosis during the subacute stage of myocardial infarction improves cardiac remodelling and dysfunction at the chronic stage. *Circulation* 108 (2003) 104-109.
73. Hayakawa Y, Chandra M, Miao W, Garantziotis S, Factor SM, Shirani J, Brown JH, Dorn GW 2nd, Armstrong RC, Kitsis RN. Inhibition of cardiac myocyte apoptosis improves cardiac function and abolishes mortality in the peripartum cardiomyopathy of Galpha(q) transgenic mice. *Circulation* 108 (2003) 3036-3041.

74. Hedge R, Srinivasula SM, Zhang Z, Wassell R, Mukattash R, Cilent L, Dubois G, Lazebnik Y, Zervos AS, Fernander-Alnemri T, Alnemri ES. Identification of Omi/HtrA2 as a mitochondrial apoptotic serine protease that disrupts inhibitor of apoptosis protein-caspase interaction. *J Biol Chem* 277 (2002) 432-438.
75. Hein S, Arnon E, Kostin S, Schönburg M, Elsässer A, Polyakova V, Bauer EP, Klövekorn WP, Schaper J. Progression from compensated hypertrophy to failure in the pressure-overloaded human heart: structural deterioration and compensatory mechanisms. *Circulation* 107 (2003) 984-991.
76. Hengartner MO, Horvitz HR. The ins and outs of programmed cell death during *C.elegans* development. *Philos Trans R Soc Lond (Biol.)* 345 (1991) 243-246.
77. Hengartner MO, Ellis RE, Horvitz HR. *Caenorhabditis elegans* gene ced-9 protects cells from programmed cell death. *Nature* 356 (1992) 494-499.
78. Higuchi Y, McTieman CF, Frye CB, McGowan BS, Chan TO, Feldman AM. Tumor necrosis factor receptors 1 and 2 differentially regulate survival, cardiac dysfunction, and remodelling in transgenic mice with tumor necrosis factor-alpha-induced cardiomyopathy. *Circulation* 109 (2004) 1892-1897.
79. Ho PK, Hawkins CJ. Mammalian initiator apoptotic caspases. *FEBS J.* 272 (2005) 5436-5453.
80. Hockenbery D, Nunez G, Milliman C, Schreiber RD, Korsmeyer SJ. Bcl-2 is an inner mitochondrial membrane protein that blocks programmed cell death. *Nature* 348 (1990) 334-336.
81. Huang Y, Park YC, Rich RL, Segal D, Myszka DG, Wu H. Structural basis of caspase inhibition by XIAP: differential roles of the linker versus the BIR domain. *Cell* 104 (2001) 781-790.
82. Ingwall JS, Weiss RG. Ist the failing heart energy starved? On using chemical energy to support cardiac function. *Circ Res* 95 (2004) 135-145.
83. Isner JM, Kearney M, Bortman S, Passeri J. Apoptosis in human atherosclerosis and restenosis. *Circulation* 91 (1995) 2703-2711.
84. Jesenberger V, Jentsch S. Deadly Encounter: Ubiquitin meets Apoptosis. *Nat Rev Mol Cell Biol* 3 (2002) 112-121.
85. Jin Z, El-Deiry WS. Overview of Cell Death Signalling Pathways. *Cancer Biol Ther* 4 (2005) 139-163.
86. Juo P, Woo MS, Kuo CJ, Signorelli P, Biermann HP, Hannun YA, Blenis J. FADD is required for multiple signalling events downstream of the receptor Fas. *Cell Growth Differ* 10 (1999) 797-804.
87. Karisalo M, Korhonen L, Blomgren K, Lindholm D. X-linked inhibitor of apoptosis protein increases mitochondrial antioxidants through NF- κ B activation. *Biochem Biophys Res Commun.* 364 (2007) 138-144.

88. Kasof GM, Gomes BC. Livin, a novel inhibitor of apoptosis protein family member. *J Biol Chem* 276 (2001) 3238-3246.
89. Kaur S, Wang F, Venkatraman M, Arsura M. X-linked inhibitor of apoptosis (XIAP) inhibits c-Jun N-terminal kinase 1 (JNK1) activation by transforming growth factor beta1 (TGF-beta1) through ubiquitin-mediated proteosomal degradation of the TGF-beta1-activated kinase 1 (TAK1). *J Biol Chem.* 280 (2005) 38599-38608.
90. Kawano S, Kubota T, Monden Y, Tsutsumi T, Inoue T, Kawamura N, Tsutsui H, Sunagawa K. Blockade of NF- κ B improves cardiac function and survival after myocardial infarction. *Am J Physiol Heart Circ Physiol.* 291 (2006) H1337-H1344.
91. Kerr JF, Wyllie AH, Currie AR. Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *Br J Cancer* 26 (1972) 239-257.
92. Kim R, Emi M, Tanabe K. Caspase-dependent and -independent cell death pathways after DNA damage (Review). *Oncology Reports* 14 (2005) 595-599.
93. Kim R, Emi M, Tanabe K, Murakami S, Uchida Y, Arihiro K. Regulation and interplay of apoptotic and non-apoptotic cell death. *J Pathol* 208 (2006) 319-326.
94. Klionsky, DJ, Emr SD. Autophagy as a regulated pathway of cellular degradation. *Science* 290 (2000) 1717-1721.
95. Kostin S, Pool L, Elsässer A, Hein S, Drexler HCA; Arnon E, Hayakawa Y, Zimmermann R, Bauer E, Klövekorn WP, Schaper J. Myocytes die by multiple mechanisms in failing human hearts. *Circ. Res.* 92 (2003) 715-724.
96. Kroemmer G, Martin SJ. Caspase-independent cell death. *Nat med* 11 (2005) 725-730.
97. Kuang AA, Diehl GE, Zhang J, Winoto A. FADD is required for DR4- and DR5-mediated apoptosis: lack of trail-induced apoptosis in FADD-deficient mouse embryonic fibroblasts. *J. Biol Chem* 275 (2000) 25065-25068.
98. Kubota T, Miyagishima ; Frye CS, Alber SM, Bounoutas GS, Kadokami T, Watkins SC, McTierman CF, Feldman AM. Overexpression of tumor necrosis factor- α activates both anti- and pro-apoptotic pathways in the myocardium. *J Mol Cell Cardiol.* 33 (2001) 1331-1344.
99. Kuwana T, Bouchier-Hayes L, Chipuk JE, Bonzon C, Sullivan BA, Green DR, Newmeyer DD. BH3 domains of BH3-only proteins differentially regulate Bax-mediated mitochondrial membrane permeabilization both directly and indirectly. *Mol Cell* 17 (2005) 525-535.
100. Lavrik IN, Golks A, Krammer PH. Caspases: pharmacological manipulation of cell death. *J Clin Invest* 115 (2005) 2665-2672.
101. Lewis J, Burstein E, Reffey SB, Bratton SB, Roberts AB, Duckett CS. Uncoupling of the signaling and caspase-inhibitory properties of X-linked inhibitor of apoptosis. *J Biol Chem.* 279 (2004) 9023-9029.

102. Li F, Ackermann EJ, Bennett CF, Rothermel AF, Plescia J, Tognin S, Villa A, Marchisio PC, Altieri DC. Pleiotropic cell-division defects and apoptosis induced by interference with surviving function. *Nat Cell Biol* 1 (1999) 461-466.
103. Li F, Altieri DC. The cancer antiapoptosis mouse surviving gene: characterization of locus and transcriptional requirements of basal and cell cycle-dependent expression. *Cancer Res.* 59 (1999) 3143-3151.
104. Li F, Ambrosini G, Chu EY, Plescia J, Tognin S, Marchisio PC, Altieri DC. Control of apoptosis and mitotic spindle checkpoint by survivin. *Nature* 396 (1998) 580-584.
105. Li LY, Luo X, Wang X. Endonuclease G (EndoG) is an apoptotic DNase when released from mitochondria. *Nature* 412 (2001) 95-99.
106. Liguang Z, Peishu L, Honglun M, Hong J, Rong W, Wachtel MS, Frezza EE. Survivin expression in ovarian cancer. *Exp. Oncol.* 29 (2007) 121-125.
107. Li P, Nijhawan D, Budihardjo I, Srinivasula SM, Ahmad M, Alnemri ES, Wang X. Cytochrome c and dATP-dependent formation of Apaf-1/caspase-9 complex initiates an apoptotic protease cascade. *Cell* 91 (1997) 479-489.
108. Lin JH, Deng G, Huang QH, Morser J. KIAP, a novel member of the inhibitor of apoptosis protein family. *Biochem Biophys Res Commun* 279 (2000) 820-831.
109. Liston P, Roy N, Tamai K, Lefebvre C, Baird S, Cherton-Horvat G, Farahani R, McLean M, Ikeda JE, MacKenzie A, Korneluk RG. Suppression of apoptosis in mammalian cells by NAIP and a related family of IAP genes. *Nature.* 379 (1996) 349-353.
110. Liu Z, Sun C, Olejniczak ET, Meadows RP, Betz SF, Oost T, Herrmann J, Wu JC, Fesik SW. Structural basis for binding of Smac/DIABLO to the XIAP BIR3 domain. *Nature* 408 (2000) 1004-1008.
111. Lloyd-Jones DM, Larson MG, Leip EP et al.: Lifetime risk for developing congestive heart failure: the Framingham Heart Study. *Circulation* 106 (2002) 3068-3072.
112. Locksley RM, Killeen N, Lenardo MJ. The TNF and TNF receptor superfamilies: integrating mammalian biology. *Cell* 104 (2001) 487-501.
113. Lu B, Gonzales A, Massion PP, Shyr Y, Shaktour B, Carbone DP, Hallahan DE. Nuclear survivin as a biomarker for non-small-cell lung cancer. *Br. J. Cancer* 91 (2004) 537-540.
114. Lu CD, Altieri DC, Tanigawa N. Expression of a novel antiapoptosis gene, survivin, correlated with tumor cell apoptosis and p53 accumulation in gastric carcinomas. *Cancer Res.* 58 (1998) 1808-1812.
115. Lu M, Lin SC, Huang Y, Kang YJ, Rich R, Lo YC, Myszyka D, Han J, Wu H. XIAP induces NF- κ B activation via the BIR1/TAB1 interaction and BIR1 dimerization. *Mol Cell.* 26 (2007) 672-689.
116. Mann DL, Bristow MR. Mechanisms and Models in heart failure: The biochemical model and beyond. *Circulation* 111 (2005) 2837-2849.

117. Marioni G, Ottaviano G, Marchese-Ragona R, Giacomelli L, Bertolin A, Zanon D, Marino F, Staffieri A. High nuclear expression of the apoptosis inhibitor protein survivin is associated with disease recurrence and poor prognosis in laryngeal basaloid squamous cell carcinoma. *Acta Otolaryngol.* 126 (2006) 197-203.
118. Martins LM, Iaccarino I, Tenev T, Gschmeissner S, Totty NF, Lemoine NR, Savapoulos J, Gray CW, Creasy CL, Dingwall C, Downward J. The serine protease Omi/HtrA2 regulates apoptosis by binding XIAP through a reaper-like motif. *J Biol Chem* 277 (2002) 439-444.
119. MERIT-HF Study Group. Effect of metoprolol CR/XL in chronic heart failure: Metoprolol CR/XL Randomised Intervention Trial in Congestive Heart Failure (MERIT-HF). *Lancet* 353 (1999) 2001-2007.
120. Mochizuki H, Goto K, Mori H, Mizuno Y. Histochemical detection of apoptosis in Parkinson's disease. *J. Neurol. Sci.* 137 (1996) 120-123.
121. Moretti A, Weig HJ, Ott T, Seyfarth M, Holthoff HP, Grewe D, Gillitzer A, Bott-Flügel L, Schömig A, Ungerer M, Laugwitz KL. Essential myosin light chain as a target for caspase-3 in failing myocardium. *Proc. Natl. Acad. Sci. U. S. A.* 99 (2002) 11860-11865.
122. Münzel T, Mülsch A, Kleschyov A. Mechanisms underlying nitroglycerin-induced superoxide production in platelets: some insight, more questions. *Circulation* 106 (2002) 170-172.
123. Nagakawa T, Zhu H, Morishima N, Li E, Xu J, Yankner BA, Yuan J. Caspase 12 mediates endoplasmic reticulum-specific apoptosis and cytotoxicity by amyloid- β . *Nature* 403 (2000) 98-103.
124. Narula J, Haider N, Virmani R, DiSalvo TG, Kolodgie FD, Hajjar RJ, Schmidt U, Semigran MJ, Dec GW, Khaw BA. Apoptosis in myocytes in end-stage heart failure. *N Engl J Med* 335 (1996) 1182-1189.
125. Narula J, Pandey P, Arbustini E, Haider N, Narula N, Kolodgie FD, Dal Bello B, Semigran MJ, Bielsa-Masdeu A, Dec GW, Israels S, Ballester M, Virmani R, Saxena S, Kharbanda S. Apoptosis in heart failure: Release of cytochrome c from mitochondria and activation of caspase-3 in human cardiomyopathy. *Proc Natl Acad Sci USA* 96 (1999) 8144-8149.
126. Oda E, Ohki R, Murasawa H, Nemoto J, Shibue T, Yamashita T, Tokino T, Taniguchi T, Tanaka N. Noxa, a BH3-only member of the Bcl-2 family and candidate mediator of p53-induced apoptosis. *Science* 288 (2000) 1053-1058.
127. Ohta T, Eguchi R, Suzuki A, Miyakaze S, Ayuzawa R, Kaji K. Hypoxia-induced apoptosis and tube breakdown are regulated by p38 MAPK but not caspase cascade in an in vitro capillary model composed of human endothelial cells. *J Cell Physiol.* 211 (2007) 673-681.
128. Olivetti G, Abbi R, Quaini F, Kajstura J, Cheng W, Nitahara JA, Quaini E, Di Loreto C, Beltrami CA, Krajewski S, Reed JC, Anversa P. Apoptosis in the failing human heart. *N. Engl. J. Med.* 336 (1997) 1131-1141.
129. O'Reilly LA, Strasser A. Apoptosis and autoimmune disease. *Inflamm Res.* 48 (1999) 5-21.

130. Pfeffer MA, Swedberg K, Granger CB, Held P, McMurray JJ, Michelson EL, Olofsson B, Ostergren J, Yusuf S, Pocock S. Effects of candesartan on mortality and morbidity in patients with chronic heart failure: the CHARM-Overall programme. *Lancet* 362 (2003) 759-766.
131. Pöttsch O., Sommer B. Bevölkerung Deutschlands bis 2050 . Ergebnisse der 10. koordinierten Bevölkerungsvorausberechnung, Statistisches Bundesamt. 2003
132. Qiu XB, Goldberg AL. The membrane-associated inhibitor of apoptosis protein, BRUCE/Apollon, antagonizes both the precursor and mature forms of Smac and Caspase-9. *J Biol Chem* 280 (2005) 174-182.
133. Rajcanseparovic E, Liston P, Lefebvre C, Korneluk RG. Assignment of human inhibitor of apoptosis protein (iap) genes xiap, hiap-1, and hiap-2 to chromosomes Xq25 and 11q22-q23 by fluorescence in situ hybridization. *Genomics* 37 (1996) 404-406.
134. Reed JC. Mechanisms of Apoptosis. *Am J Pathol* 157 (2000) 1415-1430.
135. Regula KM, Kirshenbaum LA. Apoptosis of ventricular myocytes: a means to an end. *J Mol Cell Cardiol* 38 (2005) 3-13.
136. Riedl SJ, Renatus M, Schwarzenbacher R, Zhou Q, Sum C, Fesik SW, Liddington RC, Salvesen GS. Structural basis for the inhibition of caspase-3 by XIAP. *Cell* 104 (2001) 791-800.
137. Roses AD Pharmacogenetics and future drug development and delivery *Lancet* 355 (2000) 1358-1361.
138. Rothe M, Pan MG, Henzel WJ, Ayres TM, Goeddel DV. The TNFR2-TRAF signaling complex contains two novel proteins related to baculoviral-inhibitor of apoptosis proteins. *Cell* 83 (1995) 1243-1252.
139. Roy N, Deveraux QL, Takahashi R, Salvesen GS, Reed JC. The cIAP-1 and cIAP-2 proteins are direct inhibitors of specific caspases. *EMBO J* 16 (1997) 6914-6925.
140. Rudin CM, Thompson CB. Apoptosis and disease: regulation and clinical relevance of programmed cell death. *Annu Rev Med* 48 (1997) 267-281.
141. Saleh M, Vaillancourt JP, Graham RK, Huyck M, Srinivasula SM, Alnemri ES, Steinberg MH, Nolan V, Baldwin CT, Hotchkiss RS, Buchman TG, Zehnbauser BA, Hayden MR, Farrer LA, Roy S, Nicholson DW. Differential modulation of endotoxin responsiveness by human caspase-12 polymorphisms. *Nature* 429 (2004) 75-79.
142. Salvesen GS, Dixit VM. Caspases: intracellular signalling by proteolysis. *Cell* 91 (1997) 443-446.
143. Sanna MG, da Silva Correia J, Ducrey O, Lee J, Nomoto K, Schrantz N, Deveraux QL, Ulevitch RJ. IAP suppression of apoptosis involves distinct mechanisms: the TAK1/JNK1 signaling cascade and caspase inhibition. *Mol Cell Biol.* 22 (2002) 1754-1766.

144. Sanna MG, Duckett CS, Richter BW, Thompson CB, Ulevitch RJ. Selective activation of JNK1 is necessary for the anti-apoptotic activity of hILP. *Proc Natl Acad Sci U S A*. 95 (1998) 6015-6020.
145. Saraste A, Pulkki K, Kallajoki M, Heikillä P, Laine P, Mattila S, Nieminen MS, Parvinen M, Voipio-Pulkki LM. Cardiomyocyte apoptosis and progression of heart failure to transplantation. *Eur J Clin Invest* 29 (1999) 380-386.
146. Scarabelli T, Stephanou A, Rayment N, Pasini E, Comini L, Curello S, Ferrari R, Knight R, Latchman D. Apoptosis of endothelial cells precedes myocyte cell apoptosis in ischemia/reperfusion injury. *Circulation* 104 (2001) 253-256.
147. Schaper J, Elsässer A, Kostin S. The Role of Cell Death in Heart Failure. *Circ Res*. 85 (1999) 867-869.
148. Schapira AH. Mitochondrial involvement in Parkinson's disease, hereditary spastic paraplegia, and Friedreich's ataxia. *Biochim Biophys Acta* 1410 (1999) 99-102.
149. Scheubel RJ, Bartling B, Simm A, Silber RE, Drogaris K, Darmer D, Holtz J. Apoptotic pathway activation from mitochondria and Death receptors without caspase-3 cleavage in failing human myocardium: Fragile balance of myocyte survival? *J Am Coll Cardiol* 39 (2002) 481-488.
150. Sethi G, Ahn KS, Xia D, Kurie JM, Aggarwal BB. Targeted deletion of MKK4 gene potentiates TNF-induced apoptosis through the down-regulation of NF- κ B activation and NF- κ B-regulated antiapoptotic gene products. *J Immunol*. 179 (2007) 1926-1933.
151. Shariat SF, Ashfaq R, Karakiewicz PI, Saeedi O, Sagalowsky AI, Lotan Y. Survivin expression is associated with bladder cancer presence, stage, progression and mortality. *Cancer* 109 (2007) 1106-1113.
152. Siednienko J, Jankowska EA, Banasiak W, Gorczyca WA, Ponikowski P. NF- κ B activity in peripheral blood mononuclear cells in cachectic and non-cachectic patients with chronic heart failure. *Int J Cardiol*. 122 (2007) 111-116.
153. Silke J, Hawkins CJ, Ekert PG, Chew J, Day CL, Pakusch M, Verhagen AM, Vaux DL. The anti-apoptotic activity of XIAP is retained upon mutation of both the caspase 3- and caspase 9-interacting sites. *J Cell Biol* 157 (2002) 115-124.
154. Slee EA, Harte MT, Kluck RM, Wolf BB, Casiano CA, Newmeyer DD, Wang HG, Reed JC, Nicholson DW, Alnemri ES, Green DR, Martin SJ. Ordering the cytochrome c-initiated caspase cascade: hierarchical activation of caspases-2, -3, -6, -7, -8, -10 in a caspase-9-dependent manner. *Cell J Biol* 144 (1999) 281-292.
155. Smale G, Nichols NR, Brady DR, Finch CE, Horton WE Jr. Evidence for apoptotic cell death in Alzheimer's disease. *Exp. Neurol*. 133 (1995) 225-230.
156. SOLVD Investigators. Effect of enalapril on survival in patients with reduced left ventricular ejection fractions and congestive heart disease. *N Engl J Med*. 325 (1991) 293-302.

157. Srinivasula SM, Hegde R, Saleh A, Datta P, Shiozaki E, Chai J, Lee RA, Robbins PD, Fernandes-Alnemri T, Shi Y, Alnemri ES. A conserved XIAP-interaction motif in caspase-9 and Smac/DIABLO regulates caspase activity and apoptosis. *Nature* 410 (2001) 112-116.
158. Starling RC, Hammer DF, Altschuld RA. Human myocardial ATP content and in vivo contractile function. *Mol Cell Biochem* 180 (1998) 171-177.
159. Sugden PH, Clerk A. "Stress-responsive" Mitogen-activated Protein Kinases (c-Jun N-Terminal kinases and p38 Mitogen-activated protein kinases) in the myocardium. *Circ Res* 83 (1998) 345-352.
160. Sun, C., Cai M, Gunasekera AH, Meadows RP, Wang H, Chen J, Zhang H, Wu W, Xu N, Ng SC, Fesik SW. NMR structure and mutagenesis of the inhibitor-of-apoptosis protein XIAP *Nature* 401 (1999) 818-822.
161. Sun C, Cai M, Meadows RP, Xu N, Gunasekera AH, Herrmann J, Wu JC, Fesik SW. NMR structure and mutagenesis of the third BIR domain of the inhibitor of apoptosis protein XIAP. *J. Biol. Chem.* 275 (2000) 33777-33781.
162. Susin SA, Lorenzo HK, Marzo I, Snow BE, Brothers GM, Magnion J, Jacotot E, Costantini P, Loeffler M, Larochette N, Goodlet DR, Aebersold R, Siderovski DP, Penninger JM, Kroemer G. Molecular characterization of mitochondrial apoptosis-inducing factor. *Nature* 397 (1999) 441-446.
163. Suzuki Y, Imai Y, Nakayama H, Takahashi K, Takio K, Takahashi R. A serine protease, HtrA2, is released from the mitochondria and interacts with XIAP, inducing cell death. *Mol Cell* 8 (2001) 613-621.
164. Suzuki Y, Nakabayashi Y, Nakata K, Reed JC, Takahashi R. X-linked inhibitor of apoptosis protein (XIAP) inhibits caspase-3 and -7 in distinct modes. *J Biol Chem* 276 (2001) 27058-27063.
165. Swedberg K, Hjalmarson A, Waagstein F, Wallentin I. Prolongation of survival in congestive cardiomyopathy by beta-receptor blockade. *Lancet* 1 (1979) 1374-1376.
166. Tamm I, Wang Y, Sausville E, Sudiero DA, Vigna N, Oltersdorf T, Reed JC. IAP-family Protein Survivin inhibits caspase activity and apoptosis induced by Fas (CD95), Bax, caspases, and anticancer drugs. *Cancer Res.* 58 (1998) 5315-5320.
167. Takahashi, R., Deveraux QL, Tamm I, Welsh K, Assa-Munt N, Salvesen GS, Reed JC. A single BIR domain of XIAP sufficient for inhibiting caspases. *J. Biol. Chem.* 273 (1998) 7787-7790.
168. Takemura G, Ohno M, Hayakawa Y, Misao J, Kanoh M, Ohno A, Uno Y, Minatoguchi S, Fujiwara T, Fujiwara H. Role of apoptosis in the disappearance of infiltrated and proliferated interstitial cells after myocardial infarction. *Circ. Res.* 82 (1998) 1130-1138.
169. Tang G, Minemoto Y, Dibling B, Purcell NH, Li Z, Karin M, Lin A. Inhibition of JNK activation through NF- κ B target genes. *Nature* 414 (2001) 313-317.
170. Thompson CB. Apoptosis in the pathogenesis and treatment of disease. *Science* 267 (1995) 1456-1462.

171. Tschopp J, Irmeler M, Thome M. Inhibition of Fas death signals by FLIPs. *Curr Biol* 10 (1998) 552-558.
172. Uren AG, Pakusch M, Hawkins CJ, Puls KL, Vaux DL. Cloning and expression of apoptosis inhibitory protein homologs that function to inhibit apoptosis and/or bind tumor necrosis factor receptor-associated factors. *Proc Natl Acad Sci U S A* 93 (1996) 4974-4978.
173. Varfolomeev E, Blankenship JW, Wayson SM, Fedorova AV, Kayagaki N, Garp P, Zobel K, Dynek JN, Elliott LO, Wallweber HJ, Flygare JA, Fairbrother WJ, Deshayes K, Dixit VM, Vucic D. IAP antagonists induce autoubiquitination of c-IAPs, NF-kappa B activation, and TNFalpha-dependent apoptosis. *Cell* 131 (2007) 669-681.
174. Varfolomeev EE, Schuchmann M, Luria V, Chiannikulchai N, Beckmann JS, Mett IL, Rebrikov D, Brodianski VM, Kemper OC, Kollet O, Lapidot T, Soffer D, Sobe T, Avraham KB, Goncharov T, Holtmann H, Lonai P, Wallach D. Targeted disruption of the mouse Caspase 8 gene ablates cell death induction by the TNF receptors, Fas/Apo1, and DR3 and is lethal prenatally. *Immunity* 9 (1998) 267-276.
175. Vaux DL, Silke J. IAPs, RINGs and Ubiquitylation. *Nat Rev Mol Cell Biol* 6 (2005) 287-297.
176. Vegrán F, Biodot R, Oudin C, Riedinger JM, Lizard-Nacol S. Distinct expression of Survivin splice variants in breast carcinomas. *Int J Oncol.* 27 (2005) 1151-1157.
177. Verhagen AM, Coulson EJ, Vaux DL. Inhibitor of Apoptosis Proteins and their relatives: IAPs and other BIRPs. *Genome Biology* 2 (2001) reviews 3009.1-3009.10.
178. Verhagen AM, Ekert PG, Pakusch M, Silke J, Connolly LM, Reid GE, Moritz RL, Simpson RJ, Vaux DL. Identification of DIABLO, a mammalian protein that promotes apoptosis by binding to and antagonizing IAP proteins. *Cell* 102 (2000) 43-53.
179. Verhagen AM, Silke J, Ekert PG, Pakusch M, Kaufmann H, Connolly LM, Day CL, Tikoo A, Burke R, Wrobel C, Moritz RL, Simpson RJ, Vaux DL. HtrA2 promotes cell death through its serine protease activity and its ability to antagonize inhibitor of apoptosis proteins. *J Biol Chem* 277 (2002) 445-454.
180. von Harsdorf R. "Fas-ten" your seat belt: antiapoptotic treatment in heart failure takes off. *Circ. Res.* 95 (2004) 554-556.
181. Vucic D, Stennicke HR, Pisabarro MT, Salvesen GS, Dixit VM. MLIAP, a novel inhibitor of apoptosis that is preferentially expressed in human melanomas. *Curr Biol* 10 (2000) 1359-1366.
182. Wang CY, Mayo MW, Korneluk RG, Goeddel DV, Baldwin AS. NF-kappa-B antiapoptosis - induction of TRAF1 and TRAF 2 and c-IAP1 and c-IAP2 to suppress caspase-8 activation. *Science* 281 (1998) 1680-1683.
183. Wang J, Lenardo MJ. Roles of caspases in apoptosis, development, and cytokine maturation revealed by homozygous gene deficiencies. *J Cell Sci.* 113 (2000) 753-757.

184. Wang X. The expanding role of mitochondria in apoptosis. *Genes Dev.* 15 (2001) 2922-2933.
185. Wencker D, Chandra M, Nguyen K, Miao W, Garantziotis S, Factor SM, Shirani J, Armstrong RC, Kitsis RN. A mechanistic role for cardiac myocyte apoptosis in heart failure. *J Clin Invest* 111 (2003) 1497-1504.
186. Wong SC, Fukuchi M, Melnyk P, Rodger I, Giaid A. Induction of cyclooxygenase-2 and activation of nuclear factor- κ B in myocardium of patients with congestive heart failure. *Circulation* 98 (1998) 100-103.
187. Wu G, Chai J, Suber TL, Wu JW, Du C, Wang X, Shi Y. Structural basis of IAP recognition by Smac/DIABLO. *Nature* 408 (2000) 1008-1012.
188. Xia Z, Dickens M, Raingeaud J, Davis RJ, Greenberg ME. Opposing effects of ERK and JNK-p38 MAP kinases on apoptosis. *Science* 270 (1995) 1326-1331.
189. Yang QH, Church-Hajduk R, Ren J, Newton ML, Du C. Omi/HtrA2 catalytic cleavage of inhibitor of apoptosis (IAP) irreversibly inactivates IAPs and facilitates caspase activity in apoptosis. *Genes Dev.* 17 (2003) 1487-1496.
190. Yang X, Khosravi-Far R, Chang HY, Baltimore D. Daxx, a novel Fas-binding protein that activates JNK and apoptosis. *Cell* 89 (1997) 1067-1076.
191. Yang Y, Fang S, Jensen JP, Weissman AM, Ashwell JD. Ubiquitin protein ligase activity of IAPs and their degradation in proteasomes in response to apoptotic stimuli. *Science* 288 (2000) 874-877.
192. Yeh WC, Pompa JL, McCurrach ME, Shu HB, Elia AJ, Shahinian A, Ng M, Wakeham A, Khoo W, Mitchell K, El-Deiry WS, Lowe SW, Goeddel DV, Mak TW. FADD: essential for embryo development and signaling from some, but not all, inducers of apoptosis. *Science* 279 (1998) 1954-1958.
193. Yokoyama T, Nakano M, Bednarczyk JL, McIntyre BW, Entman M, Mann DL. Tumor Necrosis Factor- α provokes a hypertrophic growth response in adult cardiac myocytes. *Circulation* 95 (1997) 1247-1252.
194. Yuan J, Shaham S, Ledoux S, Ellis HM, Horvitz HR. The *C. elegans* cell death gene *ced-3* encodes a protein similar to mammalian interleukin -1 β -converting enzyme. *Cell* 75 (1993) 641-652.
195. Zhivotovsky B. Caspases: the enzymes of death. *Essays Biochem* 39 (2003) 25-40.
196. Zineh I, Johnson JA. Pharmacogenetics of chronic cardiovascular drugs: applications and implications. *Expert Opin Pharmacother.* 7 (2006) 1417-1427.