

7 Literaturverzeichnis

- Abraham, N. G., Kushida, T., McClung, J., Weiss, M., Quan, S., Lafaro, R., Darzynkiewicz, Z. and Wolin, M.** (2003). Heme Oxygenase-1 Attenuates Glucose-Mediated Cell Growth Arrest and Apoptosis in Human Microvessel Endothelial Cells. *Circ Res* 93(6): 507-514.
- Aghajanian, A. A., Oguogho, A. and Sinzinger, H.** (1997). [Isoprostanes, a New Substance Group in Angiology--of Future Significance?]. *Vasa* 26(2): 65-69.
- Alam, J.** (1994). Multiple Elements within the 5' Distal Enhancer of the Mouse Heme Oxygenase-1 Gene Mediate Induction by Heavy Metals. *J Biol Chem* 269(40): 25049-25056.
- Alam, J., Cai, J. and Smith, A.** (1994). Isolation and Characterization of the Mouse Heme Oxygenase-1 Gene. Distal 5' Sequences Are Required for Induction by Heme or Heavy Metals. *J Biol Chem* 269(2): 1001-1009.
- Alam, J. and Cook, J. L.** (1990). Reporter Genes: Application to the Study of Mammalian Gene Transcription. *Anal Biochem* 188(2): 245-254.
- Alam, J. and Cook, J. L.** (2007). How Many Transcription Factors Does It Take to Turn on the Heme Oxygenase-1 Gene? *Am J Respir Cell Mol Biol* 36(2): 166-174.
- Alam, J. and Den, Z.** (1992). Distal Ap-1 Binding Sites Mediate Basal Level Enhancement and Tpa Induction of the Mouse Heme Oxygenase-1 Gene. *J Biol Chem* 267(30): 21894-21900.
- Alam, J., Killeen, E., Gong, P., Naquin, R., Hu, B., Stewart, D., Ingelfinger, J. R. and Nath, K. A.** (2003). Heme Activates the Heme Oxygenase-1 Gene in Renal Epithelial Cells by Stabilizing Nrf2. *Am J Physiol Renal Physiol* 284(4): F743-752.
- Alam, J., Shibahara, S. and Smith, A.** (1989). Transcriptional Activation of the Heme Oxygenase Gene by Heme and Cadmium in Mouse Hepatoma Cells. *J Biol Chem* 264(11): 6371-6375.
- Alam, J., Stewart, D., Touchard, C., Boinapally, S., Choi, A. M. and Cook, J. L.** (1999). Nrf2, a Cap'n'collar Transcription Factor, Regulates Induction of the Heme Oxygenase-1 Gene. *J Biol Chem* 274(37): 26071-26078.
- Alam, J., Wicks, C., Stewart, D., Gong, P., Touchard, C., Otterbein, S., Choi, A. M., Burow, M. E. and Tou, J.** (2000). Mechanism of Heme Oxygenase-1 Gene Activation by Cadmium in MCF-7 Mammary Epithelial Cells. Role of P38 Kinase and Nrf2 Transcription Factor. *J Biol Chem* 275(36): 27694-27702.
- Alwine, J. C., Kemp, D. J. and Stark, G. R.** (1977). Method for Detection of Specific RNAs in Agarose Gels by Transfer to Diazobenzyloxymethyl-Paper and Hybridization with DNA Probes. *Proc Natl Acad Sci U S A* 74(12): 5350-5354.
- Atsmon, J., Freeman, M. L., Meredith, M. J., Sweetman, B. J. and Roberts, L. J., 2nd** (1990). Conjugation of 9-Deoxy-Delta 9,Delta 12(E)-Prostaglandin D2 with Intracellular Glutathione and Enhancement of Its Antiproliferative Activity by Glutathione Depletion. *Cancer Res* 50(6): 1879-1885.
- Aziz, N. and Munro, H. N.** (1986). Both Subunits of Rat Liver Ferritin Are Regulated at a Translational Level by Iron Induction. *Nucleic Acids Res* 14(2): 915-927.
- Bach, F. H.** (2005). Heme Oxygenase-1: A Therapeutic Amplification Funnel.

- Faseb J* 19(10): 1216-1219.
- Bainbridge, S. A. and Smith, G. N.** (2005). Ho in Pregnancy. *Free Radic Biol Med* 38(8): 979-988.
- Balla, G., Jacob, H. S., Balla, J., Rosenberg, M., Nath, K., Apple, F., Eaton, J. W. and Vercellotti, G. M.** (1992). Ferritin: A Cytoprotective Antioxidant Strategem of Endothelium. *J Biol Chem* 267(25): 18148-18153.
- Balla, J., Vercellotti, G. M., Nath, K., Yachie, A., Nagy, E., Eaton, J. W. and Balla, G.** (2003). Haem, Haem Oxygenase and Ferritin in Vascular Endothelial Cell Injury. *Nephrol Dial Transplant* 18 Suppl 5: v8-12.
- Bauer, I., Rensing, H., Florax, A., Ulrich, C., Pistorius, G., Redl, H. and Bauer, M.** (2003). Expression Pattern and Regulation of Heme Oxygenase-1/Heat Shock Protein 32 in Human Liver Cells. *Shock* 20(2): 116-122.
- Beavo, J. A. and Brunton, L. L.** (2002). Cyclic Nucleotide Research -- Still Expanding after Half a Century. *Nat Rev Mol Cell Biol* 3(9): 710-718.
- Becker, J. C., Domschke, W. and Pohle, T.** (2004). Current Approaches to Prevent Nsaid-Induced Gastropathy--Cox Selectivity and Beyond. *Br J Clin Pharmacol* 58(6): 587-600.
- Becker, J. C., Grosser, N., Boknik, P., Schröder, H., Domschke, W. and Pohle, T.** (2003). Gastroprotection by Vitamin C--a Heme Oxygenase-1-Dependent Mechanism? *Biochem Biophys Res Commun* 312(2): 507-512.
- Becker, J. C., Grosser, N., Waltke, C., Schulz, S., Erdmann, K., Domschke, W., Schröder, H. and Pohle, T.** (2006). Beyond Gastric Acid Reduction: Proton Pump Inhibitors Induce Heme Oxygenase-1 in Gastric and Endothelial Cells. *Biochem Biophys Res Commun* 345(3): 1014-1021.
- Belch, J. J. and Hill, A.** (2000). Evening Primrose Oil and Borage Oil in Rheumatologic Conditions. *Am J Clin Nutr* 71(1 Suppl): 352S-356S.
- Belton, O., Byrne, D., Kearney, D., Leahy, A. and Fitzgerald, D. J.** (2000). Cyclooxygenase-1 and -2-Dependent Prostacyclin Formation in Patients with Atherosclerosis. *Circulation* 102(8): 840-845.
- Bennett, B. M., Leitman, D. C., Schröder, H., Kawamoto, J. H., Nakatsu, K. and Murad, F.** (1989). Relationship between Biotransformation of Glyceryl Trinitrate and Cyclic Gmp Accumulation in Various Cultured Cell Lines. *J Pharmacol Exp Ther* 250(1): 316-323.
- Bergstroem, S., Danielsson, H. and Samuelsson, B.** (1964). The Enzymatic Formation of Prostaglandin E2 from Arachidonic Acid Prostaglandins and Related Factors 32. *Biochim Biophys Acta* 90: 207-210.
- Bergstroem, S., Ryhage, R., Samuelsson, B. and Sjoevall, J.** (1963). Prostaglandins and Related Factors. 15. The Structures of Prostaglandin E1, F1-Alpha, and F1-Beta. *J Biol Chem* 238: 3555-3564.
- Bergstrom, S., Carlson, L. A. and Weeks, J. R.** (1968). The Prostaglandins: A Family of Biologically Active Lipids. *Pharmacol Rev* 20(1): 1-48.
- Bergstrom, S. and Samuelsson, B.** (1962). Isolation of Prostaglandin E1 from Human Seminal Plasma. Prostaglandins and Related Factors. 11. *J Biol Chem* 237: 3005-3006.
- Berndt, G., Grosser, N., Hoogstraate, J. and Schröder, H.** (2005). Azd3582 Increases Heme Oxygenase-1 Expression and Antioxidant Activity in Vascular Endothelial and Gastric Mucosal Cells. *Eur J Pharm Sci* 25(2-3): 229-235.
- Berry, E. B., Keelan, J. A., Helliwell, R. J., Gilmour, R. S. and Mitchell, M. D.** (2005). Nanomolar and Micromolar Effects of 15-Deoxy-Delta 12,14-Prostaglandin J2 on Amnion-Derived Wish Epithelial Cells: Differential

- Roles of Peroxisome Proliferator-Activated Receptors Gamma and Delta and Nuclear Factor Kappa B. *Mol Pharmacol* 68(1): 169-178.
- Bevilacqua, M. A., Faniello, M. C., Quaresima, B., Tiano, M. T., Giuliano, P., Feliciello, A., Avvedimento, V. E., Cimino, F. and Costanzo, F.** (1997). A Common Mechanism Underlying the E1a Repression and the Camp Stimulation of the H Ferritin Transcription. *J Biol Chem* 272(33): 20736-20741.
- Bevilacqua, M. A., Faniello, M. C., Russo, T., Cimino, F. and Costanzo, F.** (1994). Transcriptional Regulation of the Human H Ferritin-Encoding Gene (Ferh) in G418-Treated Cells: Role of the B-Box-Binding Factor. *Gene* 141(2): 287-291.
- Birnboim, H. C. and Doly, J.** (1979). A Rapid Alkaline Extraction Procedure for Screening Recombinant Plasmid DNA. *Nucleic Acids Res* 7(6): 1513-1523.
- Biswas, K., Bandyopadhyay, U., Chattopadhyay, I., Varadaraj, A., Ali, E. and Banerjee, R. K.** (2003). A Novel Antioxidant and Antiapoptotic Role of Omeprazole to Block Gastric Ulcer through Scavenging of Hydroxyl Radical. *J Biol Chem* 278(13): 10993-11001.
- Bombardier, C., Laine, L., Reicin, A., Shapiro, D., Burgos-Vargas, R., Davis, B., Day, R., Ferraz, M. B., Hawkey, C. J., Hochberg, M. C., Kvien, T. K. and Schnitzer, T. J.** (2000). Comparison of Upper Gastrointestinal Toxicity of Rofecoxib and Naproxen in Patients with Rheumatoid Arthritis. Vigor Study Group. *N Engl J Med* 343(21): 1520-1528, 1522 p following 1528.
- Borrelli, E., Montmayeur, J. P., Foulkes, N. S. and Sassone-Corsi, P.** (1992). Signal Transduction and Gene Control: The Camp Pathway. *Crit Rev Oncog* 3(4): 321-338.
- Bourne, H. R., Lichtenstein, L. M., Melmon, K. L., Henney, C. S., Weinstein, Y. and Shearer, G. M.** (1974). Modulation of Inflammation and Immunity by Cyclic Amp. *Science* 184(132): 19-28.
- Bousser, M. G. and Lecrubier, C.** (1972). Effect of Prostaglandin E1 on Experimental Thrombosis and Platelet Aggregation in Rabbits. *Haemostasis* 1(5): 294-303.
- Bradford, M. M.** (1976). A Rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding. *Anal Biochem* 72: 248-254.
- Braun, M., Bruch, L., Ney, P., Torsello, G. and Schrör, K.** (1991). Actions of Pge₀ and 15-Keto-Pge₁ on Vessel Tone in Vitro. Springer Verlag.
- Camara, N. O. and Soares, M. P.** (2005). Heme Oxygenase-1 (Ho-1), a Protective Gene That Prevents Chronic Graft Dysfunction. *Free Radic Biol Med* 38(4): 426-435.
- Camhi, S. L., Alam, J., Wiegand, G. W., Chin, B. Y. and Choi, A. M.** (1998). Transcriptional Activation of the Ho-1 Gene by Lipopolysaccharide Is Mediated by 5' Distal Enhancers: Role of Reactive Oxygen Intermediates and Ap-1. *Am J Respir Cell Mol Biol* 18(2): 226-234.
- Cantley, L. C.** (2002). The Phosphoinositide 3-Kinase Pathway. *Science* 296(5573): 1655-1657.
- Cardell, L. O., Ueki, I. F., Stjarne, P., Agusti, C., Takeyama, K., Linden, A. and Nadel, J. A.** (1998). Bronchodilatation in Vivo by Carbon Monoxide, a Cyclic Gmp Related Messenger. *Br J Pharmacol* 124(6): 1065-1068.
- Carlson, L. A., Irion, E. and Oro, L.** (1968). Effect of Infusion of Prostaglandin E1 on the Aggregation of Blood Platelets in Man. *Life Sci* 7(1): 85-90.
- Castano, E. and Gil, J.** (2003). 15-Deoxy-Delta12,14 Prostaglandin J2

- Synergizes with Phorbol Ester to Induce Proliferation in Swiss 3t3 Cells Independently of Peroxisome Proliferator-Activated Receptor Gamma and Pgd2 Receptors. *J Cell Physiol* 195(3): 421-427.
- Cathcart, M. K.** (2004). Regulation of Superoxide Anion Production by NADPH Oxidase in Monocytes/Macrophages: Contributions to Atherosclerosis. *Arterioscler Thromb Vasc Biol* 24(1): 23-28.
- Cawello, W., Leonhardt, A., Schweer, H., Seyberth, H. W., Bonn, R. and Lomeli, A. L.** (1995). Dose Proportional Pharmacokinetics of Alprostadil (Prostaglandin E1) in Healthy Volunteers Following Intravenous Infusion. *Br J Clin Pharmacol* 40(3): 273-276.
- Cernuda-Morollon, E., Pineda-Molina, E., Canada, F. J. and Perez-Sala, D.** (2001). 15-Deoxy-Delta 12,14-Prostaglandin J2 Inhibition of NF-kappaB-DNA Binding through Covalent Modification of the P50 Subunit. *J Biol Chem* 276(38): 35530-35536.
- Chazenbalk, G. D., Wadsworth, H. L. and Rapoport, B.** (1990). Transcriptional Regulation of Ferritin H Messenger RNA Levels in FRTL5 Rat Thyroid Cells by Thyrotropin. *J Biol Chem* 265(2): 666-670.
- Chen, Y. C., Shen, S. C., Lee, W. R., Lin, H. Y., Ko, C. H. and Lee, T. J.** (2002a). Nitric Oxide and Prostaglandin E2 Participate in Lipopolysaccharide/Interferon-Gamma-Induced Heme Oxygenase 1 and Prevent RAW264.7 Macrophages from UV-Irradiation-Induced Cell Death. *J Cell Biochem* 86(2): 331-339.
- Chen, Y. H., Lin, S. J., Lin, M. W., Tsai, H. L., Kuo, S. S., Chen, J. W., Charng, M. J., Wu, T. C., Chen, L. C., Ding, Y. A., Pan, W. H., Jou, Y. S. and Chau, L. Y.** (2002b). Microsatellite Polymorphism in Promoter of Heme Oxygenase-1 Gene Is Associated with Susceptibility to Coronary Artery Disease in Type 2 Diabetic Patients. *Hum Genet* 111(1): 1-8.
- Cheng, Y., Austin, S. C., Rocca, B., Koller, B. H., Coffman, T. M., Grosser, T., Lawson, J. A. and FitzGerald, G. A.** (2002). Role of Prostacyclin in the Cardiovascular Response to Thromboxane A2. *Science* 296(5567): 539-541.
- Chin, J. H., Okazaki, M., Frazier, J. S., Hu, Z. W. and Hoffman, B. B.** (1996). Impaired cAMP-Mediated Gene Expression and Decreased cAMP Response Element Binding Protein in Senescent Cells. *Am J Physiol* 271(1 Pt 1): C362-371.
- Chinery, R., Coffey, R. J., Graves-Deal, R., Kirkland, S. C., Sanchez, S. C., Zackert, W. E., Oates, J. A. and Morrow, J. D.** (1999). Prostaglandin J2 and 15-Deoxy-Delta12,14-Prostaglandin J2 Induce Proliferation of Cyclooxygenase-Depleted Colorectal Cancer Cells. *Cancer Res* 59(11): 2739-2746.
- Choi, A. M. and Alam, J.** (1996). Heme Oxygenase-1: Function, Regulation, and Implication of a Novel Stress-Inducible Protein in Oxidant-Induced Lung Injury. *Am J Respir Cell Mol Biol* 15(1): 9-19.
- Choi, B. M., Pae, H. O., Jeong, Y. R., Oh, G. S., Jun, C. D., Kim, B. R., Kim, Y. M. and Chung, H. T.** (2004). Overexpression of Heme Oxygenase (HO)-1 Renders Jurkat T Cells Resistant to Fas-Mediated Apoptosis: Involvement of Iron Released by HO-1. *Free Radic Biol Med* 36(7): 858-871.
- Chomczynski, P. and Sacchi, N.** (1987). Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Chloroform Extraction. *Anal Biochem* 162(1): 156-159.
- Chrivia, J. C., Kwok, R. P., Lamb, N., Hagiwara, M., Montminy, M. R. and**

- Goodman, R. H.** (1993). Phosphorylated Creb Binds Specifically to the Nuclear Protein Cbp. *Nature* 365(6449): 855-859.
- Cippitelli, M., Fionda, C., Di Bona, D., Lupo, A., Piccoli, M., Frati, L. and Santoni, A.** (2003). The Cyclopentenone-Type Prostaglandin 15-Deoxy-Delta 12,14-Prostaglandin J2 Inhibits Cd95 Ligand Gene Expression in T Lymphocytes: Interference with Promoter Activation Via Peroxisome Proliferator-Activated Receptor-Gamma-Independent Mechanisms. *J Immunol* 170(9): 4578-4592.
- Clark, J. E., Foresti, R., Sarathchandra, P., Kaur, H., Green, C. J. and Motterlini, R.** (2000). Heme Oxygenase-1-Derived Bilirubin Ameliorates Postischemic Myocardial Dysfunction. *Am J Physiol Heart Circ Physiol* 278(2): H643-651.
- Coleman, R. A., Smith, W. L. and Narumiya, S.** (1994). International Union of Pharmacology Classification of Prostanoid Receptors: Properties, Distribution, and Structure of the Receptors and Their Subtypes. *Pharmacol Rev* 46(2): 205-229.
- Comb, M., Birnberg, N. C., Seasholtz, A., Herbert, E. and Goodman, H. M.** (1986). A Cyclic Amp- and Phorbol Ester-Inducible DNA Element. *Nature* 323(6086): 353-356.
- Creutzig, A., Lehmacher, W. and Elze, M.** (2004). Meta-Analysis of Randomised Controlled Prostaglandin E1 Studies in Peripheral Arterial Occlusive Disease Stages Iii and Iv. *Vasa* 33(3): 137-144.
- Crutchley, D. J., Conanan, L. B. and Maynard, J. R.** (1982). Stimulation of Fibrinolytic Activity in Human Skin Fibroblasts by Prostaglandins E1, E2 and I2. *J Pharmacol Exp Ther* 222(3): 544-549.
- Dailey, M. O., Schreurs, J. and Schulman, H.** (1988). Hormone Receptors on Cloned T Lymphocytes. Increased Responsiveness to Histamine, Prostaglandins, and Beta-Adrenergic Agents as a Late Stage Event in T Cell Activation. *J Immunol* 140(9): 2931-2936.
- Dajani, E. Z. and Agrawal, N. M.** (1989). Protective Effects of Prostaglandins against Nonsteroidal Anti-Inflammatory Drug-Induced Gastrointestinal Mucosal Injury. *Int J Clin Pharmacol Res* 9(6): 359-369.
- Daniel, P. B., Walker, W. H. and Habener, J. F.** (1998). Cyclic Amp Signaling and Gene Regulation. *Annu Rev Nutr* 18: 353-383.
- Davies, P., Bailey, P. J., Goldenberg, M. M. and Ford-Hutchinson, A. W.** (1984). The Role of Arachidonic Acid Oxygenation Products in Pain and Inflammation. *Annu Rev Immunol* 2: 335-357.
- de Wet, J. R., Wood, K. V., DeLuca, M., Helinski, D. R. and Subramani, S.** (1987). Firefly Luciferase Gene: Structure and Expression in Mammalian Cells. *Mol Cell Biol* 7(2): 725-737.
- Dembinska-Kiec, A., Rucker, W. and Schonhofer, P. S.** (1980). Effects of Pgi2 and Pgi Analogues on Camp Levels in Cultured Endothelial and Smooth Muscle Cells Derived from Bovine Arteries. *Naunyn Schmiedebergs Arch Pharmacol* 311(1): 67-70.
- Dennerly, P. A., McDonagh, A. F., Spitz, D. R., Rodgers, P. A. and Stevenson, D. K.** (1995). Hyperbilirubinemia Results in Reduced Oxidative Injury in Neonatal Gunn Rats Exposed to Hyperoxia. *Free Radic Biol Med* 19(4): 395-404.
- Dore, S., Takahashi, M., Ferris, C. D., Zakhary, R., Hester, L. D., Guastella, D. and Snyder, S. H.** (1999). Bilirubin, Formed by Activation of Heme Oxygenase-2, Protects Neurons against Oxidative Stress Injury. *Proc Natl*

- Acad Sci U S A* 96(5): 2445-2450.
- Duboff, G. S., Penner, J. A. and Rohwedder, J.** (1974). Effect of Prostaglandins E1, E2 and F2alpha on Human Blood Coagulation. *Nature* 251(5474): 430-431.
- Durante, W., Christodoulides, N., Cheng, K., Peyton, K. J., Sunahara, R. K. and Schafer, A. I.** (1997). Camp Induces Heme Oxygenase-1 Gene Expression and Carbon Monoxide Production in Vascular Smooth Muscle. *Am J Physiol* 273(1 Pt 2): H317-323.
- Echeverria, V., Clerman, A. and Dore, S.** (2005). Stimulation of Pge Receptors Ep2 and Ep4 Protects Cultured Neurons against Oxidative Stress and Cell Death Following Beta-Amyloid Exposure. *Eur J Neurosci* 22(9): 2199-2206.
- Eisenstein, R. S., Garcia-Mayol, D., Pettingell, W. and Munro, H. N.** (1991). Regulation of Ferritin and Heme Oxygenase Synthesis in Rat Fibroblasts by Different Forms of Iron. *Proc Natl Acad Sci U S A* 88(3): 688-692.
- Erdmann, K., Grosser, N., Schipporeit, K. and Schröder, H.** (2006). The Ace Inhibitory Dipeptide Met-Tyr Diminishes Free Radical Formation in Human Endothelial Cells Via Induction of Heme Oxygenase-1 and Ferritin. *J Nutr* 136(8): 2148-2152.
- Erdmann, K., Grosser, N. and Schröder, H.** (2005). L-Methionine Reduces Oxidant Stress in Endothelial Cells: Role of Heme Oxygenase-1, Ferritin, and Nitric Oxide. *Aaps J* 7(1): E195-200.
- Exner, M., Bohmig, G. A., Schillinger, M., Regele, H., Watschinger, B., Horl, W. H., Raith, M., Mannhalter, C. and Wagner, O. F.** (2004). Donor Heme Oxygenase-1 Genotype Is Associated with Renal Allograft Function. *Transplantation* 77(4): 538-542.
- Fan, Y. Y. and Chapkin, R. S.** (1992). Mouse Peritoneal Macrophage Prostaglandin E1 Synthesis Is Altered by Dietary Gamma-Linolenic Acid. *J Nutr* 122(8): 1600-1606.
- Fan, Y. Y., Ramos, K. S. and Chapkin, R. S.** (1997). Dietary Gamma-Linolenic Acid Enhances Mouse Macrophage-Derived Prostaglandin E1 Which Inhibits Vascular Smooth Muscle Cell Proliferation. *J Nutr* 127(9): 1765-1771.
- Faniello, M. C., Bevilacqua, M. A., Condorelli, G., de Crombrughe, B., Maity, S. N., Avvedimento, V. E., Cimino, F. and Costanzo, F.** (1999). The B Subunit of the Caat-Binding Factor Nfy Binds the Central Segment of the Co-Activator P300. *J Biol Chem* 274(12): 7623-7626.
- Faniello, M. C., Chirico, G., Quaresima, B., Cuda, G., Allevato, G., Bevilacqua, M. A., Baudi, F., Colantuoni, V., Cimino, F., Venuta, S., Avvedimento, V. E. and Costanzo, F.** (2002). An Alternative Model of H Ferritin Promoter Transactivation by C-Jun. *Biochem J* 363(Pt 1): 53-58.
- Fantone, J. C., Kunkel, S. L. and Ward, P. A.** (1981). Suppression of Human Polymorphonuclear Function after Intravenous Infusion of Prostaglandin E1. *Prostaglandins Med* 7(2): 195-198.
- Farombi, E. O. and Surh, Y. J.** (2006). Heme Oxygenase-1 as a Potential Therapeutic Target for Hepatoprotection. *J Biochem Mol Biol* 39(5): 479-491.
- Feinberg, A. P. and Vogelstein, B.** (1983). A Technique for Radiolabeling DNA Restriction Endonuclease Fragments to High Specific Activity. *Anal Biochem* 132(1): 6-13.
- Fitscha, P., Simmet, T., Peskar, B. A., Reuter, H., Sinzinger, H., Rogatti, W. and Tilsner, V.** (1988). [Fibrinolytic Activity, Thrombocyte Function and

- Pharmacokinetics During Intra-Arterial or Intravenous Prostaglandin E1 Infusion in Patients with Chronic Arterial Occlusive Disease]. *Wien Klin Wochenschr* 100(14): 477-481.
- FitzGerald, G. A., Pedersen, A. K. and Patrono, C.** (1983). Analysis of Prostacyclin and Thromboxane Biosynthesis in Cardiovascular Disease. *Circulation* 67(6): 1174-1177.
- Flavahan, N. A.** (1992). Atherosclerosis or Lipoprotein-Induced Endothelial Dysfunction. Potential Mechanisms Underlying Reduction in EDRF/Nitric Oxide Activity. *Circulation* 85(5): 1927-1938.
- Fogg, S., Agarwal, A., Nick, H. S. and Visner, G. A.** (1999). Iron Regulates Hyperoxia-Dependent Human Heme Oxygenase 1 Gene Expression in Pulmonary Endothelial Cells. *Am J Respir Cell Mol Biol* 20(4): 797-804.
- Forman, B. M., Tontonoz, P., Chen, J., Brun, R. P., Spiegelman, B. M. and Evans, R. M.** (1995). 15-Deoxy-Delta 12, 14-Prostaglandin J2 Is a Ligand for the Adipocyte Determination Factor PPAR Gamma. *Cell* 83(5): 803-812.
- Francis, S. H. and Corbin, J. D.** (1999). Cyclic Nucleotide-Dependent Protein Kinases: Intracellular Receptors for cAMP and cGMP Action. *Crit Rev Clin Lab Sci* 36(4): 275-328.
- Friedl, A., Harmening, C., Schuricht, B. and Hamprecht, B.** (1985). Rat Atrial Natriuretic Peptide Elevates the Level of Cyclic GMP in Astroglia-Rich Brain Cell Cultures. *Eur J Pharmacol* 111(1): 141-142.
- Fujita, T., Toda, K., Karimova, A., Yan, S. F., Naka, Y., Yet, S. F. and Pinsky, D. J.** (2001). Paradoxical Rescue from Ischemic Lung Injury by Inhaled Carbon Monoxide Driven by Derepression of Fibrinolysis. *Nat Med* 7(5): 598-604.
- Funk, M., Endler, G., Schillinger, M., Mustafa, S., Hsieh, K., Exner, M., Lalouschek, W., Mannhalter, C. and Wagner, O.** (2004). The Effect of a Promoter Polymorphism in the Heme Oxygenase-1 Gene on the Risk of Ischaemic Cerebrovascular Events: The Influence of Other Vascular Risk Factors. *Thromb Res* 113(3-4): 217-223.
- Gardinali, M., Pozzi, M. R., Bernareggi, M., Montani, N., Allevi, E., Catena, L., Cugno, M., Bottasso, B. and Stabilini, R.** (2001). Treatment of Raynaud's Phenomenon with Intravenous Prostaglandin E1alpha-Cyclodextrin Improves Endothelial Cell Injury in Systemic Sclerosis. *J Rheumatol* 28(4): 786-794.
- Gensch, C., Clever, Y., Werner, C., Hanhoun, M., Bohm, M. and Laufs, U.** (2007). Regulation of Endothelial Progenitor Cells by Prostaglandin E1 Via Inhibition of Apoptosis. *J Mol Cell Cardiol* 42(3): 670-677.
- Giannattasio, C., Pozzi, M., Gradinali, M., Montemerlo, E., Citterio, F., Maestroni, S., Fantini, E., Failla, M., Robuschi, M., Bianco, S. and Mancina, G.** (2007). Effects of Prostaglandin E1alpha Cyclodextrin Treatment on Endothelial Dysfunction in Patients with Systemic Sclerosis. *J Hypertens* 25(4): 793-797.
- Gilroy, D. W., Colville-Nash, P. R., Willis, D., Chivers, J., Paul-Clark, M. J. and Willoughby, D. A.** (1999). Inducible Cyclooxygenase May Have Anti-Inflammatory Properties. *Nat Med* 5(6): 698-701.
- Gong, P., Stewart, D., Hu, B., Li, N., Cook, J., Nel, A. and Alam, J.** (2002). Activation of the Mouse Heme Oxygenase-1 Gene by 15-Deoxy-Delta(12,14)-Prostaglandin J(2) Is Mediated by the Stress Response Elements and Transcription Factor Nrf2. *Antioxid Redox Signal* 4(2): 249-257.

- Gonzalez, G. A. and Montminy, M. R.** (1989). Cyclic Amp Stimulates Somatostatin Gene Transcription by Phosphorylation of Creb at Serine 133. *Cell* 59(4): 675-680.
- Griendling, K. K., Minieri, C. A., Ollerenshaw, J. D. and Alexander, R. W.** (1994). Angiotensin II Stimulates NADH and NADPH Oxidase Activity in Cultured Vascular Smooth Muscle Cells. *Circ Res* 74(6): 1141-1148.
- Griendling, K. K., Sorescu, D. and Ushio-Fukai, M.** (2000). NAD(P)H Oxidase: Role in Cardiovascular Biology and Disease. *Circ Res* 86(5): 494-501.
- Grimminger, F., Sibelius, U. and Seeger, W.** (1991). Amplification of LTB₄ Generation in Am-Pmn Cocultures: Transcellular 5-Lipoxygenase Metabolism. *Am J Physiol* 261(2 Pt 1): L195-203.
- Grosser, N., Abate, A., Oberle, S., Vreman, H. J., Dennery, P. A., Becker, J. C., Pohle, T., Seidman, D. S. and Schröder, H.** (2003). Heme Oxygenase-1 Induction May Explain the Antioxidant Profile of Aspirin. *Biochem Biophys Res Commun* 308(4): 956-960.
- Grosser, N., Hemmerle, A., Berndt, G., Erdmann, K., Hinkelmann, U., Schürger, S., Wijayanti, N., Immenschuh, S. and Schröder, H.** (2004). The Antioxidant Defense Protein Heme Oxygenase 1 Is a Novel Target for Statins in Endothelial Cells. *Free Radic Biol Med* 37(12): 2064-2071.
- Gruß, J. D., Hanschke, D., Geißler, C. and Generotzky, K.** (2001). Die Prostaglandintherapie Der Pavk. *Gefäßschirurgie* 6(5): S60-S66.
- Gudi, T., Huvar, I., Meinecke, M., Lohmann, S. M., Boss, G. R. and Pilz, R. B.** (1996). Regulation of Gene Expression by Cgmp-Dependent Protein Kinase. Transactivation of the C-Fos Promoter. *J Biol Chem* 271(9): 4597-4600.
- Guo, J. S., Cho, C. H., Wang, W. P., Shen, X. Z., Cheng, C. L. and Koo, M. W.** (2003). Expression and Activities of Three Inducible Enzymes in the Healing of Gastric Ulcers in Rats. *World J Gastroenterol* 9(8): 1767-1771.
- Guzik, T. J., West, N. E., Black, E., McDonald, D., Ratnatunga, C., Pillai, R. and Channon, K. M.** (2000a). Ultrarapid Communications : Vascular Superoxide Production by NAD(P)H Oxidase Association with Endothelial Dysfunction and Clinical Risk Factors. *Circ Res* 86(9): 1008.
- Guzik, T. J., West, N. E., Black, E., McDonald, D., Ratnatunga, C., Pillai, R. and Channon, K. M.** (2000b). Vascular Superoxide Production by NAD(P)H Oxidase: Association with Endothelial Dysfunction and Clinical Risk Factors. *Circ Res* 86(9): E85-90.
- Haile, D. J., Hentze, M. W., Rouault, T. A., Harford, J. B. and Klausner, R. D.** (1989). Regulation of Interaction of the Iron-Responsive Element Binding Protein with Iron-Responsive Rna Elements. *Mol Cell Biol* 9(11): 5055-5061.
- Hajdena-Dawson, M., Zhang, W., Contag, P. R., Wong, R. J., Vreman, H. J., Stevenson, D. K. and Contag, C. H.** (2003). Effects of Metalloporphyrins on Heme Oxygenase-1 Transcription: Correlative Cell Culture Assays Guide in Vivo Imaging. *Mol Imaging* 2(3): 138-149.
- Ham, E. A., Soderman, D. D., Zanetti, M. E., Dougherty, H. W., McCauley, E. and Kuehl, F. A., Jr.** (1983). Inhibition by Prostaglandins of Leukotriene B₄ Release from Activated Neutrophils. *Proc Natl Acad Sci U S A* 80(14): 4349-4353.
- Harootunian, A. T., Adams, S. R., Wen, W., Meinkoth, J. L., Taylor, S. S. and Tsien, R. Y.** (1993). Movement of the Free Catalytic Subunit of Camp-Dependent Protein Kinase into and out of the Nucleus Can Be Explained by

- Diffusion. *Mol Biol Cell* 4(10): 993-1002.
- Harrison, P. M. and Arosio, P.** (1996). The Ferritins: Molecular Properties, Iron Storage Function and Cellular Regulation. *Biochim Biophys Acta* 1275(3): 161-203.
- Hayashi, M., Takahashi, T., Morimatsu, H., Fujii, H., Taga, N., Mizobuchi, S., Matsumi, M., Katayama, H., Yokoyama, M., Taniguchi, M. and Morita, K.** (2004). Increased Carbon Monoxide Concentration in Exhaled Air after Surgery and Anesthesia. *Anesth Analg* 99(2): 444-448, table of contents.
- Hayashi, S., Takamiya, R., Yamaguchi, T., Matsumoto, K., Tojo, S. J., Tamatani, T., Kitajima, M., Makino, N., Ishimura, Y. and Suematsu, M.** (1999). Induction of Heme Oxygenase-1 Suppresses Venular Leukocyte Adhesion Elicited by Oxidative Stress: Role of Bilirubin Generated by the Enzyme. *Circ Res* 85(8): 663-671.
- Hecker, G., Ney, P. and Schrör, K.** (1990). Cytotoxic Enzyme Release and Oxygen Centered Radical Formation in Human Neutrophils Are Selectively Inhibited by E-Type Prostaglandins but Not by Pgi₂. *Naunyn Schmiedebergs Arch Pharmacol* 341(4): 308-315.
- Heidrich, H.** (2006). [Vasoactive Agents and Prostanoids in the Therapy of Pad: Facts, Questions, Disproven Assumptions]. *Hamostaseologie* 26(3): 220-223.
- Hinz, B. and Schröder, H.** (1998). Vitamin C Attenuates Nitrate Tolerance Independently of Its Antioxidant Effect. *FEBS Lett* 428(1-2): 97-99.
- Hoeffler, J. P., Meyer, T. E., Yun, Y., Jameson, J. L. and Habener, J. F.** (1988). Cyclic Amp-Responsive DNA-Binding Protein: Structure Based on a Cloned Placental Cdna. *Science* 242(4884): 1430-1433.
- Hopkins, P. N., Wu, L. L., Hunt, S. C., James, B. C., Vincent, G. M. and Williams, R. R.** (1996). Higher Serum Bilirubin Is Associated with Decreased Risk for Early Familial Coronary Artery Disease. *Arterioscler Thromb Vasc Biol* 16(2): 250-255.
- Hortelano, S., Castrillo, A., Alvarez, A. M. and Bosca, L.** (2000). Contribution of Cyclopentenone Prostaglandins to the Resolution of Inflammation through the Potentiation of Apoptosis in Activated Macrophages. *J Immunol* 165(11): 6525-6531.
- Horvath, I., Donnelly, L. E., Kiss, A., Paredi, P., Kharitonov, S. A. and Barnes, P. J.** (1998). Raised Levels of Exhaled Carbon Monoxide Are Associated with an Increased Expression of Heme Oxygenase-1 in Airway Macrophages in Asthma: A New Marker of Oxidative Stress. *Thorax* 53(8): 668-672.
- Ide, T., Egan, K., Bell-Parikh, L. C. and FitzGerald, G. A.** (2003). Activation of Nuclear Receptors by Prostaglandins. *Thromb Res* 110(5-6): 311-315.
- Immenschuh, S., Baumgart-Vogt, E., Tan, M., Iwahara, S., Ramadori, G. and Fahimi, H. D.** (2003). Differential Cellular and Subcellular Localization of Heme-Binding Protein 23/Peroxiredoxin I and Heme Oxygenase-1 in Rat Liver. *J Histochem Cytochem* 51(12): 1621-1631.
- Immenschuh, S., Hinke, V., Ohlmann, A., Gifhorn-Katz, S., Katz, N., Jungermann, K. and Kietzmann, T.** (1998a). Transcriptional Activation of the Haem Oxygenase-1 Gene by Cgmp Via a Camp Response Element/Activator Protein-1 Element in Primary Cultures of Rat Hepatocytes. *Biochem J* 334 (Pt 1): 141-146.
- Immenschuh, S., Kietzmann, T., Hinke, V., Wiederhold, M., Katz, N. and Muller-Eberhard, U.** (1998b). The Rat Heme Oxygenase-1 Gene Is

- Transcriptionally Induced Via the Protein Kinase a Signaling Pathway in Rat Hepatocyte Cultures. *Mol Pharmacol* 53(3): 483-491.
- Immenschuh, S. and Ramadori, G.** (2000). Gene Regulation of Heme Oxygenase-1 as a Therapeutic Target. *Biochem Pharmacol* 60(8): 1121-1128.
- Immenschuh, S. and Schröder, H.** (2006). Heme Oxygenase-1 and Cardiovascular Disease. *Histol Histopathol* 21(6): 679-685.
- Ishida, N., Odani-Kawabata, N., Shimazaki, A. and Hara, H.** (2006). Prostanoids in the Therapy of Glaucoma. *Cardiovasc Drug Rev* 24(1): 1-10.
- Ishikawa, K., Navab, M., Leitinger, N., Fogelman, A. M. and Lusis, A. J.** (1997). Induction of Heme Oxygenase-1 Inhibits the Monocyte Transmigration Induced by Mildly Oxidized Ldl. *J Clin Invest* 100(5): 1209-1216.
- Itasaka, H., Suehiro, T., Wakiyama, S., Yanaga, K., Shimada, M. and Sugimachi, K.** (1999). The Mechanism of Hepatic Graft Protection against Reperfusion Injury by Prostaglandin E1. *Surg Today* 29(6): 526-532.
- Jiang, C., Ting, A. T. and Seed, B.** (1998). Ppar-Gamma Agonists Inhibit Production of Monocyte Inflammatory Cytokines. *Nature* 391(6662): 82-86.
- Johnson, M. M., Swan, D. D., Surette, M. E., Stegner, J., Chilton, T., Fonteh, A. N. and Chilton, F. H.** (1997). Dietary Supplementation with Gamma-Linolenic Acid Alters Fatty Acid Content and Eicosanoid Production in Healthy Humans. *J Nutr* 127(8): 1435-1444.
- Jozkowicz, A., Huk, I., Nigisch, A., Weigel, G., Weidinger, F. and Dulak, J.** (2002). Effect of Prostaglandin-J(2) on Vegf Synthesis Depends on the Induction of Heme Oxygenase-1. *Antioxid Redox Signal* 4(4): 577-585.
- Karim, S. M., Sandler, M. and Williams, E. D.** (1967). Distribution of Prostaglandins in Human Tissues. *Br J Pharmacol Chemother* 31: 340-344.
- Karin, M. and Hunter, T.** (1995). Transcriptional Control by Protein Phosphorylation: Signal Transmission from the Cell Surface to the Nucleus. *Curr Biol* 5(7): 747-757.
- Katoh, Y., Itoh, K., Yoshida, E., Miyagishi, M., Fukamizu, A. and Yamamoto, M.** (2001). Two Domains of Nrf2 Cooperatively Bind Cbp, a Creb Binding Protein, and Synergistically Activate Transcription. *Genes Cells* 6(10): 857-868.
- Katori, M., Busuttil, R. W. and Kupiec-Weglinski, J. W.** (2002). Heme Oxygenase-1 System in Organ Transplantation. *Transplantation* 74(7): 905-912.
- Kawashima, A., Oda, Y., Yachie, A., Koizumi, S. and Nakanishi, I.** (2002). Heme Oxygenase-1 Deficiency: The First Autopsy Case. *Hum Pathol* 33(1): 125-130.
- Kiemer, A. K., Bildner, N., Weber, N. C. and Vollmar, A. M.** (2003). Characterization of Heme Oxygenase 1 (Heat Shock Protein 32) Induction by Atrial Natriuretic Peptide in Human Endothelial Cells. *Endocrinology* 144(3): 802-812.
- Kim, E. H., Kim, D. H., Na, H. K. and Surh, Y. J.** (2004). Effects of Cyclopentenone Prostaglandins on the Expression of Heme Oxygenase-1 in Mcf-7 Cells. *Ann N Y Acad Sci* 1030: 493-500.
- Kirtland, S. J.** (1988). Prostaglandin E1: A Review. *Prostaglandins Leukot Essent Fatty Acids* 32(3): 165-174.
- Klausner, R. D., Rouault, T. A. and Harford, J. B.** (1993). Regulating the Fate of Mrna: The Control of Cellular Iron Metabolism. *Cell* 72(1): 19-28.
- Koizumi, T., Odani, N., Okuyama, T., Ichikawa, A. and Negishi, M.** (1995).

- Identification of a Cis-Regulatory Element for Delta 12-Prostaglandin J2-Induced Expression of the Rat Heme Oxygenase Gene. *J Biol Chem* 270(37): 21779-21784.
- Krone, W., Kaczmarczyk, P., Muller-Wieland, D. and Greten, H.** (1985). The Prostacyclin Analogue Iloprost and Prostaglandin E1 Suppress Sterol Synthesis in Freshly Isolated Human Mononuclear Leukocytes. *Biochim Biophys Acta* 835(1): 154-157.
- Kronke, G., Bochkov, V. N., Huber, J., Gruber, F., Bluml, S., Furnkranz, A., Kadl, A., Binder, B. R. and Leitinger, N.** (2003). Oxidized Phospholipids Induce Expression of Human Heme Oxygenase-1 Involving Activation of Camp-Responsive Element-Binding Protein. *J Biol Chem* 278(51): 51006-51014.
- Kury, P. G., Ramwell, P. W. and McConnell, H. M.** (1974). The Effect of Prostaglandins E1 and E2 on the Human Erythrocyte as Monitored by Spin Labels. *Biochem Biophys Res Commun* 56(2): 478-483.
- Kyriakis, J. M. and Avruch, J.** (2001). Mammalian Mitogen-Activated Protein Kinase Signal Transduction Pathways Activated by Stress and Inflammation. *Physiol Rev* 81(2): 807-869.
- Laemmli, U. K.** (1970). Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophage T4. *Nature* 227(5259): 680-685.
- Lalli, E. and Sassone-Corsi, P.** (1994). Signal Transduction and Gene Regulation: The Nuclear Response to Camp. *J Biol Chem* 269(26): 17359-17362.
- Lam, C. W., Getting, S. J. and Perretti, M.** (2005). In Vitro and in Vivo Induction of Heme Oxygenase 1 in Mouse Macrophages Following Melanocortin Receptor Activation. *J Immunol* 174(4): 2297-2304.
- Lavrovsky, Y., Schwartzman, M. L., Levere, R. D., Kappas, A. and Abraham, N. G.** (1994). Identification of Binding Sites for Transcription Factors Nf-Kappa B and Ap-2 in the Promoter Region of the Human Heme Oxygenase 1 Gene. *Proc Natl Acad Sci U S A* 91(13): 5987-5991.
- Lee, P. J., Camhi, S. L., Chin, B. Y., Alam, J. and Choi, A. M.** (2000). Ap-1 and Stat Mediate Hyperoxia-Induced Gene Transcription of Heme Oxygenase-1. *Am J Physiol Lung Cell Mol Physiol* 279(1): L175-182.
- Lee, P. J., Jiang, B. H., Chin, B. Y., Iyer, N. V., Alam, J., Semenza, G. L. and Choi, A. M.** (1997). Hypoxia-Inducible Factor-1 Mediates Transcriptional Activation of the Heme Oxygenase-1 Gene in Response to Hypoxia. *J Biol Chem* 272(9): 5375-5381.
- Lee, T. S., Chang, C. C., Zhu, Y. and Shyy, J. Y.** (2004). Simvastatin Induces Heme Oxygenase-1: A Novel Mechanism of Vessel Protection. *Circulation* 110(10): 1296-1302.
- Lee, T. S., Tsai, H. L. and Chau, L. Y.** (2003). Induction of Heme Oxygenase-1 Expression in Murine Macrophages Is Essential for the Anti-Inflammatory Effect of Low Dose 15-Deoxy-Delta 12,14-Prostaglandin J2. *J Biol Chem* 278(21): 19325-19330.
- Leighton, B., Budohoski, L., Lozeman, F. J., Challiss, R. A. and Newsholme, E. A.** (1985). The Effect of Prostaglandins E1, E2 and F2 Alpha and Indomethacin on the Sensitivity of Glycolysis and Glycogen Synthesis to Insulin in Stripped Soleus Muscles of the Rat. *Biochem J* 227(1): 337-340.
- Levin, E. R.** (1995). Endothelins. *N Engl J Med* 333(6): 356-363.
- Levin, G., Duffin, K. L., Obukowicz, M. G., Hummert, S. L., Fujiwara, H., Needleman, P. and Raz, A.** (2002). Differential Metabolism of Dihomo-

- Gamma-Linolenic Acid and Arachidonic Acid by Cyclo-Oxygenase-1 and Cyclo-Oxygenase-2: Implications for Cellular Synthesis of Prostaglandin E1 and Prostaglandin E2. *Biochem J* 365(Pt 2): 489-496.
- Li, S. R., Yang, Q., Koller, E., Kurtaran, A., Bischof, C., Leimer, M., Rauscha, F., Pidlich, J. and Virgolini, I.** (1997). Modified Ldl Decreases the Binding of Prostaglandin E2, I2, and E1 onto Monocytes in Patients with Peripheral Vascular Disease. *Arterioscler Thromb Vasc Biol* 17(10): 2066-2073.
- Li, Y., Zhu, H., Kuppusamy, P., Roubaud, V., Zweier, J. L. and Trush, M. A.** (1998). Validation of Lucigenin (Bis-N-Methylacridinium) as a Chemilumigenic Probe for Detecting Superoxide Anion Radical Production by Enzymatic and Cellular Systems. *J Biol Chem* 273(4): 2015-2023.
- Lippert, T. H.** (1977). [Prostaglandins in Reproductive Physiology (Author's Transl)]. *Klin Wochenschr* 55(11): 515-524.
- Liu, J. D., Tsai, S. H., Lin, S. Y., Ho, Y. S., Hung, L. F., Pan, S., Ho, F. M., Lin, C. M. and Liang, Y. C.** (2004). Thiol Antioxidant and Thiol-Reducing Agents Attenuate 15-Deoxy-Delta 12,14-Prostaglandin J2-Induced Heme Oxygenase-1 Expression. *Life Sci* 74(19): 2451-2463.
- Lusis, A. J.** (2000). Atherosclerosis. *Nature* 407(6801): 233-241.
- Maines, M. D.** (2005). New Insights into Biliverdin Reductase Functions: Linking Heme Metabolism to Cell Signaling. *Physiology (Bethesda)* 20: 382-389.
- Maldonado, D., Schumann, M., Nghiem, P., Dong, Y. and Gardner, P.** (1991). Prostaglandin E1 Activates a Chloride Current in Jurkat T Lymphocytes Via Camp-Dependent Protein Kinase. *Faseb J* 5(14): 2965-2970.
- Marasini, B., Massarotti, M., Bottasso, B., Coppola, R., Papa, N. D., Maglione, W., Comina, D. P. and Maioli, C.** (2004). Comparison between Iloprost and Alprostadil in the Treatment of Raynaud's Phenomenon. *Scand J Rheumatol* 33(4): 253-256.
- Martin, G. R. and Wallace, J. L.** (2006). Gastrointestinal Inflammation: A Central Component of Mucosal Defense and Repair. *Exp Biol Med (Maywood)* 231(2): 130-137.
- Martin, M. C., Dransfield, I., Haslett, C. and Rossi, A. G.** (2001). Cyclic Amp Regulation of Neutrophil Apoptosis Occurs Via a Novel Protein Kinase a-Independent Signaling Pathway. *J Biol Chem* 276(48): 45041-45050.
- Maurice, D. H. and Haslam, R. J.** (1990). Molecular Basis of the Synergistic Inhibition of Platelet Function by Nitrovasodilators and Activators of Adenylate Cyclase: Inhibition of Cyclic Amp Breakdown by Cyclic Gmp. *Mol Pharmacol* 37(5): 671-681.
- Maxey, K., Maddipati, KR., Birkmeier, J.** (1992). Interference in Immunoassay. *J Clin Immunoassay* 15: 116-120.
- Mayer, M.** (2000). Association of Serum Bilirubin Concentration with Risk of Coronary Artery Disease. *Clin Chem* 46(11): 1723-1727.
- Mayr, B. M., Canettieri, G. and Montminy, M. R.** (2001). Distinct Effects of Camp and Mitogenic Signals on Creb-Binding Protein Recruitment Impart Specificity to Target Gene Activation Via Creb. *Proc Natl Acad Sci U S A* 98(19): 10936-10941.
- Mazzone, A., Faggioli, P., Cusa, C., Stefanin, C., Rondena, M. and Morelli, B.** (2002). Effects of Iloprost on Adhesion Molecules and F1 + 2 in Peripheral Ischemia. *Eur J Clin Invest* 32(12): 882-888.
- Meinkoth, J. L., Ji, Y., Taylor, S. S. and Feramisco, J. R.** (1990). Dynamics of the Distribution of Cyclic Amp-Dependent Protein Kinase in Living Cells. *Proc Natl Acad Sci U S A* 87(24): 9595-9599.

- Meja, K. K., Catley, M. C., Cambridge, L. M., Barnes, P. J., Lum, H., Newton, R. and Giembycz, M. A.** (2004). Adenovirus-Mediated Delivery and Expression of a Camp-Dependent Protein Kinase Inhibitor Gene to Beas-2b Epithelial Cells Abolishes the Anti-Inflammatory Effects of Rolipram, Salbutamol, and Prostaglandin E2: A Comparison with H-89. *J Pharmacol Exp Ther* 309(2): 833-844.
- Mentz, P., Pawelski, K. E., Giessler, C., Mest, H. J., Schwab, M., Kersten, T. and Czeslick, E.** (1988). Significance of the Cardioprotective Effect of Prostanoids and Indomethacin. *Biomed Biochim Acta* 47(10-11): S48-51.
- Moncada, S., Gryglewski, R., Bunting, S. and Vane, J. R.** (1976a). An Enzyme Isolated from Arteries Transforms Prostaglandin Endoperoxides to an Unstable Substance That Inhibits Platelet Aggregation. *Nature* 263(5579): 663-665.
- Moncada, S., Needleman, P., Bunting, S. and Vane, J. R.** (1976b). Prostaglandin Endoperoxide and Thromboxane Generating Systems and Their Selective Inhibition. *Prostaglandins* 12(3): 323-335.
- Montminy, M. R., Sevarino, K. A., Wagner, J. A., Mandel, G. and Goodman, R. H.** (1986). Identification of a Cyclic-Amp-Responsive Element within the Rat Somatostatin Gene. *Proc Natl Acad Sci U S A* 83(18): 6682-6686.
- Morita, T., Imai, T., Sugiyama, T., Katayama, S. and Yoshino, G.** (2005). Heme Oxygenase-1 in Vascular Smooth Muscle Cells Counteracts Cardiovascular Damage Induced by Angiotensin II. *Curr Neurovasc Res* 2(2): 113-120.
- Morita, T., Mitsialis, S. A., Koike, H., Liu, Y. and Kourembanas, S.** (1997). Carbon Monoxide Controls the Proliferation of Hypoxic Vascular Smooth Muscle Cells. *J Biol Chem* 272(52): 32804-32809.
- Motterlini, R., Foresti, R., Intaglietta, M. and Winslow, R. M.** (1996). NO-Mediated Activation of Heme Oxygenase: Endogenous Cytoprotection against Oxidative Stress to Endothelium. *Am J Physiol* 270(1 Pt 2): H107-114.
- Mueller, T., Dieplinger, B., Gegenhuber, A., Haidinger, D., Schmid, N., Roth, N., Ebner, F., Landl, M., Poelz, W. and Haltmayer, M.** (2004). Serum Total 8-Iso-Prostaglandin F2alpha: A New and Independent Predictor of Peripheral Arterial Disease. *J Vasc Surg* 40(4): 768-773.
- Mülhardt, C.** (2006). Der Experimentator: Molekularbiologie/Genomics. München. Spektrum Akademischer Verlag.
- Muller, R. M., Taguchi, H. and Shibahara, S.** (1987). Nucleotide Sequence and Organization of the Rat Heme Oxygenase Gene. *J Biol Chem* 262(14): 6795-6802.
- Murad, F., Waldman, S., Molina, C., Bennett, B. and Leitman, D.** (1987). Regulation and Role of Guanylate Cyclase-Cyclic Gmp in Vascular Relaxation. *Prog Clin Biol Res* 249: 65-76.
- Muzaffar, S., Shukla, N., Lobo, C., Angelini, G. D. and Jeremy, J. Y.** (2004). Iloprost Inhibits Superoxide Formation and Gp91phox Expression Induced by the Thromboxane A2 Analogue U46619, 8-Isoprostane F2alpha, Prostaglandin F2alpha, Cytokines and Endotoxin in the Pig Pulmonary Artery. *Br J Pharmacol* 141(3): 488-496.
- Naka, Y., Roy, D. K., Liao, H., Chowdhury, N. C., Michler, R. E., Oz, M. C. and Pinsky, D. J.** (1996). Camp-Mediated Vascular Protection in an Orthotopic Rat Lung Transplant Model. Insights into the Mechanism of Action of Prostaglandin E1 to Improve Lung Preservation. *Circ Res* 79(4): 773-783.
- Nakaso, K., Yano, H., Fukuhara, Y., Takeshima, T., Wada-Isoe, K. and**

- Nakashima, K.** (2003). Pi3k Is a Key Molecule in the Nrf2-Mediated Regulation of Antioxidative Proteins by Hemin in Human Neuroblastoma Cells. *FEBS Lett* 546(2-3): 181-184.
- Narumiya, S. and FitzGerald, G. A.** (2001). Genetic and Pharmacological Analysis of Prostanoid Receptor Function. *J Clin Invest* 108(1): 25-30.
- Narumiya, S. and Fukushima, M.** (1987). Active Transport and Cellular Accumulation of Cyclopentenone Prostaglandins: A Mechanism of Prostaglandin-Induced Growth Inhibition. *Adv Prostaglandin Thromboxane Leukot Res* 17B: 972-975.
- Narumiya, S., Sugimoto, Y. and Ushikubi, F.** (1999). Prostanoid Receptors: Structures, Properties, and Functions. *Physiol Rev* 79(4): 1193-1226.
- Nelson, N. A.** (1974). Prostaglandin Nomenclature. *J Med Chem* 17(9): 911-918.
- Ney, P. and Schrör, K.** (1989). E-Type Prostaglandins but Not Iloprost Inhibit Platelet Activating Factor-Induced Generation of Leukotriene B₄ by Human Polymorphonuclear Leukocytes. *Br J Pharmacol* 96(1): 186-192.
- Nishizuka, Y.** (1995). Protein Kinase C and Lipid Signaling for Sustained Cellular Responses. *Faseb J* 9(7): 484-496.
- Nosjean, O. and Boutin, J. A.** (2002). Natural Ligands of Ppargamma: Are Prostaglandin J(2) Derivatives Really Playing the Part? *Cell Signal* 14(7): 573-583.
- Oberle, S. and Schröder, H.** (1997). Ferritin May Mediate Sin-1-Induced Protection against Oxidative Stress. *Nitric Oxide* 1(4): 308-314.
- Oberle, S., Schwartz, P., Abate, A. and Schröder, H.** (1999). The Antioxidant Defense Protein Ferritin Is a Novel and Specific Target for Pentaerithrityl Tetranitrate in Endothelial Cells. *Biochem Biophys Res Commun* 261(1): 28-34.
- Ono, K., Goto, Y., Takagi, S., Baba, S., Tago, N., Nonogi, H. and Iwai, N.** (2004). A Promoter Variant of the Heme Oxygenase-1 Gene May Reduce the Incidence of Ischemic Heart Disease in Japanese. *Atherosclerosis* 173(2): 315-319.
- Ono, K., Mannami, T. and Iwai, N.** (2003). Association of a Promoter Variant of the Haeme Oxygenase-1 Gene with Hypertension in Women. *J Hypertens* 21(8): 1497-1503.
- Otterbein, L. E., Bach, F. H., Alam, J., Soares, M., Tao Lu, H., Wysk, M., Davis, R. J., Flavell, R. A. and Choi, A. M.** (2000a). Carbon Monoxide Has Anti-Inflammatory Effects Involving the Mitogen-Activated Protein Kinase Pathway. *Nat Med* 6(4): 422-428.
- Otterbein, L. E. and Choi, A. M.** (2000b). Heme Oxygenase: Colors of Defense against Cellular Stress. *Am J Physiol Lung Cell Mol Physiol* 279(6): L1029-1037.
- Otterbein, L. E., Mantell, L. L. and Choi, A. M.** (1999). Carbon Monoxide Provides Protection against Hyperoxic Lung Injury. *Am J Physiol* 276(4 Pt 1): L688-694.
- Otterbein, L. E., Zuckerbraun, B. S., Haga, M., Liu, F., Song, R., Usheva, A., Stachulak, C., Bodyak, N., Smith, R. N., Csizmadia, E., Tyagi, S., Akamatsu, Y., Flavell, R. J., Billiar, T. R., Tzeng, E., Bach, F. H., Choi, A. M. and Soares, M. P.** (2003). Carbon Monoxide Suppresses Arteriosclerotic Lesions Associated with Chronic Graft Rejection and with Balloon Injury. *Nat Med* 9(2): 183-190.
- Pae, H. O., Oh, G. S., Choi, B. M., Chae, S. C., Kim, Y. M., Chung, K. R. and Chung, H. T.** (2004). Carbon Monoxide Produced by Heme Oxygenase-1

- Suppresses T Cell Proliferation Via Inhibition of Il-2 Production. *J Immunol* 172(8): 4744-4751.
- Paredi, P., Biernacki, W., Invernizzi, G., Kharitonov, S. A. and Barnes, P. J.** (1999). Exhaled Carbon Monoxide Levels Elevated in Diabetes and Correlated with Glucose Concentration in Blood: A New Test for Monitoring the Disease? *Chest* 116(4): 1007-1011.
- Patrono, C. and FitzGerald, G. A.** (1997). Isoprostanes: Potential Markers of Oxidant Stress in Atherothrombotic Disease. *Arterioscler Thromb Vasc Biol* 17(11): 2309-2315.
- Peskar, B., Hesse, W., Rogatti, W. and Rudofsky, G.** (1991). On the Metabolism and Pharmacokinetics of Prostaglandin E₁ Administered by Intraarterial or Intravenous Infusions. Springer Verlag.
- Pietsch, E. C., Chan, J. Y., Torti, F. M. and Torti, S. V.** (2003). Nrf2 Mediates the Induction of Ferritin H in Response to Xenobiotics and Cancer Chemopreventive Dithiolethiones. *J Biol Chem* 278(4): 2361-2369.
- Pilz, R. B., Suhasini, M., Idriss, S., Meinkoth, J. L. and Boss, G. R.** (1995). Nitric Oxide and Cgmp Analogs Activate Transcription from Ap-1-Responsive Promoters in Mammalian Cells. *Faseb J* 9(7): 552-558.
- Polte, T., Abate, A., Dennery, P. A. and Schröder, H.** (2000). Heme Oxygenase-1 Is a Cgmp-Inducible Endothelial Protein and Mediates the Cytoprotective Action of Nitric Oxide. *Arterioscler Thromb Vasc Biol* 20(5): 1209-1215.
- Polte, T., Hemmerle, A., Berndt, G., Grosser, N., Abate, A. and Schroder, H.** (2002). Atrial Natriuretic Peptide Reduces Cyclosporin Toxicity in Renal Cells: Role of Cgmp and Heme Oxygenase-1. *Free Radic Biol Med* 32(1): 56-63.
- Polte, T. and Schröder, H.** (1998). Cyclic Amp Mediates Endothelial Protection by Nitric Oxide. *Biochem Biophys Res Commun* 251(2): 460-465.
- Pomerantz, K. B., Nicholson, A. C. and Hajjar, D. P.** (1995). Signal Transduction in Atherosclerosis: Second Messengers and Regulation of Cellular Cholesterol Trafficking. *Adv Exp Med Biol* 369: 49-64.
- Pradelles, P., Grassi, J., Chabardes, D. and Guiso, N.** (1989). Enzyme Immunoassays of Adenosine Cyclic 3',5'-Monophosphate and Guanosine Cyclic 3',5'-Monophosphate Using Acetylcholinesterase. *Anal Chem* 61(5): 447-453.
- Prawan, A., Kundu, J. K. and Surh, Y. J.** (2005). Molecular Basis of Heme Oxygenase-1 Induction: Implications for Chemoprevention and Chemoprotection. *Antioxid Redox Signal* 7(11-12): 1688-1703.
- Rave, N., Crkvenjakov, R. and Boedtker, H.** (1979). Identification of Procollagen Mrnas Transferred to Diazobenzyloxymethyl Paper from Formaldehyde Agarose Gels. *Nucleic Acids Res* 6(11): 3559-3567.
- Reiss, A. B. and Edelman, S. D.** (2006). Recent Insights into the Role of Prostanoids in Atherosclerotic Vascular Disease. *Curr Vasc Pharmacol* 4(4): 395-408.
- Relic, B., Benoit, V., Franchimont, N., Ribbens, C., Kaiser, M. J., Gillet, P., Merville, M. P., Bours, V. and Malaise, M. G.** (2004). 15-Deoxy-Delta12,14-Prostaglandin J2 Inhibits Bay 11-7085-Induced Sustained Extracellular Signal-Regulated Kinase Phosphorylation and Apoptosis in Human Articular Chondrocytes and Synovial Fibroblasts. *J Biol Chem* 279(21): 22399-22403.
- Ricote, M., Li, A. C., Willson, T. M., Kelly, C. J. and Glass, C. K.** (1998). The Peroxisome Proliferator-Activated Receptor-Gamma Is a Negative

- Regulator of Macrophage Activation. *Nature* 391(6662): 79-82.
- Ross, R.** (1986). The Pathogenesis of Atherosclerosis--an Update. *N Engl J Med* 314(8): 488-500.
- Rudofsky, G.** (1986). The Effect of Intraarterial Und Intravenous Prostaglandin E₁ in a Model of Ischaemia in Healthy Volunteers. Berlin. Springer Verlag.
- Ryter, S. W., Alam, J. and Choi, A. M.** (2006). Heme Oxygenase-1/Carbon Monoxide: From Basic Science to Therapeutic Applications. *Physiol Rev* 86(2): 583-650.
- Ryter, S. W., Otterbein, L. E., Morse, D. and Choi, A. M.** (2002). Heme Oxygenase/Carbon Monoxide Signaling Pathways: Regulation and Functional Significance. *Mol Cell Biochem* 234-235(1-2): 249-263.
- Sako, H., Hadama, T., Miyamoto, S., Anai, H., Wada, T., Iwata, E., Hamamoto, H., Tanaka, H., Urushino, K. and Shuto, T.** (2006). Effect of Prostaglandin E1 on Ischemia-Reperfusion Injury During Abdominal Aortic Aneurysm Surgery. *Surg Today* 36(2): 140-146.
- Sambrook, J., Fritsch, EF., Maniatis, T.** (1989). Molecular Cloning: A Laboratory Manual. Cold Spring Harbor, New York. Cold Spring Harbor Laboratory.
- Samuelsson, B.** (1965). On the Incorporation of Oxygen in the Conversion of 8, 11, 14-Eicosatrienoic Acid to Prostaglandin E1. *J Am Chem Soc* 87: 3011-3013.
- Samuelsson, B., Goldyne, M., Granstrom, E., Hamberg, M., Hammarstrom, S. and Malmsten, C.** (1978). Prostaglandins and Thromboxanes. *Annu Rev Biochem* 47: 997-1029.
- Sardana, M. K., Sassa, S. and Kappas, A.** (1985). Hormonal Regulation of Heme Oxygenase Induction in Avian Hepatocyte Culture. *Biochem Pharmacol* 34(16): 2937-2944.
- Scher, J. U. and Pillinger, M. H.** (2005). 15d-Pg₂: The Anti-Inflammatory Prostaglandin? *Clin Immunol* 114(2): 100-109.
- Schipper, B. R. and Ramstad, T.** (2005). Determination of the Binding Constant between Alprostadil and Alpha-Cyclodextrin by Capillary Electrophoresis: Implications for a Freeze-Dried Formulation. *J Pharm Sci* 94(7): 1528-1537.
- Schipper, H. M., Chertkow, H., Mehindate, K., Frankel, D., Melmed, C. and Bergman, H.** (2000). Evaluation of Heme Oxygenase-1 as a Systemic Biological Marker of Sporadic Ad. *Neurology* 54(6): 1297-1304.
- Schröder, H.** (2005). New Signaling Routes for an Old Drug: Lipoxin A4 Might Mediate Heme Oxygenase-1 Induction by Aspirin. Focus On "Novel Lipid Mediator Aspirin-Triggered Lipoxin A4 Induces Heme Oxygenase-1 in Endothelial Cells". *Am J Physiol Cell Physiol* 289(3): C507-508.
- Schrör, K.** (1985). [Prostaglandins and Endothelial Cells]. *Z Kardiol* 74 Suppl 7: 93-97.
- Schrör, K. and Hecker, G.** (1987). Potent Inhibition of Superoxide Anion Generation by Pge1 and the Pge1 Analogue Op-1206 in Human Pmn's-- Unrelated to Its Antiplatelet Pgi₂-Like Activity. *Vasa Suppl* 17: 11-16.
- Schrör, K. and Hohlfeld, T.** (2004). Mechanisms of Anti-Ischemic Action of Prostaglandin E1 in Peripheral Arterial Occlusive Disease. *Vasa* 33(3): 119-124.
- Schultze, G.** (1990). Eicosanoids and Blood Pressure During Hemodialysis. *Int J Artif Organs* 13(3): 145-148.
- Schwertner, H. A., Jackson, W. G. and Tolan, G.** (1994). Association of Low Serum Concentration of Bilirubin with Increased Risk of Coronary Artery Disease. *Clin Chem* 40(1): 18-23.

- Sheftel, A. D., Kim, S. F. and Ponka, P.** (2007). Non-Heme Induction of Heme Oxygenase-1 Does Not Alter Cellular Iron Metabolism. *J Biol Chem*.
- Shen, G., Hebbar, V., Nair, S., Xu, C., Li, W., Lin, W., Keum, Y. S., Han, J., Gallo, M. A. and Kong, A. N.** (2004). Regulation of Nrf2 Transactivation Domain Activity. The Differential Effects of Mitogen-Activated Protein Kinase Cascades and Synergistic Stimulatory Effect of Raf and Creb-Binding Protein. *J Biol Chem* 279(22): 23052-23060.
- Shibahara, S., Muller, R., Taguchi, H. and Yoshida, T.** (1985). Cloning and Expression of Cdna for Rat Heme Oxygenase. *Proc Natl Acad Sci U S A* 82(23): 7865-7869.
- Shibahara, S., Sato, M., Muller, R. M. and Yoshida, T.** (1989). Structural Organization of the Human Heme Oxygenase Gene and the Function of Its Promoter. *Eur J Biochem* 179(3): 557-563.
- Shibata, T., Kondo, M., Osawa, T., Shibata, N., Kobayashi, M. and Uchida, K.** (2002). 15-Deoxy-Delta 12,14-Prostaglandin J2. A Prostaglandin D2 Metabolite Generated During Inflammatory Processes. *J Biol Chem* 277(12): 10459-10466.
- Shoshani, I., Taussig, R., Iyengar, R. and Johnson, R. A.** (2000). Synthesis and Use of 3'-(Azidiodosalicyl) Derivatives of 2', 5'-Dideoxyadenosine as Photoaffinity Ligands for Adenylyl Cyclase. *Arch Biochem Biophys* 376(1): 221-228.
- Sikorski, E. M., Hock, T., Hill-Kapturczak, N. and Agarwal, A.** (2004). The Story So Far: Molecular Regulation of the Heme Oxygenase-1 Gene in Renal Injury. *Am J Physiol Renal Physiol* 286(3): F425-441.
- Simmet, T. and Peskar, B. A.** (1988). Prostaglandin E1 and Arterial Occlusive Disease: Pharmacological Considerations. *Eur J Clin Invest* 18(6): 549-554.
- Simmons, D. L., Botting, R. M. and Hla, T.** (2004). Cyclooxygenase Isozymes: The Biology of Prostaglandin Synthesis and Inhibition. *Pharmacol Rev* 56(3): 387-437.
- Singh, U., Devaraj, S., Dasu, M. R., Ciobanu, D., Reusch, J. and Jialal, I.** (2006). C-Reactive Protein Decreases Interleukin-10 Secretion in Activated Human Monocyte-Derived Macrophages Via Inhibition of Cyclic Amp Production. *Arterioscler Thromb Vasc Biol* 26(11): 2469-2475.
- Sinzinger, H.** (1986). Inhibition of Mitotic and Proliferative Activity of Smooth Muscle Cells by Prostaglandin E₁. Heidelberg. Springer.
- Sinzinger, H., Virgolini, I., Lupattelli, G., Molinari, E., Gerakakis, A. and Angelberger, P.** (1991). Prostaglandin E1 Decreases the Low-Density-Lipoprotein Entry into Rabbit Arterial Wall. *Br J Pharmacol* 103(3): 1626-1628.
- Sinzinger, H., Virgolini, I., Fitscha, P.** (1988). Prostaglandin E1: Wirkungen Und Therapeutische Wirksamkeit. Berlin Heidelberg. Springer.
- Sketch, M. H., Jr., Whelton, A., Schollmayer, E., Koch, J. A., Bernink, P. J., Woltering, F. and Brinker, J.** (2001). Prevention of Contrast Media-Induced Renal Dysfunction with Prostaglandin E1: A Randomized, Double-Blind, Placebo-Controlled Study. *Am J Ther* 8(3): 155-162.
- Slebos, D. J., Ryter, S. W. and Choi, A. M.** (2003). Heme Oxygenase-1 and Carbon Monoxide in Pulmonary Medicine. *Respir Res* 4: 7.
- Smith, W. L., DeWitt, D. L. and Garavito, R. M.** (2000). Cyclooxygenases: Structural, Cellular, and Molecular Biology. *Annu Rev Biochem* 69: 145-182.
- Soares, M. P., Brouard, S., Smith, R. N. and Bach, F. H.** (2001). Heme

- Oxygenase-1, a Protective Gene That Prevents the Rejection of Transplanted Organs. *Immunol Rev* 184: 275-285.
- Soares, M. P., Lin, Y., Anrather, J., Csizmadia, E., Takigami, K., Sato, K., Grey, S. T., Colvin, R. B., Choi, A. M., Poss, K. D. and Bach, F. H.** (1998). Expression of Heme Oxygenase-1 Can Determine Cardiac Xenograft Survival. *Nat Med* 4(9): 1073-1077.
- Soh, J. W., Mao, Y., Liu, L., Thompson, W. J., Pamukcu, R. and Weinstein, I. B.** (2001). Protein Kinase G Activates the Jnk1 Pathway Via Phosphorylation of Mekk1. *J Biol Chem* 276(19): 16406-16410.
- Stein, J. M. and Martin, B. R.** (1983). The Role of Gtp in Prostaglandin E1 Stimulation of Adenylate Cyclase in Platelet Membranes. *Biochem J* 214(1): 231-234.
- Steinberg, D., Vaughan, M., Nestel, P. J. and Bergstrom, S.** (1963). Effects of Prostaglandin E Opposing Those of Catecholamines on Blood Pressure and on Triglyceride Breakdown in Adipose Tissue. *Biochem Pharmacol* 12: 764-766.
- Stevenson, D. K., Vreman, H. J., Wong, R. J. and Contag, C. H.** (2001). Carbon Monoxide and Bilirubin Production in Neonates. *Semin Perinatol* 25(2): 85-93.
- Stocker, R., Glazer, A. N. and Ames, B. N.** (1987a). Antioxidant Activity of Albumin-Bound Bilirubin. *Proc Natl Acad Sci U S A* 84(16): 5918-5922.
- Stocker, R., Yamamoto, Y., McDonagh, A. F., Glazer, A. N. and Ames, B. N.** (1987b). Bilirubin Is an Antioxidant of Possible Physiological Importance. *Science* 235(4792): 1043-1046.
- Straus, D. S. and Glass, C. K.** (2001). Cyclopentenone Prostaglandins: New Insights on Biological Activities and Cellular Targets. *Med Res Rev* 21(3): 185-210.
- Straus, D. S., Pascual, G., Li, M., Welch, J. S., Ricote, M., Hsiang, C. H., Sengchanthalangsy, L. L., Ghosh, G. and Glass, C. K.** (2000). 15-Deoxy-Delta 12,14-Prostaglandin J2 Inhibits Multiple Steps in the Nf-Kappa B Signaling Pathway. *Proc Natl Acad Sci U S A* 97(9): 4844-4849.
- Suda, K., Rothen-Rutishauser, B., Gunthert, M. and Wunderli-Allenspach, H.** (2001). Phenotypic Characterization of Human Umbilical Vein Endothelial (Ecv304) and Urinary Carcinoma (T24) Cells: Endothelial Versus Epithelial Features. *In Vitro Cell Dev Biol Anim* 37(8): 505-514.
- Sugawara, Y., Kubota, K., Ogura, T., Esumi, H., Inoue, K., Takayama, T. and Makuuchi, M.** (1998). Protective Effect of Prostaglandin E1 against Ischemia/Reperfusion-Induced Liver Injury: Results of a Prospective, Randomized Study in Cirrhotic Patients Undergoing Subsegmentectomy. *J Hepatol* 29(6): 969-976.
- Sugiura, H., Liu, X., Togo, S., Kobayashi, T., Shen, L., Kawasaki, S., Kamio, K., Wang, X. Q., Mao, L. J. and Rennard, S. I.** (2007). Prostaglandin E(2) Protects Human Lung Fibroblasts from Cigarette Smoke Extract-Induced Apoptosis Via Ep(2) Receptor Activation. *J Cell Physiol* 210(1): 99-110.
- Taille, C., El-Benna, J., Lanone, S., Dang, M. C., Ogier-Denis, E., Aubier, M. and Boczkowski, J.** (2004). Induction of Heme Oxygenase-1 Inhibits Nad(P)H Oxidase Activity by Down-Regulating Cytochrome B558 Expression Via the Reduction of Heme Availability. *J Biol Chem* 279(27): 28681-28688.
- Takahashi, T., Morita, K., Akagi, R. and Sassa, S.** (2004). Heme Oxygenase-1: A Novel Therapeutic Target in Oxidative Tissue Injuries. *Curr Med Chem*

- 11(12): 1545-1561.
- Tarpey, M. M., White, C. R., Suarez, E., Richardson, G., Radi, R. and Freeman, B. A.** (1999). Chemiluminescent Detection of Oxidants in Vascular Tissue. Lucigenin but Not Coelenterazine Enhances Superoxide Formation. *Circ Res* 84(10): 1203-1211.
- Tasken, K., Skalhegg, B. S., Tasken, K. A., Solberg, R., Knutsen, H. K., Levy, F. O., Sandberg, M., Orstavik, S., Larsen, T., Johansen, A. K., Vang, T., Schrader, H. P., Reinton, N. T., Torgersen, K. M., Hansson, V. and Jahnsen, T.** (1997). Structure, Function, and Regulation of Human Camp-Dependent Protein Kinases. *Adv Second Messenger Phosphoprotein Res* 31: 191-204.
- Terry, C. M., Clikeman, J. A., Hoidal, J. R. and Callahan, K. S.** (1998). Effect of Tumor Necrosis Factor-Alpha and Interleukin-1 Alpha on Heme Oxygenase-1 Expression in Human Endothelial Cells. *Am J Physiol* 274(3 Pt 2): H883-891.
- Thomas, J. M., Frazier, J. S., Hu, Z. W. and Hoffman, B. B.** (1995). Phosphorylation of Cyclic Amp Response Element-Binding Protein and Induction of C-Fos Gene Expression on Withdrawal from Chronic Treatment with Carbachol in Ng108-15 Cells. *Mol Pharmacol* 48(4): 593-600.
- Tilley, S. L., Coffman, T. M. and Koller, B. H.** (2001). Mixed Messages: Modulation of Inflammation and Immune Responses by Prostaglandins and Thromboxanes. *J Clin Invest* 108(1): 15-23.
- Torti, F. M. and Torti, S. V.** (2002). Regulation of Ferritin Genes and Protein. *Blood* 99(10): 3505-3516.
- Towbin, H., Staehelin, T. and Gordon, J.** (1979). Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications. *Proc Natl Acad Sci U S A* 76(9): 4350-4354.
- Van, D., Beerthuis, R. K., Nugteren, D. H. and Vonkeman, H.** (1964). Enzymatic Conversion of All-Cis-Polyunsaturated Fatty Acids into Prostaglandins. *Nature* 203: 839-841.
- van der Sijp, J. R. and Rohmer, J.** (1985). [Prostaglandin Therapy in Newborn Infants with a Botalli Duct-Dependent Circulation]. *Tijdschr Kindergeneeskd* 53(1): 20-25.
- Vane, J. R. and Botting, R. M.** (1995). Pharmacodynamic Profile of Prostacyclin. *Am J Cardiol* 75(3): 3A-10A.
- Vasquez-Vivar, J., Hogg, N., Pritchard, K. A., Jr., Martasek, P. and Kalyanaraman, B.** (1997). Superoxide Anion Formation from Lucigenin: An Electron Spin Resonance Spin-Trapping Study. *FEBS Lett* 403(2): 127-130.
- Vergoesen, A. J., Gans, P., Gottenbos, J. J. and ten Hoor, F.** (1971). [Clinical Use of Prostaglandins]. *Klin Wochenschr* 49(16): 889-895.
- Vinals, M., Martinez-Gonzalez, J., Badimon, J. J. and Badimon, L.** (1997). Hdl-Induced Prostacyclin Release in Smooth Muscle Cells Is Dependent on Cyclooxygenase-2 (Cox-2). *Arterioscler Thromb Vasc Biol* 17(12): 3481-3488.
- Vogt, W.** (1978). Role of Phospholipase A2 in Prostaglandin Formation. *Adv Prostaglandin Thromboxane Res* 3: 89-95.
- Waldman, S. A. and Murad, F.** (1987). Cyclic Gmp Synthesis and Function. *Pharmacol Rev* 39(3): 163-196.
- Wang, R., Wang, Z. and Wu, L.** (1997). Carbon Monoxide-Induced Vasorelaxation and the Underlying Mechanisms. *Br J Pharmacol* 121(5): 927-934.

- Wayman, N. S., Hattori, Y., McDonald, M. C., Mota-Filipe, H., Cuzzocrea, S., Pisano, B., Chatterjee, P. K. and Thiemermann, C.** (2002). Ligands of the Peroxisome Proliferator-Activated Receptors (Ppar-Gamma and Ppar-Alpha) Reduce Myocardial Infarct Size. *Faseb J* 16(9): 1027-1040.
- Weber, P. C., Siess, W. and Scherer, B.** (1979). [Prostaglandins in Cardiovascular and Renal Function. Biochemical, Physiological and Clinical Findings (Author's Transl)]. *Klin Wochenschr* 57(9): 425-444.
- Weeks, J. R., Sekhar, N. C. and Ducharme, D. W.** (1969). Relative Activity of Prostaglandins E1, A1, E2 and A2 on Lipolysis, Platelet Aggregation, Smooth Muscle and the Cardiovascular System. *J Pharm Pharmacol* 21(2): 103-108.
- Weiss, T.** (2003). [Mechanisms of Action of Prostaglandin E1 in Therapy of Peripheral Arterial Occlusive Diseases]. *Vasa* 32(4): 187-192.
- Whittaker, N., Bunting, S., Salmon, J., Moncada, S., Vane, J. R., Johnson, R. A., Morton, D. R., Kinner, J. H., Gorman, R. R., McGuire, J. C. and Sun, F. F.** (1976). The Chemical Structure of Prostaglandin X (Prostacyclin). *Prostaglandins* 12(6): 915-928.
- Whorton, A. R., Sweetman, B. J. and Oates, J. A.** (1979). Application of High Performance Liquid Chromatography and Gas Chromatography-Mass Spectrometry to Analysis of Prostaglandin E1 in Biological Media. *Anal Biochem* 98(2): 455-463.
- Wijayanti, N., Huber, S., Samoylenko, A., Kietzmann, T. and Immenschuh, S.** (2004). Role of Nf-Kappab and P38 Map Kinase Signaling Pathways in the Lipopolysaccharide-Dependent Activation of Heme Oxygenase-1 Gene Expression. *Antioxid Redox Signal* 6(5): 802-810.
- Wijayanti, N., Kietzmann, T. and Immenschuh, S.** (2005). Heme Oxygenase-1 Gene Activation by the Nad(P)H Oxidase Inhibitor 4-(2-Aminoethyl) Benzenesulfonyl Fluoride Via a Protein Kinase B, P38-Dependent Signaling Pathway in Monocytes. *J Biol Chem* 280(23): 21820-21829.
- Wilkins, J. H., Wilkins, H., Elger, B., Cassidy, F., Caspary, L., Creutzig, A. and Frolich, J. C.** (1987). Cardiac and Microcirculatory Effects of Different Doses of Prostaglandin E1 in Man. *Eur J Clin Pharmacol* 33(2): 133-137.
- Wu, B. J., Kathir, K., Witting, P. K., Beck, K., Choy, K., Li, C., Croft, K. D., Mori, T. A., Tanous, D., Adams, M. R., Lau, A. K. and Stocker, R.** (2006). Antioxidants Protect from Atherosclerosis by a Heme Oxygenase-1 Pathway That Is Independent of Free Radical Scavenging. *J Exp Med* 203(4): 1117-1127.
- Wu, L. and Wang, R.** (2005). Carbon Monoxide: Endogenous Production, Physiological Functions, and Pharmacological Applications. *Pharmacol Rev* 57(4): 585-630.
- Yachie, A., Niida, Y., Wada, T., Igarashi, N., Kaneda, H., Toma, T., Ohta, K., Kasahara, Y. and Koizumi, S.** (1999). Oxidative Stress Causes Enhanced Endothelial Cell Injury in Human Heme Oxygenase-1 Deficiency. *J Clin Invest* 103(1): 129-135.
- Yamamoto, M., Sato, N., Tajima, H., Furuue, K., Ohira, A., Honda, Y. and Yodoi, J.** (1997). Induction of Human Thioredoxin in Cultured Human Retinal Pigment Epithelial Cells through Cyclic Amp-Dependent Pathway; Involvement in the Cytoprotective Activity of Prostaglandin E1. *Exp Eye Res* 65(5): 645-652.
- Yamashita, K., Ollinger, R., McDaid, J., Sakahama, H., Wang, H., Tyagi, S., Csizmadia, E., Smith, N. R., Soares, M. P. and Bach, F. H.** (2006). Heme

- Oxygenase-1 Is Essential for and Promotes Tolerance to Transplanted Organs. *Faseb J* 20(6): 776-778.
- Yang, S. H., Sharrocks, A. D. and Whitmarsh, A. J.** (2003). Transcriptional Regulation by the Map Kinase Signaling Cascades. *Gene* 320: 3-21.
- Yao, T. P., Oh, S. P., Fuchs, M., Zhou, N. D., Ch'ng, L. E., Newsome, D., Bronson, R. T., Li, E., Livingston, D. M. and Eckner, R.** (1998). Gene Dosage-Dependent Embryonic Development and Proliferation Defects in Mice Lacking the Transcriptional Integrator P300. *Cell* 93(3): 361-372.
- Yet, S. F., Layne, M. D., Liu, X., Chen, Y. H., Ith, B., Sibinga, N. E. and Perrella, M. A.** (2003). Absence of Heme Oxygenase-1 Exacerbates Atherosclerotic Lesion Formation and Vascular Remodeling. *Faseb J* 17(12): 1759-1761.
- Yoshida, T., Biro, P., Cohen, T., Muller, R. M. and Shibahara, S.** (1988). Human Heme Oxygenase Cdna and Induction of Its Mrna by Hemin. *Eur J Biochem* 171(3): 457-461.
- Zahringer, J., Baliga, B. S. and Munro, H. N.** (1976). Novel Mechanism for Translational Control in Regulation of Ferritin Synthesis by Iron. *Proc Natl Acad Sci U S A* 73(3): 857-861.
- Zhang, X., Bedard, E. L., Potter, R., Zhong, R., Alam, J., Choi, A. M. and Lee, P. J.** (2002). Mitogen-Activated Protein Kinases Regulate Ho-1 Gene Transcription after Ischemia-Reperfusion Lung Injury. *Am J Physiol Lung Cell Mol Physiol* 283(4): L815-829.
- Zhang, X., Lu, L., Dixon, C., Wilmer, W., Song, H., Chen, X. and Rovin, B. H.** (2004). Stress Protein Activation by the Cyclopentenone Prostaglandin 15-Deoxy-Delta12,14-Prostaglandin J2 in Human Mesangial Cells. *Kidney Int* 65(3): 798-810.
- Zhuang, H., Pin, S., Li, X. and Dore, S.** (2003). Regulation of Heme Oxygenase Expression by Cyclopentenone Prostaglandins. *Exp Biol Med (Maywood)* 228(5): 499-505.
- Zipper, L. M. and Mulcahy, R. T.** (2003). Erk Activation Is Required for Nrf2 Nuclear Localization During Pyrrolidine Dithiocarbamate Induction of Glutamate Cysteine Ligase Modulatory Gene Expression in Hepg2 Cells. *Toxicol Sci* 73(1): 124-134.
- Zurier, R. B.** (1982). Prostaglandins, Immune Responses, and Murine Lupus. *Arthritis Rheum* 25(7): 804-809.