

5. Literaturverzeichnis

ALTPETER, F., A. VARSHNEY, O. ABDERHALDEN, D. DOUCHKOV, C. SAUTTER, J. KUMLEHN, R. DUDLER AND P. SCHWEIZER

Stable expression of a defense-related gene in wheat epidermis under transcriptional control of a novel promoter confers pathogen resistance

Plant Mol Biol 2005; 57: 271- 283

ALTSCHUL, S.F., T.L. MADDEN, A.A. SCHÄFFER, J. ZHANG, Z. ZHANG, W. MILLER AND D.J. LIPMAN

Gapped BLAST and PSI-BLAST: a new generation of protein database search programs

Nucleic Acids Res. 1997; 25:3389- 3402

ANGELL, S.M. AND D.C. BAULCOMBE

Consistent gene silencing in transgenic plants expressing a replicating potato virus X RNA

EMBO J 1997; 16 (12): 3675- 3684

AOKI, K., H. MORIGUCHI, T. YOSHIOKA, K. OKAWA AND H. TABARA

In vitro analyses of the production and activity of secondary small interfering RNAs in *C. elegans*

EMBO J 2007; 26: 5007- 5019

ARROYO, J., J. SARFATI, M.T. BAIXENCH, E. RAGNI, M. GUILLÉN, J.M. RODRIGUEZ-PEÑA, L. POPOLO AND J.P. LATGÉ

The GPI-anchored Gas and Crh families are fungal antigens

Yeast 2007; 24 (4): 289- 296

ATKINSON, H.A., A. DANIELS AND N.D. READ

Live-cell imaging of endocytosis during conidial germination in the rice blast fungus,

Magnaporthe grisea

Fungal Genet Biol 2002; 37: 233- 244

BAI, Y., S. PAVAN, Z. ZHENG, N.F. ZAPPEL, A. REINSTÄDLER, C. LOTTI, C. DE GIOVANNI, L. RICCIARDI, P. LINDHOUT, R. VISSER, K. THERES AND R. PANSTRUGA
Naturally occurring broad-spectrum powdery mildew resistance in a Central American tomato accession is caused by loss of Mlo function
Mol Plant Microbe Interact 2008; 21 (1): 30- 39

BAULCOMBE, D.
RNA silencing in plants
Nature 2004; 431: 356- 363

BENEDITO, V.A., P.B. VISSER, G.C. ANGENENT AND F.A. KRENS
The potential of virus-induced gene silencing for speeding up functional characterization of plant genes
Genet Mol Res 2004; 3 (3): 323- 341

BENNETZEN, J.L. AND B.D. HALL
Codon selection in yeast
J Biol Chem 1982; 6: 3026- 3031

BERNSTEIN, E., A.A. CAUDY, S.M. HAMMOND AND G.J. HANNON
Role for a bidentate ribonuclease in the initiation step of RNA interference
Nature 2001; 409: 363- 365

BINDSCHEDLER, L.V., P. SANCHEZ, S. DUNN, J. MIKAN, M. THANGAVELU, J.M. CLARKSON AND R.M. COOPER
Deletion of the SNP1 trypsin protease from Stagonospora nodorum reveals another major protease expressed during infection
Fungal Genet Biol 2003; 38 (1): 43- 53

BINDSLEV L., M.J. KERSHAW, N.J. TALBOT AND R.P. OLIVER
Complementation of the Magnaporthe grisea delta c pkA mutation by the Blumeria graminis PKA-c gene: functional genetic analysis of an obligate plant pathogen
Mol Plant Microbe Interact 2001; 14 (12): 1368- 75

BOTH, M., M. CSUKAI, M.P.H. STUMPF AND P.D. SPANU

Gene expression profiles of *Blumeria graminis* indicate dynamic changes to primary metabolism during development of an obligate biotrophic pathogen

Plant Cell 2005a; 17: 2107- 2122

BOTH, M., S.E. ECKERT, M. CSUKAI, E. MÜLLER, G. DIMOPOULOS AND P.D. SPANU

Transcript profiles of *Blumeria graminis* development during infection reveal a cluster of genes that are potential virulence determinants

Mol Plant Microbe Interact 2005b; 18 (2): 125- 133

BRANDT, S., J. KEHR, C. WALZ, A. IMLAU, L. WILLMITZER AND J. FISAHN

A rapid method for detection of plant gene transcripts from single epidermal, mesophyll and companion cells of intact leaves

Plant J 1999; 20 (2): 245- 250

BRAUN, E.J. AND R.J. HOWARD

Adhesion of fungal spores and germlings to host surfaces

Protoplasma 1994; 181: 202- 212

BRODERSEN, P. AND O. VOINNET

The diversity of RNA silencing pathways in plants

Trends Genet 2006; 22 (5): 268- 280

BRUUN-RASMUSSEN, M., C.T. MADSEN, S. JESSING AND M. ALBRECHTSEN

Stability of barley stripe mosaic virus-induced gene silencing in barley

Mol Plant Microbe Interact 2007; 20 (11): 1323- 31

BÜSCHGES, R., K. HOLLRICHER, R. PANSTRUGA, G. SIMONS, M. WOLTER, A. FRIJTERS, R. VAN DAELEN, T. VAN DER LEE, P. DIERGAARDE, J. GROENENDIJK, S. TÖPSCH, P. VOS, F. SALAMINI AND P. SCHULZE- LEFERT

The barley *Mlo* gene: a novel control element of plant pathogen resistance

Cell 1997; 88: 695- 705

BURCH- SMITH, T.M., J.C. ANDERSON, G.B. MARTIN AND S.P. DINESH- KUMAR

Applications and advantages of virus-induced gene silencing for gene function studies in plants

Plant J 2004; 39: 734- 746

CARACUEL, Z., A.L. MARTINEZ- ROCHA, A. DI PIETRO, M.P. MADRID AND M.I.G. RONCERO

Fusarium oxysporum gas1 encodes a putative beta-1,3-glucanosyltransferase required for virulence on tomato plants

Mol Plant Microbe Interact 2005; 18 (11): 1140- 1147

CARVER, T.L.W. AND W.R. BUSHNELL

The probable role of primary germ tubes in water uptake before infection by *Erysiphe graminis*

Physiol Plant Pathol 1983; 23: 229- 240

CARVER, T.L.W. AND S.M. INGERSON

Responses of *Erysiphe graminis* germlings to contact with artificial and host surfaces

Physiol Mol Plant Pathol 1987; 30: 359- 372

CHAURE, P., S.J. GURR AND P. SPANU

Stable transformation of *Erysiphe graminis*, an obligate biotrophic pathogen of barley

Nature 2000; 18: 205- 207

CHEN, Z., H.A. HARTMANN, M.-J. WU, E.J. FRIEDMAN, J.-G. CHEN, M. PULLEY, P. SCHULZE-LEFERT, R. PANSTRUGA AND A.M. JONES

Expression analysis of the AtMLO gene family encoding plant-specific seven-transmembrane domain proteins

Plant Mol Biol 2006; 60: 583- 597

DANGL, J.L. AND J.D.G. JONES

Plant pathogens and integrated defence responses to infection

Nature 2001; 411: 826- 833

DELGADO, N., J. XUE, J.-J. YU, C.-Y. HUNG AND G.T. COLE

A recombinant β -1,3-Glucanotransferase homolog of *Coccidioides posadasii* protects mice against Coccidioidomycosis

Infect Immun 2003; 71 (6): 3010- 3019

DUNOYER, P., C. HIMBER AND O. VOINNET

DICER-like 4 is required for RNA interference and produces the 21-nucleotide small interfering RNA component of the plant cell-to-cell silencing

Nat Genet 2005; 37: 1356- 1360

DOUCHKOV, D., D. NOWARA, U. ZIEROLD AND P. SCHWEIZER

A high-throughput gene-silencing system for the functional assessment of defense-related genes in barley epidermal cells

Mol Plant Microbe Interact 2005; 18 (8): 755- 761

EDWARDS, H.H.

Development of primary germ tubes by conidia of *Blumeria graminis* f.sp. *hordei* on leaf epidermal cells of *Hordeum vulgare*

Can J Bot 2002; 80: 1121- 1125

ELBASHIR, S.M. J. HARBORTH, W. LENDECKEL, A. YALCIN, K. WEBER AND T. TUSCHL

Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells

Nature 2001; 411 (6836): 494- 8

ELLIOTT, C., F. ZHOU, W. SPIELMEYER, R. PANSTRUGA AND P. SCHULZE- LEFERT

Functional conservation of wheat and rice *Mlo* orthologs in defense modulation to the powdery mildew fungus

Mol Plant Microbe Interact 2002; 15 (10): 1069- 1077

FAGARD, M., S. BOUTET, J. MOREL, C. BELLINI AND H. VAUCHERET

AGO1, QDE-2, and RDE-1 are related proteins required for post-transcriptional gene silencing in plants, quelling in fungi, and RNA interference in animals

Proc Natl Acad Sci 2000; 97 (21): 11650- 11654

FAIRBAIRN, D.J., A.S. CAVALLARO, M. BERNARD, J. MAHALINGA-IYER, M.W. GRAHAM AND J.R. BOTELLA

Host-delivered RNAi: an effective strategy to silence genes in plant parasitic nematodes
Planta 2007; 226 (6): 1525- 33

FILICHKIN, S.A., S.P. DIFAZIO, A.M. BRUNNER, J.M. DAVIS, Z.K. YANG, U.C. KALLURI, R.S. ARIAS, E. ETHERINGTON, G.A. TUSKAN AND S.H. STRAUSS

Efficiency of gene silencing in *Arabidopsis*: direct inverted repeats vs. transitive RNAi vectors
Plant Biotech J 2007; 5: 615- 626

FIRE, A., S. XU, M.K. MONTGOMERY, S.A. KOSTAS, S.E. DRIVER AND C.C. MELLO

Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*
Nature 1998; 391: 806- 811

FISCHER- PARTON, S., R.M. PARTON, P.C. HICKEY, J. DIJKSTERHUIS, H.A. ATKINSON AND N. D. READ

Confocal microscopy of FM4-64 as a tool for analysing endocytosis and vesicle trafficking in living fungal hyphae
J Micros 2000; 198 (3): 246- 259

FRANCIS, S.A., F.M. DEWEY AND S.J. GURR

The role of cutinase in germling development and infection by *Erysiphe graminis* f.sp. *hordei*
Physiol Mol Plant Pathol 1996; 49: 201- 211

FRIEDEL, C.C., K.H.V. JAHN, S. SOMMER, S. RUDD, H.W. MEWES AND I.V. TETKO

Support vector machines for separation of mixed plant-pathogen EST collections based on codon usage
Bioinformatics 2005; 21 (8): 1383- 1388

FU, D., C. UAUY, A. BLECHL AND J. DUBCOVSKY

RNA interference for wheat functional gene analysis
Transgenic Res 2007; 16: 689- 701

FUCHS, U. AND G. STEINBERG

Endocytosis in the plant-pathogenic fungus *Ustilago maydis*

Protoplasma 2005; 226: 75- 80

FUCHS, U., G. HAUSE, I. SCHUCHARDT AND G. STEINBERG

Endocytosis is essential for pathogenic development in the corn smut fungus *Ustilago maydis*

Plant Cell 2006; 18: 2066- 2081

FUSARO, A.F., L. MATTHEW, N.A. SMITH, S.J. CURTIN, J. DEDIC-HAGAN, G.A. ELLACOTT, J.M. WATSON, M.-B. WANG, C. BROSANAN, B.J. CARROLL AND P.M. WATERHOUSE

RNA interference-inducing hairpin RNAs in plants act through the viral defence pathway

EMBO Rep 2006; 7 (11): 1168- 1175

GELVIN, S.B.

Agrobacterium-mediated plant transformation: the biology behind the “gene-jockeying” tool

Microbiol Mol Biol Rev 2003; 67 (1): 16- 37

GOEDEKE, S., G. HENSEL, E. KAPUSI, M. GAHRTZ AND J. KUMLEHN

Transgenic barley in fundamental research and biotechnology

Transgenic Plant J 2007; 1 (1): 104- 117

GRUBBS, F.

Procedures for detecting outlying observations in samples

Technometrics 1969; 11 (1): 1- 21

HAHN, M.G.

Microbial elicitors and their receptors in plants

Annu Rev Phytopathol 1996; 34: 387- 412

HEATH, M.C.

Nonhost resistance and nonspecific plant defenses

Curr Opin Plant Biol 2000; 3: 315- 319

HEIN, I., M. BARCISZEWSKA- PACAK, K. HRUBIKOVA, S. WILLIAMSON, M. DINESEN, I.E. SOENDERBY, S. SUNDAR, A. JARMOLOWSKI, K. SHIRASU AND C. LACOMME

Virus-induced gene silencing-based functional characterization of genes associated with powdery mildew resistance in barley

Plant Physiol 2005; 138: 2155- 2164

HENRY, C., I. MOUYNA AND J.-P. LATGÉ

Testing the efficacy of RNA interference constructs in *Aspergillus fumigatus*

Curr Genet 2007; 51: 277- 284

HENSEL, G. AND J. KUMLEHN

Genetic transformation of barley (*Hordeum vulgare* L.) by co-culture of immature embryos with *Agrobacteria*

In: CURTIS, I.S. (Ed.) Transgenic crops of the world - Essential protocols 2004, Kluwer, Dordrecht; 35- 44

HILSON, P., J. ALLEMEERSCH, T. ALTMANN, S. AUBOURG, A. AVON, J. BEYNON, R.P. BHALERAO, F. BITTON, M. CABOCHE, B. CANNOOT, V. CHARDAKOV, C. COGNET-HOLLIGER, V. COLOT, M. CROWE, C. DARIMONT, S. DURINCK, H. EICKHOFF, A.F. DE LONGEVIALLE, E.E. FARMER, M. GRANT, M.T.R. KUIPER, H. LEHRACH, C. LÉON, A. LEYVA, J. LUNDEBERG, C. LURIN, Y. MOREAU, W. NIETFELD, J. PAZ-ARES, P. REYMOND, P. ROUZÉ, G. SANDBERG, M.D. SEGURA, C. SERIZET, A. TABRETT, L. TACONNAT, V. THAREAU, P. VAN HUMMELEN, S. VERCROYSE, M. VUYLSTEKE, M. WEINGARTNER, P.J. WEISBEEK, V. WIRTA, F.R.A. WITTINK, M. ZABEAU AND I. SMALL

Versatile gene-specific sequence tags for Arabidopsis functional genomics: transcript profiling and reverse genetics applications

Genome Res 2004; 14: 2176- 2189

HIMMELBACH, A., U. ZIEROLD, G. HENSEL, J. RIECHEN, D. DOUCHKOV, P. SCHWEIZER AND J. KUMLEHN

A set of modular binary vectors for the transformation of cereals

Plant Physiol 2007; 145 (4): 1192- 1200

HIRT, H., M. KÖGL, T. MURBACHER AND E. HEBERLE- BORS

Evolutionary conservation of transcriptional machinery between yeast and plants as shown by the efficient expression from the CaMV 35S promoter and 35S terminator
Curr Genet 1990; 17: 473- 479

HOLZBERG, S., P. BROSIO, C. GROSS AND G.P. POGUE

Barley stripe mosaic virus-induced gene silencing in a monocot plant
Plant J 2002; 30 (3): 315- 327

HUANG, G., R. ALLEN, E.L. DAVIS, T.J. BAUM AND R.S. HUSSEY

Engineering broad root-knot resistance in transgenic plants by RNAi silencing of a conserved and essential root-knot nematode parasitism gene
Proc Natl Acad Sci 2006; 103 (39): 14302- 14306

HÜCKELHOVEN, R., J. FODOR, C. PREIS AND K.-H. KOGEL

Hypersensitive cell death and papilla formation in barley attacked by the powdery mildew fungus are associated with hydrogen peroxide but not with salicylic acid accumulation
Plant Physiol 1999; 119: 1251- 1260

HÜCKELHOVEN, R.

Powdery mildew susceptibility and biotrophic infection strategies
FEMS Microbiolo Lett 2005; 245: 9- 17

HWANG, C.-S., M.A. FLAISHMAN AND P.E. KOLATTUKUDY

Cloning of a gene expressed during appressorium formation by *Colletotrichum gloeosporioides* and a marked decrease in virulence by disruption of this gene
Plant Cell 1995; 7: 183- 193

JOHNSTON. M

Powdery mildew

In: Compendium of barley diseases 1997; APS Press: 31- 33

JØRGENSEN, J.H.

Discovery, characterization and exploitation of Mlo powdery mildew resistance in barley
Euphytica 1992; 63: 141- 152

JØRGENSEN, J.H.

Genetics of powdery mildew resistance in barley
Crit Rev Plant Sci 1994; 13 (1): 97- 119

KADOTANI, N., H. NAKAYASHIKI, Y. TOSA AND S. MADAMA

RNA silencing in the phytopathogenic fungus *Magnaporthe oryzae*
Mol Plant Microbe Interact 2003; 16 (9): 769- 776

KAHMANN, R. AND J. KÄMPER

Ustilago maydis: how its biology relates to pathogenic development
New Phytologist 2004; 164: 31- 42

KARRER, E.E., J.E. LINCOLN, S. HOGENHOUT, A.B. BENNETT, R.M. BOSTOCK, B. MARTINEAU, W.J. LUCAS, D.G. GILCHRIST AND D. ALEXANDER

In situ isolation of mRNA from individual plant cells: Creation of cell-specific cDNA libraries

Proc Natl Acad Sci USA 1995; 92: 3814- 3818

KAWABE, A. AND N.T. MIYASHITA

Patterns of codon usage bias in three dicot and four monocot plant species
Genes Genet Syst 2003; 78: 343- 352

KEHR, J.

Single cell technology
Curr Opin Plant Biol 2003; 6: 617- 621

KEHR, J. AND A. BUHTZ

Long distance transport and movement of RNA through the phloem
J Exp Bot 2008; 59 (1): 85- 92

KELLER, B., C. FEUILLET AND N. YAHIAOUI

Map-based isolation of disease resistance genes from bread wheat: cloning in a supersize genome

Genet Res Camb 2005; 85: 93- 100

KEMEN, E., A.C. KEMEN, M. RAFIQI, U. HEMPEL, K. MENDGEN, M. HAHN AND R.T. VOEGELE

Identification of a protein from rust fungi transferred from haustoria into infected plant cells

Mol Plant Microbe Interact 2005; 18 (11): 1130- 1139

KERSCHEN, A., C.A. NAPOLI, R.A. JORGENSEN AND A.E. MÜLLER

Effectiveness of RNA interference in transgenic plants

FEBS Lett 2004; 566: 223- 228

KOBAYASHI, K. AND P. ZAMBRYSKI

RNA silencing and its cell-to-cell spread during *Arabidopsis* embryogenesis

Plant J 2007; 50: 597- 604

KÖHLER, W., G. SCHACHTEL AND P. VOLESKE

Biostatistik

Springer Verlag Berlin 2002; dritter Auflage

KOGEL, K.-H. AND G. LANGEN

Induced disease resistance and gene expression in cereals

Cell Microbiol 2005; 7 (11): 1555- 1564

KÜNNE, C., M. LANGE, T. FUNKE, H. MIEHE, T. THIEL, I. GROSSE AND U. SCHOLZ

CR-EST: a resource for crop ESTs

Nucleic Acids Res 2005; 33: 619- 621

KUNOH, H., S. TAKAMATSU AND H. ISHIZAKI

Cytological studies of early stages of powdery mildew in barley and wheat. III. Distributions of residual calcium and silicon in germinated conidia of *Erysiphe graminis hordei*

Physiol Plant Pathol 1978; 13: 319- 325

KUMAGAI, M.H., J. DONSON, G. DELLA- CIOPPA, D. HARVEY, K. HANLEY AND L.K. GRILL
Cytoplasmic inhibition of carotenoid biosynthesis with virus-derived RNA
Proc Natl Acad Sci USA 1995; 92: 1679- 1683

LACOMME, C., K. HRUBIKOVA AND I. HEIN
Enhancement of virus-induced gene silencing through viral-based production of inverted-
repeats
Plant J 2003; 34: 543- 553

LIU, H., T.R. COTTRELL, L.M. PIERINI, W.E. GOLDMAN AND T.L. DOERING
RNA interference in the pathogenic fungus *Cryptococcus neoformans*
Genetics 2002; 160: 463- 470

LU, R., A.M. MARTIN- HERNANDEZ, J.R. PEART, I. MALCUIT AND D.C. BAULCOMBE
Virus-induced gene silencing in plants
Methods 2003; 30: 296- 303

LYNGKJAER, M.F., A.C. NEWTON, J.L. ATZEMA AND S.J. BAKER
The barley mlo-gene: an important powdery mildew resistance source
Agronomie 2000; 20: 745- 756

MATSUDA, Y., H. TOYODA, A. KURITA AND S. OUCHI
In situ PCR technique based on pricking microinjection for cDNA cloning in single cells of
barley coleoptile and powdery mildew pathogen
Plant Cell Rep 1997; 16: 612- 618

MATZKE, M.A. AND J.A. BIRCHLER
RNAi-mediated pathways in the nucleus
Nature 2005; 6: 24- 35

MCCAFFREY, A.P., L. MEUSE, T.-T.T. PHAM, D.S. CONKLIN, G.J. HANNON AND M.A. KAY
RNA interference in adult mice
Nature 2002; 418: 38- 39

MCCULLEN, C.A. AND A.N. BINNS

Agrobacterium tumefaciens and plant cell interactions and activities required for interkingdom macromolecular transfer

Annu Rev Cell Dev Biol 2006; 22: 101- 27

MCDONALD, B.A. AND C. LINDE

The population genetics of plant pathogens and breeding strategies for durable resistance

Euphytica 2002; 124: 163- 180

MCGINNIS, K., V. CHANDLER, K. CONE, H. KAEPLER, S. KAEPLER, A. KERSCHEN, C.

PIKAARD, E. RICHARDS, L. SIDORENKO, T. SMITH, N. SPRINGER AND T. WULAN

Transgene- induced RNA interference as a tool for plant functional genomics

Methods Enzymol 2005; 392: 1- 24

MEISTER, G. AND T. TUSCHL

Mechanisms of gene silencing by double-stranded RNA

Nature 2004; 431: 343- 349

MENDGEN, K. AND M. HAHN

Plant infection and the establishment of fungal biotrophy

Trends Plant Sci 2002; 7 (8): 352- 6

MISQUITTA, L. AND B.M. PATERSON

Targeted disruption of gene function in *Drosophila* by RNA interference (RNA-i): A role for nautilus in embryonic somatic muscle formation

Proc Natl Acad Sci USA 1999; 96: 1451- 1456

MOUYNA, I., T. FONTAINE, M. VAI, M. MONOD, W.A. FONZI, M. DIAQUIN, L. POPOLO, R.P. HARTLAND AND J.-P. LATGE

Glycosylphosphatidylinositol-anchored Glucanosyltransferases play an active role in the biosynthesis of the fungal cell wall

J Biol Chem 2000; 275 (20): 14882- 14889

MOUYNÀ, I., W. MORELLE, M. VAI, M. MONOD, B. LECHENNE, T. FONTAINE, A. BEAUVAIS, J. SARFATI, M.-C. PREVOST, C. HENRY AND J.-P. LATGE

Deletion of GEL2 encoding for a β (1–3) glucanosyltransferase affects morphogenesis and virulence in *Aspergillus fumigatus*

Mol Microbiol 2005; 56 (6): 1675- 1688

MULLINS, E.D. AND S. KANG

Transformation: a tool for studying fungal pathogens of plants

Cell Mol Life Sci 2001; 58: 2043- 2052

NAKAYASHIKI, H., S. HANADA, B.Q. NGUYEN, N. KADOTANI, Y. TOSA AND S. MAYAMA

RNA silencing as a tool for exploring gene function in ascomycete fungi

Fungal Genet Biol 2005; 42 (4): 275- 83

NAPOLI, C., C. LEMIEUX AND R. JORGENSEN

Introduction of a chimeric chalcone synthase gene into petunia results in reversible ω -suppression of homologous genes *in trans*

Plant Cell 1990; 2: 279-289

NIELSEN, K.A., R.L. NICHOLSON, T.L.W. CARVER, H. KUNOH AND R.P. OLIVER

First touch: An immediate response to surface recognition in conidia of *Blumeria graminis*

Physiol Mol Plant Pathol 2000; 56: 63- 70

OLIVER, R. AND A. OSBOURN

Molecular dissection of fungal phytopathogenicity

Microbiol 1995; 141: 1- 9

OLMEDO-MONFIL, V., C. CORTÉS-PENAGOS AND A. HERRERA-ESTRELLA

Three decades of fungal transformation: key concepts and applications

Methods Mol Biol 2004; 267: 297- 313

PANSTRUGA, R.

Establishing compatibility between plants and obligate biotrophic pathogens

Curr Opin Plant Biol 2003; 6: 320- 326

PANSTRUGA, R.

A golden shot: how ballistic single cell transformation boosts the molecular analysis of cereal-mildew interactions

Mol Plant Pathol 2004; 5 (2): 141- 148

PARRISH, S., J. FLEENOR, S. XU, C. MELLO AND A. FIRE

Functional anatomy of a dsRNA trigger: differential requirement for the two trigger strands in RNA interference

Mol Cell 2000; 6: 1077- 1087

PETERSEN, B.O. AND M. ALBRECHTSEN

Evidence implying only unprimed RdRP activity during transitive gene silencing in plants

Plant Mol Biol 2005; 58: 575- 583

PIFFANELLI, P., F. ZHOU, C. CASAIS, J. ORME, B. JAROSCH, U. SCHAFFRATH, N.C. COLLINS, R. PANSTRUGA AND P. SCHULZE- LEFERT

The barley MLO modulator of defense and cell death is responsive to biotic and abiotic stress stimuli

Plant Physiol 2002; 129: 1076- 1085

PETTY, I.T., B.G. HUNTER, N. WEI AND A.O. JACKSON

Infectious barley stripe mosaic virus RNA transcribed in vitro from full-length genomic cDNA clones.

Virology 1989; 171 (2): 342- 9

PICKFORD, A.S. AND C. COGONI

RNA-mediated gene silencing

Cell Mol Life Sci 2003; 60: 871- 882

POPOLO, L., M. VAI, E. GATTI, S. PORELLO, P. BONFANTE, R. BALESTRINI AND L. ALBERGHINA

Physiological analysis of mutants indicates involvement of the *Saccharomyces cerevisiae* GPI-anchored protein gpII5 in morphogenesis and cell separation

J Bacteriol 1993; 175 (7): 1879- 1885

PRYCE- JONES, E., T. CARVER AND S.J. GURR

The roles of cellulase enzymes and mechanical force in host penetration by *Erysiphe graminis* f.sp. *hordei*

Physiol Mol Plant Pathol 1999; 55: 175- 182

QUACKENBUSH, J., J. CHO, D. LEE, F. LIANG, I. HOLT, S. KARAMYCHEVA, B. PARVIZI, G. PERTEA, R. SULTANA AND J. WHITE

The TIGR gene indices: analysis of gene transcript sequences in highly sampled eukaryotic species

Nucleic Acids Res 2001; 29 (1): 159- 164

RAGNI, E., T. FONTAINE, C. GISSI, J.P. LATGE AND L. POPOLO

The Gas family of proteins of *Saccharomyces cerevisiae*: characterization and evolutionary analysis

Yeast 2007; 24 (4): 297- 308

RAM, A.F.J., J.C. KAPTEYN, R.C. MONTIJN, L.H. CARO, J.E. DOUWES, W. BAGINSKY, P. MAZUR, H. VAN DEN ENDE AND F.M. KLIS

Loss of the plasma membrane-bound protein Gas1p in *Saccharomyces cerevisiae* results in the release of beta 1,3-glucan into the medium and induces a compensation mechanism to ensure cell wall integrity

J Bacteriol 1998; 180 (6):1418- 1424

RAPPLEYE, C.A., J.T. ENGLE AND W.E. GOLDMAN

RNA interference in *Histoplasma capsulatum* demonstrates a role for α -(1,3)-glucan in virulence

Mol Microbiol 2004; 53 (1): 153- 165

RIDOUT, C.J., P. SKAMNIOTI, O. PORRITT, S. SACRISTAN, J.D.G. JONES AND J.K.M. BROWN

Multiple avirulence paralogues in cereal powdery mildew fungi may contribute to parasite fitness and defeat of plant resistance

Plant Cell 2006; 18: 2402- 2414

ROMANO, N. AND G. MACINO

Quelling: transient inactivation of gene expression in *Neurospora crassa* by transformation with homologous sequences

Mol Microbiol 1992; 6 (22): 3343- 3353

SAMBROOK, J. AND D.W. RUSSEL

Molecular cloning – A laboratory manual

Cold Spring Harbor Laboratory Press 2001; Third Edition

SANDHU, D. AND K. GILL

Gene-containing regions of wheat and the other grass genomes

Plant Physiol 2002; 128: 803- 811

SCHOLES, J.D. AND S.A. ROLFE

Photosynthesis in localised regions of oat leaves infected with crown rust (*Puccinia coronata*): quantitative imaging of chlorophyll fluorescence

Planta 1996; 199: 573- 582

SCHRAMKE, V. AND R. ALLSHIRE

Those interfering little RNAs! Silencing and eliminating chromatin

Curr Opin Genet Dev 2004; 14: 174- 180

SCHULTHEISS, H., C. DECHERT, K.-H. KOGEL AND R. HÜCKELHOVEN

A small GTP-binding host protein is required for entry of powdery mildew fungus into epidermal cells of barley

Plant Physiol 2002; 128: 1447- 1454

SCHWEIZER, P., L. VALLELIAN- BINDSCHEDLER AND E. MÖSINGER

Heat-induced resistance in barley to the powdery mildew fungus *Erysiphe graminis* f. sp. *hordei*

Physiol Mol Plant Pathol 1995; 47: 51– 66

SCHWEIZER, P., J. POKORNY, O. ABDERHALDEN AND R. DUDLER

A transient assay system for the functional assessment of defense-related genes in wheat
Mol Plant Microbe Interact 1999; 12 (8): 647- 654

SCHWEIZER, P.

Nonhost resistance of plants to powdery mildew - New opportunities to unravel the mystery
Physiol Mol Plant Pathol 2007; 70: 3- 7

SCOFIELD, S.R., L. HUANG, A.S. BRANDT AND B.S. GILL

Development of a virus-induced gene-silencing system for hexaploid wheat and its use in functional analysis of the *Lr21*- mediated leaf rust resistance pathway
Plant Physiol 2005; 138: 2165- 2173

SEIFFERT, U. AND P. SCHWEIZER

A pattern recognition tool for quantitative analysis of *in planta* hyphal growth of powdery mildew fungi
Mol Plant Microbe Interact 2005; 18 (9): 906- 912

SHARP, P.M., E. COWE, D.G. HIGGINS, D.C. SHIELDS, K.H. WOLFE AND F. WRIGHT

Codon usage patterns in *Escherichia coli*, *Bacillus subtilis*, *Saccharomyces cerevisiae*, *Schizosaccharomyces pombe*, *Drosophila melanogaster* and *Homo sapiens*
Nucleic Acids Res 1988; 16 (17): 8207- 8211

SHEN, Q.-H., Y. SAIJO, S. MAUCH, C. BISKUP, S. BIERI, B. KELLER, H. SEKI, B. ÜLKER, I.E. SOMSSICH AND P. SCHULZE-LEFERT

Nuclear activity of MLA immune receptors links isolate-specific and basal disease-resistance responses
Science 2007; 315: 1098- 1103

SHIRASU, K., K. NIELSEN, P. PIFFANELLI, R. OLIVER AND P. SCHULZE-LEFERT

Cell-autonomous complementation of *mlo* resistance using a biolistic transient expression system
Plant J 1999; 17 (3): 293- 299

SHRAWAT, A.K. AND H. LÖRZ

Agrobacterium -mediated transformation of cereals: a promising approach crossing barriers
Plant Biotech J 2006; 4: 575- 603

SIJEN, T., J. FLEENOR, F. SIMMER, K.L. THIJSEN, S. PARRISH, L. TIMMONS, R.H.A. PLASTERK, AND A. FIRE

On the role of RNA amplification in dsRNA-triggered gene silencing
Cell 2001; 107: 465- 476

SINGRÜN, C., S.L.K. HSAM, L. HARTL, F.J. ZELLER AND V. MOHLER

Powdery mildew resistance gene *Pm22* in cultivar Virest is a member of the complex *Pm1* locus in common wheat (*Triticum aestivum* L. em Thell.)
Theor Appl Genet 2003; 106: 1420- 1424

SMITH, N.A., S.P. SINGH, M.-B. WANG, P.A. STOUTJESDIJK, A.G. GREEN AND P.M. WATERHOUSE

Total silencing by intronspliced hairpin RNAs
Nature 2000; 407: 319- 320

SOANES, D.M., W. SKINNER, J. KEON, J. HARGREAVES AND N.J. TALBOT

Genomics of phytopathogenic fungi and the development of bioinformatic resources
Mol Plant Microbe Interact 2002; 15 (5): 421- 427

STEIN, N.

Triticeae genomics: advances in sequence analysis of large genome cereal crops
Chromosome Res 2007; 15: 21- 31

STEWART, C.N. JR. AND L.E. VIA

A rapid CTAB DNA isolation technique useful for RAPD fingerprinting and other PCR applications.
Biotechniques 1993; 14(5):748- 50

SUSI, P., M. HOHKURI, T. WAHLROOS UND N.J. KILBY

Characteristics of RNA silencing in plants: similarities and differences across kingdoms

Plant Mol Biol 2004; 54: 157- 174

THOMAS, S.W., M.A. GLARING, S.W. RASMUSSEN, J.T. KINANE AND R.P. OLIVER

Transcript profiling in the barley mildew pathogen *Blumeria graminis* by serial analysis of gene expression (SAGE)

Mol Plant Microbe Interact 2002; 15 (8): 847- 856

TIJSTERMAN, M., R.F. KETTING AND R.H.A. PLASTERK

The genetics of RNA silencing

Annu Rev Genet 2002; 36: 489- 519

TOMARI, Y. AND P.D. ZAMORE

Perspective: machines for RNAi

Genes & Development 2005; 19: 517- 529

TRAVELLA, S., T.E. KLIMM AND B. KELLER

RNA interference-based gene silencing as an efficient tool for functional genomics in hexaploid bread wheat

Plant Physiol 2006; 142: 6- 20

TUDZYNSKI, P. AND J. SCHEFFER

Claviceps purpurea: molecular aspects of a unique pathogenic lifestyle

Mol Plant Pathol 2004; 5 (5): 377- 388

VAN KAN, J.A.L.

Licensed to kill: the lifestyle of a necrotrophic plant pathogen

Trends Plant Sci 2006; 11(5): 247- 253

VOINNET, O., P. VAIN, S. ANGELL AND D.C. BAULCOMBE

Systemic spread of sequence- specific transgene RNA degradation in plants is initiated by localized introduction of ectopic promoterless DNA

Cell 1998; 95: 177- 187

VOINNET, O.

RNA silencing as a plant immune system against viruses

Trends Genet 2001; 17 (8): 449- 459

WANG, M.B., N.M. UPADHYAYA, R.I.S. BRETTELL AND P.M. WATERHOUSE

Intron-mediated improvement of a selectable marker gene for plant transformation using *Agrobacterium tumefaciens*

J Genet & Breed 1997; 51: 325- 334

WATERHOUSE, P.M., M.W. GRAHAM AND M.-B. WANG

Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA

Proc Natl Acad Sci USA 1998; 95: 13959- 13964

WATERHOUSE, P.M., M.-B. WANG AND E.J. FINNEGAN

Role of short RNAs in gene silencing

Trends Plant Sci 2001; 6 (7): 297- 301

WHEELER, D.L., T. BARRETT, D.A. BENSON, S.H. BRYANT, K. CANESE, V. CHETVERNIN, D.M. CHURCH, M. DICUCCIO, R. EDGAR, S. FEDERHEN, L.Y. GEER, Y. KAPUSTIN, O. KHOVAYKO, D. LANDSMAN, D.J. LIPMAN, T.L. MADDEN, D.R. MAGLOTT, J. OSTELL, V. MILLER, K.D. PRUITT, G.D. SCHULER, E. SEQUEIRA, S.T. SHERRY, K. SIROTKIN, A. SOUVOROV, G. STARCHENKO, R.L. TATUSOV, T.A. TATUSOVA, L. WAGNER AND E. YASCHENKO

Database resources of the National Center for Biotechnology Information

Nucleic Acids Res 2007; 35: D5- D12

WICKER, T., N. YAHIAOUI AND B. KELLER

Contrasting rates of evolution in *Pm3* loci from three wheat species and rice

Genetics 2007; 177 (2): 1207- 16

WILCOXON, F.

Individual comparison by ranking methods

Biometrics 1945; 1: 80– 83

WILLIAMS, S.E., P. WOOTTON, H.S. MASON, D.E. ILES, C. PEERS AND P.J. KEMP

siRNA knock-down of c-glutamyl transpeptidase does not affect hypoxic K⁺ channel inhibition

Biochem Biophys Res Commun 2004; 314: 63- 68

WOLTER, M., K. HOLLRICHER, F. SALAMINI AND P. SCHULZE-LEFERT

The *mlo* resistance alleles to powdery mildew infection in barley trigger a developmentally controlled defence mimic phenotype

Mol Gen Genet 1993; 239: 122- 128

WRIGHT, A.J., B.J. THOMAS AND T.L.W. CARVER

Early adhesion of *Blumeria graminis* to plant and artificial surfaces demonstrated by centrifugation

Physiol Mol Plant Pathol 2002; 61: 217- 226

XIA, Y.

Proteases in pathogenesis and plant defence

Cell Microbiol 2004; 6 (10): 905- 913

XU, P., Y. ZHANG, L. KANG, M.J. ROOSSINCK AND K.S. MYSORE

Computational estimation and experimental verification of off-target silencing during posttranscriptional gene silencing in plants

Plant Physiol 2006; 142: 429- 440

YADAV, B.C., K. VELUTHAMBI AND K. SUBRAMANIAM

Host-generated double-stranded RNA induces RNAi in plant-parasitic nematodes and protects the host from infection

Mol Biochem Parasitol 2006; 148: 219- 222

YAHIAOUI, N., S. BRUNNER AND B. KELLER

Rapid generation of new powdery mildew resistance genes after wheat domestication

Plant J 2006; 47: 85- 98

YOO, B.-C., F. KRAGLER, E. VARKONYI-GASIC, V. HAYWOOD, S. ARCHER-EVANS, Y.M. LEE,
T.J. LOUGH AND W.J. LUCAS

A systemic small RNA signalling system in plants

Plant Cell 2004; 16: 1979- 2000

ZHANG, Z. AND S.J. GURR

Expression and sequence analysis of the *Blumeria graminis* mitogen-activated protein
kinase genes, *mpk1* and *mpk2*

Gene 2001; 266: 57- 65

ZHANG, Z., C. HENDERSON, E. PERFECT, T.L.W. CARVER, B.J. THOMAS, P. SKAMNIOTI AND
S.J. GURR

Of genes and genomes, needles and haystacks: *Blumeria graminis* and functionality

Mol Plant Pathol 2005; 6 (5): 561- 575

ZHONG, X., H. HOU AND W. QIU

Integrity of nonviral fragments in recombinant tomato bushy stunt virus and defective
interfering RNA is influenced by silencing and the type of inserts

MPMI 2005; 18 (8): 800- 807

ZIEROLD, U.

Transkriptomanalyse mehltaubefallener Gerstenepidermis in Abhängigkeit des *mlo*-
Resistenzgenes

Dissertation, Martin-Luther-Universität, Halle-Wittenberg 2005

ZIEROLD, U., U. SCHOLZ AND P. SCHWEIZER

Transcriptome analysis of *mlo*-mediated resistance in the epidermis of barley

Mol Plant Pathol 2005; 6 (2): 139– 151

ZIMMERMANN, G., H. BÄUMLEIN, H.-P. MOCK, A. HIMMELBACH AND P. SCHWEIZER

The multigene family encoding germin-like proteins of barley. Regulation and function in
basal host resistance

Plant Physiol 2006; 142: 181- 192