

10 Literatur

- 1 Sodoyer, R. (2004) Expression systems for the production of recombinant pharmaceuticals. *Biodrugs*, 18, 51-62.
- 2 Morrow, K.J. (2003) Glycosylation: Art and Science. *American Biotechnology Laboratory*, 33-34.
- 3 Harrison, R.L. & Jarvis, D.L. (2006) Protein N-glycosylation in the baculovirus-insect cell expression system and engineering of insect cells to produce “mammalianized” recombinant glycoproteins. *Advances in Virus Research*, 68, 159-191.
- 4 Hellwig, S., Sack, M., Spiegel, H., Drossard, J., Fischer, R. (2003) Using plants as a production system for N-glycosylated proteins of therapeutic relevance. *American Biotechnology Laboratory*, 50-53.
- 5 Whitford, D. (2005) *Proteins - structure and function*. John Wiley & Sons, Ltd., Chichester, England, S. 291.
- 6 Lottspeich, F. & Engels, J.W. (2006) *Bioanalytik*, 2. Auflage, Spektrum Akademischer Verlag, Heidelberg, S. 541.
- 7 Marchal, I., Jarvis, D.L., Cacan, R., Verbert, A. (2001) Glycoproteins from insect cells: sialylated or not? *Biological Chemistry*, 382(2), 151-159.
- 8 Hartmann, M. (2006) Ciliates as a new expression system for the production of biopharmaceutical relevant proteins. *Achema Book of Abstracts – Expression and Production Systems for Recombinant Therapeutics*, Frankfurt am Main, S. 142.
- 9 Stephan, M. (1997) *Untersuchungen zur Kultivierung von Dictyostelium discoideum*. Dissertation, Universität Bielefeld, S. 3.
- 10 Ferguson, M.A. (1997) The surface glycoconjugates of trypanosomatid parasites. *Philosophical transactions of the Royal Society of London. Series B, Biological Sciences*, 352(1359), 1295-1302.
- 11 Parodi, A.J. (1993) N-glycosylation in trypanosomatid protozoa. *Glycobiology*, 3(3), 193-199.
- 12 Breitling, R., Klingner, S., Callewaert, N., Pietrucha, R., Geyer, A., *et al.* (2002) Non-pathogenic trypanosomatid protozoa as a platform for protein research and production. *Protein Expression and Purification*, 25, 209-218.
- 13 Teixeira, S.M. (1998) Control of gene expression in Trypanosomatidae. *Brazilian journal of medical and biological research*, 31(12), 1503-1516.
- 14 Teixeira, S.M.R. & daRocha, W.D. (2003) Review: Control of gene expression and genetic manipulation in the Trypanosomatidae. *Genetics and Molecular Research*, 2(1), 148-158.
- 15 Zhang, W.W., Charest, H., Matlashewski, G. (1995) The expression of biologically active human p53 in *Leishmania* cells: a novel eukaryotic system to produce recombinant proteins. *Nucleic Acids Research*, 23(20), 4073-4080.
- 16 Tobin, J.F., Reiner, S.L., Hatam, F., Zheng, S., Leptak, C.L., Wirth, D.F., Locksley, R.M. (1993) Transfected *Leishmania* Expressing Biologically Active IFN-g. *The Journal of Immunology*, 150(11), 5059-5069.
- 17 La Flamme, A.C., Buckner, F.S., Swindle, J., Ajioka, J., Van Voorhis, W.C. (1995) Expression of mammalian cytokines by *Trypanosoma cruzi* indicates unique signal

- sequence requirements and processing. *Molecular and Biochemical Parasitology*, 75, 25–31.
- 18 Mißlitz, A., Mottram, J.C., Overath, P., Aebischer, T. (2000) Targeted integration into a rRNA locus results in uniform and high level expression of transgenes in *Leishmania* amastigotes. *Molecular and Biochemical Parasitology*, 107(2), 251-261.
- 19 Furger, A., Jungi T.W., Salomone, J.Y., Weynants, V., Roditi, I. (2001) Stable expression of biologically active recombinant bovine interleukin-4 in *Trypanosoma brucei*. *FEBS Letters*, 508(1), 90-94.
- 20 Dumas, C., Muyombwe, A., Roy, G., Matte, C., Ouellette, M., Olivier, M., Papadopoulou, B. (2003) Recombinant *Leishmania major* secreting biologically active granulocyte-macrophage colony-stimulating factor survives poorly in macrophages *in vitro* and delays disease development in mice. *Infection and Immunity*, 71(11), 6499-6509.
- 21 Clayton, C.E. (1999) Genetic Manipulation of Kinetoplastida. *Parasitology Today*, 15(9), 372-378.
- 22 Wirtz, E., Leal, S., Ochatt, C., Cross, G.A. (1999) A tightly regulated inducible expression system for conditional gene knock-outs and dominant-negative genetics in *Trypanosoma brucei*. *Molecular and Biochemical Parasitology*, 99(1), 89-101.
- 23 LeBowitz, J.H., Smith, H.Q., Rusche, L., Beverley, S.M. (1993) Coupling of poly(A) site selection and trans-splicing in *Leishmania*. *Genes & Development*, 7(6), 996-1007.
- 24 WO 01/32896 A1, Protein Expression System for non-pathogenic Kinetoplastidae. 05.11.1999.
- 25 Wiese, M., Ilg, T., Lottspeich, F., Overath, P. (1995) Ser/Thr-rich repetitive motifs as targets for phosphoglycan modifications in *Leishmania mexicana* secreted acid phosphatase. *EMBO Journal*, 14(69), 1067-1074.
- 26 Kushnir, S., Gase, K., Breitling, R., Alexandrov, K. (2005) Development of an inducible protein expression system based on the protozoan host *Leishmania tarentolae*. *Protein Expression and Purification*, 42, 37-46.
- 27 Lukeš, J., Paris, Z., Regmi, S., Breitling, R., Mureev, S., Kushnir, S., Pyatkov, K., Jirků, M., Alexandrov, K.A. (2006) Translational initiation in *Leishmania tarentolae* and *Phytomonas serpens* (Kinetoplastida) is strongly influenced by pre-ATG triplet and its 5' sequence context. *Molecular & Biochemical Parasitology*, 148(2), 125-132.
- 28 Breton, M., Zhao, C., Ouellette, M., Tremblay, M.J., Papadopoulou, B. (2007) A recombinant non-pathogenic *Leishmania* vaccine expressing human immunodeficiency virus 1 (HIV-1) Gag elicits cell-mediated immunity in mice and decreases HIV-1 replication in human tonsillar tissue following exposure to HIV-1 infection. *Journal of General Virology*, 88(1), 217-225.
- 29 Soleimani, M., Mahboudi, F., Davoudi, N., Amanzadeh, A., Azizi, M., Adeli, A., Rastegar, H., Barkhordari, F., Mohajer-Maghari, B. (2007) Expression of human tissue-type plasminogen activator (t-PA) in *Leishmania tarentolae*. *Biotechnology and Applied Biochemistry*, 48, 55-61.
- 30 Niculae, A., Bayer, P., Cirstea, I., Bergbrede, T., Pietrucha, R., Gruen, M., Breitling, R., Alexandrov, K. (2006) Isotop labeling of recombinant proteins expressed in the protozoan host *Leishmania tarentolae*. *Protein Expression and Purification*, 48, 167-172.
- 31 Simpson, L., Frech, G.C., Maslov, D.A. (1996) RNA editing in Trypanosomatid

- mitochondria. *Methods in Enzymology*, 264, 99-121.
- 32 Lucius, R. & Loos-Franke, B. (1997) *Parasitologie*. Spektrum Akademischer Verlag, Heidelberg, ISBN 3-86025-275-5, S. 39 und 56.
- 33 Elwasila, M. (1988) *Leishmania tarentolae* Wenyon, 1921 from the gecko *Tarentolae annularis* in the Sudan. *Parasitology Research*, 74, 591-592.
- 34 Wiser, M.F. (2004) KINETOPLASTIDS. Internetseite, Tulane University, <http://www.tulane.edu/~wiser/protozoology/notes/kinet.html>, 19. Oktober.
- 35 Wallbanks, K.R., Maazoun, R., Canning, E.U., Rioux, J.A. (1985) The identity of *Leishmania tarentolae* Wenyon 1921. *Parasitology*, 90, 67-78.
- 36 Gomez-Eichelmann, M.C., Holz, G., Beach, D., Simpson, A.M., Simpson, L. (1988) Comparison of several lizard *Leishmania* species and strains in terms of kinetoplast minicircle and maxicircle DNA sequences, nuclear chromosomes, and membrane lipids. *Molecular and Biochemical Parasitology*, 27, 143-158.
- 37 Simpson, L. & Holz, G. (1988) The Status of *Leishmania tarentolae*/*Trypanosoma platydactyli*. *Parasitology Today*, 4(4), 115-118.
- 38 Briones, M.R.S., Nelson, K., Beverley, S.M., Affonso, H.T., Camargo, E.P., Floeter-Winter, L.M. (1992) *Leishmania tarentolae* taxonomic relatedness inferred from phylogenetic analysis of the small subunit ribosomal RNA gene. *Molecular and Biochemical Parasitology*, 53, 121-128.
- 39 Robb, L.A. (1975) The preparation of an improved tetanus toxoid by removal of a sensitizing fraction. In: Proc. 4th Internat. Conf. Tetanus, Dakar, Senegal, Foundation Merieux, Lyon, S. 735-743.
- 40 Yamamoto, A. & Akama, K. (1969) Studies on the side effects of tetanus toxoid. 1. Sensitizing ability of substances present in the medium. *Japanese Journal of Bacteriology*, 24, 359-364.
- 41 Srivastava, P., Sharma, G.D., Kamboj, K.K., Rastogi, A.K., Pandey, V.C. (1997) Heme metabolism in promastigotes of *Leishmania donovani*. *Molecular and Cellular Biochemistry*, 171, 65-68.
- 42 Pal, J. & Joshi-Purandare, M. (2001) Dose-dependent differential effect of hemin on protein synthesis and cell proliferation in *Leishmania donovani* promastigotes cultured *in vitro*. *Journal of Biosciences*, 26, 225-231.
- 43 Chang, K.P. & Fish, W.R. (1983) *Leishmania*. In: *In vitro cultivation of protozoan parasites*. CRC Press, Inc., Boca Raton, Florida, S. 111-153.
- 44 Schuster, F.L. & Sullivan, J.J. (2002) Cultivation of clinically significant hemoflagellates. *Clinical Microbiology Reviews*, 15(3), 374-389.
- 45 Gupta, A.K. & Saran, R. (1991) *In-vitro* maintenance of *Leishmania donovani* promastigotes in cheap, serum-free, hemin-base, autoclaveable culture medium. *Journal of Communicable Diseases*, 23(4), 276-277.
- 46 Limoncu, M.E., Özbilgin, A., Balcioğlu, I.C., Özbel, Y. (2004) Evaluation of three new culture media for the cultivation and isolation of *Leishmania* parasites. *Journal of Basic Microbiology*, 44(3), 197-202.
- 47 Meehan, H.A., Lundberg, R.A., Connell, G.J. (2000) A trypanosomatid protein specifically interacts with a mammalian iron-responsive element. *Parasitology Research*, 86, 109-114.
- 48 Ali, S.A., Iqbal, J., Ahmad, B., Masoom, M. (1998) A semisynthetic fetal calf serum-

- free liquid medium for *in vitro* cultivation of *Leishmania* promastigotes. American Journal of Tropical Medicine and Hygiene, 59, 163-165.
- 49 Limoncu, M.E., Balcioglu, I.C., Yereli, K., Özbel, Y., Özbilgin, A. (1997) A new experimental *in vitro* culture medium for cultivation of *Leishmania* species. Journal of Clinical Microbiology, 35, 2430-2431.
- 50 Palomino, J.C. (1982) Peptone-yeast autolysate-fetal bovine serum 10, a simple, inexpensive liquid medium for the cultivation of *Leishmania* spp. Journal of Clinical Microbiology, 15, 949-950.
- 51 Merlen, T., Sereno, D., Brajon, N., Rostand, F., Lemesre, J.-L. (1999) *Leishmania* spp.: Completely defined medium without serum and macromolecules (CDM/LP) for the continuous *in vitro* cultivation of infective promastigote forms. American Journal of Tropical Medicine and Hygiene, 60, 41-50.
- 52 McCarthy-Burke, C., Bates, P.A., Dwyer, D.M. (1991) *Leishmania donovani*: Use of two different, commercially available chemically defined media for the continuous *in vitro* cultivation of promastigotes. Experimental Parasitology, 73, 385-387.
- 53 O'Daly, J.A. & Rodriguez, M.B. (1988) Differential growth requirements of several *Leishmania* spp. in chemically defined media. Acta Tropica, 45, 109-126.
- 54 Melo, N.M., Peixoto de Azevedo, H., Roitman, I., Mayrink, W. (1985) A new defined medium for cultivating *Leishmania* promastigotes. Acta Tropica, 42, 137-141.
- 55 Steiger, R.F. & Black, C.D.V. (1980) Simplified defined media for cultivating *Leishmania donovani* promastigotes. Acta Tropica, 37, 195-198.
- 56 Steiger, R.F. & Steiger, E. (1977) Cultivation of *Leishmania donovani* and *Leishmania braziliensis* in defined media: Nutritional requirements. Journal of Protozoology, 24(3), 437-441.
- 57 Trager, W. (1957) Nutrition of a hemoflagellate (*Leishmania tarentolae*) having an interchangeable requirement for cholin or pyridoxal. Journal of Protozoology, 4, 269-276.
- 58 Toole, B.P. (2004) Hyaluronan: from extracellular glue to pericellular cue. Nature Reviews Cancer, 4, 528-539.
- 59 Karlson, P., Doenecke, D., Koolman, J. (1994) Kurzes Lehrbuch der Biochemie für Mediziner und Naturwissenschaftler. 14. Auflage, Georg Thieme Verlag Stuttgart - New York, ISBN 3-13-357814-6, S. 265-266.
- 60 Stern, R. & Jedrzejewski, M.J. (2006) Hyaluronidases: Their genomics, structures, and mechanisms of action. Chemical Reviews, 106(3), 818-839.
- 61 Hofinger, E.S.A., Spickenreither, M., Oschmann, J., Bernhardt, G., Rudolph, R., Buschauer, A. (2007) Recombinant human hyaluronidase Hyal-1: insect cells versus *E. coli* as expression system and identification of low molecular weight inhibitors. Glycobiology, 17(4), 444-453.
- 62 Gold, E.W. (1982) Purification and properties of hyaluronidase from human liver. Biochemical Journal, 205, 69-74.
- 63 Datenbank NetNGlyc, www.cbs.dtu.dk, 2007.
- 64 Hill, D. & Dubey, J.P. (2002) *Toxoplasma gondii*: transmission, diagnosis and prevention. Clinical Microbiology and Infection, 8(10), 634-640.
- 65 Grimwood, J. & Smith, J.E. (1996) *Toxoplasma gondii*: the role of parasite surface and secreted proteins in host cell invasion. International Journal of Parasitology, 26,

- 169-173.
- 66 Piergili, F.D. (2004) Problems and limitations of conventional and innovative methods for the diagnosis of Toxoplasmosis in humans and animals. *Parassitologia*, 46(1-2), 177-181.
- 67 Huang, X., Xuan, X., Hirata, H., Yokoyama, N., Xu, L., Suzuki, N., Igarashi, I. (2004) Rapid immunochromatographic test using recombinant SAG2 for detection of antibodies against *Toxoplasma gondii* in cats. *Journal of Clinical Microbiology*, 42(1), 351-353.
- 68 Huang, X., Xuan, X., Suzuki, H., Sugimoto, C., Nagasawa, H., Fujisaki, K., Mikami, T., Igarashi, I. (2002) Characterization of *Toxoplasma gondii* SAG2 expressed in insect cells by recombinant baculovirus and evaluation of its diagnostic potential in an enzyme-linked immunosorbent assay. *Clinical and Diagnostic Laboratory Immunology*, 9(6), 1343-1347.
- 69 Protein-Datenbank ExpASy, Swiss Institute of Bioinformatics, www.expasy.org, 2007.
- 70 Aubert, D., Maine, G.T., Villena, I., Hunt, J.C., Howard, L., Sheu, M., Brojanac, S., Chovan, L.E., Nowlan, S.F., Pinon, J.M. (2000) Recombinant antigens to detect *Toxoplasma gondii*-specific immunoglobulin G and immunoglobulin M in human sera by enzyme immunoassay. *Journal of Clinical Microbiology*, 38(3), 1144-1150.
- 71 Lau, Y.L., Hisam, S., Fong, M.Y. (2006) Characterisation of a truncated *Toxoplasma gondii* surface antigen 2 (SAG2) secreted by the methylotrophic yeast *Pichia pastoris*. *Tropical Biomedicine*, 23(2), 186-193.
- 72 Shimomura, O., Johnson, F.H., Saiga, Y. (1962): Extraction, purification and properties of aequorin, a bioluminescent protein from the luminous hydromedusan, *Aequorea*. *Journal of Cellular and Comparative Physiology*, 59, 223-239.
- 73 Johnson, F.H., Shimomura, O., Saiga, Y., Gershman, L.C., Reynolds, G.T., Waters, J.R. (1962) Quantum efficiency of *Cypridina* luminescence, with a note on that of *Aequorea*. *Journal of Cellular and Comparative Physiology*, 60(1), 85-103.
- 74 Tsien, R.Y. (1998) The green fluorescent protein. *Annual Review of Biochemistry*, 67, 509-544.
- 75 Zhang, G., Gurtu, V., Kain, S.R. (1996) An enhanced green fluorescent protein allows sensitive detection of gene transfer in mammalian cells. *Biochemical and Biophysical Research Communications*, 227, 707-711.
- 76 Schaefer, F.W., Bell, E.J., Etges, F.J. (1970) *Leishmania tropica*: Chemostatic cultivation. *Experimental Parasitology*, 28, 465-472.
- 77 TerKuile, B.H. & Opperdoes, F.R. (1992) Comparative physiology of two protozoan parasites, *Leishmania donovani* and *Trypanosoma brucei*, grown in chemostats. *Journal of Bacteriology*, 174, 2929-2934.
- 78 Enders, B., Brauns, F., Zwisler, O. (1977) Biochemical and technical considerations regarding the mass production of certain parasitic protozoa. *Bulletin of the World Health Organization*, 55(2-3), 393-402.
- 79 Sitz, M. (2007) Untersuchungen der Eigenschaften eines halbsynthetischen Nährmediums zur Kultivierung von *Leishmania tarentolae*. Diplomarbeit, FH Jena.
- 80 Weiland, N. (2006) Untersuchungen zur Kultivierbarkeit und Wachstumsparametern des eukaryontischen Parasiten *Leishmania tarentolae* in einem serumfreien Nährmedium. Diplomarbeit, FH Jena.
- 81 Lombardo, M.E., Araujo, L.S., Ciccarelli, A.B., Batlle, A. (2005) A spectrophotometric

- method for estimating hemin in biological systems. *Analytical Biochemistry*, 341, 199-203.
- 82 Bradford, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, 72, 248-254.
- 83 Laemmli, U.K. (1970) Cleavage of structural proteins during assembly of the head of bacteriophage T4. *Nature*, 227, 680-685.
- 84 Muckenschnabel, I., Bernhardt, G., Spruss, T., Dietl, B., Buschauer, A. (1998) Quantification of hyaluronidases by the Morgan-Elson reaction: comparison of the enzyme activities in the plasma of tumor patients and healthy volunteers. *Cancer Letters*, 131, 13-20.
- 85 Hartmann, K., Lezki, E., Schäfer, W. (1974) *Statistische Versuchsplanung und –auswertung in der Stoffwirtschaft*. VEB Deutscher Verlag für Grundstoffindustrie, Leipzig, S. 47 ff.
- 86 **Fritsche, C., Sitz, M., Weiland, N., Breitling, R., Pohl, H.-D. (2007) Characterization of the growth behavior of *Leishmania tarentolae* – a new expression system for recombinant proteins. *Journal of Basic Microbiology*, 47, 384-393.**
- 87 Boesen, M. (2005) Entwicklung und Anwendung eines enzymimmunologischen Verfahrens zum Nachweis von zellulärem Prion Protein bei Wiederkäuern. Ph. D. thesis, Ludwig-Maximilians-Universität, München.
- 88 Mueller, J.H. & Miller, P.A. (1954) Variable factors influencing the production of tetanus toxin. *Journal of Bacteriology*, 67, 271-274.
- 89 Bacto™ manuals, www.bd.com/ds/technicalCenter/inserts/difcoBblManual.asp, Becton Dickinson, USA, 10.04.2006.
- 90 **Fritsche, C., Sitz, M., Wolf, M., Pohl, H.-D. (200X) Development of a defined medium for heterologous expression in *Leishmania tarentolae*. *Journal of Basic Microbiology*, (in press).**
- 91 Rupprecht, S. (2006) Kultivierung von *Leishmania tarentolae* zur Entwicklung eines synthetischen Mediums. Diplomarbeit, FH Jena.
- 92 Gaughan, P.L.Z. & Krassner, S.M. (1971) Hemin deprivation in culture stages of the hemoflagellate, *Leishmania tarentolae*. *Comparative Biochemistry and Physiology*, 39(B), 5-18.
- 93 Chang, K.P., Chang, C.S., Sassa, S. (1975) Heme biosynthesis in bacterium-protozoan symbioses: Enzymic defects in host hemoflagellates and complementary role of their intracellular symbiotes. *Proceedings of the National Academy of Science of the USA, Biochemistry*, 72(8), 2979-2983.
- 94 Paneque, A., Fernández-Bertrán, J., Reguera, E., Yee-Madeira, H. (2003) Mechanochemical synthesis and spectroscopic characterisation of hemin complexes with some amino acids. *Synthesis and Reactivity in Inorganic and Metal Organic Chemistry*, 33(8), 1405-1416.
- 95 Tomlinson, E.J. & Ferguson, S.J. (2000) Conversion of a c type cytochrome to a b type that spontaneously forms *in vitro* from apo protein and heme: Implications for c type cytochrome biogenesis and folding. *Proceedings of the National Academy of Science of the USA*, 97(10), 5156-5160.
- 96 Loftsson, T. & O'Fee, R. (2003) Cyclodextrins in Solid Dosage Forms.

- BUSINESSBRIEFING: PHARMATECH, 76-81.
- 97 Greenberg-Ofrath, N., Terespolosky, Y., Kahane, I., Bar, R. (1993) Cyclodextrins as carriers of Cholesterol and Fatty Acids in Cultivation of Mycoplasmas. *Applied and Environmental Microbiology*, 59(2), 547-551.
- 98 Liu, Z., Cai, R., Mao, L., Huang, H., Ma, W. (1999) Highly sensitive spectrofluorimetric determination of hydrogen peroxide with β -cyclodextrin-hemin as catalyst. *Analyst*, 124, 173-176.
- 99 Cannon, J.B., Yunker, M.H., Luoma, N. (1995) The Effect of Aggregation Inhibitors and Antioxidants on the Stability of Hemin Solutions. *Journal of Pharmaceutical Science & Technology*, 49(2), 77-82.
- 100 Zunszain, P.A., Ghuman, J., Komatsu, T., Tsuchida, E., Curry, S. (2003) Crystal structural analysis of human serum albumin complexed with hemin and fatty acid. *BMC Structural biology*, 3(6), doi: 10.1186/1472-6807-3-6.
- 101 Biggers, J.D., Summers, M.C., McGinnis, L.K. (1997) Polyvinyl alcohol and amino acids as substitutes for bovine serum albumin in culture media for mouse preimplantation embryos. *Human Reproduction Update*, 3(2), 125-135.
- 102 **Fritsche, C. & Pohl, H.-D. (2007) Kultivierung von *Leishmania tarentolae* in LEXSY-Broth YS-Medium. In: Tagungsband zur 8. Nachwuchswissenschaftlerkonferenz, Fachhochschule Jena, ISBN 3-932886-15-1, S. 92-96.**
- 103 Larson, R.A. & Cervini-Silva, J. (2000) Dechlorination of substituted trichloromethanes by an iron (II) porphyrin. *Environmental Toxicology and Chemistry*, 19(3), 543-548.
- 104 Chang, C.S. & Chang, K.-P. (1985) Heme requirement and acquisition by extracellular and intracellular stages of *Leishmania mexicana amazonensis*. *Molecular and Biochemical Parasitology*, 16, 267-276.
- 105 Lübbert, A. (2006) Bioprocess Engineering: Microbial Cultures - Fermentation Recipes. Vorlesungsskript, Universität Halle-Wittenberg, S. 29ff.
- 106 Zilberstein, D. & Shapira, M. (1994) The role of pH and temperature in the development of *Leishmania* parasites. *Annual Review of Microbiology*, 48, 449-470.
- 107 Madigan, M.T., Martinko, J.M., Parker, J. (2000) Brock Mikrobiologie. Spektrum Akademischer Verlag, Heidelberg, Berlin, ISBN 3-8274-0566-1, S. 165.
- 108 Wolf, K.-H. (1994) Aufgaben zur Bioreaktionstechnik. Springer-Verlag, Berlin Heidelberg, S. 34ff.
- 109 **Pohl, H.-D., Fritsche, C., Weiland, N., Sitz, M. (2006/2007) Kultivierung von *Leishmania tarentolae* in einer kontinuierlichen Prozessführung. Forschungsbericht, Fachhochschule Jena, ISBN 978-3-932886-17-1, S. 55-56.**
- 110 Wolf, M. (2004) Fermentation von *Leishmania tarentolae* im Labormaßstab und Herstellung eines GFP-Standards aus rekombinanten *Escherichia coli* und *Leishmania tarentolae*. Diplomarbeit, FH Jena.
- 111 **Fritsche, C. & Pohl, H.-D. (2006) Kultivierung des Parasiten *Leishmania tarentolae* im Laborfermenter. In: Tagungsband zur 7. Nachwuchswissenschaftlerkonferenz Mitteldeutscher Fachhochschulen, Fachhochschule Harz, Wernigerode, ISBN 3-00-018148-2, S. 231-232.**
- 112 **Fritsche, C., Wolf, M., Rupprecht, S., Pohl, H.-D. (2007) Cultivation of *Leishmania tarentolae* in complex nutrient media in bioreactors (lab scale). In: Tagungsband zur VAAM-Jahrestagung 2007 in Osnabrück, Biospektrum**

Sonderausgabe, S. 51.

- 113 Moser, A. (1981) Bioprozeßtechnik: Berechnungsgrundlagen der Reaktionstechnik biokatalytischer Prozesse. Springer Verlag Wien - New York, S. 73.
- 114 **Fritsche, C., Pohl, H.-D., Weiland, N. (2006) Nährmedium und Verfahren zur Kultivierung eines Protozoan zu hohen Zelldichten mit hohen spezifischen Wachstumsraten. Deutsche Patentanmeldung 10 2006 041 388.1-41, Anmelder: Fachhochschule Jena.**
- 115 Bretschneider, T. (2007) Modellierung zyklischer FedBatch-Prozesse von *L. tarentolae* zur Herstellung eines rekombinanten, sekretorischen Produktes. Studentisches Forschungsprojekt, Fachhochschule Jena.
- 116 Bretschneider, T. (2007) ZfedBatch_1D. Programm für MATLAB®, entstanden im Rahmen des Studentisches Forschungsprojektes, Fachhochschule Jena.
- 117 Bretschneider, T. (2007) ZFedBatch_SAG2_6. Programm für MATLAB®, entstanden im Rahmen des Studentisches Forschungsprojektes, Fachhochschule Jena.
- 118 Rehm, H. (2002) Der Experimentator: Proteinbiochemie/Proteomics. 4. Auflage, Spektrum Akademischer Verlag, Heidelberg, Berlin, ISBN 3-8274-1195-5, S. 13.
- 119 Chmiel, H. (2006) Bioprozesstechnik: Einführung in die Bioverfahrenstechnik. 2. Auflage, Spektrum Akademischer Verlag, München, S. 111.
- 120 Blum, J.J. (1994) Energy metabolism of *Leishmania*. Journal of Bioenergetics and Biomembranes, 26, 147-155.
- 121 Louassini, M., Foulquié, M.R., Benítez, R., Adroher, F.J. (1999) Activity of key enzymes in glucose catabolism during the growth and metacyclogenesis of *Leishmania infantum*. Parasitology Research, 85, 300-306.
- 122 Crowther, S., Fulton, J.D., Joyner, L.P. (1954) The metabolism of *Leishmania donovani* in culture. Biochemical Journal, 56(2), 182-185.
- 123 Steiger, R.F. & Meshnik, S.R. (1977) Amino-acid and glucose utilization of *Leishmania donovani* and *L. braziliensis*. Transactions of the Royal Society of Tropical Medicine and Hygiene, 71, 441-443.
- 124 Van Hellemond, J.J., Opperdoes, F.R., Tielens, A.G.M. (1998) Trypanosomatidae produce acetat via a mitochondrial acetat:succinate CoA transferase. Proceedings of the National Academy of Science of the USA, 95, 3036-3041.
- 125 Löffler, G. (2004) Basiswissen Biochemie mit Pathobiochemie. 6. Auflage, Springer Medizin Verlag, Heidelberg, S. 227.
- 126 Callahan, H.L., Portal, I.F., Bensinger, S.J., Grogl, M. (1996) *Leishmania* spp: Temperature sensitivity of promastigotes *in vitro* as a model for tropism *in vivo*. Experimental Parasitology, 84, 400-409.
- 127 Trager, W. (1974) Nutrition and biosynthetic capabilities of flagellates: problems of *in vitro* cultivation and differentiation. In: Trypanosomiasis and Leishmaniasis with special reference to Chagas' disease, Ciba Foundation Symposium 20, Elsevier, Amsterdam, S. 225-254.
- 128 Krassner, S.M. (1965) Effect of temperature on growth and nutritional requirements of *Leishmania tarentolae* in a defined medium. Journal of Protozoology, 12(1), 73-78.
- 129 Glaser, T.A., Baatz, J.E., Kreishman, G.P., Mukkada, A.J. (1988) pH homeostasis in *Leishmania donovani* amastigotes and promastigotes. Proceedings of the National Academy of Sciences USA, 85, 7602-7606.

-
- 130 Schaefer, F.W. & Mukkasa, A.J. (1976) Specificity of the glucose transport system in *Leishmania tropica* promastigotes. *Journal of Protozoology*, 23(3), 446-449.
- 131 Bergter, F. (1983) Wachstum von Mikroorganismen, Experimente und Modelle. 2. Auflage, Gustav Fischer Verlag Jena, S. 58.
- 132 TerKuile, B.H. & Opperdoes, F.R., (1993) Uptake and turnover of glucose in *Leishmania donovani*. *Molecular and Biochemical Parasitology*, 60, 313-322.
- 133 Simpson, L. (1968) Effect of acriflavine on the kinetoplast of *Leishmania tarentolae*. Mode of action and physiological correlates of the loss of kinetoplast DNA. *Journal of Cell Biology*, 37, 660-682.
- 134 Siegel, S. M., Roberts, K., Lederman, M., Daly, O. (1967) Microbiology of saturated salt solutions and other harsh environments. II. Ribonucleotide dependency in the growth of a salt-habituated *Penicillium notatum* in salt-free nutrient media. *Plant Physiology*, 42, 201-204.
- 135 Hammond, D.J. & Gutteridge, W.E. (1984) Purine and pyrimidine metabolism in the Trypanosomatidae. *Molecular and Biochemical Parasitology*, 13(3), 243-261.
- 136 Joshi, M.B. & Dwyer, D.M. (2007) Molecular and functional analyses of a novel class I secretory nuclease from the human pathogen, *Leishmania donovani*. *Journal of Biological Chemistry*, 282(13), 10079-10095.
- 137 Debrabant, A., Ghedin, E., Dwyer, D.M. (2000) Dissection of the functional domains of the *Leishmania* surface membrane 3'-nucleotidase/nuclease, a unique member of the class I nuclease family. *Journal of Biological Chemistry*, 275(21), 16366-16372.
- 138 Yamage, M., Debrabant, A., Dwyer D.M. (2000) Molecular characterization of a hyperinducible, surface membrane-anchored, class I nuclease of a trypanosomatid parasite. *Journal of Biological Chemistry*, 275(46), 36369-36379.
- 139 Debrabant, A., Bastien, P., Dwyer, D.M. (2001) A unique surface membrane anchored purine-salvage enzyme is conserved among a group of primitive eukaryotic human pathogens. *Molecular and Cellular Biochemistry*. 220(1-2), 109-116.
- 140 Sopwith, W.F., Debrabant, A., Yamage, M., Dwyer, D.M., Bates, P.A. (2002) Developmentally regulated expression of a cell surface class I nuclease in *Leishmania mexicana*. *International Journal for Parasitology*, 32(4), 449-459.
- 141 Carter, N.S., Landfear, S.M., Ullman, B. (2001) Nucleoside transporters of parasitic protozoa. *Trends Parasitology*, 17(3), 142-145.
- 142 Vasudevan, G., Carter, N.S., Drew, M.E., Beverley, S.M., Sanchez, M.A., Seyfang, A., Ullman, B., Landfear, S.M. (1998) Cloning of *Leishmania* nucleoside transporter genes by rescue of a transport-deficient mutant. *Proceedings of the National Academy of Sciences of the USA*, 95(17), 9873-9878.
- 143 Landfear, S.M., Ullman, B., Carter, N.S., Sanchez, M.A. (2004) Nucleoside and nucleobase transporters in parasitic protozoa. *Eukaryotic Cell*. 3(2), 245-254.
- 144 Lottspeich, F. & Engels, J.W. (2006) Bioanalytik. 2. Auflage, Spektrum Akademischer Verlag, Heidelberg, S. 38.
- 145 Lottspeich, F. & Engels, J.W. (2006) Bioanalytik. 2. Auflage, Spektrum Akademischer Verlag, Heidelberg, S. 579.
- 146 André, S., Kaltner, H., Kopitz, J., Siebert, H.-C. (2006) Wie der Zuckerkode entschlüsselt wird. *Biospektrum*, 7, 706-709.