

7. Literaturverzeichnis

- (1) Adams DR, Deyoung DW, Griffith R (1981) Lateral nasal glands of the dog: its structure and secretory content. *J Anat* 132: 29-37
- (2) Agha-Mir-Salim S, Baumgarten C, Jahnke V, Niedobitek G, Kunkel G (1991) Presence of vasoactive intestinal peptide receptors in nasal mucosa. *Skin Pharmacol* 4 (3): 213-219
- (3) Agha-Mir-Salim P, Merker HJ (1992) Elektronenmikroskopische und immunfluoreszenzmikroskopische Untersuchungen der Basalmembran der menschlichen Nasenschleimhaut. *Allergologie* 15(7): 229-232
- (4) Agha-Mir-Salim P, Merker HJ, Jahnke V, Berghaus A (1998) Die Drüsen der menschlichen Nasenschleimhaut-elektronenmikroskopische und immunhistochemische Untersuchungen. *Laryngo Rhino Otol* 77: 322-327
- (5) Agha-Mir-Salim P, Stange Th, Knipping St, Jahnke V, Berghaus A (2001) Elektronenmikroskopische Untersuchungen der Nasenschleimhaut des Kaninchens nach kurzzeitiger Applikation von Naphazolininitrit. *Laryngo Rhino Otol* 80: 389-393
- (6) Albegger K (1980) Zur Rhinosinusitis des Kindes aus HNO-ärztlicher Sicht. *HNO* 28: 321-328
- (7) Albegger K (1988) Nasale Hyperreagibilität und hyperreflektorische (vasomotorische) Rhinopathie. *Allergologie* 11: 139-149
- (8) Albegger K, Hauser-Kronberger CE, Saria A, Graf AH, Bernatzky G, Hacker GW (1991) Regulatory Peptides and General Neuroendocrine Markers in Human Nasal Mucosa, Soft Palate and Larynx. *Acta Otolaryngol (Stockh)* 111: 373-378

- (9) Al-Rawi MM, Edelstein DR, Erlandson RA (1998) Changes in nasal epithelium in patients with severe chronic sinusitis: a clinicopathologic and electron microscopic study. *Laryngoscope* 108 (12): 1816-1823
- (10) Alving K (1990) Airways vasodilatation in the immediate allergic reaction. *Acta Physiol Scand Suppl* 597: 1-64
- (11) Änggard A (1974) Autonomic nervous control of blood circulation and secretion in the nasal mucosa. Thesis: Dep. Pharmacol., Karolinska Inst Stockholm
- (12) Änggard A (1977) Parasympathetic Influence on the Nasal Mucosa. *Acta Otolaryngol (Stockh)* 83: 22-24
- (13) Änggard A (1993) Basic mechanisms in autonomic nervous responses in specific and nonspecific nasal hyperreactivity. *Acta Otolaryngol (Stockh)* 113: 394-396
- (14) Amores AE, Spekelsen C, Bernal-Spekelsen M (1991) Immunoreactive nerve fibers in the nasal mucosa. *Eur Arch Otorhinolaryngol* 248: 487-491
- (15) Auberson S, Lacroix JS, Lundberg JM (1999) Different ion channel control pH6-induced bronchoconstriction and calcitonin gene-related peptide release in the guinea-pig. *Pharmacol Toxicol* 84(4): 181-186
- (16) Bachert C (1995) Exfoliativzytologie unter Verwendung immunhistochemischer Techniken. In: Heppt W: *Nasenzytologie* Springer :107-124
- (17) Bachert C (1996) Klinik der Umwelterkrankungen von Nase und Nasennebenhöhlen-Wissenschaft und Praxis. *Oto Rhino Laryngol (Suppl 1)*: 73-146

- (18) Baluk P, Nadel JA, McDonald DM (1992) Substance P-immunoreactive sensory axons in the rat respiratory tract: a quantitative study of their distribution and role in neurogenic inflammation. *J Comp Neurol* 319(4): 586-598
- (19) Baraniuk JN, Castellino S, Goff J, Lundgren JD, Mullol J, Merida M, Shelhamer JH, Kaliner MA (1990) Neuropeptide Y (NPY) in human nasal mucosa, and analysis of secretory responses in vitro and in vivo. *Am Rev Respir Dis* 141 : 706-714
- (20) Baraniuk JN, Lundgren J, Okayama M, Mullol J, Merida M, Shelhamer J, Kaliner M (1990) Vasoactive Intestinal Peptide in Human Nasal Mucosa. *The J Clin Invest* 86: 825-831
- (21) Baraniuk JN, Kaliner MA (1990) Neuropeptides and nasal secretion. *J Allergy Clin Immunol* 86: 620-627
- (22) Baraniuk JN, Lundgren JD, Goff J, Mullol J, Castellino S, Merida M, Shelhamer JH, Kaliner MA (1990) Calcitonin gene-related peptide in human nasal mucosa. *Am J Physiol* 258: 81-88
- (23) Baraniuk JN, Kaliner MA (1991) Neuropeptides and nasal secretion. *Am J Physiol* 261 (4 Pt 1): 223-235
- (24) Baraniuk JN (1991) Neural Control of Human Nasal Secretion. *Pulmon Pharmac* 4: 20-31
- (25) Baraniuk JN, Silver PB, Kaliner MA, Barnes PJ (1992) Neuropeptide Y is a vasoconstrictor in human nasal mucosa. *J Appl Physiol* 73(5):1867-1872
- (26) Baraniuk JN (1992) Sensory, parasympathetic, and sympathetic neural influences in the nasal mucosa. *J Allergy Clin Immunol* 90: 1045-1050

- (27) Barnes PJ (1987) Neuropeptides in Human Airways: Function and Clinical Implications. *Am Rev Respir Dis* 136: 77-83
- (28) Barnes PJ (1987) Regulatory peptides in the respiratory system. *Experimentia* 43 Birkhäuser Verlag Schweiz: 832-838
- (29) Beesley JE (1989) Colloidal gold: A new perspective for cytochemical marking. *Microscopy Handbooks* 17 Oxford University Press: 1-59
- (30) Bentley AM, Jacobson MR, Cumberworth V, Barkans JR, Moqbel R, Schwartz LB, Irani AM, Kay AB, Durham SR (1992) Immunohistology of the nasal mucosa in seasonal allergic rhinitis: Increases in activated eosinophils and epithelial mast cells. *J Allergy Clin Immunol* 89: 877-883
- (31) Berhardt J, Tschudi MR, Dohi Y, Gut I, Urwyler B, Bühler FR, et al (1991) Release of Nitric Oxide from Human Vascular Smooth Muscle Cells. *Biochem Biophys Res Com* 180: 907-912
- (32) Bernstein JM (1991) The role of autonomic nervous system and inflammatory mediators in nasal hyperreactivity: a review. *Otolaryngol Head Neck Surg* 105(4): 596-607
- (33) Bishop AE, Polak JM, Facer P, Ferri GL et al (1982) Neuron Specific Enolase: A Common Marker for the Endocrine Cells and Innervation of the Gut and Pancreas. *Gastroenterology* 83: 902-915
- (34) Bock E (1978) Nervous System Specific Proteins. *J Neurochem* 30: 7-14
- (35) Borkowski G, Gurr A, Stark Th, Philippou S, Sudhoff H (2000) Funktionelle und morphologische Störungen des mukoziliären Systems bei der sekretorischen Otitis media. *Laryngo Rhino Otol* 79: 135-138

- (36) Boysen-Moller F (1964) Topography of the nasal glands in the rats and some other mammals. *Anat Rec* 150: 11-24
- (37) Brandtzaeg P, Fjellanger I, Gjeruldsen ST (1967) Localization of immunoglobulins in human nasal mucosa. *Immunochemistry* 4: 57-60
- (38) Brecht DS, Hwang PM, Snyder SH (1990) Localization of nitric oxide synthase indicating a neural role for nitric oxide. *Nature* 347: 768-770
- (39) Brettschneider H (1957) Elektronenmikroskopische Untersuchungen an der Nasenschleimhaut. *Anat Anz* 41: 194-204
- (40) Brokaw JJ, White GW (1992) Calcitonin Gene Related Peptide potentiates Substance P induced plasma extravasation in the rat trachea. *Lung* 170: 85-93
- (41) Brook I, Yocum P (1995) Antimicrobial management of chronic sinusitis in children. *J Laryngol Otol* 109: 1159-1162
- (42) Brown JF, Keates AC, Hanson PJ, Whittle BJR (1993). Nitric oxide generators and cGMP stimulate mucus secretion by rat gastric mucosal cells. *Am J Physiol* 265: 418-422
- (43) Burian K, Stockinger L (1963) Elektronenmikroskopische Untersuchungen an der Nasenschleimhaut. *Acta Oto Laryng* 56: 376-389
- (44) Burnstock G (1990) Local mechanism of blood flow control by perivascular nerves and endothelium. *J Hypertens & Suppl* 7: 95-106
- (45) Cauna N, Hinderer KH, Wentges RT (1969) Sensory Receptor Organs of the Human Nasal Respiratory Mucosa. *Am J Anat* 124: 187-210

- (46) Cauna N, Hinderer KH (1969) Fine Structure of Blood Vessels of the Human Nasal Respiratory Mucosa. *Ann Otol Rhinol Laryngol* 78: 865-879
- (47) Cauna N (1970) Electron microscopy of the nasal vascular bed and its nerve supply. *Ann Otol Rhinol Laryngol* 79: 443-450
- (48) Cauna N, Cauna D, Hinderer KH (1972) Innervation of human nasal glands. *J Neurocytol* 1: 49-60
- (49) Cervin A, Onnerfalt J, Edvinsson L, Grundemar L (1999) Functional effects of neuropeptide Y receptors on blood flow and nitric oxide levels in the human nose. *AM J Respir Crit Care Med* 160 (5): 1724-1728
- (50) Changqing Z, Zhengde T, Jianyun X, Suping Z, Jiantian Q (1995) An immunocytochemical study on relations between mast cell and peptidergic terminals in nasal mucosa of chronic rhinitis patients. *Chinese Medical Journal* 108 (8): 606-609
- (51) Chaen T, Watanabe N, Mogi G, Mori K, Takeyama M (1993) Substance P and Vasoactive Intestinal Peptide in nasal secretions and plasma from patients with nasal allergy. *Ann Otol Rhinol Laryngol* 102: 16-21
- (52) Chen Y, Getchell T, Sparks D, Getchell M (1993) Patterns of adrenergic and peptidergic innervation in human olfactory mucosa: Age-related trends. *J Comparative Neurology* 334: 104-116
- (53) Cocchia D, Michetti F, Donato R (1981) Immunochemical and immunocytochemical localization of S-100 antigen in normal human skin. *Nature* 294: 85-87

- (54) Coons AH, Creech HJ, Jones RN (1941) Immunological properties of an antibody containing a fluorescent group. *Proc Soc exp Biol Med* 47: 200-202
- (55) Corey JP, Houser SM, Ng BA (2000) Nasal congestion: A review of its etiology, evaluation, and treatment. *ENT Ear Nose & Throat Journal* 79(9): 690-702
- (56) Cortesina G, Carlevato MT, Bussi M, Baldi C, Majore L, Ruffino C (1993) Mucosal Immunity in Allergic Rhinitis. *Acta Otolaryngol (Stockh)* 113: 397-399
- (57) Cremaschi D, Rossetti C, Draghetti MT, Manzoni C, Porta C, Aliverti V (1991) Transepithelial electrophysiological parameters in rabbit respiratory nasal mucosa isolated in vitro. *Comp Biochem Physiol* 99A (3): 361-364
- (58) Crockett DM, McGill TJ, Healy GB, Friedman EM, Salkeld LJ (1987) Nasal and paranasal sinus surgery in children with cystic fibrosis. *Ann Otol Rhinol Laryngol* 96: 367-372
- (59) Dahlström A, Fuxe K (1965) The adrenergic innervation of the nasal mucosa of certain mammals. *Acta Otolaryngologica* 59: 65-72
- (60) Damm M, Quante G, Wolf C, Eckel HE (2001) Proteinzusammensetzung und spezifisches IgE in Nasenpolypen von Patienten mit chronischer Rhinosinusitis. *HNO Informationen* 2: 73
- (61) Davis AE, Smallman LA (1988) An ultrastructural study of the mucosal surface of the human inferior concha. I. Normal appearances. *J Anat* 161: 61-71
- (62) Deitmer Th. (1992) Wissenswertes über mukoziliaren Transport. *HNO* 40: 459-463

- (63) Delank KW, Keller R, Stoll W (1993) Morphologie und rhinologische Bedeutung der Intumescentia septi nasi anterior. *Laryngo Rhino Otol* 72: 242-246
- (64) Devillier P, Dessanges JF, Rakotosihanaka F, Ghaem A, Boushey HA, Lockhart A, Marsac J (1988) Nasal response to substance P and methacholine in subjects with and without allergic rhinitis. *Eur Respir J* 1: 356-361
- (65) Diamant Z, Fokkens WJ (2001) Leukotriene receptor antagonists: clinical potential in allergic rhinitis. *Rhinology* 39: 187-190
- (66) Drake-Lee AB, Morgan DW (1989) Nasal polyps and sinusitis in children with cystic fibrosis. *J Laryngol Otol* 103: 753-755
- (67) Durham SR, Till SJ (1998) Immunological changes associated with allergen immunotherapy. *J Allergy Clin Immunol* 102: 157-164
- (68) Eberle L, Glück U (1994) Klinische Erfahrungen mit lokaler Capsaicinbehandlung bei chronischer Rhinopathie. *HNO* 42: 665-669
- (69) Edvinsson L, Gulbenkian S, Barroso CP, Cunha E SA M, Polak JM, Mortensen A, Jorgensen L, Jansen-Olesen I (1998) Innervation of the Human Middle Meningeal Artery: Immunohistochemistry, Ultrastructure and Role of Endothelium for Vasomotility. *Peptides* 19 (7): 1213-1225
- (70) Elwany S, Bumsted R (1987) Ultrastructural Observations on Vasomotor Rhinitis. *ORL* 49: 199-205
- (71) Elwany S, Hesham Abdel-Moneim M (1997) Carbon dioxide laser turbinectomy. An electron microscopic study. *Journal of Laryngol and Otology* 111: 931-934

- (72) Euler US, Gaddum JH (1931) An unidentified depressor substance in certain tissue extracts. *J Physiol (London)*: 74-87
- (73) Fajac I, Braunstein G, Ickovic MR, Lacronique J, Frossard N (1995) Selective recruitment of eosinophils by substance P after repeated allergen exposure in allergic rhinitis. *Allergy* 50 (12): 970-975
- (74) Fang SY, Shen CL (1998) Neuropeptide innervation and neuroendocrine cells in allergic rhinitis and chronic hypertrophic rhinitis. *Clin Exp Allergy* 28: 228-232
- (75) Fang SY, Shen CL, Ohyama M (1998) Distribution and Quality of neuroendocrine markers in allergic rhinitis. *Acta Otolaryngol (Stockh)* 118: 398-403
- (76) Faulk WP, Taylor GM (1971) An immunocolloid method for the electron microscope. *Immunochemistry* 8: 1081-1083
- (77) Feher E, Burnstock G, Varndell IM, Polak JM (1986) Calcitonin gene-related peptide-immunoreactive nerve fibres in the small intestine of the guinea-pig: electron-microscopic immunocytochemistry. *Cell Tissue Res* 245: 353-358
- (78) Ferner H (1961) Bau und Struktur der Speicheldrüsen unter Berücksichtigung eigener elektronenmikroskopischer Beobachtungen am Menschen. *DZZ* 16 (3): 128-142
- (79) Fischbach W, Jany B, Nelkenstock R (1986) Bedeutung der neuronenspezifischen Enolase (NSE) in der Diagnostik von Bronchialkarzinomen und neuroendokrinen Tumoren. *DMW* 111: 1721-1725

- (80) Fischer A, Mundel P et al (1993). Nitric oxide synthase in guinea pig lower airway innervation. *Neurosci Lett* 149: 157-160
- (81) Fischer L, Auberson S, Bretton C, Lacroix JS (1993) Adrenergic and non-adrenergic vasoconstrictor mechanisms in the human nasal mucosa. *Rhinology*. 31(1): 11-15
- (82) Finger TE, Jeor VLS, Kinnamon JC, Silver WL (1990) Ultrastructure of Substance P-and CGRP- Immunoreactive Nerve Fibers in the Nasal Epithelium of Rodents. *Journal of Comparative Neurology* 294: 293-305
- (83) Garthwaite J (1991) Glutamate, nitric oxide and cell-cell signalling in the nervous system. *Trends Neurosci* 14: 60-67
- (84) Gassner HG, Constantinidis J, Steinhart H, Bohlender JE, Iro H (2001) Polyposis nasi et sinuum- ist die Erkrankung im Nasenschleim lokalisiert? *HNO Informationen* 2: 89
- (85) Gawin A, Baraniuk JM, Kaliner M (1993) Effects of Substance P and Calcitonin Gene Related Peptide (CGRP) on guinea pig nasal mucosal secretion in vivo. *Acta Otolaryngol (Stockh)* 113: 533-539
- (86) Graf P, Hallen H, Juto JE (1995) The pathophysiology and treatment of rhinitis medicamentosa. *Clin Otolaryngol* 20: 224-229
- (87) Grevers G, Herrmann U (1987) Das Schwellgewebe der Nasenschleimhaut. *Laryngo Rhino Otol* 66: 152-156
- (88) Grevers G, Herrmann U (1987) Fenestrated endothelia in vessels of the nasal mucosa. An electron microscopic study in the rabbit. *Europ Arch Otorhinolaryngol* 244: 55-60

- (89) Grevers G, Heinzmann U (1988) Scanning electron microscopic studies of the nasal blood vessels. *Arch Otorhinolaryngol* 244: 363-366
- (90) Grevers G (1989) Zur funktionellen Morphologie endonasaler Blutkapillaren. *Laryngo Rhino Otol* 68: 123-28
- (91) Grevers G, Kamargakis WN (1994) Zur Morphologie des endonasalen Schwellgewebes unter besonderer Berücksichtigung muskulärer Polsterbildung. *Laryngo Rhino Otol* 73: 573-576
- (92) Grevers G, Kamargakis WN (1995) Intravascular smooth muscle fibers and muscular bolsters in nasal swell bodies of humans. *Ann Otol Rhinol Laryngol* 104: 144-148
- (93) Grevers G, Kastenbauer E (1996) Functional Morphology of Nasal Blood Vessels in Humans. *Acta Otolaryngol (Stockh)* 116: 312-315
- (94) Grevers G, Kamargakis WN, Welsch U (1996) Morphological variability of smooth muscle cells in human nasal swell bodies. *Eur Arch Otorhinolaryngol* 253: 147-151
- (95) Grevers G, Sturm C (1997) Die Bedeutung des Gefäßendothels für nasenschleimhaut-spezifische Funktionsabläufe. *Laryngo Rhino Otol* 76: 398-404
- (96) Grimmelikhuijzen CJP, Westfall JA (1995) The nervous systems of Cnidarians. *The nervous systems of invertebrates: An evolutionary and comparative approach*. Hrsg. Breidbach und Kutsch Verlag Birkhäuser Basel: 7-24
- (97) Grote JJ, Kuypers W, Huygen PLM (1975) Selective Denervation of the autonomic nerve supply of the nasal mucosa. *Acta Otolaryngol* 79: 124-132

- (98) Grunditz T, Uddman R, Sundler F (1994) Origin and peptide content of nerve fibers in the nasal mucosa of rats. *Anat Embryol (Berl)* 189(4): 327-337
- (99) Guarnaccia S, Baraniuk JN, Bellanti J, Duina M (1994) Calcitonin gene-related peptide nasal provocation in humans. *Ann Allergy* 72: 515-519
- (100) Guesdon J, Ternynck T, Avrameas S (1979) The use of Avidin-Biotin interaction in immunoenzymatic techniques. *Journal Histochem Cytochem* 27 (8): 1131-1139
- (101) Gulbenkian S, Merighi A, Wharton J, Varndell IM, Polak JM (1986) Ultrastructural evidence for the coexistence of calcitonin gene-related peptide and substance P in secretory vesicles of peripheral nerves in the guinea pig. *Journal of Neurocytology* 15: 535-542
- (102) Gungor A, Baroody FM, Nacerio RM, White SR, Carey JP (1999) Decreased neuropeptide release may play a role in the pathogenesis of nasal polyps. *Otolaryngol Head Neck Surg* 121 (5): 585-590
- (103) Hällgren R, Venge P (1991) The eosinophils in inflammation. In: Matsson P et al. *Clinical impact of the monitoring of allergic inflammation*. London Academic Press Ltd: 119-140
- (104) Hanazawa T, Tanaka K, Chiba T, Konno A (1997) Distribution and origin of nitric oxide synthase-containing nerve fibers in human nasal mucosa. *Acta Otolaryngol* 117(5): 735-737
- (105) Hasegawa M, Kern EG (1978) The effect of breath holding, hyperventilation, and exercise on nasal resistance. *Rhinology* 16: 243

- (106) Hauser-Kronberger C, Hacker GW, Muss W, Saria A, Albegger K (1993) Autonomic and peptidergic innervation of human nasal mucosa. *Acta Otolaryngol.(Stockh)* 113(3): 387-393
- (107) Hauser-Kronberger C, Hacker GW, Albegger K, Dietze O (1994) Neuropeptide im oberen Atemtrakt des Menschen. *Atemw Lungenkrkh* 20 (2): 96-111
- (108) Heinrich UR, Maurer J, Gosepath K, Mann W (1997). Electron microscopic localization of nitric oxide I synthase in the organ of Corti of the guinea pig. *Eur Arch Otorhinolaryngol* 254: 396-400
- (109) Heinrich UR, Maurer J, Gosepath K, Mann W (1998) Immunoelectron microscopic localization of nitric oxide synthase III in the guinea pig organ of Corti. *Eur Arch Otorhinolaryngol* 255: 483-490
- (110) Heppt W (1995) *Zytologie der Nasenschleimhaut*. Springer, Heidelberg
- (111) Heppt W (1997) Medikamentöse Therapie der allergischen Rhinitis. *HNO* 45: 647-655
- (112) Heppt W, Cryer A, Trevisani M, Fischer A (2001) Protease Aktiver Receptor-2 (PAR2) in der Nasenschleimhaut. *HNO Informationen* 2: 105
- (113) Hermann-Kunz E, Thierfelder W (2001) Allergische Rhinitis und Sensibilisierungsraten - Nimmt die Prävalenz wirklich zu? *Bundesgesundheitsbl-Gesundheitsforsch-Gesundheitsschutz* 7: 643-653
- (114) Heß A, Bloch W, Rocker J, Addicks K, Stennert E, Michel O (1998) In vitro expression of inducible nitric oxide synthase in the nasal mucosa of guinea pigs after incubation with lipopolysaccharides or cytokines. *Eur Arch Otorhinolaryngol* 255: 448-453

- (115) Heß A, Michel O, Stennert E (1998) NOS-mapping of the nasal mucosa/ detection of nitric oxide (NO) in breath with laser magnetresonance spectroscopy. *Allergologie* 21: 566-567
- (116) Heß A, Bloch W, Rucker J, Peters S, Stennert E, Addicks K, Michel O (2000) Nachweis von Stickstoffmonoxidsynthasen bei physiologischen und pathophysiologischen Prozessen in der Nasenschleimhaut. *HNO* 48: 489-495
- (117) Heym C, Common B, Yin S, Klimaschewski L, Couraud JY, Bachmann S (1993) Neurochemistry, connectivity and plasticity of small intensely fluorescent (SIF) cells in the rat superior cervical ganglion. *Ann Anat* 175: 309-319
- (118) Hiraide F, Kakoi H (1986) Histochemical study on innervation of glands and blood vessels in nasal polyps. *Acta otolaryngol (Suppl)* 430: 5-11
- (119) Hökfelt T, Kellerth JO, Nilsson G, Pernow B (1975) Substance P: localization in the central nervous system and in some primary sensory neurons. *Science* 190: 889-890
- (120) Hökfelt T, Johannsson O, Ljungdahl A, Lundberg JM, Schultzberg M (1980) Peptidergic neurons. *Nature* 284: 515-521
- (121) Hui Y, Gaffney R, Crysedale WS (1995) Sinusitis in patients with cystic fibrosis. *Eur Arch Otorhinolaryngol* 252: 191-196
- (122) Hussarek M, Neuhold R (1958) Histochemische Untersuchungsergebnisse an normaler Nasenschleimhaut und bei Rhinitiden. *Wiener klinische Woche* 70: 678-679
- (123) Hyden H, Lange PW, Larson S (1980) S-100 Glia regulation of GABA transport across nerve cell membrane. *J neurol Sci* 45: 303-316

- (124) Ichimura K, Mineda A, Seki A (1988) Vascular effects of neuropeptides on nasal mucosa. *Ann Otol Laryngol* 97: 289-293
- (125) Inanli S, Tutkun A, Batman C, Okar I, Üneri C, Sehitoglu MA (2000) The effect of endoscopic sinus surgery on mucociliary activity and healing of maxillary sinus mucosa. *Rhinology* 38: 120-123
- (126) Irving RM, McMahon R, Clark R, Jones NS (1997) Cystic fibrosis transmembrane conductance regulator gene mutations in severe nasal polyposis. *Clin Otolaryngol* 22: 519-521
- (127) Ishibe T, Yamashita T, Kumatawa T, Tanaka C (1983) Adrenergic and Cholinergic Receptors in Human Nasal Mucosa in Cases of Nasal Allergy. *Arch Otorhinolaryngol* 238: 167-173
- (128) Ishii T (1970) The cholinergic innervation of the human nasal mucosa. A histochemical study. *Pract Otorhinolaryngol (Basel)* 32: 153-158
- (129) Ishii T, Toriyama M (1972) Acetylcholinesterase activity in vasomotor and secretory fibres of the nose. *Arch Klin Exp Ohr Nas und Kehlk Heilk* 201: 1-10
- (130) Jafek BW (1983) Ultrastructure of human nasal mucosa. *Laryngoscope* 93: 1576-1599
- (131) Jahnke V (1972) Ultrastruktur der normalen Nasenschleimhaut des Menschen. *Z Laryngol Rhinol* 51: 30-41
- (132) Jahnke V (1972) Ultrastruktur der normalen und allergischen Nasenschleimhaut. *HNO* 20 (5): 154-157

- (133) Jahnke V, Theopold HM (1977) Feinstruktur der Nasenschleimhaut bei Mukoviszidose unter besonderer Berücksichtigung der Polyposis. *Laryngo Rhinol* 56: 773-781
- (134) Jahnke V, Theopold HM, Naumann HH (1977) Elektronenmikroskopische Befunde an der menschlichen Nasenschleimhaut bei Störungen des vegetativen Nervensystems. *Laryngo Rhinol* 56: 959-968
- (135) Jahnke V, Theopold HM (1983) Elektronenmikroskopische Befunde bei allergischen Reaktionen der Nasenschleimhaut. *Laryngo-Rhino-Otol.* 62: 603-607
- (136) Jahnke V (1985) Electron microscopy in rhinology. *Rhinology* 23: 173-179
- (137) Jahnke V (1986) Feinstruktur der menschlichen Nasenschleimhaut bei Allergie und Störungen des vegetativen Nervensystems. *Allergologie* 5: 211-217
- (138) Jahnke K, Arnold W (1987) Die Bedeutung der Elektronenmikroskopie für Klinik und Forschung in der Hals-Nasen-Ohren-Heilkunde. *Anat Anz Jena* 163: 63-78
- (139) Jahnke V, Merker HJ (1998) Elektronenmikroskopische Untersuchungen des menschlichen vomeronasalen Organs. *HNO* 46: 502-506
- (140) Jahnke V, Merker HJ (2000) Electron microscopic and functional aspects of the human vomeronasal organ. *American Journal of Rhinology* 14: 63-67

- (141) Jeon SY, Majima Y, Kawaguchi S, Sakakura Y, Yasui Y, Nakano K, Ishihara A (1993) Immunohistochemical and electron microscopic studies of Substance P in guinea pig nasal glands. *Acta Otolaryngol.Suppl (Stockh)* 506: 41-46
- (142) Jeon SY, Kim J, Hwang EG (1997) Origin and distribution of NADPH diaphorase-positive nerves in rat nasal mucosa. *Ann Otorhinolaryngol* 106(8): 688-692
- (143) Jorissen M, Willems T, Van der Schueren B (1998) Nasal ciliary beat frequency is age independent. *Laryngoscope* 108: 1042-1047
- (144) Kahn HJ, Marks A, Thom H, Baupal R (1983) Role of Antibody to S 100 Protein in Diagnostic Pathology. *Am J Clin Path* 79: 341-347
- (145) Kaliner M (1992) The physiology and pathophysiology of the parasympathetic nervous system in nasal disease: An overview. *J Allerg Clin Immunol* 90:1044-1045
- (146) Kamijo A, Terakawa S, Hisamatsu K (1993) Neurotransmitter-induced exocytosis in goblet and acinar cells of rat nasal mucosa studied by video microscopy. *Am J Physiol* 265: 200-209
- (147) Kang BH, Chen SS, Jou LS, Weng PK, Wang HW (2000) Immunolocalization of inducible nitric oxide synthase and 3-nitrotyrosine in the nasal mucosa of patients with rhinitis. *Eur Arch Otorhinolaryngol* 257(5): 242-246
- (148) Karnitzki G, Mlynski G, Mlynski B (1993) Nasale mukoziliare Transportzeit und ziliare Schlagfrequenz bei Gesunden und Sinusitispatienten. *Laryngo Rhino Otol* 72: 595-598

- (149) Karnovsky MJ, Roots L (1964) A "direct-coloring" thiocholine method for cholinesterases. *J Histochem Cytochem* 12: 219-221
- (150) Katahashi T, Kanda T, Hanazawa T, Konno A, Tatsuoka H (1997) Distribution of vasoactive intestinal polypeptide immunoreactive nerve fiber in the rat nasal mucosa. *Auris-Nasus-Larynx* 24 (1): 59-64
- (151) Kawamoto H, Takumida M, Takeno S, Watanabe H, Fukushima N, Yajin K (1998) Localization of nitric oxide synthase in human nasal mucosa with nasal allergy. *Acta Otolaryngol Suppl* 539: 65-70
- (152) Klaassen ABM, van Megen YJB, Kuijpers W, van den Broek P (1988) Autonomic Innervation of the Nasal Mucosa. *ORL* 50: 32-41
- (153) Knipping St, Riederer A, Fischer A (1995) Immunhistochemische Untersuchungen zur Neuroanatomie der menschlichen Nasenmuschel: Innervationsmuster der seromukösen Drüsen. *Laryngo Rhino Otol* 74: 81-84
- (154) Knipping St, Holzhausen HJ, Agha-Mir-Salim P, Riederer A, Berghaus A (2000) Elektronenmikroskopische Untersuchungen zur Innervation der Drüsen der Nasenschleimhaut des Menschen. *Laryngo Rhino Otol* 79: 146-150
- (155) Knipping St, Agha-Mir-Salim P, Holzhausen HJ, Berghaus A (2001) Immunelektronenmikroskopische Untersuchung bei Rhinitis allergica. *HNO Informationen* 2: 123
- (156) Knipping St, Riederer A, Agha-Mir-Salim P, Holzhausen HJ, Berghaus A (2001) Die klassisch-vegetative, peptiderge und nitregerge Innervation der Drüsen der menschlichen Nasenschleimhaut. *Laryngo-Rhino-Otol* 80: 697-703

- (157) Knipping St, Holzhausen HJ, Wollschläger B, Agha-Mir-Salim P, Berghaus A (2002) Ultrastrukturelle Veränderungen der Nasenschleimhaut bei der primären ziliären Dyskinesie. HNO 5: 483-487
- (158) Knipping St, Holzhausen HJ, Agha-Mir-Salim P, Passmann M, Riederer A, Berghaus A (2002) Elektronenmikroskopische Befunde der Nasen- und Dünndarmschleimhaut bei der Zystischen Fibrose. Laryngo-Rhino-Otol 81: 93-97
- (159) Knipping St, Holzhausen HJ, Agha-Mir-Salim P, Berghaus A (2002) Chronische Rhinosinusitis bei Hypogammaglobulinämie–eine morphologische Untersuchung. HNO 7 (2002) 644-648
- (160) Knöbber D, Agha-Mir-Salim P, Merker HJ, Jahnke V (1993) Intraepitheliale Mastzellen in der Stimmlippen- und Nasenschleimhaut. Laryngo Rhino Otol 72: 590-594
- (161) Kohlrausch O (1853) Über das Schwellgewebe an den Muscheln der Nasenschleimhaut. Arch Anat Physiol
- (162) Konno A, Numata T, Terada N, Hanazawa T, Nagata H, Motosugi H (1996) Role of substance P in the vascular response of nasal mucosa in nasal allergy. AnnOtol Rhinol Laryngol 105 (8): 648-653
- (163) Körner F (1937) Über Drosselvenen im Schwellgewebe der Nasenschleimhaut. Z mikosk-anat Forsch 41: 131-150
- (164) Kratzing JE (1984) The anatomy and histology of the nasal cavity of the koala. J Anat 138: 35-65
- (165) Krstic RV (1984) Illustrated Encyclopedia of Human Histology. Springer Verlag Berlin-Heidelberg-New York-Tokio

- (166) Kuhn C (1988) Normal anatomy and histology. In: Thurlbeck W (Hrsg) Pathology of the lung. Thieme Medical Publishers Inc, New York: 11
- (167) Kully BM (1945) The use and abuse of nasal vasoconstrictor medication. JAMA 127: 307-310
- (168) Kulkarni AP, Getchell TV, Getchell ML (1994) Neuronal nitric oxide synthase is localized in extrinsic nerves regulating perireceptor processes in the chemosensory nasal mucosae of rats and human. J Comp Neurol 345: 125-138
- (169) Lacroix JS, Anggard A, Hokfelt T, O'Hare MM, Fahrenkrug J, Lundberg JM (1990) Neuropeptide Y: presence in sympathetic and parasympathetic innervation of the nasal mucosa. Cell Tissue Res. 259(1): 119-128
- (170) Lacroix JS, Buvelot JM, Pampurik J, Lundberg JM (1992) Symptomverbesserung bei nicht allergischer Rhinitis durch lokale Capsaicinbehandlung. Otorhinolaryngol Nova 2: 248-252
- (171) Lacroix JS, Mosimann B (1996) Attenuation of allergen-evoked nasal responses by local pretreatment with exogenous neuropeptide Y in atopic patients. J Allergy Clin Immunol 98: 611-616
- (172) Laitinen LA, Laitinen A, Panula PA, Partanen M, Tervo K, Tervo T (1983) Immunohistochemical demonstration of Substance P in the lower respiratory tract of the rabbit and not of man. Thorax 38: 531-536
- (173) Laitinen A, Partanen M, Hervonen A, Pelto-Huikko M, Laitinen LA (1985) VIP like immunoreactive nerves in human respiratory tract. Light and electron microscopic study. Histochemistry 82: 313-319
- (174) Lange W, Unger J (1990) Peptidergic innervation within the prostate gland and seminal vesicle. Urol Res 18: 337-340

- (175) Lantini MS, Proto E, Puxeddu P, Riva A, Testa-Riva A (1990) Fine structure of excretory ducts of human salivary glands. *J Submicrosc Cytol Pathol* 22: 465-475
- (176) Leonhardt H (1990) Nervengewebe und Nervensystem. In: Leonhardt H, Hrsg. *Histologie, Zytologie und Mikroanatomie des Menschen*. Stuttgart, New York: Georg Thieme Verlag: 234-296
- (177) Lischka FW, Schild D (1994) Effects of nitric oxide upon olfactory receptor neurones in *Xenopus laevis*. *NeuroReport* 4: 582-584
- (178) Lundberg JM, Änggard A, Emson T, Fahrenkrug J, Hökfelt T (1981) Vasoactive intestinal polypeptide and cholinergic mechanisms in cat nasal mucosa. Studies on choline acetyltransferase and release of vasoactive intestinal polypeptide. *Proc Nat Acad Sci, USA* 78: 5255-5259
- (179) Lundberg JM, Terenius L, Hökfelt T, Martling CR, Tatemoto K, Mutt V, Polak J, Bloom SR, Goldstein M (1982) Neuropeptide Y (NPY) like immunoreactivity in peripheral noradrenergic nerves and effects of NPY on sympathetic function. *Acta physiol Scand* 116: 477-480
- (180) Lundberg JM, Lundblad L, Martling CR, Saria A, Stjärne P (1987) Coexistence of Multiple Peptides and Classic Transmitters in Airway Neurons: Functional and Pathophysiologic Aspects. *Am Rev Respir Dis* 136: 16-22
- (181) Lundberg JM, Alving K, Lacroix JS, Matran R (1990) Local and central reflex mechanisms in the neural control of airway microcirculation. *Eur Respir J* 3 (Suppl12): 624-628
- (182) Lundberg JM, Alving K, Matran R (1991) Pulmonary Physiology and Pharmacology of Neuropeptides. *Ann NY Acad Sci*: 332-337

- (183) Lundberg JON, Farkas-Szallasi T, Weitzberg E, Rinder J, Lidholm J, Änggard A, Hökfelt T, Lundberg JM, Alving K (1995) High nitric oxide production in human paranasal sinuses. *Nature Medicine* 1(4): 370-373
- (184) Lundblad L, Saria A, Lundberg JM, Änggard A (1983) Increased vascular permeability in rat nasal mucosa induced by Substance P and stimulation of capsaicin-sensitive trigeminal neurons. *Arch Otolaryngol* 96: 479-484
- (185) Lundblad L (1984) Protective reflexes and vascular effects in the nasal mucosa elicited by activation of capsaicin-sensitive substance P-immunoreactive trigeminal neurons. *Acta Physiol Scand Suppl* 529: 870-875
- (186) Lung MA, Wang JCC (1989) Autonomic Nervous Control of Nasal Vasculature and Airflow Resistance in the Anaesthetized Dog. *J Physiol* 419: 121-139
- (187) Malis DD, Rist B, Nicoucar et al (2000) Modulatory effect of 2 novel CGRP1-receptor antagonists on vasodilatory responses to exogenous CGRP, histamine, bradykinin and capsaicin in anaesthetized pigs. In: *Abstract Book XVIII. Congress of European Rhinologic Society Barcelona*: 302
- (188) Malis DD, Grouzmann E, Morel DR, Mutter M, Lacroix JS (1999) Influence of TASP-V, a novel neuropeptide Y (NPY) Y2 agonist, on nasal and bronchial responses evoked by histamine in anaesthetized pigs and in humans. *Br J Pharmacol* 126(4): 989-996
- (189) Malcomson KG (1959) The vasomotor activities of the nasal mucous membrane. *J Laryng (London)* 73: 73-98

- (190) Malm L (1973) Vasodilatation in the Nasal Mucosa of the Cat and the Effects of Parasympatholytic and β -Adrenergic Blocking Agents. *Acta Otolaryngol* 76: 277-282
- (191) Malm M, Sundler R, Uddman R (1980) Effects of Vasoactive Intestinal Polypeptide on Resistance and Capacitance Vessels in the Nasal Mucosa. *Acta Otolaryngol* 90: 304-308
- (192) Markmann HU, Matthus J (1990) Das primäre ziliare Dyskinesiesyndrom. Ultrastrukturelle Beobachtungen bei einem Zwillingsspaar. *Pathologie* 11: 80-84
- (193) Mason DY (1985) Immunocytochemical Labeling of Monoclonal Antibodies by the APAAP Immunoalkaline Phosphatase Technique. In Bullock GR, Petrusz P: *Techniques in Immunocytochemistry* Academic Press: 25-40
- (194) McGillis J, Organist M, Payan D (1987) Substance P and immunoregulation. *Federation Proc* 46: 196-199
- (195) McMillan RM, Walker ERH (1991) Designing therapeutically effective 5-lipoxygenase inhibitors. *Trends Pharmacol Sci* 13: 323-330
- (196) Min YG, Shin JS, Choi JS, Chi JG, Yoon CJ (1995) Primary ciliary dyskinesia: Ultrastructural defects and clinical features. *Rhinology* 33: 189-193
- (197) Minshall E, Ghaffar O, Cameron L, O'Brien F, Quinn H, Rowe-Jones J, Davies RJ, Prior A, Lund VJ, Mackay IS, Nolop K, Lutsky B, Durham SR, Hamid Q (1998) Beurteilung der Langzeitanwendung von Mometasonfuroat Nasenspray (Nasonex) bei der Behandlung der perennialen Rhinitis mittels Nasenschleimhautbiopsie. *Otolaryngol Head Neck Surg* 118: 648-654

- (198) Mlynski G, Grützenmacher S, Plontke S, Mlynski B, Lang C (2001) Correlation of nasal morphology and respiratory function. *Rhinology* 39: 197-201
- (199) Modin A, Pernow J, Lundberg JM (1991) Evidence for two neuropeptide y receptors mediating vasoconstriction. *Eur J Pharmacol* 203(2): 165-171
- (200) Moore BW (1965) A soluble protein characteristic of the nervous system. *Biochem Biophys Res Commun* 19: 739-744
- (201) Mosimann BL, White MV, Hohman RJ, Goldrich MS, Kaulbach HC, Kaliner MA (1993) Substance P, calcitonin gene-related peptide, and vasoactive intestinal peptide increase in nasal secretions after allergen challenge in atopic patients. *J Allergy Clin Immunol* 92: 95-104
- (202) Mullol J, Raphael GD, Lundgren JD, Baraniuk JN, Merida M, Shelhamer JH, Kaliner MA (1992) Comparison of human nasal mucosal secretion in vivo and in vitro. *J Allergy Clin Immunol* 89(2): 584-592
- (203) Mullol J, Rieves RD, Baraniuk JN, Lundgren JD, Merida M, Hausfeld JH, Shelhamer JH, Kaliner MA (1992) The effects of neuropeptides on mucous glycoprotein secretion from human nasal mucosa in vitro. *Neuropeptides* 21(4):231-238
- (204) Mullol J, Baraniuk JN, Logun C, Merida M, Hausfeld J, Shelhamer JH, Kaliner A (1992) M1 and M3 muscarinic antagonists inhibit human nasal glandular secretion in vitro. *J Appl Physiol* 73 (5): 2069-2073
- (205) Mullol J, Baraniuk JN, Pitale M, Benfield T, Logun C, Picado C, Shelhamer JH (1997) Vasoactive intestinal peptide (VIP) induces IL-6 and IL-8, but not G-CSF and GM-CSF release from a human bronchial epithelial cell line. *Neuropeptides* 31(2): 119-124

- (206) Munger BL (1963) Histochemical Studies on Seromucous- and Mucous secreting Cells of Human Salivary Gland. *Am J Anat* 115: 411-430
- (207) Mygind N, Bretlau P (1973) Scanning electron microscopic studies of the human nasal mucosa in normal persons and in patients with perennial rhinitis. *Acta Allerg* 28: 9-15
- (208) Mygind N, Thomsen J, Jorgensen MB (1974) Ultrastructure of the epithelium in atrophic rhinitis. *Acta Otolaryng* 77: 439-446
- (209) Mygind N, Bretlau P, Jorgensen MB (1974) Scanning electron microscopic studies of nasal polyps. *Acta Otolaryng* 78: 436-443
- (210) Mygind N (1978) Nasal allergy. Blackwell Sci Publ, Oxford: 1-353
- (211) Mygind N, Pedersen M, Nielson M (1983) Primary and secondary ciliary dyskinesia. *Acta otolaryngol (Stockh)* 95: 688-694
- (212) Mygind N (2001) Nasal inflammation and anti-inflammatory treatment. Semantics or clinical reality? *Rhinology* 39: 61-65
- (213) Nadel JA (1992) Regulation of neurogenic inflammation by neutral endopeptidase. *Am Rev Respir Dis* 145: 48-52
- (214) Nagahara T, Matsuda H, Kadota T, Kishida R (1995) Development of substance P immunoreactivity in the mouse vomeronasal organ. *Anat Embryol Berl* 192 (2): 107-115
- (215) Nagai M, Nagai T, Morimitsu T (1982) Scanning Electron Microscopy of the Nasal Glands and Vessels. *Arch Otorhinolaryngol* 237: 67-75

- (216) Nieber K, Baumgarten C, Witzel A, Rathsack R, Oehme P, Brunnee T, Kleine-Tebbe J, Kunkel G (1991) The possible role of substance p in the allergic reaction, based on two different provocation models. *Int Arch Allergy Appl Immunol* 94(1-4): 334-338
- (217) Nielsson T, Cantera L, Edvinsson L (1996) Presence of neuropeptide Y Y₁ receptor mediating vasoconstriction in human cerebral arteries. *Neurosci Lett* (204): 145-148
- (218) Nomura Y, Matsuura T (1972) Distribution and clinical significance of the autonomic nervous system in the human nasal mucosa. *Acta Otolaryng* 73: 493-501
- (219) Norlander T, Nilsson L, Rivero C et al (1997) Effects of experimental *Mycoplasma pulmonis* infection on sensory neuropeptides and airway mucosa in the rat. *Eur Respir J* 10: 2334-2342
- (220) O'Dorisio MS, Wood CL, O'Dorisio TM (1985) Vasoactive Intestinal Peptide and Neuropeptide Modulation of the Immune Response. *J Immunol* 135: 792-796
- (221) Ogura JH, Harvey JE (1971) Nasopulmonary mechanisms: experimental evidence of the influence of the upper airway upon the lower. *Acta Otolaryngol* 71: 123-130
- (222) Ohkubo K, Okuda M, Kaliner MA (1994) Immunological localization of neuropeptide-degrading enzymes in the nasal mucosa. *Rhinology* 31: 130-133
- (223) Ohkubo K, Lee CH, Baraniuk JN, Merida M, Hausfeld JN, Kaliner MA (1994) Angiotensin-converting enzyme in the human nasal mucosa. *Am Respir Cell Mol Biol* 11: 173-180

- (224) Ohnishi T, Ogura JH, Nelson JR (1971) Effects of nasal obstruction upon the mechanics of the lung in the dog. *Laryngoscope* 82: 712-715
- (225) Palmer JB, Cuss FM, Mulderry PK, Ghatei MA, Springall DR, Cadieux A, Bloom SR, Polak JM, Barnes PJ (1987) Calcitonin gene-related peptide is localised to human airways nerves and potently constricts human airway smooth muscle. *Br J Pharmacol* 91 (1): 95-101
- (226) Palmer RMJ, Ferrige AG, Moncada S (1987) Nitric oxide release accounts for the biological activity of endothelium – derived relaxing factor. *Nature* 327: 524-526
- (227) Palmer RJM, Rees DD, Ashton DS, Moncada S (1988) L-arginine is the physiological precursor for the formation of nitric oxide in endothelium-dependent relaxation. *Biochem Biophys Res Comm* 153: 1251-1256
- (228) Payan DG, Levine JD, Goetzl EJ (1984) Modulation of Immunity and Hypersensitivity by Sensory Neuropeptides. *J Immunol* 132: 1601-1604
- (229) Perez VJ, Olney JW, Cicero TJ, Moore BW, Bahn BA (1970) Wallerian Degeneration in Rabbit Optic Nerve: Cellular Localization in the Central Nervous System of the S-100 and 14-3-2 Proteins. *J Neurochem* 17: 511-519
- (230) Petersson G, Svensjo E (1990) Nasal mucosal permeability after methacholine, substance p, and capsaicin challenge in the rat. *Int J Microcirc Clin Exp* 9(2): 205-212
- (231) Petersson G, McCaffrey TV, Malm L (1989) Substance P and nasal secretion in dog, rat, and man. *Ann Allergy*. 62: 410-414

- (232) Petersson G, Bacci E, McDonald DM, Nadel JA (1993) Neurogenic plasma extravasation in the rat nasal mucosa is potentiated by peptidase inhibitors. *J Pharmacol Exp Ther* 264: 509-514
- (233) Petruson B, Hansson HA (1982) Function and structure of the nasal mucosa after 6 weeks use of nose-drops. *Acta Otolaryngol* 94: 563-569
- (234) Petruson B, Hansson HA (1987) Nasal mucosa changes in children with frequent infections. *Arch Otolaryngol* 113: 1294-1300
- (235) Philip G, Togias AG (1995) Nonallergic rhinitis. Pathophysiology and models for study. *Eur Arch Otorhinolaryngol* 252 (Suppl 1): 27-32
- (236) Piotrowski W, Foreman JC (1986) Some effects of calcitonin gene-related peptide in human skin and on histamine release. *Br J Dermatol* 114: 37-46
- (237) Pollock JS, Nakane M, Buttery LDK, Martinez A, Springall D, Polack JM, Förstermann U, Murad F (1993) Characterization and localization of endothelial nitric oxide synthase using specific monoclonal antibodies. *Am J Physiol* 265: C1379-1387
- (238) Rambotti MG, Saccardi C, Spreca A, Aisa MC, Giambanco I, Donato R (1989) Immunocytochemical Localization of S-100BB Protein in Olfactory and Supporting Cells of Lamb Olfactory Epithelium. *J Histochem Cytochem* 37: 1825-1832
- (239) Raphael GD, Jeney EV, Baraniuk JN, Kim I, Meredith SD, Kaliner MA (1989) Pathophysiology of Rhinitis. *Journal of Clinical Investigation* 84: 1528-1535
- (240) Raphael GD, Baraniuk JN, Kaliner MA (1991) How and why the nose runs. *J Allergy Clin Immunol* 87(2): 457-467

- (241) Reimer A, von Mecklenburg C, Toremalm NG (1979) The mucociliary activity of the upper respiratory tract- III. A functional and morphological study on human and animal material with special reference to maxillary sinus diseases. *Acta Oto Laryngologica Suppl* 355: 3-20
- (242) Reinheimer T, Bernedo P, Klapproth H, Oelert H, Zeiske B, Racke K, Wessler I (1996) Acetylcholine in isolated airways of rat, guinea pig, and human: species differences in role of airway mucosa. *Am J Physiol* 26: 722-728
- (243) Reiß M (1997) Aktuelle Aspekte zur Diagnostik und Therapie der Polyposis nasi. *Wien Klein Wochenschr* 109/20: 820-825
- (244) Revington M, Lacroix JS, Potter EK (1997) Sympathetic and parasympathetic interaction in vascular and secretory control of the nasal mucosa in anaesthetized dogs. *J Physiol* 505 (15): 823-831
- (245) Rha KS, Majima Y, Sakakura Y et al. (1994) Distribution of Substance P immunoreactive nerve fibers in the tracheal submucosal gland of cats. *Ann Otol Rhinol Laryngol* 103: 222-226
- (246) Riechelmann H (1998) Etagenwechsel und Folgeerkrankungen der allergischen Rhinitis. *Laryngo-Rhino-Otol.* 77: 646-649
- (247) Riechelmann H, Hafner B, Maurer J, Mann W (1999) Diagnostisches Vorgehen bei primärer ziliarer Dyskinesie. *Laryngo Rhino Otol* 78: 194-199
- (248) Riechelmann H (2000) Therapie der allergischen Rhinitis. *HNO-Informationen* 4: 1-10

- (249) Riederer A, Knipping St, Fischer A, Grevers G, Zietz Ch (1993) Immunhistochemische Untersuchungen zur Neuroanatomie der Nasenmuschel des Menschen. Innervationsmuster der Gefäße. Laryngo Rhino Otol 73: 51-55
- (250) Riederer A, Knipping St, Fischer A, Unger J (1995) Immunhistochemische Untersuchungen zum Vorkommen von "calcitonin gene-related peptide" (CGRP) in der Nasenschleimhaut des Menschen. HNO 43: 724-727
- (251) Riederer A, Knipping St, Fischer A, Unger J (1995) Aktuelle immunhistochemische Ergebnisse zur Lokalisation von vasoaktivintestinalem Polypeptid (VIP) in der Nasenschleimhaut des Menschen. Laryngo Rhino Otol 74: 611-614
- (252) Riederer A, Held B, Wörl J, Unger J (1996) Endogen gebildetes Stickstoffmonoxid in der Nasenschleimhaut des Menschen: Nachweis mittels Nikotinamid Adenin Dinukleotid Phosphat-Diaphorase (NADPH-d) Histochemie. Laryngo Rhino Otol 75: 584-589
- (253) Riederer A, Fischer A, Knipping St, Unger J, Lange W, Kastenbauer E (1996) Basic innervation pattern and distribution of classic autonomic neurotransmitters in human nasal mucosa vasculature. Laryngoscope 106: 286-291
- (254) Riederer A, Grevers G, Welsch U, Herzmann S (1997) Elektronenmikroskopische Untersuchungen zur Gefäßinnervation der Nasenschleimhaut des Menschen. Laryngo Rhino Otol 76: 405-410
- (255) Riederer A, Held B, Mack B (1999) Immunhistochemische Untersuchungen zur Verteilung der konstitutiven Stickoxidsynthase in Gefäßendothelien der Nasenschleimhaut des Menschen. Laryngo Rhino Otol 78: 373-377

- (256) Riederer A, Held B, Mayer B, Wörl J (1999) Histochemical and immunocytochemical study of nitric innervation in human nasal mucosa. *Ann Otorhinolaryngol* 108(9): 869-875
- (257) Rinder J, Lundberg JM (1996) Effects of hCGRP 8-37 and the NK1-receptor antagonist SR 140333 on capsaicin-evoked vasodilatation in the pig nasal mucosa in vivo. *Acta Physiol Scand* 156: 115-122
- (258) Rinder J (1996) Sensory neuropeptides and Nitric Oxide in nasal vascular regulation. *Acta Physiol Scand Suppl* 632: 1-45
- (259) Rist B, Lacroix JS, Entzeroth M, Doods HN, Beck-Sickinger A (1999) CGRP 27-37 analogues with high affinity to the CGRP1 receptor show antagonistic properties in a rat flow assay. *Regul Pept* 79: 153-158
- (260) Rossatti B (1954) Über die Blutzirkulation und die arteriovenösen Anastomosen der menschlichen Nasenschleimhaut. *Anat Anz* 100: 243-248
- (261) Ruffoli R, Fattori B, Giambelluca MA, Soldani P, Giannessi F (2000) Ultracytochemical localization of the NADPH-d activity in the human nasal respiratory mucosa in vasomotor rhinitis. *Laryngoscope* 110: 1361-1365
- (262) Rulon JT, Brown H, Logan GB (1963) Nasal polyps and Cystic Fibrosis of the pancreas. *Arch Otorhinolaryngol* 78: 192-199
- (263) Sakai M, Sawada T, Nishimura T, Nagatsu I (1996) Expression of nitric oxide synthase in the mouse and human nasal mucosa. *Cytochem* 29: 177-179
- (264) Sano H (1992) Influence of environmental temperature (cold exposure) on nasal resistance. *Nippon Jibiinkoka Gakkai Kaiho* 95: 1785-1799

- (265) Satir P (1974) How cilia move. *Scient Am* 231: 45
- (266) Sato M, Fukuyama N, Sakai M, Nakazawa H (1998) Increased nitric oxide in nasal lavage fluid and nitrotyrosine formation in nasal mucosa-indices for severe perennial nasal allergy. *Clinical and Experimental Allergy* 28: 597-605
- (267) Schierhorn K, Brunnee T, Schultz KD, Jahnke V, Kunkel G (1995) Substance-p-induced histamine release from human nasal mucosa in vitro. *Int Arch Allergy Immunol* 107(1-3): 109-114
- (268) Schmechel D, Marangos PJ, Brightman M (1978) Neurone-specific enolase is a molecular marker for peripheral and central neuroendocrine cells. *Nature* 276: 834-836
- (269) Schwachman H, Kulczycki LL, Mueller HL, Flake CG (1962) Nasal polyposis in patients with cystic fibrosis. *Pediatrics* 30: 389-401
- (270) Schmidt R, Thews G (1990) *Physiologie des Menschen*. Springer Verlag Berlin, Heidelberg, New York, 24. Auflage
- (271) Sheppard MN, Kurian SS, Henzen-Logmans SC, Michetti F, Cocchia D et al (1983) Neurone-specific enolase and S-100: new markers for delineating the innervation of the respiratory tract in man and other mammals. *Thorax* 38: 333-340
- (272) Shibano A, Yoshinori K, Senba E (1998) Histamine-induced internalization of Substance P receptors in myoepithelial cells of the guinea pig nasal glands. *Peptides* 19 (8): 1365-1371
- (273) Smallman LA (1984) Microtubular abnormalities of cilia in acquired pulmonary diseases. *Lancet* 1: 965-966

- (274) Somogyi P, Takagi H (1982) A Note of the Use of Picric Acid-Paraformaldehyde- Glutaraldehyde Fixative for Correlated Light and Electron Microscopic Immunocytochemistry. *Neuroscience* 7: 1779-1783
- (275) Stefansson K, Wollmann RL, Moore BW, Arnason BGW (1982) S-100 protein in human chondrocytes. *Nature* 295: 63-64
- (276) Stefansson K, Wollmann RL, Moore BW (1982) Distribution of S-100 Protein outside the Central Nervous Systems. *Brain Research* 234: 309-317
- (277) Stein H, Gatter K, Asbar H, Mason DY (1985) Use of freeze-dried paraffin-embedded sections of immunohistologic staining with monoclonal antibodies. *Lab Invest* 52: 676-683
- (278) Stjärne P, Lundblad L, Änggard A, Hökfeld T, Lundberg JM (1989) Tachykinins and calcitonin gene-related peptide: coexistence in sensory nerves of the nasal mucosa and effects on blood flow. *Cell Tissue Res* 156: 439-446
- (279) Stjärne P, Lacroix JS, Änggard A, Lundberg JM (1991) Compartment analysis of vascular effects of neuropeptides and capsaicin in the pig nasal mucosa. *Acta Physiol Scand* 141(3): 335-342
- (280) Stjärne, P (1991) Sensory and motor reflex control of nasal mucosal blood flow and secretion; clinical implications in non-allergic nasal hyperreactivity. *Acta Physiol Scand Suppl* 600: 1-64
- (281) Stjärne P, Lundblad L, Änggard A, Lundberg JM (1991) Local capsaicin treatment of the nasal mucosa reduces symptoms of nonallergic nasal hyperreactivity. *Am J Rhinol* 5: 145-151

- (282) Südhof TC (1995) The synaptic vesicle cycle: a cascade of protein-protein interactions. *Nature* 375: 645-653
- (283) Sundler F, Ekbald E, Grunditz T, Hakanson R, Uddman R (1988) VIP in the peripheral nervous system. *Ann NY Acad Sci* 527: 143-147
- (284) Sunose H, Zhang W, Ishigaki M, Katori Y, Suzuki M, Ikeda K, Takasaka T, Saito Y, Nishiyama A (1994) Isolation of acini from nasal glands of the guinea-pig. *Acta Physiol Scand* 151: 377-384
- (285) Tachibana M, Morioka H, Machino M, Tsuruoka T, Tanimura F, Mizukoshi O (1986) Lysozyme producers in nasal mucosa – an immunocytochemical study. *Ann Otol Rhinol Laryngol* 95: 193-195
- (286) Tanaka Y, Yoshida Y, Hirano M (1995) Precise localization of VIP-, NPY-, and TH-immunoreactivities of cat laryngeal glands. *Brain Res Bull* 36(3): 219-224
- (287) Tani E, Senba E, Kokumai S, Masuyama K, Ishikawa T, Tohyama M (1990) Histamine application to the nasal mucosa induces release of calcitonin gene-related peptide and substance P from peripheral terminals of trigeminal ganglion: a morphological study in the guinea pig. *Neuroscience Letters* 112: 1-6
- (288) Tasman AJ, Bogatzki B, Heppt W, Hauser-Kronberger C, Fischer A (1998) Nitric oxide synthase in the innervation of the human nasal mucosa: Correlation with Neuropeptides and Tyrosine Hydroxylase. *Laryngoscope* 108: 128-133
- (289) Temesrekasi D (1968) Mikroskopischer Bau und Funktion des Schwellgewebes der Nasenmuschel des Menschen. *Z mikrosk-anat Forsch* 80: 219-227

- (290) Temesrekasi D (1973) Die Nervelemente der Gefäßmuskulatur des Schwellgewebes der Nasenmuschel des Menschen. Ein Beitrag zur cholinergen-adrenergen Innervation. *Z mikrosk anat Forsch Leipzig* 87: 170-194
- (291) Terrahe K (1970) Die Drüsen der respiratorischen Nasenschleimhaut. Eine elektronenmikroskopische und histochemische Studie. Gustav Fischer Verlag, Stuttgart. *Veröffentl. Morphol Path* 81: 1-86
- (292) Terrahe K (1985) Die hyperreflektorische Rhinopathie. *HNO* 33: 51-57
- (293) Tonnesen P, Schaffalitzky De Muckadell OB (1987) Substance P and vasoactive intestinal peptide in serotonin-induced nasal secretions in normal subjects. *Allergy* 42: 146-150
- (294) Tonnesen P, Hindberg I, Schaffalitzky De Muckadell OB, Mygind N (1988) Effect of nasal allergen challenge on serotonin, substance P and vasoactive intestinal peptide in plasma and nasal secretions. *Allergy* 43: 310-317
- (295) Tos M, Poulsen J (1975) Mucous glands in the developing human nose. *Arch Otolaryng* 101: 367-371
- (296) Tos M, Mogensen C (1977) Nasal glands in nasal allergy. *Acta Otolaryngol* 83: 498-504
- (297) Tos M, Morgensen C, Thomsen J (1977) Nasal polyps in cystic fibrosis. *J Laryngol Otol* 91: 827-835
- (298) Tos M, Morgensen C (1977) Mucous glands in nasal polyps. *Arch Otolaryngol* 103: 407-413

- (299) Toskala E, Nuutinen J, Rautiainen M, Torkkeli T (1995) The correlation of mucociliary transport and scanning electron microscopy of nasal mucosa. *Acta Otolaryngol (Stockh)*115: 61-65
- (300) Turner PJ, Foreman JC (1999) Hyperresponsiveness in the human nasal airway: new targets for the treatment of allergic airway disease. *Mediators Inflamm* 8: 133-146
- (301) Uddman R, Alumets J, Densert O, Hakanson R, Sundler F (1978) Occurrence and distribution of VIP nerves in the nasal mucosa and tracheobronchial wall. *Acta Otolaryngol* 86: 443-448
- (302) Uddman R, Sundler F (1979) Vasoactive Intestinal Polypeptide Nerves in Human Upper Respiratory Tract. *ORL* 41: 221-226
- (303) Uddman R, Malm L, Sundler F (1983) Substance P-containing nerve fibers in the nasal mucosa. *Arch Otorhinolaryngol* 238: 9-16
- (304) Uddman R, Luts A, Sundler F (1985) Occurrence and distribution of calcitonin gene-related peptide (CGRP) in the mammalian respiratory tract and middle ear. *Cell Tissue Res* 241: 551-555
- (305) Uddman R, Cantera L, Cardell LO, Edvinsson L (1999) Expression of NPY 1 and CGRP 1 receptors in human nasal mucosa: implications in allergic rhinitis. *Ann Otol Rhinol Laryngol* 108(10): 969-973
- (306) Ueda T, Takumida M, Takeno S, Tashiro T, Kawamoto H, Yajin K. Functional role of nitric oxide in the nasal mucosa of the guinea pig after instillation with lipopolysaccharide. *Acta Otolaryngol* 2001; 121: 510-516

- (307) Varney VA, Jacobson MR, Sudderick RM, Robinson DS, Irani A, Schwartz LB, Mackay IS, Kay AB, Durham SR (1992) Immunhistology of the nasal mucosa following allergen-induced rhinitis. *Am Rev Respir Dis* 146: 170-176
- (308) Ventura S, Bavetta S, Milner P, Ralevic V, Burnstock G (1998) Nitric oxide synthase is co-localized with vasoactive intestinal polypeptide in postganglionic parasympathetic nerves innervating the rat vas deferens. *Neuroscience* 83(2): 607-616
- (309) Vincent SR, Kimura H (1992) Histochemical mapping of nitric oxide synthase in the rat brain. *Neuroscience* 46: 755-784
- (310) Widdicombe JG (1986) The physiology of the nose. *Clin Chest Med* 7: 159-170
- (311) Winther B, Brofeldt S, Christensen B, Mygind N (1984) Light and scanning electron microscopy of nasal biopsy material from patients with naturally acquired common colds. *Acta Otolaryngol (Stockh)* 97: 309-318
- (312) Wittekindt C, Heß A, Sultani S, Michel O (2001) Immunhistochemische Darstellung von vaskulärem endothelialen Wachstumsfaktor (VEGF) und dessen Rezeptoren in gesunder Nasenschleimhaut und bei chronischer polypöser Sinusitis. *HNO Informationen* 2: 208
- (313) Wolf G, Saria A, Gamse R (1987) Neue Aspekte zur autonomen Innervation der menschlichen Nasenschleimhaut. *Laryngo Rhino Otol* 66: 149-151
- (314) Wolf G, Loidolt D, Saria A, Gamse R (1987) Änderung des nasalen Volumenstromes nach lokaler Applikation des Neuropeptides Substanz-P und von Capsaicin. *Laryngo Rhino Otol* 66: 412-415

- (315) Wolf G (1988) Neue Aspekte zur Pathogenese und Therapie der hyperreflektorischen Rhinopathie. *Laryngo Rhino Otol* 67: 438-445
- (316) Wolf G, Anderhuber W, Hauser-Kronberger C, Saria A (1995) Die Behandlung der unspezifischen hyperreflektorischen Rhinopathie (vasomotorischen Rhinitis) mit Capsaicin. *Laryngo Rhino Otol* 74: 289-293
- (317) Woodhead CJ, Nimmo AJ (1991) Beta adrenoceptors in human nasal mucosa. *J Laryngol Otol* 105: 632-634
- (318) Woodhead CJ (1994) Neuropeptides in nasal mucosa. *Clin Otolaryngol* 19: 277-286
- (319) Yamagishi M, Hasegawa S, Takahashi S, Nakano Y, Toshihiko I (1989) Immunohistochemical analysis of the Olfactory Mucosa by Use of Antibodies to Brain Proteins and Cytokeratin. *Ann Otol Rhinol Laryngol* 89: 384-388
- (320) Yamamoto K (1996) Distribution of neuropeptides in the inferior nasal turbinate mucosa of patients with allergic rhinitis. *Nippon-Jibiinkoka-Gakkai-Kaiho* 99: 533-543
- (321) Yokoyama R, Inokuchi T, Takahashi Y, Watanabe I (1991) An electron microscopic study of acetylcholinesterase-activity and vasoactive intestinal peptide- and neuro-peptide γ -immunoreactivity of the intraepithelial nerve fibers in the nasal gland of the guinea pig. *Arch Histol Cytol* 54(1): 59-67
- (322) Zaidi M, Moonga BS, Bevis PJR, Bascal ZA, Breimer LA (1990) The Calcitonin Gene Peptides: Biology and Clinical Relevance. *Crit Rev Clin Lab Sci* 28: 109-174

- (323) Zhang RX (1993) Substance P in plasma of patients with allergic rhinitis and its clinical significance. *Chung Hua Erh Pi Yen Hou Ko Tsa Chih* 28: 72-73
- (324) Zhao CQ, Tao ZD (1994) An immunocytochemical study on the distribution of calcitonin gene related peptidergic nerve fibers in rat nasal mucosa. *Chin Med J (Engl)* 107: 781-784
- (325) Zheng C, Wang Z, Lacroix JS (2000) Effect of intranasal treatment with capsaicin on the recurrence of polyps after polypectomy and ethmoidectomy. *Acta Otolaryngol* 120: 62-66
- (326) Zuckerkandl E (1884) Das Schwellgewebe der Nasenschleimhaut und deren Beziehungen zum Respirationsspalt. *Wien Med Wochenschrift* 34: 1121-1126